

FOLDERS

- hello
 - /* build.yaml
 - <> hello.md
 - <> README.md

```
1 # Título
2
3 BEGIN-SP
4
5 Un párrafo de texto. Los párrafos se separan por una línea en blanco.
6
7 END-SP
8
9 BEGIN-EN
10
11 A paragraph of text. Paragraphs are separated from each other by one or more blank lines.
12
13 END-EN
14
15 BEGIN-SP
16
17 Éste es un párrafo de texto. Las listas en markdown se definen de la siguiente manera:
18 y "monospace" text. Lists in markdown are defined as follows:
19
20 * Una lista
21 * Otra lista
22 * Otra más
23   - Incluso podemos anidar (p.ej., con Tab + sin marcadores):
24     1. punto 1
25     2. punto 2
26
27 END-SP
28
29 BEGIN-EN
30
31 This is the second paragraph, which includes italic, bold, and monospace text. Lists in markdown are defined as follows:
32
33
34 * One
35 * Another one
36 * Yet another one
37   - We can even use nested lists (e.g. with Tab + marker):
38     1. First point
39     2. Second point
40
41 END-EN
42
```

- Command Palette... Ctrl+Shift+P
- Snippets...
- Build System
- Build Ctrl+B
- Build With... Ctrl+Shift+B
- Cancel Build Ctrl+Break
- Build Results
- Save All on Build
- Record Macro Ctrl+Q
- Playback Macro Ctrl+Shift+Q
- Save Macro...
- Macros
- Developer
- Install Package Control...

Automatic

ActionScript

Ant

C++ Single File

Cargo

D

Erlang

Haskell

JavaC

Lua

Make

✓ Panbuild

Python

R

Ruby

Rust

ShellScript

Syntax Tests

New Build System...