

Assessing the Marginal Utility of Exocentric Head Views in UMI-Style Large-FoV Wrist-Camera Manipulation

A Controlled Study for Tabletop Bimanual Manipulation

Public Technical Report Date: June 24, 2026

Author Name(s) | Affiliation(s) | contact@example.com

Abstract

Multi-view perception is often treated as a safe design choice for robot manipulation: if one camera is useful, more cameras should be better. We revisit that assumption in tabletop bimanual manipulation by comparing policies trained with two large-field-of-view (FoV) wrist cameras against policies that additionally receive a head view, using controlled-variable experiments on a real bimanual platform. Across three tabletop tasks, adding a head view does not consistently improve task completion or execution quality: when the wrist cameras already observe the objects, grippers, and goal regions, wrist-only policies form a strong baseline. Restricting the wrist-camera FoV increases the potential value of a head view, but performance improves most reliably when the added view supplies concentrated, task-relevant information: region-of-interest (ROI) cropping yields more consistent head-view gains than the uncropped image, which is dominated by background and task-irrelevant regions. The data-scaling results further suggest an interaction between FoV and demonstration count: wide observations improve coverage but may require more data to stabilize, and they may reach a higher performance ceiling once enough demonstrations are available. These results suggest that camera design should be framed as a task-relevance and information-density problem rather than as a simple count of input views.

Keywords: tabletop manipulation; bimanual manipulation; wrist camera; head view; field of view; view selection; action sensitivity.

1 Introduction

Multi-view visual input is a common choice in robot manipulation. A third-person or head-mounted camera can provide a stable scene reference, while wrist cameras provide close-up observations of the gripper, object, and contact region. This intuition motivates a simple design rule: adding a head view should improve policy performance because it gives the model more information.

In practice, this rule is often followed by default: many manipulation systems include a fixed third-person or head camera in their standard observation space [1, 12, 13, 5, 6], and the choice is usually inherited as a data-collection convention rather than supported by controlled comparisons or uncertainty analysis. At the same time, systems built on the Universal Manipulation Interface (UMI) show that wrist-mounted cameras alone can support a wide range of real-world manipulation tasks [11, 14, 15]. This contrast motivates the doubt examined in this study: an extra head view is not automatically informative—it can duplicate what large field-of-view (FoV) wrist cameras already observe, spend fixed image resolution or visual-token capacity on background, and add sensor, calibration, and data-collection cost [19, 20].

Our controlled experiments show that this default is incomplete. In tabletop bimanual manipulation, two large-FoV wrist cameras already provide sufficient coverage of most task-relevant state information:




Figure 1 Overview of the study, organized by its three contributions and its key findings. Top: the guiding question and the experimental setting—a real bimanual platform (annotated: head camera, left and right wrist cameras) evaluated on three tabletop tasks. ① The controlled observation design crosses wrist-camera FoV (Large, D435-like; shown by representative wrist frames) with head-view input (NoHead, RawHead, ROIHead), yielding the controlled configurations G1–G6 evaluated in Sec. 4. ② Each rollout is scored with a quality-adjusted metric that separates high-quality success from coarse completion, illustrated by two Task B final states. ③ RISE-style action-sensitivity diagnostics: in the Task B example the wrist views carry most of the step-level action share (0.59 + 0.26 versus 0.14 for the head view), which contributes low-weight global context. Bottom band: key findings from the two complementary experiments—the Task A data-scaling trend, which suggests that large-FoV input needs more demonstrations but may reach a higher performance ceiling, and the Task B wrist-FoV scan, where the ROIHead-versus-NoHead FinalScore contrast is *non-monotonic* in wrist FoV (+21.0 Large, −5.3 Fov120, −7.9 Fov90, +29.2 D435-like).

the target object, the end effectors, and the goal region. Under this condition, a head view is not a necessary input channel for the current task family, and it does not consistently improve success or execution quality. In some cases, especially when the head image is broad and uncropped, the extra view introduces background clutter, occlusion, or a lower density of task-relevant pixels. The head view is most useful when it adds information that the wrist cameras do not already provide, and when that information is concentrated enough for the policy to exploit.

The relevant distinction is not a comparison between a two-camera configuration and a three-camera configuration; it is a comparison between expanded visual coverage and supplementary usable task evidence. This distinction has practical consequences for both demonstration collection and deployment. Increasing FoV, or adding an uncropped head stream, can look like a conservative design choice because it is less likely to miss the table layout. However, under a fixed image resolution or visual-token budget, the extra coverage also spends capacity on walls, table boundaries, robot links, and other static context. This can reduce the density of task-relevant pixels, increase the amount of data needed for the policy to learn what to ignore, and make the learned policy more sensitive to background or camera-placement changes. The opposite failure mode is also important. A narrower wrist view can concentrate the gripper-object contact region, but it may lose the goal region or global layout as the arm moves. In that regime, a head view can become useful, not because it is an extra camera by itself, but because it supplies missing layout information that the wrist views no longer provide. The design question is therefore not whether a head view is universally good or bad, but when it provides high-density, low-interference

incremental evidence that improves execution quality without slowing learning or reducing robustness.

Figure 1 summarizes the study and previews its three contributions—the controlled two-factor comparison, the quality-adjusted evaluation, and the action-sensitivity diagnostics—together with its key finding: the head-view contrast is non-monotonic in wrist FoV. Concretely, we run three controlled experiments on a real bimanual platform with a fixed $\pi_{0.5}$ policy backbone. The main experiment compares six visual-input configurations (G1–G6), which cross wrist-camera FoV with head-view type, on three tabletop tasks: object organization, basket nesting, and plate placement; every task is evaluated under three fixed initial layouts (Init01–Init03) so that initial-state coverage is identical across configurations. A dedicated wrist-FoV scan on the basket-nesting task then measures how the head-view contrast changes as wrist FoV is progressively restricted. Finally, a data-scaling experiment on the object-organization task trains representative configurations with 50, 200, and 800 demonstrations to test how visual-input design interacts with data scale. Separately, an unscored toy-transfer diagnostic illustrates a boundary condition in which the initial wrist views omit the target location while the head view reveals it. Across these experiments, large-FoV wrist-only policies form a strong baseline; a region-of-interest (ROI) cropped head view helps mainly when wrist visibility is restricted or the task depends on global localization, whereas a raw head view is associated with lower quality-adjusted performance in several contrasts; and the data-scaling results suggest that large-FoV input needs more demonstrations, with its advantage appearing only at the largest scale we test.

Research questions. We study four questions:

- RQ1** How much additional performance gain does a head view provide when large-FoV wrist cameras already observe the task-critical regions?
- RQ2** Does restricted wrist FoV increase the potential value of a head view, and when does that potential fail to become a higher quality-adjusted score?
- RQ3** Does a cropped head view focusing on the task region provide denser, lower-interference information than a raw wide-angle head view?
- RQ4** How does the number of available training demonstrations influence the effect of visual-input configuration?

Contributions. This study makes three practical contributions. First, it provides a controlled real-robot comparison that separates two visual-input factors: wrist-camera FoV and head-view type. We compare wrist-only baselines with wrist-plus-RawHead and wrist-plus-ROIHead policies across multiple wrist-FoV settings. Despite being useful when wrist visibility is restricted, the head camera is often redundant once the wrist cameras already cover the task-critical regions: under the Large-FoV setting, adding a raw head view lowers the mean FinalScore across the three tasks (64.7 vs. 70.4 for the wrist-only baseline), and the head-view contrast on Task B is non-monotonic as wrist FoV shrinks (+21.0 under Large, −5.3 and −7.9 at the medium settings, +29.2 under D435-like). Second, beyond binary task success, it evaluates each rollout with a quality-oriented metric suite, including completion rate, quality-adjusted FinalScore, Quality Success Rate, localization rate, retry penalty, and step count. This allows us to distinguish mere task completion from accurate, stable, and efficient execution. Third, we combine rollout results with action-sensitivity diagnostics to analyze view roles, suggesting that dense task-region evidence matters more than simply adding cameras.

2 Related Work

2.1 Demonstration Collection and Generalist Robot Policies

Recent robot learning has moved from single-task policies toward scalable vision-language-action models and large-scale imitation learning: RT-1, RT-2, and PaLM-E show that large-scale robot data and visual-language knowledge can support real-world control [1, 2, 3]; Open X-Embodiment, OpenVLA, and Octo advance cross-embodiment data scale and open-source reproducibility [4, 5, 6]; π_0 and $\pi_{0.5}$

emphasize large-scale pretraining followed by downstream adaptation [7, 8]; and BC-Z and R3M show that data diversity and visual representations shape downstream generalization [9, 10].

To isolate camera-view effects, we fix $\pi_{0.5}$ from the OpenPI series as the policy backbone. We then study how visual input design affects tabletop manipulation under the same training and inference pipeline, rather than comparing the upper limits of different backbones. This setting shifts the question from whether the model is strong enough to which camera views provide task-relevant information.

2.2 UMI, Wrist Views, and Eye-in-Hand Manipulation

Wrist cameras and eye-in-hand observations are widely used in manipulation because they provide local visual signals near the gripper, object, and contact region, a spatial relation that early large-scale hand-eye coordination work already identified as central to closed-loop grasping [11]. Controlled studies further show that hand-centric observations can improve policy training and generalization relative to purely third-person viewpoints [17]. Diffusion Policy and ACT improve real-robot imitation learning through action diffusion modeling and action chunking [12, 13]. The Universal Manipulation Interface (UMI) converts portable in-the-wild human demonstrations into deployable robot policies, and FastUMI further improves the scalability and hardware independence of this collection pipeline [14, 15]. UMI-Bench standardizes real-robot evaluation for UMI-style wrist-view policies by aligning demonstration collection, scene reset, and policy execution in one reproducible protocol with partial-credit scoring [16].

These systems directly motivate the setting of this study. If UMI-style large-FoV wrist cameras already cover most task-critical information, the value of an additional head view should not be assumed. It should be tested under controlled wrist-FoV, head-view, and data-scale conditions. We therefore treat large-FoV dual wrist cameras as a strong baseline, not as an incomplete setup that always requires a head view.

2.3 Multi-View Perception, Head Views, and View Redundancy

Multi-view observations are often used to reduce occlusion, provide complementary spatial information, and improve global scene understanding; in robot learning, a third-person or exocentric view offers a stable scene reference when hand-centric views cannot see the target or goal region. However, adding a camera does not automatically add useful information: an extra view dominated by background regions, static table areas, or task-irrelevant objects can dilute task-relevant signals and make feature learning harder. Transporter Networks, CLIPort, and PerAct show that spatial structure, language conditioning, and 3D or multi-view representations can improve data efficiency and generalization in tabletop manipulation [19, 20, 21]; multi-view world-model pretraining likewise exploits complementary viewpoints when several cameras are available [18]; and active perception work frames viewpoint selection as a design variable coupled with task-state estimation and action decisions [22].

This study therefore asks a narrower question. It asks whether a fixed head view is still necessary for tabletop manipulation when large-FoV wrist cameras already cover the interaction region. We separate wrist FoV from head-view design and compare NoHead, RawHead, and ROIHead under Large, FoV120, FoV90, and D435-like wrist-FoV settings. This design tests whether head-view contrasts remain consistent under the reported descriptive uncertainty as wrist information becomes restricted, and whether any positive effect is task-dependent.

2.4 ROI Cropping and Visual Attribution

The presence of a view does not mean that the policy uses it effectively. A raw head view may include the target region, but it may also include background, robot body parts, table boundaries, and other irrelevant content. ROI cropping and view selection increase the density of task-relevant information and can reduce interference from irrelevant pixels.

In this study, we additionally adapt randomized input masking in the style of RISE (Randomized Input Sampling for Explanation) [23] as an action-sensitivity diagnostic; its formulation is given in Section 3.6.

3 Experimental Setup

This section describes the tasks, visual-input configurations, experiment design, and evaluation protocol. Here, a visual-input configuration denotes a controlled observation condition specified by a wrist-camera FoV setting and a head-view type; the concrete settings are defined in Section 3.5. We keep the policy backbone and training/inference protocol fixed while varying these visual-input factors and the training data scale, with the goal of systematically analyzing the practical role of head views in tabletop manipulation under controlled observation conditions. Each task is evaluated under three fixed initial layouts (Init01–Init03) that relocate the task objects between rollouts, so that no configuration can succeed by replaying a single memorized trajectory; the layouts and their design intent are detailed in Section 3.1.

3.1 Tasks

We design three main experimental tasks to cover different manipulation abilities. They correspond to long-horizon manipulation, bimanual coordination, and fine-grained localization.

For each main task, we define three fixed initial layouts, Init01–Init03, illustrated in Fig. 2; the red boxes and arrows in the figure mark the task-relevant regions and object-to-goal assignments used in the task descriptions below. Across Init01–Init03, the object placements in Task A and Task B are changed so that success cannot come from replaying one memorized trajectory, and Task C additionally permutes the relative positions of the colored plates to probe color generalization and instruction following. All experimental conditions use the fixed Init01–Init03 evaluation schedule, ensuring identical initial-state coverage across comparisons between configurations.

Task A: Four-Object Organization The robot must sequentially grasp four target objects and place them into a specified storage region; the red arrows in Fig. 2 map each object to its assigned storage position. This task includes repeated grasping, transport, and placement. It is a typical long-horizon, multi-stage manipulation task. We use it to evaluate task progress, execution stability, and overall completion efficiency. Because it includes multiple targets and a large spatial range, Task A is also used for the data-scaling experiment.

Task B: Basket Nesting The robot must use both arms to sequentially grasp the four surrounding baskets (labeled 1–4 in Fig. 2) and nest them into the central target basket (circled in the figure). A key challenge is accurate bimanual coordination and relative pose estimation, because each successful nesting depends on the final relative pose between the moved basket and the central target basket. We therefore use Task B as the main task for the wrist-FoV comparison. It helps test whether the head view provides extra localization information when wrist vision is restricted.

Task C: Plate Placement The robot must grasp target plates and place them accurately into a plate rack; in Fig. 2, the red box marks the rack region and the red arrows map each plate to its assigned rack slot. This task focuses on target localization, grasp stability, and final placement precision. It is sensitive to local visual information, target re-localization, and contact-region judgment. It is therefore suitable for evaluating the head view in fine manipulation.

In addition to these three main tasks, we later use a supplementary toy-transfer diagnostic to examine the head view under a specific boundary condition. It is not part of the G1–G6 main experiment matrix and is therefore described together with its analysis in Section 4.4.

To avoid conclusions being dominated by a single initial state, all three main tasks are evaluated under fixed layout distributions. Figure 2 shows Init01–Init03 for each task.

3.2 Policy Model and Training Details

All experiments use the OpenPI $\pi_{0.5}$ policy model as the shared policy backbone. During the experiments, we keep the model architecture, training pipeline, and inference mechanism fixed. Only the visual input configuration, wrist FoV, and training data scale are changed. Thus, the results mainly reflect the effect of visual input design rather than differences in model architecture.

All main experiment configurations use full-parameter supervised fine-tuning (SFT) of the OpenPI $\pi_{0.5}$ backbone for 60,000 optimization steps on 8 A100 GPUs, with global batch size 32. The optimizer and learning-rate settings are fixed across all configurations and listed in Appendix E. During inference,




Figure 2 Task overview and initial layouts. Rows show Tasks A–C, and columns show Init01–Init03. Red annotations specify the task goals, with numbered assignments illustrated in Init01. In Task A, arrows map the four objects to storage positions 1–4. In Task B, the green target basket is circled, and the surrounding baskets to be nested are labeled 1–4. In Task C, arrows map plates 1–3 to rack slots, and boxes mark the rack region.

each policy query produces one action chunk, and the robot executes its 50 control steps at a control frequency of 20 Hz before the next query. This training and inference setup is kept the same across all tasks and view configurations.

The comparison is not a simple test of whether an additional camera is beneficial. We treat visual input configurations as an observation-allocation problem. The key questions are whether a view captures the visual cues needed for the task, whether the model manages to extract this information, and whether an extra view introduces more semantic information or more task-irrelevant noise. For this reason, we keep the policy backbone and training protocol fixed, and only change the camera input form, wrist FoV, or data scale.

3.3 Evaluation Metrics

To make the evaluation reproducible, we separate raw rollout observations from derived metrics. In the scoring record, only directly observed quantities are manually filled; Table 1 defines these quantities and the symbols used below. The overall evaluation score, denoted as *FinalScore*, task completion, and high-quality success are then computed from fixed formulas. The primary performance metric in this report is a quality-adjusted task score. It separates task progress from strict quality success:

$$\text{FinalScore}_\tau = \frac{1}{2}P_\tau + 50Q_\tau, \quad (1)$$

where $P_\tau \in [0, 100]$ is a task-normalized outcome score and $Q_\tau \in \{0, 1\}$ is the high-quality success indicator. We report the fraction of rollouts with $Q_\tau = 1$ as the Quality Success Rate (q_{hq}). This definition prevents a long, unstable, or retry-heavy rollout from being treated as equivalent to a clean completion. It also keeps localization diagnostics separate from the main task-outcome score, except where localization is part of the high-quality criterion.

Object organization involves four target objects and basket nesting involves four baskets nested into the central target basket, so their outcome scores share the same normalization, while plate placement

Table 1 Directly observed scoring quantities. Only these quantities are manually recorded for each rollout; all derived scores in this section are computed from them by fixed formulas. Localization-related counts apply to Task B and Task C as indicated.

Symbol	Quantity	Definition
n_g	Successful grasps	Times a target object is securely lifted by the gripper.
n_p	Correct placements	Target objects placed or inserted into the assigned goal region.
n_s	Stable placements	Placements where the object retains its intended pose at the target after release.
n_r	Retries	Repeated grasp or alignment attempts after a failed attempt.
T	Executed steps	Executed low-level control steps in the rollout.
$n_{g,loc}, n_{p,loc}$	Localized grasps and placements (Task B)	Grasps and placements executed on the correctly localized baskets.
n_{loc}	First-localization decisions (Task C)	Plates for which the first approach targets the correct plate and rack slot.

involves three plates:

$$P_{\text{org}} = 100 \left(0.25 \frac{n_g}{4} + 0.45 \frac{n_p}{4} + 0.30 \frac{n_s}{4} \right), \quad (2)$$

$$P_{\text{basket}} = 100 \left(0.25 \frac{n_g}{4} + 0.45 \frac{n_p}{4} + 0.30 \frac{n_s}{4} \right), \quad (3)$$

$$P_{\text{plate}} = 100 \left(0.35 \frac{n_g}{3} + 0.65 \frac{n_p}{3} \right). \quad (4)$$

Each score reaches 100 when all task objects are grasped, placed, and remain stable. The weights emphasize correct placement while preserving partial credit for grasping and stable completion. This partial-credit design is consistent with recent real-robot benchmark protocols for UMI-style policies [16]. Localization metrics are not awarded points directly. For Task B and Task C, they are reported separately and are used only to determine whether a completed rollout qualifies as high-quality.

The task-specific completion and high-quality criteria used together with Eq. 1 are listed in Table A1 in Appendix A. In brief, completion requires the task objects to reach stable goal states, while the high-quality gate additionally requires a bounded step count together with task-specific conditions—no key failure for Task A, and passed localization with limited retries for Task B and Task C; a key failure denotes an execution error that requires an evident recovery or repeated attempt during the rollout.

The reported Steps denote low-level control steps rather than policy queries; with an action chunk size of 50, a 1000-step rollout corresponds to approximately 20 policy queries.

3.4 Reproducibility Protocol

Beyond the metric definitions, we fix the sources of variation other than the controlled visual factors so that comparisons remain fair across configurations.

Table 2 reports the controls on data scale, initial states, seeds, and inference. Within each task in the main experiment, G1–G6 use the same data scale and the same evaluation initial-state distribution. The only intended differences are wrist FoV and head-view input type. For the data-scaling experiment, the training subsets are nested to reduce confounding from different data splits.

3.5 View Configurations

We separate visual input design into two factors: **wrist-camera FoV** and **head-view type**. The wrist cameras mainly provide local visual information around the grippers, target objects, and contact regions. Wrist-camera FoV is the first controlled visual factor in this study. We evaluate four settings—Large, FoV120, FoV90, and D435-like—which progressively restrict the visible workspace from the original UMI-style large-FoV view to a narrow D435-like crop. Their definitions are summarized in Table B1(a) in Appendix B.

The second controlled visual factor is the head-view type, with three settings: NoHead, RawHead, and ROIHead. Although RawHead and ROIHead are derived from the same physical camera, they

Table 2 Reproducibility protocol.

Experiment Block	Training Data	Same Data?	Seed Protocol	Init Distribution	Evaluation and Inference Details
G1–G6 main experiment	Full / 800 demos per task	Yes, within each task	Same training recipe; training seed is not used as the paired comparison variable	Fixed 4/3/3 initial-layout schedule	Same evaluation schedule per task–configuration pair. All models use action chunk = 50.
Task B FoV scan	Full / 800 demos	Yes, within Task B	Same training recipe; comparisons are controlled by FoV/head type and init distribution	Same 4/3/3 split	Large, FoV120, FoV90, and D435-like are compared under NoHead and ROIHead.
Task A data scaling	50 / 200 / 800 demos	Nested subsets	Same training recipe; data size is the controlled variable	Same 4/3/3 split	Used to test how visual configuration interacts with demonstration count.

contain substantially different proportions of task-relevant image content. Table B1(b) in Appendix B summarizes these settings.

What affects the policy is the relative proportion of targets, grippers, and background in the input images. Figure 3 compares representative policy inputs from the basket-nesting experiments: the top row shows the left-wrist, right-wrist, RawHead, and ROIHead views, while the bottom row shows representative left-wrist inputs under the four FoV settings. The panels are drawn from the corresponding configurations rather than from a frame-matched recording, so the figure is intended to illustrate view geometry and task-content density rather than a pixel-wise controlled crop comparison.




Figure 3 Camera configuration schematic using representative policy-input frames from the basket-nesting experiments. Top row: left-wrist, right-wrist, RawHead, and ROIHead inputs. Bottom row: representative left-wrist inputs under Large, FoV120, FoV90, and D435-like settings. The panels come from separate rollouts and therefore illustrate view geometry and task-content density rather than a frame-matched crop comparison.

To characterize the visual information available from each input view, we inspect representative observation frames and record the visibility of the target object, gripper, and goal region. We also qualitatively assess the proportion of task-relevant pixels and background content using three relative levels: Low, Medium, and High. This audit is used to support the interpretation of the view-design results rather than as an additional performance metric. The resulting observations are summarized in Table B2 in Appendix B. It gives context for why different views may provide different localization and execution-quality cues.

This audit illustrates the main visibility interpretation used in this study. The number of cameras is not the determining factor. Large Wrist has no head view, but the target, gripper, and contact region are more concentrated in the wrist images, so it forms a strong baseline. RawHead sees the object and goal region, but the target occupies a small image area and the background ratio is high. This can lead to low-quality completion or longer trajectories. ROIHead can be easier for the policy to use because task-relevant regions are more concentrated. The main risk of D435-like Wrist is that the target or goal

region can be cropped out at critical moments.

Based on these two factors, we construct six main experiment configurations, denoted as G1–G6 in Table 3. The D435-like setting only simulates a smaller FoV by image cropping. It is not equivalent to the full imaging characteristics of a physical Intel RealSense D435 camera.

Table 3 Six main experiment configurations.

ID	Wrist FoV	Head Type	Input Configuration	Purpose
G1	Large	NoHead	Large Wrist Only	Large-FoV dual wrist baseline.
G2	Large	RawHead	Large Wrist + RawHead	Analyze RawHead under the large-FoV wrist setting.
G3	Large	ROIHead	Large Wrist + ROIHead	Analyze ROIHead under the large-FoV wrist setting.
G4	D435-like	NoHead	Cropped Wrist Only	Simulate restricted wrist vision.
G5	D435-like	RawHead	Cropped Wrist + RawHead	Analyze RawHead under the small-FoV wrist setting.
G6	D435-like	ROIHead	Cropped Wrist + ROIHead	Analyze ROIHead under the small-FoV wrist setting.

3.6 Action-Sensitivity Diagnostic

To probe whether the predicted action is sensitive to perturbing a given view, we use RISE-style randomized input masking as a diagnostic tool [23]. Random binary masks occlude local regions of a single view while the rest of the observation is unchanged; the induced normalized deviation of the predicted action chunk defines a cell-level action-sensitivity score $S_v(c)$, and a view-level share q_v summarizes how much each camera contributes at the selected step. The full formulation is given in Appendix F. The displayed heatmaps are normalized only for visualization; optional smoothing, clipping, or alpha scaling does not change $S_v(c)$ or q_v . These maps are not Transformer attention maps and should not be interpreted as rollout-success evidence. In this study, they provide diagnostic clues about how different views may contribute to policy decisions.

4 Experiments and Results

This section presents each experiment together with its results: the G1–G6 main experiment on Tasks A–C, the wrist-FoV scan on Task B, and the data-scaling study on Task A, followed by a supplementary diagnostic case. Cross-cutting analyses of the mechanisms behind these results—the strength of the large-FoV wrist baseline, the role of head-view input form, view-level attribution, and typical failure modes—are presented in Section 5.

4.1 Main Experiment

The main experiment evaluates the six visual configurations G1–G6 on Task A, Task B, and Task C. Each task-configuration pair uses the same fixed evaluation schedule. All quantitative results are recomputed from per-rollout scoring records. When uncertainty summaries are shown, we bootstrap over the matched rollout slots within each comparison while preserving the fixed initial-layout schedule. These intervals should be read as descriptive uncertainty rather than formal significance tests.

Rather than walking through all pairwise comparisons, the analysis in Section 5 reads these results through a small set of contrasts, each mapped to the research question it serves (Table 8).

We first report the overall results on the three main tasks. Unless stated otherwise, all main experiment results use the same fixed evaluation schedule described above.

Overall, large-FoV wrist cameras already form a strong baseline, and adding a head view does not produce a consistent performance improvement across all tasks under the reported descriptive uncertainty.

The overall conclusion is based on the full set of metrics across the three main tasks, not only on FinalScore. Table 4 reports completion rate p_{comp} , FinalScore, its score split, Quality Success Rate q_{hq} , and average Steps for G1–G6.

All later contrast analyses are based on the values in Table 4. The cross-task pattern is difficult to see from the table alone. We therefore plot FinalScore by task in Figure 4. We also summarize the mean FinalScore pattern across tasks and configurations in Figure 5.

Overall reading. The overall results show that the head view is not a stable or universal source of model-performance improvement. Its measured effect depends on the task type, wrist FoV, and

Table 4 Main G1–G6 results for Task A/B/C. The table reports completion rate p_{comp} , FinalScore, Quality Success Rate q_{hq} , and Steps. The Score Split column reports outcome contribution plus high-quality bonus, which sum to FinalScore. Reporting both p_{comp} and q_{hq} separates task non-completion from completed but low-quality rollouts.

Task	Config	Wrist FoV	Head Type	p_{comp} Completion	FinalScore	Score Split	q_{hq} Quality Success Rate	Steps
Task A	G1	Large	NoHead	50%	65.2	45.2 + 20.0	40%	975.0
Task A	G2	Large	RawHead	90%	49.2	49.2 + 0.0	0%	1045.0
Task A	G3	Large	ROIHead	80%	59.2	49.2 + 10.0	20%	1050.0
Task A	G4	D435-like	NoHead	60%	47.3	42.3 + 5.0	10%	1200.0
Task A	G5	D435-like	RawHead	70%	45.1	45.1 + 0.0	0%	1200.0
Task A	G6	D435-like	ROIHead	30%	44.1	44.1 + 0.0	0%	1165.0
Task B	G1	Large	NoHead	60%	68.2	43.2 + 25.0	50%	837.5
Task B	G2	Large	RawHead	50%	67.2	47.2 + 20.0	40%	905.0
Task B	G3	Large	ROIHead	80%	89.2	49.2 + 40.0	80%	790.0
Task B	G4	D435-like	NoHead	20%	42.2	37.2 + 5.0	10%	945.0
Task B	G5	D435-like	RawHead	30%	57.5	42.5 + 15.0	30%	947.5
Task B	G6	D435-like	ROIHead	50%	71.4	46.4 + 25.0	50%	907.5
Task C	G1	Large	NoHead	80%	77.8	47.8 + 30.0	60%	1100.0
Task C	G2	Large	RawHead	80%	77.8	47.8 + 30.0	60%	1095.0
Task C	G3	Large	ROIHead	100%	90.0	50.0 + 40.0	80%	1040.0
Task C	G4	D435-like	NoHead	0%	28.0	28.0 + 0.0	0%	1365.0
Task C	G5	D435-like	RawHead	0%	36.9	36.9 + 0.0	0%	1260.0
Task C	G6	D435-like	ROIHead	90%	58.3	48.3 + 10.0	20%	1240.0





Figure 4 G1–G6 bar plots for the three tasks. Each bar shows FinalScore split into the outcome contribution (solid) and the high-quality bonus (light top segment), following the Score Split column in Table 4. Bars without a light segment complete rollouts without earning any high-quality bonus.

head-view input form. When the wrist cameras already cover the target object, grippers, and goal region, wrist-only input already forms a strong baseline, and the head view is not a default requirement. When wrist FoV is restricted, the head view has greater opportunity to provide missing layout or localization evidence, but this opportunity only improves FinalScore when the added information is cleanly converted into high-quality execution. Positive mean differences should therefore be interpreted together with quality, step count, and uncertainty. In some tasks, the head view changes localization quality, execution efficiency, or Quality Success Rate. It does not necessarily change whether the task can be completed.

Task A is a long-horizon, multi-step task. The large-FoV dual wrist setup already provides relatively complete task information, so the marginal effect of the head view is limited and not stable across metrics. Task B has higher requirements for bimanual coordination and relative localization, where ROIHead shows the clearest positive mean contrast. Task C is more sensitive to first localization and

Mean FinalScore across tasks



Continuous heatmap: lighter cells indicate lower FinalScore; darker blue-green cells indicate higher FinalScore.

Figure 5 Summary matrix of mean FinalScore across tasks and configurations. The continuous heatmap uses a muted blue-green palette consistent with the style of Figure 4; lighter cells indicate lower FinalScore and darker cells indicate higher FinalScore.

final placement accuracy. When wrist FoV is restricted, the head view is associated with higher mean performance in some contrasts, especially when the added view is ROI-cropped and task-region focused, but this remains condition-specific rather than a global result.

These results show that the role of the head view cannot be reduced to the idea that one more camera is always better. More precisely, the head view does not materially affect model performance in a consistent way unless it supplies task-relevant information that is missing from the wrist views and the policy uses that information without degrading execution quality.

4.2 Wrist-FoV Experiment

To further analyze how wrist FoV affects the apparent effect of the head view, we conduct a dedicated FoV comparison on Task B. Task B requires strong bimanual coordination and relative localization. It is therefore suitable for observing whether the head-view effect changes after wrist vision is restricted.

The experiment compares four wrist-FoV settings: Large, FoV120, FoV90, and D435-like. Under each FoV condition, we evaluate NoHead and ROIHead. The measured head-view contrast is defined as

$$\Delta_{\text{head}} = \text{FinalScore}_{\text{ROIHead}} - \text{FinalScore}_{\text{NoHead}}. \quad (5)$$

If the head view compensates for task information that is missing from the wrist observations, restricted wrist FoV should increase the opportunity for a positive head-view contrast. This opportunity need not produce a monotonic FinalScore gain: the added view must also integrate cleanly with wrist-centered control and improve completion quality, step count, and retry behavior. Because FinalScore contains both an outcome term and a strict high-quality bonus, the FoV scan must be decomposed by localization, completion, Quality Success Rate, and step-count metrics rather than read only as a single Δ_{head} curve. We therefore treat the FoV scan as a test of conditional utility, not as proof that a head camera has a guaranteed positive effect.

The FoV experiment uses a paired NoHead and ROIHead design under each FoV setting, as shown in Table 5. The corresponding contrast decomposition is visualized in Fig. 6 together with the results below.

We now report the measured results of this scan; the head-view contrast Δ_{head} follows Eq. 5. The main effect is not captured by monotonicity alone. Across all four FoV settings, ROIHead improves the reported localization rate relative to NoHead, and the implied outcome contribution $\text{FinalScore} - 50q_{\text{hq}}$ also increases when q_{hq} is expressed as a fraction. The non-monotonicity in Δ_{head} therefore comes mainly from the high-quality success gate rather than from coarse localization itself. For Task B, high-quality success is an AND condition:

$$Q_{\text{basket}} = \mathbf{1}\{\text{Comp} \wedge \text{Loc} \wedge T \leq 900 \wedge n_r \leq 1\}, \quad (6)$$

Table 5 Wrist-FoV experiment configurations.

FoV Setting	NoHead	ROIHead	Purpose
Large	F1 / G1	F2 / G3	Large-FoV baseline.
FoV120	F5	F6	Medium-FoV comparison.
FoV90	F7	F8	More restricted FoV comparison.
D435-like	F3 / G4	F4 / G6	Small-FoV comparison.

where Comp denotes Task B completion and Loc denotes passing the Task B localization criterion. Thus, better localization only raises FinalScore when it also becomes stable completion with short trajectories and few retries.

For this reason, FinalScore should be read together with localization, completion, quality, and step count. Table 6 therefore keeps Completion Rate, Localization Rate, Quality Success Rate, and Average Steps. This helps determine whether Δ_{head} is associated with localization, quality, or changes in steps.

Table 6 FoV scan results on Task B. Δ_{head} is the descriptive FinalScore difference between ROIHead and NoHead under the same FoV, computed from unrounded means before one-decimal display.

Wrist FoV	Head Type	FinalScore	Completion Rate	Localization Rate	Quality Success Rate	Avg. Steps	Δ_{head}
Large	NoHead	68.2	60%	60%	50%	837.5	–
Large	ROIHead	89.2	80%	100%	80%	790.0	+21.0
FoV120	NoHead	60.6	40%	50%	40%	885.0	–
FoV120	ROIHead	55.3	40%	90%	20%	947.5	-5.3
FoV90	NoHead	55.6	40%	50%	30%	935.0	–
FoV90	ROIHead	47.8	70%	100%	0%	970.0	-7.9
D435-like	NoHead	42.2	20%	40%	10%	945.0	–
D435-like	ROIHead	71.4	50%	100%	50%	907.5	+29.2

Under the Large-FoV wrist setting, the positive Task B ROIHead contrast is best read as a contrast-specific complementary global-layout cue rather than compensation for broadly missing wrist information. The wrist views still provide the main local gripper–object–contact evidence, while the ROI-cropped head view appears to add useful target and layout disambiguation in this setting. This interpretation is consistent with the simultaneous improvements in localization (+40 percentage points, pp), completion (+20 pp), Quality Success Rate (+30 pp), and step count (–47.5 steps). Here the head view does not replace the wrist views; it supplies a stable auxiliary cue that does not appear to conflict with local wrist-centered control in this contrast.

The FoV120 and FoV90 results show the opposite quality-gate behavior. They illustrate that restricted wrist FoV can create an opportunity for the head view without guaranteeing a higher quality-adjusted score. ROIHead improves localization by +40 pp and +50 pp, respectively, and the implied outcome contribution also increases. However, the ROIHead average step counts are 947.5 for FoV120 and 970.0 for FoV90, both above the $T \leq 900$ high-quality threshold in Eq. 6. Consequently, better localization alone is not enough: a rollout can still lose the high-quality bonus if execution becomes slower, retry-heavy, or less stable at the final pose. This is why Quality Success Rate drops by 20 pp for FoV120 and by 30 pp for FoV90, producing negative mean Δ_{head} values despite improved localization. A plausible mechanism is that these medium FoV settings sit between the two clearer regimes. The wrist views still contain some local target evidence, but their global context is incomplete; ROIHead adds global context, yet the policy may trade off the wrist and head signals less consistently, which is associated with longer trajectories in these contrasts.

The D435-like setting is different. Here the positive ROIHead gain is more consistent with compensation for missing or less stable wrist-view spatial evidence than with the complementary effect seen under Large FoV. The wrist-only policy has less reliable global spatial evidence under the simulated restricted-FoV crop, so ROIHead provides concentrated layout information that is otherwise weak or absent. The gain therefore appears not only in localization (+60 pp), but also in completion (+30 pp), Quality Success Rate (+40 pp), and step count (–37.5 steps). Thus, D435-like ROIHead is best read as

compensating for restricted wrist visibility in this Task B scan, whereas Large-FoV ROIHead is best read as a complementary global-layout cue.

Figure 6 summarizes this decomposition: the FinalScore contrast is non-monotonic across FoV settings (panel a), while the underlying localization gain is uniformly positive and the quality-success change flips sign exactly at the medium settings (panel b). The non-monotonic pattern should therefore be read as the result of the quality-gated score decomposition above, not as evidence that localization benefits are themselves non-monotonic. The D435-like condition has the largest mean difference, while FoV120 and FoV90 show negative mean differences, although the descriptive bootstrap intervals overlap zero. Overall, smaller wrist FoV can increase the potential value of a head view, but the realized quality-adjusted effect also depends on whether the policy can use the added view without longer, retry-heavy trajectories that violate the quality gate—not only on whether the added image provides dense, low-interference task-region information.




Figure 6 Decomposition of the head-view contrast across wrist-FoV settings on Task B. (a) The FinalScore contrast Δ_{head} (ROIHead - NoHead) is positive under Large and D435-like but negative at the medium settings. (b) Metric-level changes explain this pattern: the localization rate improves under every FoV setting, whereas the Quality Success Rate flips sign at FoV120 and FoV90, where longer ROIHead trajectories violate the $T \leq 900$ high-quality gate (the completion-rate change at FoV120 is zero); see Table 6 for the full per-setting values, including steps. Values are descriptive means over the fixed rollout slots.

4.3 Data-Scaling Experiment

To study the relation between visual configuration and training data scale, we conduct a data-scaling experiment on Task A. Task A includes several target objects and a long operation sequence. It is therefore suitable for analyzing the learning efficiency of different visual configurations under different data scales.

The experiment uses three training-data scales:

$$\{50, 200, 800\} \text{ demonstrations.}$$

The 50-demonstration dataset is included in the 200-demonstration dataset, and the 200-demonstration dataset is included in the 800-demonstration dataset. This reduces the effect of data distribution differences. All data scales share the same fixed budget of 60,000 optimization steps rather than a fixed number of epochs, so smaller subsets traverse their data more often; we keep the optimization budget fixed so that configurations are compared under equal training compute. To separate the hypotheses of broader view coverage and higher task-region concentration, the data-scaling experiment keeps only three representative configurations: large-FoV dual wrist, small-FoV dual wrist, and small-FoV dual wrist plus ROIHead. The settings are shown in Table 7.

This experiment asks whether large-FoV input needs more demonstrations because it includes more background and gives a lower proportion of task-relevant pixels. We evaluate this trend through the learning curves reported in Fig. 7.

Table 7 Data-scaling experiment configurations.

Configuration	Wrist FoV	Head Type	Demonstrations
2W-Large	Large	NoHead	50 / 200 / 800
2W-D435Crop	D435-like	NoHead	50 / 200 / 800
3V-D435Crop-ROIHead	D435-like	ROIHead	50 / 200 / 800

The results further show that the effect of FoV should not be evaluated without considering training data scale. From the data-scale perspective, all three configurations improve substantially from 50 to 800 demonstrations. However, the amount of data needed to reach a FinalScore threshold of 60 differs across configurations. Gap_{800-50} and N_{60} in Table C1 (Appendix C) show this difference. N_{60} is estimated by piecewise linear interpolation over the observed 50/200/800 points when the score crosses 60; otherwise it is marked as not reached.

Large-FoV wrist cameras can cover a more complete operation area and spatial context. This is their main advantage. At the same time, large FoV also introduces more background and irrelevant regions. It reduces the proportion of the target object under a fixed image resolution or fixed visual-token budget. With small datasets, the model may not yet learn to focus reliably on key regions in the larger image. The advantage of large FoV may therefore not appear immediately.

The experimental trend shows that the large-FoV configuration improves clearly as the number of demonstrations increases and is the only configuration that crosses the FinalScore 60 threshold in the observed range. This suggests that large FoV may have a higher quality-adjusted performance ceiling, but may also need more data to become stable. Both statements are based on mean FinalScore: the descriptive intervals remain wide, the intervals of 2W-Large and 2W-D435Crop still overlap at 800 demonstrations, and the interval of 2W-D435Crop at 200 demonstrations extends above 60, so the threshold crossing and the ceiling difference should be read as differences in means rather than separated results. In contrast, small-FoV or ROIHead configurations can show stronger mid-scale completion but do not reach the same quality-adjusted score at 800 demonstrations in this dataset.

The curve shape also cautions against a simple scaling-law interpretation. 2W-Large rises clearly only at 800 demonstrations, which suggests that the advantage of large FoV depends more strongly on data scale under the quality-adjusted metric. We observe a non-monotonic point at 200 demonstrations for 2W-D435Crop. This point is consistent with high variance under the fixed evaluation schedule. Figure 7 shows the curves.




Figure 7 Scaling curves. The x-axis is the number of demonstrations. The y-axis is FinalScore. The curves include 2W-Large, 2W-D435Crop, and 3V-D435Crop-ROIHead, with descriptive bootstrap intervals.

4.4 Supplementary Diagnostic: Missing Target Visibility in Wrist Views

The toy-transfer task is included as a supplementary boundary-case diagnostic. The target toy starts inside either the left or the right bin, and the robot must grasp it from the source bin and transfer it into the other bin. The initial target-selection stage contains a deliberate information gap: the head view observes both bins and distinguishes which bin contains the toy, whereas both wrist cameras face the outer bin walls and cannot observe the toy at the beginning of the task. The purpose is therefore to inspect whether the available visual evidence around arm selection and target-bin choice changes when that auxiliary view is available. The analysis focuses on this decision boundary rather than full task success.

Figure 8 shows the information available at the initial target-selection stage.




Figure 8 Initial observability in the toy-transfer diagnostic. (a,b) The head view distinguishes whether the toy starts in the left or right bin. (c,d) The initial left- and right-wrist observations do not expose the target because of the bin walls. The panels document the visual information available at the initial decision stage; they are not rollout-success evidence.

The head view distinguishes which bin contains the toy, whereas neither wrist view exposes the target behind the bin walls. This is consistent with the conditional interpretation of this study: when wrist views cannot provide key target information, the head view can act as an auxiliary localization signal.

Figure D1 in Appendix D provides complementary action-sensitivity and qualitative behavior examples. In the rendered head-view maps, the dominant high-response region overlaps the toy-containing bin and changes sides with the visible target location. The recorded choices are consistent with a left-bin preference in the shown wrist-only cases, but they do not quantify its frequency or cause.

This diagnostic remains a boundary-case analysis. Because paired behavior records, head-view RISE coverage, and arm-selection statistics are less complete than in the main benchmark, we keep it as supplementary diagnostic evidence rather than a complete experiment. The action-sensitivity overlays are used only as diagnostic interpretation and do not replace rollout success metrics.

5 Analysis

This section analyzes the mechanisms behind the results in Section 4: why large-FoV wrist cameras already form a strong baseline, why the input form of the head view matters more than its presence, how individual views contribute to policy decisions, and how typical failures arise.

Table 8 maps each research question, in the order posed in the introduction, to the evidence that answers it.

Table 8 Research questions and the evidence that serves them. The rows follow the RQ order in the introduction; contrasts are computed from the G1–G6 results in Table 4.

RQ	Evidence	What it answers
RQ1	G2–G1, G3–G1	How much gain RawHead or ROIHead adds when wrist FoV is large.
RQ2	G5–G4, G6–G4; FoV scan (Table 6); G1 vs. G6	Whether restricted wrist FoV increases head-view value, and when that potential fails to raise the quality-adjusted score.
RQ3	G3–G2, G6–G5	Effect of ROI cropping relative to the raw head view under large and small wrist FoV.
RQ4	Data-scaling experiment (50/200/800 demonstrations)	How demonstration count interacts with the visual-input configuration.

5.1 Large-FoV Wrist Cameras Already Form a Strong Baseline

Under the large-FoV dual wrist setting, the measured head-view effect is unstable. The core comparisons are G2–G1 and G3–G1 in Table 8. In these comparisons, wrist FoV is fixed as Large, and only the presence and form of the head view are changed.

The results show that when the wrist cameras can already see the target object, grippers, and goal region, the head view provides limited additional information in this task family. In some contrasts, adding the head view increases mean FinalScore or completion rate. In other contrasts, the change is small, ambiguous, or negative. It can also come with more steps or a lower Quality Success Rate. This suggests that a head view is not necessary merely because it is available; its value depends on whether it adds dense task-region evidence rather than extra background or conflicting global context.

This pattern can be understood from the information source. Wrist cameras move with the arms and approach the target during manipulation. They continuously observe the relation among the gripper, object, and goal region. In contrast, a fixed head view provides a more stable global image. Its image changes less during many tabletop operations and may not contain the key contact details. When wrist FoV is large enough, a broad head image is therefore more likely to be redundant than necessary, and it can lower quality-adjusted performance when the useful task region occupies a small fraction of the image.

This does not mean that the head view has no role under the large-FoV setting. The more precise conclusion is that its effect is task-dependent when the large-FoV wrist views already cover the task-critical regions. For example, Task B shows a positive Large-FoV ROIHead contrast, but this is contrast-specific evidence of a useful auxiliary layout cue rather than evidence that a head camera is generally required. It should not be assumed that adding the head view always improves performance.

This task dependence is clear under the Large FoV setting. If the wrist view is fixed and we only compare the addition of RawHead or ROIHead, G2–G1 and G3–G1 do not change in the same direction for FinalScore, Quality Success Rate, and Steps, as shown in Table 9.

The Task A rows in Table 9 show why completion rate alone can be misleading. G2 and G3 complete more often than G1 by +40 pp and +30 pp, respectively, but their mean FinalScore is lower. This is not a contradiction in the scoring protocol. Completion only records whether the task reaches the coarse task-completion condition. FinalScore in Eq. 1 also rewards high-quality completion, so a completed rollout can still receive a lower score when the final placement is inaccurate, the object state is unstable, the trajectory is long, or the execution requires repeated attempts. In Task A, this appears as lower Quality Success Rate and longer average Steps for G2/G3 despite higher completion. Table A2 in Appendix A

Table 9 Head-view contrasts under the Large FoV setting. The comparisons are G2–G1 and G3–G1. Values show changes relative to the Large FoV NoHead baseline G1. FinalScore contrasts are computed from unrounded means before one-decimal display.

Task	Comparison	Δ Completion Rate	Δ FinalScore	Δ Quality Success Rate	Δ Steps
Task A	G2–G1 RawHead	+40 pp	-16.0	-40 pp	+70.0
Task A	G3–G1 ROIHead	+30 pp	-6.0	-20 pp	+75.0
Task B	G2–G1 RawHead	-10 pp	-1.1	-10 pp	+67.5
Task B	G3–G1 ROIHead	+20 pp	+21.0	+30 pp	-47.5
Task C	G2–G1 RawHead	0 pp	0.0	0 pp	-5.0
Task C	G3–G1 ROIHead	+20 pp	+12.2	+20 pp	-60.0

summarizes common ways in which completion can fail to become high-quality completion across the task-specific quality gates.

A positive mean difference does not imply a stable improvement under the reported descriptive uncertainty. Figure 9 therefore shows only the sign and magnitude of the mean contrasts against G1, rather than presenting the contrast as a formal interval estimate. The exceptions should be read as contrast-specific evidence, not as a general result that head-camera input improves the model. Under the large-FoV setting, the head view is therefore better interpreted as a task-dependent auxiliary signal rather than a default performance requirement. Figure 9 shows this pattern.




Figure 9 Head-view contrasts under the Large FoV setting. Horizontal bars show the mean Δ FinalScore for G2–G1 or G3–G1 relative to the G1 NoHead baseline. The zero line separates lower and higher mean scores relative to G1.

5.2 Head-View Form Matters More Than Head-View Presence

The input form of the head view strongly affects its stability. RawHead provides a wider global view, but it also includes more background, table boundaries, robot appearance, and task-irrelevant regions. ROIHead restricts the head view to the task region. This increases the proportion of the target object and operation area in the image.

The results show that RawHead does not always fail completely. Its more common problem is low-quality completion. Some RawHead configurations can complete the task, but they need more steps or produce unstable final states with a low Quality Success Rate. This suggests that RawHead may provide enough coarse scene information for the policy to make progress. It may still fail to support precise localization and high-quality execution.

ROIHead is more controlled as an input representation. By removing much of the irrelevant background, ROIHead concentrates the head-view information around the target and operation region. It may therefore provide a cleaner localization cue than RawHead when a head view is informative. We do

not claim that ROIHead is better than RawHead on every mean metric. The more careful conclusion is that RawHead contrasts are unstable, while ROIHead is the cleaner head-view representation in the conditions where the third view matters.

This is also compatible with the observation that a larger head view is not always better. For policy learning, the key factor is not view size alone. The key factor is whether task-relevant information is concentrated, visible, and used consistently by the model.

The difference between RawHead and ROIHead should not be judged only by average score. Completion quality and step count are also important. Table 10 therefore compares Δ FinalScore, Δ Quality Success Rate, and Δ Steps. This separates completing the task from completing it with high quality and fewer steps.

Table 10 RawHead versus ROIHead. The comparisons are G3–G2 and G6–G5. Values show ROIHead changes relative to RawHead. FinalScore contrasts are computed from unrounded means before one-decimal display.

Task	Comparison	Δ FinalScore	Δ Quality Success Rate	Δ Steps	Brief Interpretation
Task A	G3–G2	+10.0	+20 pp	+5.0	ROI has a higher Quality Success Rate, but remains slower than RawHead.
Task A	G6–G5	-0.9	0 pp	-35.0	Mean score, quality rate, and step count are all close; this cell does not separate the two forms.
Task B	G3–G2	+22.1	+40 pp	-115.0	ROI has a better mean contrast and fewer steps.
Task B	G6–G5	+13.9	+20 pp	-40.0	ROIHead is the cleaner head-view form under restricted FoV.
Task C	G3–G2	+12.2	+20 pp	-55.0	Under Large FoV, ROI is faster and has a higher Quality Success Rate.
Task C	G6–G5	+21.4	+20 pp	-20.0	Under D435-like FoV, ROIHead gives the largest mean RawHead-to-ROIHead contrast.

This difference is clearer in the relation between Completion Rate and Quality Success Rate. Some RawHead points maintain a non-low completion rate, but fall into a region of low Quality Success Rate. This is the low-quality RawHead completion pattern described in this study. Figure 10 shows this pattern.




Figure 10 Low-quality RawHead completion pattern. The scatter plot shows Completion Rate versus Quality Success Rate. Each point denotes one configuration. The plot highlights RawHead cases that complete tasks but have a low Quality Success Rate.

Representative final-state images in Figure 11 illustrate the same scoring distinction at the level of final pose and alignment. They are qualitative examples of the completion-versus-quality rule, not additional statistical evidence. The completion-only panels show that a rollout can make visible task progress or reach the coarse completion condition while still losing the high-quality bonus because the final state is unstable or poorly aligned. Long execution and retry-heavy behavior are additional protocol-level causes summarized in Table A2.



(a) Task A: high-quality



(b) Task A: completion only



(c) Task B: high-quality



(d) Task B: completion only

Figure 11 Representative real-robot final states illustrating the distinction between completion and high-quality completion. Completion-only examples can satisfy coarse task progress while still losing the high-quality bonus because of unstable final pose or poor alignment; long execution and repeated attempts are additional scoring-protocol failure modes summarized in Table A2.

This pattern can also be understood from the input images. RawHead keeps large background and irrelevant regions, while ROIHead focuses the same head view on the task region. As a result, ROIHead may make the head view easier to exploit when the third view contains relevant information, as shown in Figure B1 in Appendix B.

RISE-style action-sensitivity maps illustrate a compatible interpretation. Figure 12 shows a representative comparison between RawHead and ROIHead on Task A. In this single-step diagnostic example, RawHead has a larger head-view share q_v under Eq. F4, but its high- $S_v(c)$ regions can be spread over a broader scene region. ROIHead restricts the head view to the task region. In this example, the ROI-cropped head view behaves more like low-weight spatial context, while the wrist views show stronger local contact-region responses. This observation does not imply that ROIHead is universally better than RawHead on all tasks or metrics. It is compatible with the observed RawHead instability in the quantitative results.

5.3 Visual Attribution: View Roles and Action Sensitivity

To understand how different camera views contribute to policy decisions, we generate the RISE-style action-sensitivity maps defined in Eq. F3. Each map estimates how much the predicted action chunk changes when a local image region is hidden while the rest of the observation is unchanged. The view share in Eq. F4 summarizes the same diagnostic at the camera level for the selected step. The maps and shares should not be interpreted as Transformer attention or rollout success. Their role is to provide diagnostic evidence, not to replace real-robot rollout metrics.

Across representative examples, high-response regions in the wrist views are concentrated around the gripper, object, and contact boundary. This is compatible with wrist cameras acting as local-control inputs in these representative examples. In contrast, responses in the head view more often appear around target containers, racks, or global placement regions. In these representative examples, this suggests that the head view provides coarse localization and scene reference, rather than direct gripper-contact control. Figure 13 shows this division of roles across Task A/B/C.

Figure C1 in Appendix C further compares NoHead and ROIHead under the same restricted-wrist-FoV




Figure 12 RISE-style action-sensitivity example for RawHead and ROIHead on Task A. Heatmaps visualize $S_v(c)$ from Eq. F3; share values report q_v from Eq. F4 within each selected step. The maps indicate local action sensitivity, not attention weights or rollout success.




Figure 13 RISE-style action-sensitivity examples across the three tasks. Heatmaps show $S_v(c)$, and view-level shares are q_v within each selected step. Wrist views typically respond near grippers, objects, and contact regions, while the head view provides lower-weight global context. These examples are diagnostic illustrations of view roles and are not success-rate evidence.

family: the NoHead panels provide a two-wrist reference, while the ROIHead panels show the additional third view. In the selected ROIHead single-step examples for Task A/B/C, the head-view action shares are about 0.10, 0.14, and 0.14. Because q_v is normalized over valid views within a selected step, the remaining share in those examples is assigned to the wrist views. Thus, in these examples, the head

view provides weaker but spatially meaningful auxiliary signals. This is compatible with the quantitative results in these tabletop bimanual tasks: the head view behaves more like an auxiliary localization signal than a replacement for wrist-centered local control.

5.4 Failure Mode Analysis

To avoid explaining model behavior only through mean scores, we also summarize typical failure modes from scoring records and qualitative annotations of recorded rollouts. These cases do not change the quantitative conclusions. They provide diagnostic interpretations for different view configurations. The failure-mode column is based on rollout scoring and qualitative rollout notes, while the action-sensitivity statements are based only on representative RISE-style examples.

Table 11 Typical failure modes and diagnostic interpretations. Scoring signatures come from rollout metrics; action-sensitivity statements come from representative heatmap examples and are diagnostic rather than causal evidence.

Configuration	Typical Failure Mode	Diagnostic Interpretation	Observed Signature
RawHead	The task can progress or even finish, but the final quality is low, steps are long, or retries increase.	RawHead contains more background and irrelevant regions. The target occupies a smaller image area. The policy may get coarse scene context but unstable fine localization.	Low-quality RawHead pattern: completion rate is not always low, but Quality Success Rate is low; some tasks also show increased Steps.
D435-like No-Head	The target, goal, or gripper-goal relation becomes partly invisible at critical moments and is associated with localization or placement errors.	Cropping increases local pixel density but removes global geometry. Once the target or goal leaves the wrist image, the policy has little compensating information.	In Task B/C, G4 is more likely to show low FinalScore or low localization rate than the Large Wrist baseline.
Large Wrist No-Head	The policy often completes the task, but global localization can still be unstable in harder layouts or dispersed-object states.	Large-FoV wrist views cover broad local context, but they still move with the arms. Distant goals and cross-object spatial relations are not always stable.	G1 is a strong baseline, but Task A/C still contain low-quality completions or long trajectories.
ROIHead	Global localization can improve, but wrist-centered local control is not fully replaced. Failures can still occur during contact, grasping, or insertion.	ROIHead provides concentrated spatial context. However, gripper-object-contact cues are still often supplied by the wrist views.	In representative action-sensitivity examples, wrist views have larger local contact-region responses. G6 has a higher mean FinalScore than G4, but its Quality Success Rate does not always reach Large Wrist.

These failure cases reinforce the main claim of the report. The key variable is not the number of cameras, but the visibility and density of task-relevant information in the input images. RawHead failures are consistent with the view being too broad and background-heavy. D435-like NoHead failures are consistent with critical regions being cropped away. ROIHead can add global-localization evidence in some restricted-view cases, while representative sensitivity examples still show stronger wrist-view responses around local contact regions.

5.5 Answers to the Research Questions

We close the analysis by answering the four research questions posed in the introduction.

RQ1: how much additional gain does a head view provide under large-FoV wrists? Little on average, and not consistently across tasks. Under the Large wrist setting, the head-view contrasts do not move FinalScore, Quality Success Rate, and Steps in a consistent direction (Table 9): RawHead lowers mean FinalScore on Task A (−16.0) and Task B (−1.1), and ROIHead helps on Task B (+21.0) and Task C (+12.2) but not on Task A (−6.0). A head view is therefore a task-dependent auxiliary signal rather than a default requirement when wrist coverage is already large.

RQ2: does restricted wrist FoV increase the potential value of a head view, and when does that potential fail?

Restricting wrist FoV does increase the opportunity: ROIHead improves the localization rate under every FoV setting in the Task B scan (Table 6). However, the potential fails to become a higher quality-adjusted score at the medium settings (FoV120 −5.3, FoV90 −7.9) because the added view is associated with longer trajectories that violate the $T \leq 900$ quality gate, whereas it converts into a large gain under D435-like (+29.2); the separate positive contrast under Large (+21.0) reflects a complementary global-layout cue rather than restriction-induced head-view value.

RQ3: does an ROI-cropped head view provide denser, lower-interference information than a raw head view?

Yes, in the conditions where the head view matters. The ROI-versus-raw contrasts are positive on five of six task-FoV combinations (Table 10), and RawHead exhibits the completed-but-low-quality pattern (Figure 10); representative action-sensitivity examples are compatible with this reading.

RQ4: how does the number of demonstrations influence the effect of visual-input configuration?

The comparison is data-scale-dependent. Under a fixed optimization budget, the large-FoV wrist-only configuration is the only one that crosses the FinalScore 60 threshold, and it does so only at 800 demonstrations (Table C1), whereas the restricted-FoV configurations reach stronger mid-scale completion but do not reach the same quality-adjusted score at 800 demonstrations, which suggests a lower ceiling in the observed range; FoV conclusions should therefore not be drawn at a single data scale.

6 Discussion and Limitations

This study provides controlled evidence for camera-configuration decisions in tabletop manipulation. It does not establish a universal law for multi-view robot manipulation. In our setting, large-FoV wrist cameras already cover the grippers, objects, and goal regions. This is compatible with the head view often behaving as an auxiliary localization signal rather than the dominant source of action sensitivity. The conclusion should not be directly extended to mobile manipulation or broader scene-level tasks. In mobile manipulation, navigation, long-range target search, re-localization after occlusion, and semantic scene understanding may make head or exocentric views essential.

The study has several limitations. First, each configuration is evaluated on a small fixed set of real-robot rollouts, and the initial-layout set is fixed. The statistics should therefore be read as indicative trends rather than conclusive evidence. Second, the D435-like condition is simulated by cropping wrist images. It does not reproduce the full imaging properties of a physical Intel RealSense D435 camera, including distortion, noise, exposure, and calibration effects. Thus, the D435-like results should be interpreted as evidence about restricted FoV, not as a general claim about a specific hardware model.

Third, the RISE maps measure the normalized action changes in Eq. F2 under random image masking. They indicate local action sensitivity as defined by Eq. F3. They are not Transformer attention maps, and they cannot be used as direct success-rate evidence. Fourth, the data-scaling experiment fixes the optimization budget at 60,000 steps across demonstration counts, so smaller subsets are trained for many more epochs; the observed trends therefore reflect data scale under a fixed compute budget rather than a matched epoch count. The experiment also contains a non-monotonic point at 200 demonstrations for 2W-D435Crop. For this reason, we do not present the trend as a strict scaling law. We therefore treat this result as consistent with high variance under the fixed evaluation schedule, and only argue that FoV and data scale appear coupled in the current setting. Finally, the toy-transfer task is a supplementary diagnostic. It illustrates a setting in which the initial wrist views omit the target location while the head view reveals it, but it still requires more complete behavior records and attribution results.

7 Conclusion

This study examines whether a head view is still necessary for tabletop bimanual manipulation. The results show that large-FoV dual wrist cameras form a strong baseline in this task family. Wrist views stay close to the interaction process and provide continuous information about grippers, objects, contact regions, and many goal regions. Under this condition, the head view is not a default requirement, and its measured effect remains task- and input-form-dependent under the reported descriptive uncertainty.

When wrist FoV is restricted, the target is occluded, or the task depends more strongly on global localization, a head view can provide useful auxiliary spatial evidence. The results also show that this benefit is not determined by view count alone: a broad raw head image can be low-density and high-interference, while an ROI-cropped head view is more likely to provide concentrated task-region context. The practical design criterion is therefore whether the added view supplies high-density, low-interference information that the wrist views do not already provide and that the policy can use without degrading execution quality.

References

- [1] Anthony Brohan et al. RT-1: Robotics Transformer for Real-World Control at Scale. *arXiv:2212.06817*, 2022.
- [2] Anthony Brohan et al. RT-2: Vision-Language-Action Models Transfer Web Knowledge to Robotic Control. *arXiv:2307.15818*, 2023.
- [3] Danny Driess et al. PaLM-E: An Embodied Multimodal Language Model. *arXiv:2303.03378*, 2023.
- [4] Open X-Embodiment Collaboration. Open X-Embodiment: Robotic Learning Datasets and RT-X Models. *arXiv:2310.08864*, 2023.
- [5] Moo Jin Kim et al. OpenVLA: An Open-Source Vision-Language-Action Model. *arXiv:2406.09246*, 2024.
- [6] Octo Model Team. Octo: An Open-Source Generalist Robot Policy. *arXiv:2405.12213*, 2024.
- [7] Kevin Black et al. π_0 : A Vision-Language-Action Flow Model for General Robot Control. *arXiv:2410.24164*, 2024.
- [8] Physical Intelligence. $\pi_{0.5}$: a Vision-Language-Action Model with Open-World Generalization. *arXiv:2504.16054*, 2025.
- [9] Eric Jang, Alex Irpan, Mohi Khansari, Daniel Kappler, Frederik Ebert, Corey Lynch, Sergey Levine, and Chelsea Finn. BC-Z: Zero-Shot Task Generalization with Robotic Imitation Learning. *arXiv:2202.02005*, 2022.
- [10] Suraj Nair, Aravind Rajeswaran, Vikash Kumar, Chelsea Finn, and Abhinav Gupta. R3M: A Universal Visual Representation for Robot Manipulation. *arXiv:2203.12601*, 2022.
- [11] Sergey Levine, Peter Pastor, Alex Krizhevsky, and Deirdre Quillen. Learning Hand-Eye Coordination for Robotic Grasping with Deep Learning and Large-Scale Data Collection. *arXiv:1603.02199*, 2016.
- [12] Cheng Chi, Zhenjia Xu, Siyuan Feng, Eric Cousineau, Yilun Du, Benjamin Burchfiel, Russ Tedrake, and Shuran Song. Diffusion Policy: Visuomotor Policy Learning via Action Diffusion. *arXiv:2303.04137*, 2023.
- [13] Tony Z. Zhao, Vikash Kumar, Sergey Levine, and Chelsea Finn. Learning Fine-Grained Bimanual Manipulation with Low-Cost Hardware. *arXiv:2304.13705*, 2023.
- [14] Cheng Chi, Zhenjia Xu, Chuer Pan, Eric Cousineau, Benjamin Burchfiel, Siyuan Feng, Russ Tedrake, and Shuran Song. Universal Manipulation Interface: In-The-Wild Robot Teaching Without In-The-Wild Robots. *arXiv:2402.10329*, 2024.
- [15] Zhaxizhuoma et al. FastUMI: A Scalable and Hardware-Independent Universal Manipulation Interface with Dataset. *arXiv:2409.19499*, 2024.
- [16] Shi Jin et al. UMI-Bench 1.0: An Open and Reproducible Real-World Benchmark for Tabletop Robotic Manipulation with UMI Data. *arXiv:2606.10382*, 2026.
- [17] Kyle Hsu, Moo Jin Kim, Rafael Rafailov, Jiajun Wu, and Chelsea Finn. Vision-Based Manipulators Need to Also See from Their Hands. *arXiv:2203.12677*, 2022.
- [18] Younggyo Seo, Junsu Kim, Stephen James, Kimin Lee, Jinwoo Shin, and Pieter Abbeel. Multi-View Masked World Models for Visual Robotic Manipulation. *arXiv:2302.02408*, 2023.

- [19] Andy Zeng, Pete Florence, Jonathan Tompson, Stefan Welker, Jonathan Chien, Maria Attarian, Travis Armstrong, Ivan Krasin, Dan Duong, Vikas Sindhwani, and Johnny Lee. Transporter Networks: Rearranging the Visual World for Robotic Manipulation. *arXiv:2010.14406*, 2020.
- [20] Mohit Shridhar, Lucas Manuelli, and Dieter Fox. CLIPort: What and Where Pathways for Robotic Manipulation. *arXiv:2109.12098*, 2021.
- [21] Mohit Shridhar, Lucas Manuelli, and Dieter Fox. Perceiver-Actor: A Multi-Task Transformer for Robotic Manipulation. *arXiv:2209.05451*, 2022.
- [22] Youssef Zaky, Gaurav Paruthi, Bryan Tripp, and James Bergstra. Active Perception and Representation for Robotic Manipulation. *arXiv:2003.06734*, 2020.
- [23] Vitali Petsiuk, Abir Das, and Kate Saenko. RISE: Randomized Input Sampling for Explanation of Black-box Models. *British Machine Vision Conference (BMVC)*, 2018.

A Scoring Details

This appendix collects the detailed scoring criteria. Table A1 lists the completion and high-quality definitions for each task, and Table A2 summarizes typical completed-but-low-quality outcomes that reduce the high-quality bonus.

Table A1 Completion and high-quality criteria. For each task, the Completion Definition specifies when a rollout counts as task completion in the outcome score P_τ , and the High-Quality Definition specifies the condition for the high-quality indicator Q_τ in Eq. 1. A key failure denotes an execution error that requires an evident recovery or repeated attempt during the rollout.

Task	Completion Definition	High-Quality Definition
Task A: object organization	All four target objects are grasped, placed in the target region, and stable at the end of the rollout.	Completion with no key failure and $T \leq 950$.
Task B: basket nesting	All four baskets are grasped, inserted, and stably nested into the target basket with acceptable final poses.	Completion with localization passed, $T \leq 900$, and $n_r \leq 1$.
Task C: plate placement	All plates are grasped and inserted into the rack with an acceptable final state.	Full completion, at least two correct first-localization decisions, $n_r \leq 1$, and $T \leq 1100$.

Table A2 Completion-only outcomes that can reduce the high-quality bonus. The table clarifies why a configuration can have higher completion rate but lower FinalScore under the quality-adjusted metric.

Case	Typical completed-but-low-quality state	Effect on metrics
Inaccurate final placement	The object, basket, or plate reaches the target region or rack, but its pose, alignment, nesting, or insertion state is not clean enough for the high-quality criterion.	Completion can be counted, while q_{hq} and the high-quality bonus remain low.
Unstable final state	The task appears complete at the coarse level, but the final object state is tilted, not stably seated, or close to falling out of the target region.	FinalScore can decrease relative to a lower-completion but cleaner baseline.
Long trajectory	The robot eventually finishes the task, but the rollout exceeds the task-specific step threshold in Table A1.	Steps increase and the high-quality indicator can be lost even when task progress is high.
Retry-heavy execution	The robot completes after repeated re-grasping, re-alignment, or insertion attempts.	The rollout may satisfy completion but fail the retry or stability part of the high-quality gate.

B View-Configuration Details

This appendix details the visual-input configurations. Table B1 defines the wrist-camera FoV settings and head-view types, Table B2 reports the qualitative view-visibility audit, and Figure B1 shows a representative RawHead and ROIHead frame pair.

Table B1 The two controlled visual-input factors. Panel (a) lists the wrist-camera FoV settings, which progressively restrict the visible workspace from the original UMI-style large-FoV view to a narrow D435-like crop. Panel (b) lists the head-view types, which determine whether the head camera is provided to the policy and in which input form.

(a) Wrist-camera FoV settings	
Wrist FoV	Description
Large	Original UMI-style large-FoV dual wrist setup, used as a strong baseline.
FoV120	Medium-FoV setting.
FoV90	More restricted medium-FoV setting.
D435-like	Wrist images are cropped to about 68° FoV to simulate restricted wrist vision.
(b) Head-view types	
Head Type	Description
NoHead	Uses only the two wrist-camera inputs.
RawHead	Adds the uncropped raw head view.
ROIHead	Adds a head view cropped around the task region.

Table B2 View-visibility audit on representative frames. The table uses qualitative relative bins to describe the density of task-relevant information.

View	Object Visible	Gripper Visible	Goal Visible	Target Pixel Ratio	Background Ratio
Large Wrist	High	High	Medium-High	Medium-High	Low-Medium
D435-like Wrist	Partial-High	High	Low-Partial	High when visible	Low-Medium
RawHead	High	Partial	High	Low	High
ROIHead	High	Partial	High	Medium-High	Medium





Figure B1 Representative RawHead and ROIHead policy inputs from the basket-nesting experiments. RawHead retains broad scene context with lower task-region concentration, whereas ROIHead concentrates the task-relevant region. The panels come from separate rollouts and illustrate view geometry rather than a frame-matched crop comparison.

C Additional Results and Attribution Examples

This appendix provides additional quantitative and diagnostic material. Table C1 reports the full Task A data-scaling results, and Figure C1 compares action-sensitivity maps between NoHead and ROIHead under the restricted wrist FoV.

Table C1 Scaling results on Task A. Gap_{800-50} is the FinalScore difference between 800 and 50 demonstrations.

Configuration	Demos	FinalScore	Completion Rate	Quality Success Rate	Gap_{800-50}	N_{60}
2W-Large	50	13.4	10%	0%	+51.8	736
	200	16.1	0%	0%		
	800	65.2	50%	40%		
2W-D435Crop	50	12.1	0%	0%	+35.2	–
	200	57.1	80%	20%		
	800	47.3	60%	10%		
3V-D435Crop-ROIHead	50	8.8	0%	0%	+35.4	–
	200	42.2	50%	0%		
	800	44.1	30%	0%		

**Figure C1** RISE-style action-sensitivity comparison between NoHead and ROIHead under the restricted-wrist-FoV setting. NoHead contains only the two wrist views, while ROIHead adds the head view. In these representative single-step examples, wrist views have the larger q_v values, while the head view provides auxiliary spatial cues.

D Supplementary Toy-Transfer Diagnostic Details

This appendix provides the action-sensitivity and representative behavior examples for the toy-transfer diagnostic in Section 4.4.




Figure D1 RISE-style head-view action sensitivity and representative target-box choices in the toy-transfer diagnostic. (a,b) For the two initial toy locations, the dominant high-response region overlaps the occupied bin and shifts with the visible toy location. The overlays visualize $S_v(c)$ and are interpreted spatially; color intensity is not compared quantitatively across panels. (c,d) In the shown wrist-only cases, the policy selects the left bin for both toy locations, yielding a correct box choice when the toy is on the left and an incorrect choice when it is on the right. (e) In the shown case with an added head view, the policy selects the right bin when the toy is on the right. The behavior frames are recorded from the head-camera viewpoint for visualization. These unscored examples do not estimate success rates, prove causal reliance, or establish the cause of the wrist-only left-bin preference.

E Training Hyperparameters

All configurations share the same optimization recipe: AdamW ($\beta = (0.9, 0.95)$), $\epsilon = 10^{-8}$, weight decay 10^{-10} , global-norm gradient clipping at 1.0, and a warmup-cosine learning-rate (LR) schedule with a 1k-step warmup, peak LR 2.5×10^{-5} , and final LR 2.5×10^{-6} after 30k decay steps.

F Action-Sensitivity Formulation

This appendix gives the formulation of the RISE-style action-sensitivity diagnostic summarized in Section 3.6.

For a selected rollout step, let $\mathbf{o}$ be the policy observation and let $\mathbf{a}_0 = f_\theta(\mathbf{o})$ be the unmasked action chunk. For camera view v , we sample K binary masks $\{\mathbf{m}_k\}_{k=1}^K$ on a 14×14 grid, with each cell independently kept with probability $p = 0.5$. The standard diagnostic uses $K = 512$ masks; selected paper-rendered examples may use a larger K with the same estimator. Each mask is upsampled to the image resolution by nearest-neighbor expansion. Masked pixels are replaced by the mean color of the same image:

$$\tilde{\mathbf{x}}_{v,k} = \mathbf{m}_k \odot \mathbf{x}_v + (1 - \mathbf{m}_k) \odot \boldsymbol{\mu}_v. \quad (\text{F1})$$

The policy is then re-evaluated with only view v perturbed, producing $\mathbf{a}_{v,k}$. Let $\boldsymbol{\sigma}_\epsilon = \max(\boldsymbol{\sigma}, \epsilon \mathbf{1})$ elementwise, with $\epsilon = 0.01$. We define the normalized action deviation

$$d_{v,k} = \left\| \frac{\mathbf{a}_{v,k} - \mathbf{a}_0}{\boldsymbol{\sigma}_\epsilon} \right\|_2, \quad (\text{F2})$$

where $\boldsymbol{\sigma}$ is the per-dimension action standard deviation estimated from valid records. The action-sensitivity score for grid cell c is the average deviation when that cell is occluded:

$$S_v(c) = \frac{\sum_{k=1}^K (1 - m_k(c)) d_{v,k}}{\max\left(\sum_{k=1}^K (1 - m_k(c)), \eta\right)}. \quad (\text{F3})$$

For view-level summaries, we also compute D_v by masking all cells in view v and measuring the same normalized action deviation. The view share shown in the diagnostic overlays is

$$q_v = \begin{cases} \frac{D_v}{\sum_{u \in \mathcal{V}} D_u}, & \sum_{u \in \mathcal{V}} D_u > 0, \\ 0, & \text{otherwise.} \end{cases} \quad (\text{F4})$$

Here η is a small numerical stabilizer for empty cell-level denominators, and $\mathcal{V}$ denotes the valid camera views at the selected step.