

Answer for Shanshu Interview Question

Du Bo*

September 27, 2018

1 Notations

- $k \in K$: Order set
- $S = \{v_m | m \in M\}$: Start node set
- Virtual end node 0: $t_{i0} = 0$; $c_0 = 0$
- $U = K \cup S \cup 0$: Consider $s \in S$, 0 are virtual orders
- $m \in M$: Vehicle set
- c_j : time for order j , $c_j = d(j_1, j_2)$; j_1, j_2 : origin and destination of order j .
- $t_{ij} = d(i_2, j_1)$.

1.1 Variables

- $x_{ijm} = 1$ if order j is served after i by m , 0 otherwise.
- T_{im} : the time at which m begins to serve order i

2 Formulation

$$\max \quad \sum_{m \in M} \sum_{i \in U} \sum_{j \in U} c_j x_{ijm} \quad (1)$$

$$s.t. \quad \sum_{m \in M} \sum_{j \in K} x_{ijm} \leq 1 \quad \forall i \in K \cup S \quad (2)$$

$$\sum_{j \in K} x_{v_m j m} = 1 \quad \forall m \in M \quad (3)$$

$$\sum_{j \in U} x_{jim} - \sum_{j \in U} x_{ijm} = 0 \quad \forall i \in K, m \in M \quad (4)$$

$$\sum_{i \in K} x_{i0m} = 1 \quad \forall m \in M \quad (5)$$

$$T_{jm} \geq (T_{im} + c_i + t_{ij})x_{ijm} \quad \forall i \in U, j \in U, m \in M \quad (6)$$

$$l_i^p \leq T_{im} \leq u_i^p \quad \forall i \in U, m \in M \quad (7)$$

$$l_i^d \leq T_{im} + c_i \leq u_i^d \quad \forall i \in U, m \in M \quad (8)$$

$$x_{ijm} \in \{0, 1\} \quad \forall i \in U, j \in U, m \in M \quad (9)$$

$$T_{im} \geq 0 \quad \forall i \in U, m \in M \quad (10)$$

*dubo0111@hotmail.com; 188-1056-2686

2.1 Linearization

Let $Q_{ijm} = T_{im}x_{ijm}$. Constraints in (6) can be linearized using *big-M* method:

$$T_{jm} \geq (c_i + t_{ij})x_{ijm} + Q_{ijm} \quad \forall i \in U, j \in U, m \in M \quad (11)$$

$$Q_{ijm} \leq Mx_{ijm} \quad \forall i \in U, j \in U, m \in M \quad (12)$$

$$Q_{ijm} \leq T_{im} \quad \forall i \in U, m \in M \quad (13)$$

$$Q_{ijm} \geq T_{im} - (1 - x_{ijm})M \quad \forall i \in U, j \in U, m \in M \quad (14)$$

$$Q_{ijm} \geq 0 \quad \forall i \in U, j \in U, m \in M \quad (15)$$

3 Solution

The model is solved using Python 3 and Gurobi 8.0. The optimal solution is:

- Objective Value: 130.0
- Routing Plan /(Node(Time)):
- Vehicle 1: 4(0.0)–10(13.0)–9(16.0)–7(34.0)–10(55.0)
- Vehicle 2: 10(0.0)–9(3.0)–2(21.0)–5(33.0)–3(47.0)
- Vehicle 3: 2(0.0)–7(7.0)–10(28.0)–4(41.0)–3(54.0)