

popgenVCF quickstart example: chromosome 22 subset (160 samples, 8 populations)

popgenVCF

2026-08-10

Contents

1	Executive summary	2
2	Quality control	2
3	Genetic diversity	2
4	Principal component analysis	2
5	PCA SNP loadings (top 20 by loading ; see 31_PCA_loadings.tsv for the complete top-N list)	3
6	Population differentiation	4
7	Genome scan FST outliers (top 20 windows by FST; see 39_genome_scan_fst.tsv for the complete list)	5
8	Close relatives (up to 20 shown; see 36_close_relatives.tsv for the complete list)	5
9	Sex check (reported vs inferred sex from X-chromosome heterozygosity; up to 20 shown, mismatches and ambiguous calls first; see 42_sex_check.tsv for the complete list)	6
10	Runs of homozygosity (highest FROH samples, up to 20 shown; see 38_ROH_sample_summary.tsv for the complete list)	6
11	Discriminant analysis of principal components	7
12	DAPC SNP loadings (top 20 by contribution across all K; see 22f_DAPC_loadings_K.tsv for the complete per-K top-N lists)	7
13	Analysis of molecular variance	7
14	Mantel test and isolation by distance	8
15	Admixture-model cross-validation	8
16	Chromosome-specific results	8
17	Figure gallery	8

18 Reproducibility	131
18.1 Population-structure reproducibility	131
18.2 fastStructure	131
18.3 Sparse non-negative matrix factorization	132

1 Executive summary

This PDF file is a portable, human-readable analysis report. Figures are embedded directly in the file. The HTML version can be opened in a standard web browser, while the PDF version is optimized for compact exchange, printing, and email. The accompanying `analysis_results.rds` file is a reproducibility archive for R users; it is not required to read this report.

Generated with **popgenVCF v0.10.0**.

The analysis retained **160 samples** from **8 populations**, with **1969 QC-passing SNPs** and **357 LD-pruned SNPs**.

The global Weir-Cockerham F_{ST} estimate was **0.0915**.

2 Quality control

step	variants	removed_at_step	retained_percent
Input biallelic	98922	0	100.00
After MAF	63585	35337	64.28
After missingness	63585	0	64.28
After LD pruning	357	63228	0.36

3 Genetic diversity

population	n_samples	n_loci	polymorphic_loci	polymorphic_fraction	observed_heterozygosity	expected_heterozygosity	inbreeding_coefficient	mean_minor_allele_frequency	mean_locus_call_rate	hwe_tested_loci	hwe_significant_loci	hwe_significant_loci_fdr	private_allele_loci
CHB	20	1969	1653	0.8395	0.2683	0.2855	0.0603	0.2133	1	1653	149	55	0
GHR	20	1969	1736	0.8817	0.2764	0.2827	0.0226	0.2044	1	1736	99	31	0
ITU	20	1969	1829	0.9289	0.2736	0.2919	0.0626	0.2059	1	1829	100	43	0
LWK	20	1969	1622	0.8238	0.2638	0.2727	0.0426	0.1963	1	1622	66	14	0
PCL	20	1969	1940	0.9842	0.2330	0.2579	0.0668	0.1931	1	1940	147	45	0
PIR	20	1969	1844	0.9365	0.2748	0.2730	-0.0067	0.1871	1	1844	81	21	0
STU	20	1969	1788	0.9081	0.2561	0.2863	0.1056	0.2013	1	1788	131	33	0
YRI	20	1969	1636	0.8309	0.2731	0.2705	-0.0096	0.1944	1	1636	92	18	0

4 Principal component analysis

sample	vcf_sample	PC1	PC2	PC3	PC4	PC5	PC6	PC7	PC8	PC9	PC10	population
NA18536	NA18536	-0.0575	0.0756	-0.1958	-0.0176	0.0470	0.0646	-0.0320	-0.0509	-0.0829	0.0169	CHB
NA18538	NA18538	-0.0665	0.1310	-0.0958	-0.0006	0.0158	-0.0224	0.1012	0.0074	-0.2047	-0.0051	CHB
NA18541	NA18541	-0.0654	0.0991	-0.0443	-0.0362	0.0684	0.0917	0.0875	-0.0995	-0.0353	0.0002	CHB
NA18552	NA18552	-0.0714	0.1650	-0.1811	-0.1448	0.0223	0.0384	0.0671	0.0537	0.0328	-0.0593	CHB
NA18553	NA18553	-0.0616	-0.0660	-0.1590	0.0237	-0.2193	-0.0004	-0.1910	-0.0064	-0.1380	0.0197	CHB
NA18555	NA18555	-0.0312	0.0930	-0.1309	-0.1100	0.0308	0.0717	-0.0562	0.0124	0.0901	-0.1218	CHB
NA18557	NA18557	-0.0893	0.2057	-0.1264	-0.0737	0.0509	0.0121	0.0892	0.0377	-0.0913	0.0984	CHB
NA18562	NA18562	-0.0381	0.0209	-0.0813	0.0459	0.0625	-0.0312	0.1107	-0.1086	0.0245	-0.1299	CHB
NA18564	NA18564	-0.0305	0.0841	-0.1174	-0.1036	-0.0883	-0.0264	-0.1778	0.0857	0.2782	-0.1910	CHB
NA18573	NA18573	-0.0685	0.0633	0.0378	0.0394	-0.0765	0.0588	-0.0318	-0.1708	0.0201	-0.0102	CHB
NA18574	NA18574	-0.0873	0.1260	-0.1222	-0.0647	0.0656	0.0098	0.0426	-0.0156	-0.0750	-0.0113	CHB
NA18606	NA18606	-0.0584	0.0752	-0.1100	0.0288	0.0297	-0.0415	0.1097	0.1042	-0.0327	-0.0739	CHB
NA18611	NA18611	-0.0717	0.1273	-0.0419	-0.0468	-0.0176	0.1518	-0.0208	0.0271	-0.1508	-0.0482	CHB
NA18612	NA18612	-0.0504	-0.0424	-0.2118	0.1398	-0.1597	-0.0342	-0.1189	-0.0957	-0.0276	0.1465	CHB
NA18613	NA18613	-0.0583	0.1108	-0.0705	-0.0469	0.0092	0.0932	0.0875	0.0691	-0.1390	0.1136	CHB
NA18616	NA18616	-0.0173	0.0510	-0.1403	-0.1915	0.0842	0.1383	-0.0259	-0.1606	0.0728	-0.0742	CHB
NA18617	NA18617	-0.0307	0.1223	-0.1382	-0.1085	-0.0277	0.0449	-0.0945	0.0113	0.0748	-0.1828	CHB
NA18638	NA18638	-0.0722	0.1224	-0.0679	-0.0460	-0.0106	0.1791	-0.0069	-0.1120	-0.1554	0.0068	CHB
NA18643	NA18643	-0.0437	0.0467	-0.1922	0.0077	0.0101	-0.0009	0.0329	-0.0462	0.0704	-0.0114	CHB
NA18647	NA18647	-0.0558	0.1011	-0.1989	-0.0603	0.1633	0.1660	0.0094	-0.0507	0.0072	0.0560	CHB

5 PCA SNP loadings (top 20 by |loading|; see 31_PCA_loadings.tsv for the complete top-N list)

axis	snp_id	chromosome	position	contribution	magnitude
PC7	10937	22	20437004	0.2848	0.2848
PC7	10502	22	20371297	0.2541	0.2541
PC7	11374	22	20502771	0.2524	0.2524
PC8	13593	22	20753041	0.2191	0.2191
PC6	10937	22	20437004	-0.2191	0.2191
PC8	13990	22	20765538	0.2178	0.2178
PC8	14246	22	20773711	0.2034	0.2034
PC5	4933	22	20159049	-0.2010	0.2010
PC3	15906	22	20832523	0.1980	0.1980
PC8	13078	22	20733667	0.1952	0.1952
PC7	10415	22	20360856	0.1932	0.1932
PC8	14080	22	20768038	-0.1925	0.1925
PC9	3724	22	20121080	-0.1900	0.1900
PC6	10502	22	20371297	-0.1887	0.1887
PC10	11570	22	20630754	0.1883	0.1883
PC9	1516	22	20047587	-0.1869	0.1869
PC3	14848	22	20794119	0.1865	0.1865
PC9	2006	22	20065314	-0.1859	0.1859
PC8	14377	22	20777533	-0.1806	0.1806
PC10	11593	22	20639324	0.1763	0.1763

6 Population differentiation

population_1	population_2	n_1	n_2	fst
CHB	GBR	20	20	0.1210
CHB	ITU	20	20	0.0631
CHB	LWK	20	20	0.1631
CHB	PEL	20	20	0.0794
CHB	PUR	20	20	0.1101
CHB	STU	20	20	0.0865
CHB	YRI	20	20	0.1631
GBR	ITU	20	20	0.0232
GBR	LWK	20	20	0.1198
GBR	PEL	20	20	0.0874
GBR	PUR	20	20	0.0267
GBR	STU	20	20	0.0350
GBR	YRI	20	20	0.1344
ITU	LWK	20	20	0.1057
ITU	PEL	20	20	0.0400
ITU	PUR	20	20	0.0269
ITU	STU	20	20	0.0052
ITU	YRI	20	20	0.1189
LWK	PEL	20	20	0.1737
LWK	PUR	20	20	0.1176
LWK	STU	20	20	0.1112
LWK	YRI	20	20	0.0052
PEL	PUR	20	20	0.0621
PEL	STU	20	20	0.0609
PEL	YRI	20	20	0.1799
PUR	STU	20	20	0.0339
PUR	YRI	20	20	0.1226
STU	YRI	20	20	0.1187

7 Genome scan FST outliers (top 20 windows by FST; see 39_genome_scan_fst.tsv for the complete list)

chromosome	window_start	window_end	n_snps	global_fst
22	20800428	20850427	104	0.1718
22	20750428	20800427	213	0.1319
22	20850428	20900427	113	0.1118
22	20250428	20300427	102	0.1097
22	20900428	20950427	138	0.1076
22	20150428	20200427	196	0.1007
22	20200428	20250427	111	0.0952
22	20000428	20050427	160	0.0875
22	20700428	20750427	135	0.0845
22	20400428	20450427	24	0.0838
22	20100428	20150427	115	0.0694
22	20950428	21000427	193	0.0693
22	20350428	20400427	64	0.0666
22	20450428	20500427	48	0.0639
22	20050428	20100427	131	0.0512
22	20600428	20650427	38	0.0510
22	20500428	20550427	9	0.0403
22	20300428	20350427	44	0.0351
22	20650428	20700427	31	0.0194

8 Close relatives (up to 20 shown; see 36_close_relatives.tsv for the complete list)

sample_1	sample_2	population_1	population_2	IBS0	kinship	relationship_degree
HG03873	HG03998	ITU	STU	0.0000	0.4525	duplicate/MZ twin
NA19331	NA19334	LWK	LWK	0.0028	0.4459	duplicate/MZ twin
HG01938	HG02278	PEL	PEL	0.0056	0.2781	1st-degree
HG00742	HG01054	PUR	PUR	0.0140	0.2468	1st-degree
NA19172	NA19247	YRI	YRI	0.0168	0.2448	1st-degree
NA19360	NA18516	LWK	YRI	0.0112	0.2313	1st-degree
HG01067	HG01182	PUR	PUR	0.0140	0.2225	1st-degree
HG01067	HG01086	PUR	PUR	0.0196	0.2125	1st-degree
HG00099	HG00141	GBR	GBR	0.0112	0.2110	1st-degree
HG01067	HG01305	PUR	PUR	0.0168	0.2100	1st-degree
HG00122	HG01308	GBR	PUR	0.0140	0.1971	1st-degree
NA18516	NA19222	YRI	YRI	0.0140	0.1959	1st-degree
HG01396	HG03740	PUR	STU	0.0084	0.1944	1st-degree
NA18516	NA19210	YRI	YRI	0.0196	0.1910	1st-degree
HG00253	HG01067	GBR	PUR	0.0168	0.1900	1st-degree
HG01938	HG02345	PEL	PEL	0.0084	0.1875	1st-degree
NA18516	NA19247	YRI	YRI	0.0196	0.1856	1st-degree
HG00250	HG00253	GBR	GBR	0.0168	0.1852	1st-degree
HG00141	HG00240	GBR	GBR	0.0168	0.1825	1st-degree
HG00253	HG01396	GBR	PUR	0.0168	0.1818	1st-degree

9 Sex check (reported vs inferred sex from X-chromosome heterozygosity; up to 20 shown, mismatches and ambiguous calls first; see 42_sex_check.tsv for the complete list)

sample	vcf_sample	n_x_snps	x_heterozygosity_F	x_inferred_sex	n_y_snps	y_call_rate	y_inferred_sex	inferred_sex	reported_sex	status
HG02425	HG02425	1148	-0.2899	female	60468	0	female	female	female	match
HG03873	HG03873	1148	-0.2706	female	60468	0	female	female	female	match
HG03760	HG03760	1148	-0.2472	female	60468	0	female	female	female	match
HG01942	HG01942	1148	-0.2301	female	60468	0	female	female	female	match
HG01566	HG01566	1148	-0.2275	female	60468	0	female	female	female	match
HG03888	HG03888	1148	-0.2272	female	60468	0	female	female	female	match
HG00125	HG00125	1148	-0.1966	female	60468	0	female	female	female	match
HG01098	HG01098	1148	-0.1649	female	60468	0	female	female	female	match
HG00099	HG00099	1148	-0.1573	female	60468	0	female	female	female	match
HG01396	HG01396	1148	-0.1504	female	60468	0	female	female	female	match
HG03858	HG03858	1148	-0.1370	female	60468	0	female	female	female	match
HG00258	HG00258	1148	-0.1324	female	60468	0	female	female	female	match
HG03857	HG03857	1148	-0.1303	female	60468	0	female	female	female	match
HG04070	HG04070	1148	-0.1297	female	60468	0	female	female	female	match
HG02215	HG02215	1148	-0.1258	female	60468	0	female	female	female	match
HG01086	HG01086	1148	-0.1240	female	60468	0	female	female	female	match
HG00253	HG00253	1148	-0.1141	female	60468	0	female	female	female	match
NA19247	NA19247	1148	-0.0981	female	60468	0	female	female	female	match
HG03756	HG03756	1148	-0.0972	female	60468	0	female	female	female	match
NA18916	NA18916	1148	-0.0847	female	60468	0	female	female	female	match

10 Runs of homozygosity (highest FROH samples, up to 20 shown; see 38_ROH_sample_summary.tsv for the complete list)

sample	population	n_runs	total_length_bp	mean_length_bp	longest_run_bp	froh
HG02146	PEL	4	788356	197089.00	574060	0.7884
HG01942	PEL	4	595694	148923.50	235561	0.5957
HG01933	PEL	4	537370	134342.50	311897	0.5374
HG01578	PEL	6	528877	88146.17	194872	0.5289
HG03989	STU	2	469894	234947.00	265232	0.4699
HG00151	GBR	4	438830	109707.50	207650	0.4388
HG01950	PEL	4	438096	109524.00	217282	0.4381
NA18611	CHB	3	437054	145684.67	249970	0.4371
HG00637	PUR	4	407361	101840.25	155344	0.4074
HG00123	GBR	3	406869	135623.00	221114	0.4069
NA18612	CHB	3	400265	133421.67	226775	0.4003
NA18616	CHB	5	391340	78268.00	268046	0.3914
HG01054	PUR	3	379034	126344.67	228087	0.3790
HG01086	PUR	3	364023	121341.00	162866	0.3640
HG03836	STU	2	359185	179592.50	284841	0.3592
HG03990	STU	3	349620	116540.00	175138	0.3496
NA18647	CHB	3	339679	113226.33	182839	0.3397
HG01917	PEL	3	337023	112341.00	261589	0.3370
HG01927	PEL	2	330751	165375.50	191744	0.3308
NA18564	CHB	3	323282	107760.67	181407	0.3233

11 Discriminant analysis of principal components

K	n_pca	n_da	BIC	assignment_accuracy	mean_success	calinski_harabasz	davies_bouldin	replicate_max_rmse
2	40	1	NA	0.2500	0.9958	15.6223	2.7833	0.0971
3	10	2	NA	0.2938	0.9966	13.3767	3.0860	0.0000
4	10	3	NA	0.3562	0.9648	11.6552	2.8675	0.3841
5	30	4	NA	0.4062	0.9361	10.2898	2.6773	0.3512
6	10	5	NA	0.3938	0.9306	9.5564	2.5154	0.2944
7	10	6	NA	0.4812	0.9407	9.0366	2.4878	0.0727
8	10	7	NA	0.4625	0.9058	8.3942	2.4244	0.1614
9	10	8	NA	0.4688	0.9239	7.8689	2.6212	0.1830
10	10	9	NA	0.3812	0.8975	7.3769	2.6614	0.2373

12 DAPC SNP loadings (top 20 by contribution across all K; see 22f_DAPC_loadings_K.tsv for the complete per-K top-N lists)

K	axis	snp_id	chromosome	position	contribution
3	LD2	10525	22	20376408	0.0202
3	LD2	10527	22	20376436	0.0199
3	LD2	10765	22	20396584	0.0184
4	LD2	10525	22	20376408	0.0184
3	LD2	10675	22	20388698	0.0184
3	LD2	10757	22	20394994	0.0182
3	LD2	10807	22	20401090	0.0182
4	LD2	10527	22	20376436	0.0181
4	LD2	10807	22	20401090	0.0181
3	LD2	10806	22	20401066	0.0180
3	LD2	10758	22	20395128	0.0180
4	LD2	10765	22	20396584	0.0179
4	LD2	10758	22	20395128	0.0179
4	LD2	10823	22	20402404	0.0179
3	LD2	10937	22	20437004	0.0178
4	LD2	10806	22	20401066	0.0177
3	LD2	10823	22	20402404	0.0177
3	LD2	10561	22	20378905	0.0175
4	LD2	10757	22	20394994	0.0174
3	LD2	10812	22	20401719	0.0174

13 Analysis of molecular variance

component	Sigma	%
Variations Between population	27.1959	9.0406
Variations Between samples Within population	12.8319	4.2657
Variations Within samples	260.7906	86.6937
Total variations	300.8184	100.0000

statistic	Phi
Phi-samples-total	0.1331
Phi-samples-population	0.0469
Phi-population-total	0.0904

14 Mantel test and isolation by distance

mantel_r	mantel_p	slope	r_squared
0.3129	0.001	0.0028	0.1366

15 Admixture-model cross-validation

K	cv_error
2	0.47688
3	0.46091
4	0.45539
5	0.45427
6	0.45225
7	0.45211
8	0.45249
9	0.45470

16 Chromosome-specific results

chromosome	qc_snps	ld_snps	global_fst	pc1_percent
22	1969	357	0.0915	50.9697

17 Figure gallery

The gallery contains one version of every analysis figure. The HTML report prefers browser-friendly SVG or PNG files. The PDF report prefers the compact vector PDF source for each figure. Original files remain available in the sibling **figures/** directory.




Figure 1: MAF




Figure 2: Variant missingness




Figure 3: Sample missingness




Figure 4: SNP retention




Figure 5: Sample heterozygosity




Figure 6: Population diversity




Figure 7: PCA PC 1 PC 2




Figure 8: PCA PC 1 PC 3




Figure 9: PCA PC 2 PC 3




Figure 10: PCA PC 1 PC 2 by sex




Figure 11: IBS MDS




Figure 12: IBS heatmap




Figure 13: Pairwise F_{ST}

Discriminant analysis of principal components (K = 3)

Replicate membership RMSE = 4.679e-17 (stability threshold = 0.05).




Figure 14: DAPC K 3

Discriminant analysis of principal components (K = 4)

**WARNING: DAPC replicate membership is unstable (RMSE = 0.3841 > 0.05).
Avoid interpreting these assignments.**




Figure 15: DAPC K 4

Discriminant analysis of principal components (K = 5)

**WARNING: DAPC replicate membership is unstable (RMSE = 0.3512 > 0.05).
Avoid interpreting these assignments.**




Figure 16: DAPC K 5

Discriminant analysis of principal components (K = 6)

**WARNING: DAPC replicate membership is unstable (RMSE = 0.2944 > 0.05).
Avoid interpreting these assignments.**




Figure 17: DAPC K 6

Discriminant analysis of principal components (K = 7)

**WARNING: DAPC replicate membership is unstable (RMSE = 0.07268 > 0.05).
Avoid interpreting these assignments.**




Figure 18: DAPC K 7

Discriminant analysis of principal components (K = 8)

**WARNING: DAPC replicate membership is unstable (RMSE = 0.1614 > 0.05).
Avoid interpreting these assignments.**




Figure 19: DAPC K 8

Discriminant analysis of principal components (K = 9)

**WARNING: DAPC replicate membership is unstable (RMSE = 0.183 > 0.05).
Avoid interpreting these assignments.**




Figure 20: DAPC K 9

Discriminant analysis of principal components (K = 10)

**WARNING: DAPC replicate membership is unstable (RMSE = 0.2373 > 0.05).
Avoid interpreting these assignments.**




Figure 21: DAPC K 10

Discriminant analysis of principal components cluster-number selection

Consensus number of clusters = 3; 5 of 12 method votes agree




Figure 22: DAPC cluster number selection




Figure 23: Isolation by distance




Figure 24: ADMIXTURE CV




Figure 25: ADMIXTURE cluster number selection




Figure 26: SNMF cluster number selection




Figure 27: FastStructure cluster number selection




Figure 28: ADMIXTURE Q data driven K 2




Figure 29: ADMIXTURE Q data driven K 3




Figure 30: ADMIXTURE Q data driven K 4




Figure 31: ADMIXTURE Q data driven K 5




Figure 32: ADMIXTURE Q data driven K 6




Figure 33: ADMIXTURE Q data driven K 7




Figure 34: ADMIXTURE Q data driven K 8




Figure 35: ADMIXTURE Q data driven K 9




Figure 36: ADMIXTURE Q K 2




Figure 37: ADMIXTURE Q K 3




Figure 38: ADMIXTURE Q K 4




Figure 39: ADMIXTURE Q K 5




Figure 40: ADMIXTURE Q K 6




Figure 41: ADMIXTURE Q K 7




Figure 42: ADMIXTURE Q K 8




Figure 43: ADMIXTURE Q K 9




Figure 45: DAPC membership data driven K 3




Figure 46: DAPC membership data driven K 4




Figure 47: DAPC membership data driven K 5




Figure 48: DAPC membership data driven K 6




Figure 49: DAPC membership data driven K 7




Figure 50: DAPC membership data driven K 8




Figure 51: DAPC membership data driven K 9




Figure 52: DAPC membership data driven K 10




Figure 53: DAPC membership K 2




Figure 54: DAPC membership K 3




Figure 55: DAPC membership K 4




Figure 56: DAPC membership K 5




Figure 57: DAPC membership K 6




Figure 58: DAPC membership K 7




Figure 59: DAPC membership K 8




Figure 60: DAPC membership K 9






Figure 61: DAPC membership K 10








Figure 65: FastStructure Q data driven K 5




Figure 66: FastStructure Q data driven K 6




Figure 67: FastStructure Q data driven K 7




Figure 68: FastStructure Q data driven K 8




Figure 69: FastStructure Q data driven K 9




Figure 70: FastStructure Q K 2




Figure 71: FastStructure Q K 3




Figure 72: FastStructure Q K 4




Figure 73: FastStructure Q K 5




Figure 74: FastStructure Q K 6




Figure 75: FastStructure Q K 7





Figure 76: FastStructure Q K 8



Figure 77: FastStructure Q K 9






Figure 80: SNMF Q data driven K 4




Figure 81: SNMF Q data driven K 5




Figure 82: SNMF Q data driven K 6




Figure 83: SNMF Q data driven K 7




Figure 84: SNMF Q data driven K 8




Figure 85: SNMF Q data driven K 9




Figure 86: SNMF Q K 2




Figure 87: SNMF Q K 3




Figure 88: SNMF Q K 4




Figure 89: SNMF Q K 5




Figure 90: SNMF Q K 6




Figure 91: SNMF Q K 7




Figure 92: SNMF Q K 8




Figure 93: SNMF Q K 9




Figure 94: DAPC loadings manhattan K 2




Figure 95: DAPC loadings manhattan K 3




Figure 96: DAPC loadings manhattan K 4



Figure 97: DAPC loadings manhattan K 5




Figure 98: DAPC loadings manhattan K 6




Figure 99: DAPC loadings manhattan K 7




Figure 100: DAPC loadings manhattan K 8




Figure 101: DAPC loadings manhattan K 9




Figure 102: DAPC loadings manhattan K 10




Figure 103: DAPC loadings ranked K 2




Figure 104: DAPC loadings ranked K 3




Figure 105: DAPC loadings ranked K 4




Figure 106: DAPC loadings ranked K 5




Figure 107: DAPC loadings ranked K 6




Figure 108: DAPC loadings ranked K 7




Figure 109: DAPC loadings ranked K 8




Figure 110: DAPC loadings ranked K 9




Figure 111: DAPC loadings ranked K 10




Figure 112: PCA loadings manhattan




Figure 113: PCA loadings ranked




Figure 114: HWE pvalues




Figure 115: Kinship heatmap




Figure 116: Kinship IBS 0 vs kinship

Runs of homozygosity: length distribution

Every detected run across all samples




Figure 117: ROH length distribution




Figure 118: ROH FROH by sample




Figure 119: Genome scan FST manhattan




Figure 120: Genome scan diversity manhattan





Figure 121: Sex check F by sample

Principal component analysis



18 Reproducibility

This report was generated from the serialized pipeline result object. Exact input hashes, settings, package versions, and stage runtimes are stored alongside the report.

18.1 Population-structure reproducibility

K	assignment_accuracy	replicate_max_rmse
2	0.2500	0.0971
3	0.2938	0.0000
4	0.3562	0.3841
5	0.4062	0.3512
6	0.3938	0.2944
7	0.4812	0.0727
8	0.4625	0.1614
9	0.4688	0.1830
10	0.3812	0.2373

18.2 fastStructure

K	exit_status	executable	log_file	q_file	merged_filelist
2	0	/home/bsimola/next-gen/seqs/popgen/fin/structure.py	/tmp/cluster-1000/home/bsimola-popgen/popgenVCF/06d1288-8036-408c-914d-b0e3d9b8b02/scrubbed/quickstart-reference-run-2/structure/fin/structure_2.ansaf2	/tmp/cluster-1000/home/bsimola-popgen/popgenVCF/06d1288-8036-408c-914d-b0e3d9b8b02/scrubbed/quickstart-reference-run-2/structure/fin/structure_2.ansaf2	-0.837538
3	0	/home/bsimola/next-gen/seqs/popgen/fin/structure.py	/tmp/cluster-1000/home/bsimola-popgen/popgenVCF/06d1288-8036-408c-914d-b0e3d9b8b02/scrubbed/quickstart-reference-run-3/structure/fin/structure_3.ansaf2	/tmp/cluster-1000/home/bsimola-popgen/popgenVCF/06d1288-8036-408c-914d-b0e3d9b8b02/scrubbed/quickstart-reference-run-3/structure/fin/structure_3.ansaf2	-0.845085
4	0	/home/bsimola/next-gen/seqs/popgen/fin/structure.py	/tmp/cluster-1000/home/bsimola-popgen/popgenVCF/06d1288-8036-408c-914d-b0e3d9b8b02/scrubbed/quickstart-reference-run-4/structure/fin/structure_4.ansaf2	/tmp/cluster-1000/home/bsimola-popgen/popgenVCF/06d1288-8036-408c-914d-b0e3d9b8b02/scrubbed/quickstart-reference-run-4/structure/fin/structure_4.ansaf2	-0.854312
5	0	/home/bsimola/next-gen/seqs/popgen/fin/structure.py	/tmp/cluster-1000/home/bsimola-popgen/popgenVCF/06d1288-8036-408c-914d-b0e3d9b8b02/scrubbed/quickstart-reference-run-5/structure/fin/structure_5.ansaf2	/tmp/cluster-1000/home/bsimola-popgen/popgenVCF/06d1288-8036-408c-914d-b0e3d9b8b02/scrubbed/quickstart-reference-run-5/structure/fin/structure_5.ansaf2	-0.868124
6	0	/home/bsimola/next-gen/seqs/popgen/fin/structure.py	/tmp/cluster-1000/home/bsimola-popgen/popgenVCF/06d1288-8036-408c-914d-b0e3d9b8b02/scrubbed/quickstart-reference-run-6/structure/fin/structure_6.ansaf2	/tmp/cluster-1000/home/bsimola-popgen/popgenVCF/06d1288-8036-408c-914d-b0e3d9b8b02/scrubbed/quickstart-reference-run-6/structure/fin/structure_6.ansaf2	-0.867263
7	0	/home/bsimola/next-gen/seqs/popgen/fin/structure.py	/tmp/cluster-1000/home/bsimola-popgen/popgenVCF/06d1288-8036-408c-914d-b0e3d9b8b02/scrubbed/quickstart-reference-run-7/structure/fin/structure_7.ansaf2	/tmp/cluster-1000/home/bsimola-popgen/popgenVCF/06d1288-8036-408c-914d-b0e3d9b8b02/scrubbed/quickstart-reference-run-7/structure/fin/structure_7.ansaf2	-0.972392
8	0	/home/bsimola/next-gen/seqs/popgen/fin/structure.py	/tmp/cluster-1000/home/bsimola-popgen/popgenVCF/06d1288-8036-408c-914d-b0e3d9b8b02/scrubbed/quickstart-reference-run-8/structure/fin/structure_8.ansaf2	/tmp/cluster-1000/home/bsimola-popgen/popgenVCF/06d1288-8036-408c-914d-b0e3d9b8b02/scrubbed/quickstart-reference-run-8/structure/fin/structure_8.ansaf2	-0.874382
9	0	/home/bsimola/next-gen/seqs/popgen/fin/structure.py	/tmp/cluster-1000/home/bsimola-popgen/popgenVCF/06d1288-8036-408c-914d-b0e3d9b8b02/scrubbed/quickstart-reference-run-9/structure/fin/structure_9.ansaf2	/tmp/cluster-1000/home/bsimola-popgen/popgenVCF/06d1288-8036-408c-914d-b0e3d9b8b02/scrubbed/quickstart-reference-run-9/structure/fin/structure_9.ansaf2	-0.871042

18.3 Sparse non-negative matrix factorization

K	run	cross_entropy
2	1	0.658188
2	2	0.641827
2	3	0.632785
2	4	0.665263
2	5	0.652600
3	1	0.652267
3	2	0.621568
3	3	0.625406
3	4	0.650066
3	5	0.636630
4	1	0.645990
4	2	0.618994
4	3	0.620640
4	4	0.646500
4	5	0.642422
5	1	0.642907
5	2	0.617357
5	3	0.619569
5	4	0.643777
5	5	0.631210
6	1	0.636456
6	2	0.616501
6	3	0.614301
6	4	0.639528
6	5	0.628516
7	1	0.639879
7	2	0.617185
7	3	0.609143
7	4	0.640496
7	5	0.633083
8	1	0.637875
8	2	0.620175
8	3	0.606337
8	4	0.643657
8	5	0.643623
9	1	0.639730
9	2	0.623835
9	3	0.597450
9	4	0.647969
9	5	0.632479