1. Za potrebe ovog sajta korišćene su sledeće tehnologije:

- **♦** HTML4
- ♦ HTML5
- ❖ CCS2
- **❖** CSS3
- JavaScript
- Jquery
- AJAX
- ❖ PHP
- **❖** JSON
- Laravel

2. Opis funkcionalnosti:

- Admin panel brisanje, dodavnje ,ažuriranje korisnika, dodavanje, brisanje i izmena kategorija, dodavanje i brisanje i izmena sponzora, dodavanje, brisanje, ažuriranje serija, izveštaj aktivnosti korisnika
- Galerija slike serija i sponzora(reklama)
- Registracija pri završetku registracije korisniku se šalje mejl sa aktivacionim linkom i tek kada korisnik klikne na njega postaje aktivan korisnik, korišćen PHP mailer
- Logovanje samo korisnici koji su se prethodno registrovali i aktivirali svoj nalog mogu se ulogovati
- Kontakt stranica nakon što korisnik ispravno popuni sva polja i klikom na Pošalji, administratoru sajta se šalje mejl sa mejlom, imenom i prezimenom osobe koje želi da postavi pitanje
- Upotreba AJAX-a: logovanje, registracija, izmena korisnika, ,dodavanje kategorija, izmena kategorija, brisanje kategorija, kontakt stranica, klikom na neku seriju prikazuje se prošireni prikaz serija, prikaz komentara, pretraga serije po naslovu,

slanje komentara samo za prethodno registrovane korisnike, lajk i dislajk za komentar,


lajk i dislajk za seriju, dodavanje brisanje i izmena uloga za seriju,

- Dinamičko generisanje iz baze Sadržaj koji je ključan (slike, serije, komentari...) se izvlači iz baze
- Anketa Samo registrovani korisnici mogu ocenjivati komentare i serije, može glasati samo jednom za jedan komentar i seriju, ne može glasati za svoj komentar, onemogucavanje korisnika da dva puta glasa za isti komentar i seriju je uradjeno na nivou baze(unique za dve kolone)
- Korisnik može komentarisati serije, brisati sopstvene komentare
- Klikom na neku od potkategorija prikazuju se serije za odabranu kategoriju
- Na početnoj stranici se prikazuju prvih 5 najnovijih serija po godini izdanja


3.Stranice

korisnički deo sajta

pocetna




kontakt




autor



prošireni prikaz serije (dobijen ajaxom)



prikaz komentara (dobijeno ajaxom)




admin panel stranice


admin/sponzori/spisak




admin/sponzori/forma-izmena




admin/sponzori/forma




admin/korisnici/spisak



admin/korisnci/forma-izmena



admin/korisnici/forma





admin/zanrovi/forma



admin/zanrovi/forma-izmena






admin/uloge/forma-izmena



admin/uloge/forma







Godina: 2009


Kako sam upoznao vašu majku

Status : Nije obrisano

Kako sam upoznao vašu majku (engl. How I Met Your Mother) je američka humoristička televizijska serija TV mreže Si-Bi-Es. Pilot-epizoda je emitova...

Izmeni Obriši

admin/serije/forma-izmena



admin/izvestaj

Username	Datum	Aktivnost	
dusan1995	16.03.2019 17:26	Korisnik se ulogovao	
dusan1995	16.03.2019 17:36:27	Ocenio seriju sa pozitivnom ocenom	
dusan1995	16.03.2019 21:43	Korisnik se ulogovao	
dusan1995	16.03.2019 23:04	Korisnik se izlogovao	
dusan1995	16.03.2019 23:04	Korisnik se ulogovao	
			Nazad na početnu :

Kontroleri

UserFeedbackController	
feedback(FeedBackRequest \$reqeust)	

SeriesController
construct()
newest()
dislike(Request \$request)
like(Request \$request)
show(\$id)
search(\$char)

LogRegController
construct()
login(LogRequest \$request)
register(RegRequest \$request)
activation(\$param)
logout(Request \$request)

FrontendController
construct()
login()
register()
kontakt()
autor()

CommentsController
construct()
store(SendCommentRequest \$request)
showSeriesComments(\$idseries)
delete(Request \$request)
like(Request \$request)
dislike(Request \$request)

	CategoriesController
construct()	
show(\$cat)	

	Admin/ActivityController
index()	

Admin/GenreController
construct()
index()
create()
store(GenreRequest \$request)
edit(\$id)
update(GenreRequest \$request, \$id)
destroy(\$id)

Admin/RoleController
construct()
index()
create()
store(Request \$request)
edit(\$id)
update(Request \$request, \$id)
destroy(\$id)

Admin/SeriesController
construct()
index()
store(AdminInsertSeriesRequest \$request)
edit(\$id, \$cat)
destroy(\$id)
updateInfo(\$id, Request \$request)
updatePicture(\$id, PictureRequest \$picture)

Admin/SponsorController
construct()
index()
create()
store(SponsorRequest \$request, PictureRequest \$picture)
edit(\$id)
updateLink(SponsorRequest \$request, \$id)
updatePicture(PictureRequest \$pictureRequest, \$id)

destroy(\$id)

Admin/UserController
construct()
index()
create()
store(AdminInsertUserRequest \$request)
edit(\$id)
update(Request \$request, \$id)
destroy(\$id)

dislike()

Modeli

Glumci
getAll()
delete()
update()
insert()
getOne()
Grad
getAll()
Izveštaj
insert()
getAll()
Komentar
getSeriesComments()
insert()
delete()
like()

Korisnik
ogin()
egister()
etUsers()
nsert()
etOneUser()
pdate()
elete()
ctivate()

Link
getMenu()
getCategories()
insert()
delete()
getOne()
update()
getOtherCategories()


Serija
getAll()
getSeriesByCategory()
getNewestSeries()
dislike()
like()
getOne()
getRoles()

search()
delete()
insert()
insertCredits()
updateInfo()
updateCreditsFirstStep()
updateCreditsFinalStep()
updatePicture()

Sponzor
getSponsors()
insertSponsor()
deleteSponsor()
getOneSponsor()
updateLink()
updatePicture()

	Uloga
getRoles()	

Dizajn baze



Kodovi

-----routes/web.php------

php</th
/*
Web Routes
Here is where you can register web routes for your application. These routes are loaded by the RouteServiceProvider within a group which contains the "web" middleware group. Now create something great!
 */
Route:: <i>pattern</i> ('id', '[0-9]+');

```
Route::pattern('cat', '[\w]+');
Route::pattern('char','[\w]+');
Route::get('/prijava', "FrontendController@login")->name("renderLogin");
Route::get('/registracija', "FrontendController@register")-
>name("renderRegistration");
Route::get("/logout", "LogRegController@logout")->name("logout");
Route::post('/login', 'LogRegController@login');
Route::post('/register', 'LogRegController@register');
Route::get('/activation/{param}','LogRegController@activation')-
>name('activation');
Route::get ("/kontakt", "FrontendController@kontakt")->name("kontakt");
Route::get ("/autor", "FrontendController@autor")->name("autor");
Route::post("/feedback","UserFeedbackController@feedback");
Route::get ("/", "SeriesController@newest")->name("pocetna");
Route::get ("/serija/{id}", "SeriesController@show");
Route::get("/{cat}", "CategoriesController@show")->name('category');
Route::get("/pretraga/{char}", "SeriesController@search");
Route::get("/komentari/{idseries}","CommentsController@showSeriesComments")
Route::group(['middleware' => 'session'], function() {
  Route::post('/komentari', 'CommentsController@store');
  Route::post("/seriesDislike", "SeriesController@dislike");
  Route::post("/seriesLike", "SeriesController@like");
  Route::post('/commentsLike', "CommentsController@like");
  Route::post('/commentsDislike', "CommentsController@dislike");
  Route::delete('/commentsDelete', 'CommentsController@delete');
});
Route::group(['middleware' => 'admin'], function(){
  Route::get("/admin/sponzori/spisak", "Admin\SponsorController@index")-
>name("sponsor-show");
  Route::get("/admin/sponzori/forma", "Admin\SponsorController@create")-
>name("sponsor-form");
```

```
Route::get("/admin/sponzori/forma-
izmena/{id}","Admin\SponsorController@edit")->name("sponsor-one-render");
  Route::post("/admin/sponzori/unos", "Admin\SponsorController@store")-
>name("sponsor-insert");
Route::delete("/admin/sponzori/brisanje/{id}","Admin\SponsorController@destroy
');
Route::put("/admin/sponzori/izmena/link/{id}","Admin\SponsorController@update
Link")->name("sponsor-update-link");
Route::put("/admin/sponzori/izmena/slika/{id}","Admin\SponsorController@updat
ePicture")->name("sponsor-update-picture");
  Route::get("/admin/korisnici/spisak","Admin\UserController@index")-
>name("user-show");
  Route::get("/admin/korisnici/forma", "Admin\UserController@create")-
>name("user-form");
  Route::post("/admin/korisnici/unos", "Admin\UserController@store");
  Route::get("/admin/korisnici/forma-
izmena/{id}","Admin\UserController@edit")->name("user-one-render");
  Route::post("/admin/korisnici/izmena/{id}","Admin\UserController@update");
Route::delete("/admin/korisnici/brisanje/{id}","Admin\UserController@destroy");
  Route::get("/admin/zanrovi/spisak", "Admin\GenreController@index")-
>name("genre-show");
  Route::get("/admin/zanrovi/forma", "Admin\GenreController@create")-
>name("genre-form");
  Route::get("/admin/zanrovi/forma/{id}","Admin\GenreController@edit")-
>name("genre-one-render");
  Route::post("/admin/zanrovi/izmena/{id}","Admin\GenreController@update");
Route::delete("/admin/zanrovi/brisanje/{id}","Admin\GenreController@destroy");
  Route::post("/admin/zanrovi/unos","Admin\GenreController@store");
  Route::get("/admin/uloge/spisak","Admin\RoleController@index")->name('role-
show');
  Route::delete("/admin/uloge/brisanje/{id}","Admin\RoleController@destroy");
  Route::get("/admin/uloge/forma", "Admin\RoleController@create")-
>name("role-form");
  Route::post("/admin/uloge/unos", "Admin\RoleController@store")->name("role-
insert"):
  Route::get("/admin/uloge/forma-izmena/{id}","Admin\RoleController@edit")-
>name("role-one-render");
  Route::put("/admin/uloge/izmena/{id}","Admin\RoleController@update");
```

```
Route::get("/admin/serije/spisak", 'Admin\SeriesController@index')-
>name("series-show");
  Route::get("/admin/serije/forma", 'Admin\SeriesController@create')-
>name('series-form');
  Route::get("/admin/serije/forma-
izmena/{id}/{cat}","Admin\SeriesController@edit")->name("series-one-render");
  Route::delete('/admin/serije/brisanje/{id}','Admin\SeriesController@destroy');
  Route::put('/admin/serije/izmena-
info/{id}','Admin\SeriesController@updateInfo')->name('series-update-info');
  Route::put('/admin/serije/izmena-
slike/{id}','Admin\SeriesController@updatePicture')->name('series-update-
picture'):
  Route::post('/admin/serije/unos', 'Admin\SeriesController@store')->name('series-
insert');
  Route::get('/admin/izvestaj','Admin\ActivityController@index')-
>name('activity');
```

------Controllers------

CategoriesController.php

```
**Php

namespace App\Http\Controllers;

use App\Models\Link;
use App\Models\Serija;
use Illuminate\Database\QueryException;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\Log;

class CategoriesController extends FrontendController
{
    public function __construct()
    {
        parent::__construct();
        $this->model = new Serija();
    }

    public function show($cat)
```

```
$this->model->setPutanja($cat);
$category = $this->model->getSeriesByCategory();
return view("pages.serije",$this->data)->with("serije", $category);
}
```

CommentsController.php

```
<?php
namespace App\Http\Controllers;
use App\Http\Requests\SendCommentRequest;
use App\Models\Izvestaj;
use App\Models\Komentar;
use Illuminate\Database\QueryException;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\Log;
class CommentsController extends Controller
  private $model;
  private $activity;
  public function __construct()
    $this->activity = new Izvestaj();
    $this->model = new Komentar();
   * @param \Illuminate\Http\Request $request
   * @return \Illuminate\Http\Response
  public function store(SendCommentRequest $request)
```

```
$comment = $request->input('comment');
    $user = $request->input('iduser');
    $series = $request->input('idseries');
    $this->model->setIDSerija($series);
    $this->model->setIDKorisnik($user);
    $this->model->setKomentarTekst($comment);
    $this->model->setDatum(date('d.m.Y H:i'));
    try{
       $this->model->insert():
       $this->activity->setIDKorisnik($user);
       $this->activity->setDatum(date('d.m.Y H:i'));
       $this->activity->insert("Komentarisao seriju");
       return response(null, 201);
    catch(QueryException $sql){
       Log::critical("Greska pri ubacivanju komentara za seriju sa id: $series od
strane korisnika $user ");
      return response(null, 409);
  public function showSeriesComments($idseries)
    $this->model->setIDSerija($idseries);
       $podaci = $this->model->getSeriesComments();
       if(session()->has('user')){
         $sesija = session()->get('user');
         return response(["podaci" => $podaci, "sesija" => $sesija],200);
         return response(["podaci" => $podaci],200);
    catch(QueryException $sql){
       Log::critical("Greska kod prikaza serije sa id: $idseries");
       return response(null, 409);
```

```
public function delete(Request $request)
    $user = $request->input('user');
    $com = $request->input('com');
    $this->model->setIDKorisnik($user);
    $this->model->setIDKomentar($com);
    try{
       $this->model->delete():
       $this->activity->setIDKorisnik($user);
       $this->activity->setDatum(date('d.m.Y H:i:s'));
       $this->activity->insert('Obrisao komentar');
       response(null, 204);
    catch(QueryException $sql){
       Log::critical('Greška pri brisanju komnetar sa id '.$com.'za korisnika sa
id:'.$user);
      response(null, 409);
  public function like(Request $request){
    $user = $request->input('user');
    $com = $request->input('com');
    $this->model->setIDKorisnik($user);
    $this->model->setIDKomentar($com);
    try{
      $this->model->like();
       $this->activity->setDatum(date(('d.m.Y H:i')));
       $this->activity->setIDKorisnik($user);
       $this->activity->insert("Ocenio komentar sa pozitivnom ocenom");
       return response(null, 201);
    catch(QueryException $sql){
       Log::critical("Greska pri lajkovanju komentara sa id: $com");
      return response(null, 409);
  public function dislike(Request $request){
    $user = $request->input('user');
```

```
$com = $request->input('com');
$this->model->setIDKorisnik($user);
$this->model->setIDKomentar($com);

try{
    $this->model->dislike();
    $this->activity->setDatum(date(('d.m.Y H:i')));
    $this->activity->setIDKorisnik($user);
    $this->activity->insert("Ocenio komentar sa negativnom ocenom");

    return response(null, 201);
}

catch(QueryException $sql){
    Log::critical("Greska pri dislajkovanju komentara sa id: $com");
    return response(null, 409);
}

}
```

FrontendController.php

```
<?php
namespace App\Http\Controllers;
use App\Models\Grad;
use App\Models\Link;
use App\Models\Serija;
use App\Models\Sponzor;
class FrontendController extends Controller
  protected $data;
  protected $model;
  public function __construct(){
    $link = new Link();
    $this->data['kategorije'] = $link->getCategories();
    $this->data['meni'] = $link->getMenu();
    $sponzori = new Sponzor();
    $this->data['sponzori'] = $sponzori->getSponsors();
    $this->data['linkovi'] = $link->getMenu();
  public function login(){
    return view('pages.prijava');
  public function register(){
```

```
$city = new Grad();
$data = $city->getAll();
return view('pages.registracija')->with("cities", $data);
}

public function kontakt(){
  return view("pages.kontakt",$this->data);
}

public function autor(){
  return view('pages.autor',$this->data);
}
```

LogRegController.php

```
<?php
namespace App\Http\Controllers;
use App\Http\Requests\LogRequest;
use App\Http\Requests\RegRequest;
use App\Models\Izvestaj;
use App\Models\Korisnik;
use Illuminate\Database\QueryException;
use Illuminate\Http\Request;
use App\Http\Requests\LoginRequest;
use Illuminate\Support\Facades\Log;
use PHPMailer\PHPMailer\Exception;
use PHPMailer\PHPMailer\PHPMailer;
use Psy\Util\Json;
class LogRegController extends Controller
   * LogRegController constructor.
  private $user:
  private $date;
  public function __construct()
    $this->user = new Korisnik();
    times this -> date = date('d.m.Y H:i');
  public function login(LogRequest $request){
    $this->user->setUsername($request->input("username"));
    $this->user->setPassword($request->input("password"));
       $us = $this->user->login();
```

```
if($us != null) {
         $request->session()->put("user", $us);
         $model = new Izvestaj();
         $model->setDatum($this->date);
         $model->setIDKorisnik(session()->get('user')->ID_korisnik);
         $model->insert("Korisnik se ulogovao");
         return response(null,200);
       else
         return response(null,401);
    catch(QueryException $sql){
       Log::critical("Greska u radu sa bazom pri logovanju korisnika");
       return response(null, 500);
  public function register(RegRequest $request) {
    $this->user->setIme($request->input('firstname'));
    $this->user->setPrezime($request->input('lastname'));
    $this->user->setDatumRegistracije(date("d.m.Y"));
    token = md5(time());
    $this->user->setToken($token);
    $this->user->setUsername($request->input("username"));
    $this->user->setPassword($request->input("password"));
    $this->user->setPol($request->input("gender"));
    $this->user->setIDGrad($request->input("city"));
    $email = $request->input("email");
    $this->user->setEmail($email);
       $mail = new PHPMailer(true);
    try {
      $this->user->register();
      //Server settings
      //$mail->SMTPDebug = 2; // Enable verbose debug
output
       $mail->isSMTP():
                                              // Set mailer to use SMTP
       $mail->Host = 'smtp.gmail.com'; // Specify main and backup SMTP servers
       $mail->SMTPAuth = true:
       $mail->SMTPSecure = true:
      // Enable SMTP authentication
       $mail->Username = 'phpmailer1995@gmail.com';
username
      $mail->Password = 'dusan1995':
                                                     // SMTP password
```

```
$mail->SMTPSecure = 'tls';
                                                    // Enable TLS encryption, `ssl`
also accepted
       \text{$mail$->} \text{Port} = 587;
                                              // TCP port to connect to
       $mail->SMTPOptions = array(
          'ssl' => array(
            'verify peer' => false.
            'verify peer name' => false,
            'allow_self_signed' => true
       //Recipients
       $mail->setFrom('phpmailer1995@gmail.com', 'Registracija');
       $mail->addAddress($email); // Add a recipient
       //Content
       $mail->isHTML(true);
                                                   // Set email format to HTML
       $mail->Subject = 'Aktivirajte nalog';
       $mail->Body = 'Klinkite na <a href="http://127.0.0.1:8000/activation/".
       $mail->send();
       return response(null, 201);
    catch(QueryException $exception){
       Log::error($exception->getMessage());
       return response(null,409);
    catch (Exception $e) {
       Log::critical('Greska pri slanju mejla za registraciju');
       return response(null, 500);
  public function activation($param) {
    $this->user->setToken($param);
    try{
       $this->user->activate();
       return redirect('/prijava');
    catch(QueryException $sql){
       Log::critical("Greska pri aktivaciji korisnika sa tokenom $param");
```

```
return redirect()->back();
}

public function logout(Request $request){
    $model = new Izvestaj();
    $model->setIDKorisnik(session()->get('user')->ID_korisnik);
    $model->setDatum($this->date);
    try{
        $model->insert("Korisnik se izlogovao");
    }
    catch (QueryException $sql){
        Log::error('Greska pri ubacivanju u tabelu izvestaj');
    }
    $request->session()->forget("user");
    $request->flush();
    return redirect(route("renderLogin"));
}
```

SeriesController.php

```
<?php
namespace App\Http\Controllers;
use App\Models\GlasanjeSerija;
use App\Models\Izvestaj;
use App\Models\Serija;
use Illuminate\Database\QueryException;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\Log;
use Psy\Util\Json;
class SeriesController extends FrontendController
  private $date;
  private $activity;
  public function __construct()
    parent::__construct();
    $this->model = new Serija();
    $this->date = date("d.m.Y H:i:s");
```

```
$this->activity = new Izvestaj();
  public function newest()
    $serija = $this->model->getNewestSeries();
    return view('pages.pocetna', $this->data)->with("serije", $serija);
  public function dislike(Request $request)
    $user = $request->input("user");
    $series = $request->input("series");
    $this->model->setIDSerija($series);
    $this->model->setIDKorisnik($user);
    try {
       $this->model->dislike():
       $this->activity->setIDKorisnik($user);
       $this->activity->setDatum($this->date);
       $this->activity->insert("Ocenio seriju sa negativnom ocenom");
       return response(null, 204);
     } catch (QueryException $sql) {
       Log::critical("Greska pri dislajku serije". date("d-m-Y H:i:s"). "ID_serije
       return response(null, 409);
  public function like(Request $request)
    $user = $request->input("user");
    $series = $request->input("series");
    $this->model->setIDSerija($series);
    $this->model->setIDKorisnik($user);
    try {
       $this->model->like();
       $this->activity->setIDKorisnik($user);
       $this->activity->setDatum($this->date);
       $this->activity->insert("Ocenio seriju sa pozitivnom ocenom");
       return response(null, 204);
     } catch (QueryException $sql) {
       Log::critical("Greska pri lajku serije". date("d-m-Y H:i:s"). " ID_serije".
$series);
       return response(null, 409);
```

```
public function show($id){
    $this->model->setIDSerija($id);
    try {
       $podaci = $this->model->getOne();
       $glumci = $this->model->getRoles();
       if (session()->has('user')) {
         $user = session()->get("user");
         return response(["podaci" => $podaci, "glumci" => $glumci, "korisnik"
=> $user], 200);
       else
         return response(["podaci" => $podaci, "glumci" => $glumci], 200);
    catch (QueryException $sql) {
       Log::critical("Greska pri dohvatnaju infomracija za seriju sa id: $id na dan
$this->date");
       return response(null, 409);
  public function search($char){
    $this->model->setSerijaNaziv($char);
    try{
       $podaci = $this->model->search();
       if (session()->has('user')) {
         $user = session()->get("user");
         return response(["podaci" => $podaci, "korisnik" => $user], 200);
       else
         return response(["podaci" => $podaci], 200);
    catch(QueryException $sql){
       Log::critical("Greska pri pretrazi sa kriterijumom $char na dan $this-
>date");
       return response(null,404);
```

UserFeedbackController.php

```
<?php
```

```
namespace App\Http\Controllers;
use App\Http\Requests\FeedbackRequest;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\Log;
use PHPMailer\PHPMailer\PHPMailer;
class UserFeedbackController extends Controller
  public function feedback(FeedbackRequest $request){
    $first = $request->input("ime");
    $last = $request->input("prezime");
    $email = $request->input("email");
    $content = $request->input("content");
    $mail = new PHPMailer(true);
    try {
      //Server settings
        $mail->SMTPDebug = 2;
                                                // Enable verbose debug
output
       $mail->isSMTP();
                                             // Set mailer to use SMTP
       $mail->Host = 'smtp.gmail.com'; // Specify main and backup SMTP servers
       $mail->SMTPAuth = true:
       $mail->SMTPSecure = true:
       // Enable SMTP authentication
      $mail->Username = 'phpmailer1995@gmail.com'; // SMTP
username
       $mail->Password = 'dusan1995';
                                                    // SMTP password
      $mail->SMTPSecure = 'tls';
                                               // Enable TLS encryption, `ssl`
also accepted
      sigmail -> Port = 587;
                                           // TCP port to connect to
       \text{smail->} SMTPOptions = array(
         'ssl' => array(
           'verify peer' => false,
           'verify_peer_name' => false,
           'allow self signed' => true
       //Recipients
       $mail->setFrom('phpmailer1995@gmail.com', 'Pitanje');
       $mail->addAddress("duci1995@gmail.com"); // Add a recipient
```

```
//Content
$mail->isHTML(true);  // Set email format to HTML
$mail->Subject = 'Pitanje';

$mail->Body= "$first $last <br/>$email<br/>$content";

$mail->send();

return response(null,200);

} catch (\Exception $e) {
    Log::debug("Greška pri slanju mejla za kontakt");
    return response(null ,500);
}
```

ActivityController.php

```
namespace App\Http\Controllers\Admin;

use App\Models\Izvestaj;
use Illuminate\Http\Request;
use App\Http\Controllers\Controller;

class ActivityController extends Controller
{
   public function index(){
        $m = new Izvestaj();
        $a['data'] = $m->getAll();
        return view('pages.izvestaj', $a);
   }
}
```

GenreController.php

```
<?php
namespace App\Http\Controllers\Admin;</pre>
```

```
use App\Http\Controllers\Controller;
use App\Http\Requests\GenreRequest;
use App\Models\Link;
use Illuminate\Database\QueryException;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\Log;
class GenreController extends Controller
  private $model:
  private $date;
  public function __construct(){
    $this->model = new Link();
    $this->date = date("d.m.Y H:i:s");
   * Display a listing of the resource.
   * @return \Illuminate\Http\Response
  public function index()
    $\data['kategorije'] = $\text{this->model->getCategories();}
    return view("pages.kategorije",$data);
   * @return \Illuminate\Http\Response
  public function create()
    return view("pages.dodaj-kategoriju");
   * @param \Illuminate\Http\Request $request
   * @return \Illuminate\Http\Response
  public function store(GenreRequest $request)
       $name = $request->input("category");
```

```
$this->model->setNaziv($name);
       $this->model->setPutanja(strtolower($name));
       try {
         $this->model->insert();
         return response(null,201);
       catch(QueryException $sql){
         Log::critical("Greska pri ubacivanju nove kategorije na dan ".$this-
>date):
         return response(null, 500);
   * Display the specified resource.
   *@param int $id
   * @return \Illuminate\Http\Response
  public function show($id)
   * Show the form for editing the specified resource.
   *@param int $id
   * @return \Illuminate\Http\Response
  public function edit($id)
    $this->model->setIDLink($id);
    $result = $this->model->getOne();
    try{
       return view("pages.izmena-kategorije")->with("podaci",$result);
    catch(QueryException $sql){
       Log::critical("Greska pri izmeni dohvatanju podatka za kategoriju na dan
$this->date sa id: $id");
       return redirect()->back();
  * Update the specified resource in storage.
```

```
* @param \Illuminate\Http\Request $request
   *@param int $id
   * @return \Illuminate\Http\Response
  public function update(GenreRequest $request, $id)
    $name = $request->input("category");
    $this->model->setIDLink($id):
    $this->model->setNaziv($name);
    $this->model->setPutanja(strtolower($name));
    try{
       $this->model->update();
       return response(null, 204);
    catch(QueryException $sql){
      Log::critical("Greska pri izmeni kategorije na dan $this->date za kategoriju
sa id: $id");
      return response(null,500);
   * Remove the specified resource from storage.
   *@param int $id
   * @return \Illuminate\Http\Response
  public function destroy($id)
    $this->model->setIDLink($id);
      $this->model->delete();
       return response(null,204);
    catch(QueryException $sql){
      Log::critical("Greska pri brisanju kategorije na dan $this->date za kategoiju
sa id: $id");
      return response(null,500);
```

RoleController.php

```
<?php
namespace App\Http\Controllers\Admin;
use App\Models\Glumci:
use Illuminate\Database\QueryException;
use Illuminate\Http\Request;
use App\Http\Controllers\Controller;
use Illuminate\Support\Facades\Log;
class RoleController extends Controller
  private $model;
  private $date;
  public function __construct()
    $this->model = new Glumci();
    $this->date = date("d.m.Y H:i:s");
   * Display a listing of the resource.
   * @return \Illuminate\Http\Response
  public function index()
    $result['glumci'] = $this->model->getAll();
    return view("pages.glumci",$result);
   * Show the form for creating a new resource.
   * @return \Illuminate\Http\Response
  public function create()
    return view("pages.dodaj-glumca");
```

```
* @param \Illuminate\Http\Request $request
* @return \Illuminate\Http\Response
public function store(Request $request)
  $first = $request->input("first");
  $last = $request->input("last");
  $this->model->setIme($first);
  $this->model->setPrezime($last);
  try{
    $this->model->insert();
    return response(null,201);
  catch(QueryException $sql){
    Log::critical("Greska pri ubacivanje glumca na dan $this->date");
    return response(null,422);
* Display the specified resource.
* @param int $id
* @return \Illuminate\Http\Response
public function show($id)
* Show the form for editing the specified resource.
*@param int $id
* @return \Illuminate\Http\Response
public function edit($id)
  $this->model->setIDGlumci($id);
  try{
    $result['podaci'] = $this->model->getOne();
    return view("pages.izmena-glumca",$result);
  catch(QueryException $sql){
    Log::critical("Greska pri dohvatanju glumca na dan $this->date sa id: $id");
    return view("pages.izmena-sponzora")->with("error",true);
```

```
* @param \Illuminate\Http\Request $request
*@param int $id
* @return \Illuminate\Http\Response
public function update(Request $request, $id)
  $this->model->setIDGlumci($id);
  $first = $request->input("first");
  $last = $request->input("last");
  $this->model->setIme($first);
  $this->model->setPrezime($last);
  try{
    $this->model->update();
    return response(null,204);
  catch(QueryException $sql){
    Log::critical("Greska pri izmni korisnika na dan $this->date sa id: $id");
    return response(null, 409);
* Remove the specified resource from storage.
*@param int $id
* @return \Illuminate\Http\Response
public function destroy($id)
  $this->model->setIDGlumci($id);
  try{
    $this->model->delete();
    return response(null,204);
  catch(QueryException $sql){
    Log::critical("Greska pri brisanju glumca na dan $this->date sa id: $id");
    return response(null,409);
```

SeriesController.php

```
<?php
namespace App\Http\Controllers\Admin;
use App\Http\Requests\AdminInsertSeriesRequest;
use App\Http\Requests\PictureRequest;
use App\Models\Glumci;
use App\Models\Link;
use App\Models\Serija;
use Illuminate\Database\QueryException;
use Illuminate\Http\Request;
use App\Http\Controllers\Controller;
use Illuminate\Support\Facades\Log;
class SeriesController extends Controller
  private $model;
  public function __construct()
    $this->model = new Serija();
   * Display a listing of the resource.
   * @return \Illuminate\Http\Response
  public function index()
    $podaci = $this->model->getAll();
    return view('pages.serije-spisak')->with('serije', $podaci);
   * Show the form for creating a new resource.
   * @return \Illuminate\Http\Response
  public function create()
    $link = new Link();
    m = \text{new Glumci()};
    $cat = $link->getCategories();
    secsion = m->getAll():
```

```
return view('pages.dodaj-seriju')
      ->with('kategorije', $cat)
      ->with('glumci', $roles);
  public function store(AdminInsertSeriesRequest $request)
    $name = $request->input('name');
    $year = $request->input('year');
    $cat = $request->input('category');
    $roles = $request->input('glumci');
    $text = $request->input('text');
    $pic = $request->file('img');
    $ime = "images/".time()."_".$pic->getClientOriginalName();
    $this->model->setSerijaNaziv($name);
    $this->model->setSerijaTekst($text);
    $this->model->setGodina($year);
    $this->model->setIDLink($cat);
    $this->model->setSlika($ime);
    try {
      if($pic->isValid()) {
         $pic->move(public_path("images/"), $ime);
         $id = $this->model->insert();
         foreach($roles as $role) {
           $this->model->setIDGlumci($role);
           $this->model->setIDSerija($id);
           $this->model->insertCredits();
         return redirect()->back()->with("uspeh", "Uspešno ste dodali
sponzora");
    catch(QueryException $sql){
      Log::critical("Greska pri ubacivanju serije u bazu!");
      return redirect()->back()->with("error", "Doslo je do greske, kontaktirajte
```

```
* Display the specified resource.
   * @param int $id
   * @return \Illuminate\Http\Response
  public function show($id)
   * Show the form for editing the specified resource.
   *@param int $id
   * @return \Illuminate\Http\Response
  public function edit($id, $cat)
    $this->model->setIDSerija($id);
    $link = new Link();
    $link->setIDLink($cat);
    try{
       $podaci['serija'] = $this->model->getOne();
       $glumac = new Glumci();
       $podaci['svi_glumci'] = $glumac->getAll();
       $podaci['glumci'] = $this->model->getRoles();
       $podaci['kategorije'] = $link->getOtherCategoreis();
       return view('pages.izmena-serije', $podaci);
    catch(QueryException $sql){
       Log::critical('Greška pri dohvatanju informacija za seriju sa id: '.$id);
       return redirect()->back()->with("error", "Doslo je do greske, kontaktirajte"
admina!");
   * Update the specified resource in storage.
   * @param \Illuminate\Http\Request $request
   * @param int $id
   * @return \Illuminate\Http\Response
  public function update(Request $request, $id)
```

```
* Remove the specified resource from storage.
*@param int $id
* @return \Illuminate\Http\Response
public function destroy($id)
  $this->model->setIDSerija($id);
    $this->model->delete();
    return response(null, 204);
  catch(QueryException $sql){
    Log::critical('greska pri brisanju serije sa id:'.$id);
    return response(null, 500);
public function updateInfo($id, Request $request)
  $text = $request->input('text');
  $name = $request->input('name');
  $year = $request->input('year');
  $category = $request->input('category');
  $status = $request->input('status');
  $roles = $request->input('glumci');
  $this->model->setIDSerija($id);
  $this->model->setSerijaTekst($text);
  $this->model->setSerijaNaziv($name);
  $this->model->setGodina($year);
  $this->model->setIDLink($category);
  $this->model->setObrisan($status);
  try{
    $this->model->updateInfo();
    foreach($roles as $role) {
       $this->model->setIDSerija($id);
       $this->model->setIDGlumci($role);
       $this->model->updateCreditsFirstStep();
```

```
foreach($roles as $role) {
          $this->model->setIDSerija($id):
          $this->model->setIDGlumci($role);
          $this->model->updateCreditsFinalStep();
    return redirect(route('series-show'))->with('uspeh', "Uspešno ste izmenili
seriju"):
    catch(QueryException $sql){
       Log::critical('Greska pri izmeni serije sa id'.$id.$sql->getMessage());
       return redirect(route('series-show'))->with('error', "Došlo je od greške
konaktirajte admina");
  public function updatePicture($id, PictureRequest $picture)
       $this->model->setIDSerija($id);
       $image = $picture->file('img');
       $ime = "images/".time().'_'.$image->getClientOriginalName();
       public path("images/");
       if($image->isValid()){
          $image->move(public_path('images/'),$ime);
         $this->model->setSlika($ime);
         try{
            $this->model->updatePicture():
            return redirect(route('series-show'))->with('uspeh', "Uspešno ste
izmenili sliku ");
         catch(QueryException $sql){
            Log::critical('Greska pri izmeni slike za seriju sa id:'.$id);
            return redirect(route('series-show'))->with('error', "Došlo je od greške
konaktirajte admina");
```

SponsorController.php

```
<?php
namespace App\Http\Controllers\Admin;
use App\Http\Requests\PictureRequest;
use App\Http\Requests\SponsorRequest;
use Illuminate\Database\QueryException;
use Illuminate\Http\Request;
use App\Http\Controllers\Controller;
use \App\Models\Sponzor;
use Illuminate\Support\Facades\Log;
class SponsorController extends Controller
  private $model;
  private $date;
  public function construct()
    $this->model = new Sponzor();
    $this->date = date("d.m.Y H:i:s");
   * Display a listing of the resource.
   * @return \Illuminate\Http\Response
  public function index()
    try{
       $result = $this->model->getSponsors();
       return view("pages.sponzori")->with("sponzori", $result);
    catch(QueryException $sql){
       Log::critical("Greska pri ucitavanju sponzora");
       return redirect()->back():
   * @return \Illuminate\Http\Response
```

```
public function create()
    return view('pages.dodaj-sponzora');
   * @param \Illuminate\Http\Request $request
   * @return \Illuminate\Http\Response
  public function store(SponsorRequest $request, PictureRequest
$pictureRequest)
    $link = $request->input('link');
    $slika = $pictureRequest->file("img");
    $ime = "images/".time()."_".$slika->getClientOriginalName();
    $this->model->setLink($link):
    $this->model->setSlika($ime);
    try {
       if($slika->isValid()) {
         $slika->move(public_path("images/"), $ime);
         $this->model->insertSponsor();
         return redirect()->back()->with("uspeh", "Uspešno ste dodali
sponzora");
       else{
            return redirect()->back();
    catch(QueryException $sql){
         Log::critical("Greska pri ubacivanju sponzora u bazu!".$this->date);
         return redirect()->back()->with("error", "Doslo je do greske,
kontaktirajte admina!");
   * Display the specified resource.
   * @param int $id
   * @return \Illuminate\Http\Response
  public function show($id)
```

```
* Show the form for editing the specified resource.
   *@param int $id
   * @return \Illuminate\Http\Response
  public function edit($id)
    $this->model->setIDSponsor($id);
    try {
       $result['podaci'] = $this->model->getOneSponsor();
       return view("pages.izmena-sponzora",$result);
    catch(QueryException $sql){
       Log::critical("Greska pri dohvatanju jednog sponzora za izmenu". $this-
>date);
       return view("pages.izmena-sponzora")->with("error",true);
   * Update the specified resource in storage.
   * @param \Illuminate\Http\Request $request
  *@param int $id
  * @return \Illuminate\Http\Response
  public function updateLink(SponsorRequest $request, $id)
    $link = $request->input('link');
    $this->model->setLink($link);
    $this->model->setIDSponsor($id);
    try {
       $this->model->updateLink();
       return redirect(route("sponsor-show"))->with("uspeh",true);
    catch(QueryException $sql){
       Log::critical("Greska pri izmeni linka za sponzora". $this->date);
       return redirect(route("sponsor-show"))->with("error", true);
```

```
public function updatePicture(PictureRequest $pictureRequest, $id){
  $picture = $pictureRequest->file("img");
  $name = time()."_".$picture->getClientOriginalName();
  $this->model->setSlika($name);
  $this->model->setIDSponsor($id);
  $p = public_path("\images");
  try{
    if($picture->isValid()){
       dd($p);
       $picture->move(public_path("\images"),$name);
       $this->model->updatePicture();
       return redirect(route("sponsor-show"))->with("uspeh", true);
  catch(QueryException $sql){
    Log::critical("Greska pri izmeni slike za sponzora". $this->date);
    return redirect(route("sponsor-show"))->with("error",true);
* Remove the specified resource from storage.
* @param int $id
* @return \Illuminate\Http\Response
public function destroy($id)
  $this->model->setIDSponsor($id);
  try{
    $this->model->deleteSponsor();
    return response("Uspešno ste obrisali sponzora",204);
  catch(QueryException $sql){
    Log::critical("Greska pri brisanju sponzora sa id: ".$id. " " . $this->date);
    return response("Greska pri brisanju sponzora", 409);
```

UserController.php

```
<?php
namespace App\Http\Controllers\Admin;
use App\Http\Requests\AdminInsertUserRequest;
use App\Http\Requests\LogRequest;
use App\Http\Requests\PictureRequest;
use App\Models\Grad;
use App\Models\Korisnik:
use App\Models\Uloga;
use Illuminate\Database\QueryException;
use Illuminate\Http\Request;
use App\Http\Controllers\Controller;
use Illuminate\Support\Facades\Log;
class UserController extends Controller
  private $model:
  private $date;
  private $result;
  public function __construct()
    $this->model = new Korisnik();
    $this->date = date("d.m.Y H:i:s");
    $city = new Grad();
    section = new Uloga();
    $this->result['uloge'] = $roles->getRoles();
    $this->result['gradovi'] = $city->getAll();
   * Display a listing of the resource.
   * @return \Illuminate\Http\Response
  public function index()
       try{
         $result = $this->model->getUsers();
         return view("pages.korisnici")->with("korisnici", $result);
       catch(QueryException $sql){
         Log::critical("Greska pri ucitavanju sponzora ".$this->date);
         return redirect()->back();
```

```
* Show the form for creating a new resource.
* @return \Illuminate\Http\Response
public function create()
  return view("pages.dodaj-korisnika",$this->result);
* @param \Illuminate\Http\Request $request
* @return \Illuminate\Http\Response
public function store(AdminInsertUserRequest $request)
  $username = $request->input("username");
  $password = $request->input("password");
  $firstname = $request->input("firstname");
  $lastname = $request->input("lastname");
  $email = $request->input("email");
  $city = $request->input("city");
  $gender = $request->input("gender");
  $roll = $request->input("roll");
  $active = $request->input("active");
  $token = md5($username.time());
  $this->model->setUsername($username);
  $this->model->setPassword($password);
  $this->model->setIme($firstname);
  $this->model->setPrezime($lastname):
  $this->model->setEmail($email);
  $this->model->setIDGrad($city);
  $this->model->setPol($gender);
  $this->model->setIDUloga($roll);
  $this->model->setAktivan($active);
  $this->model->setDatumRegistracije($this->date);
  $this->model->setToken($token);
  try{
    $this->model->insert();
    return response(null,201);
  catch(QueryException $sql){
```

```
Log::critical("Greska pri upisivanju korisnika od strane admina! ".$this-
>date):
       return response(null, 409);
   * Display the specified resource.
  *@param int $id
  * @return \Illuminate\Http\Response
  public function show($id)
  * Show the form for editing the specified resource.
  * @param int $id
   * @return \Illuminate\Http\Response
  public function edit($id)
    $this->model->setIDKorisnik($id);
    try{
       $podaci = $this->model->getOneUser();
       return view("pages.izmeni-korisnika", $this->result)->with("podaci",
$podaci);
    catch(QueryException $sql){
       Log::critical("Greska pri dohvatnju jednog korisnika ".$this->date);
       return redirect(route('user-show'))->with("error",true);
   * Update the specified resource in storage.
   * @param \Illuminate\Http\Request $request
  *@param int $id
   * @return \Illuminate\Http\Response
  public function update(Request $request, $id)
```

```
$username = $request->input("username");
  $password = $request->input("password");
  $firstname = $request->input("firstname");
  $lastname = $request->input("lastname");
  $email = $request->input("email");
  $city = $request->input("city");
  $gender = $request->input("gender");
  $roll = $request->input("roll");
  $active = $request->input("active");
  $status = $request->input("status");
  $this->model->setIDKorisnik($id);
  $this->model->setUsername($username):
  $this->model->setPassword($password);
  $this->model->setIme($firstname);
  $this->model->setPrezime($lastname);
  $this->model->setEmail($email):
  $this->model->setIDGrad($city):
  $this->model->setPol($gender);
  $this->model->setIDUloga($roll);
  $this->model->setAktivan($active);
  $this->model->setObrisan($status);
  $this->model->setDatumIzmene($this->date);
  try{
    $this->model->update();
    return response(null,204);
  catch(QueryException $sql){
    Log::critical("Greska pri izmeni korisnika na dan $this->date sa id: ".$id);
    return response(null,409);
* Remove the specified resource from storage.
* @param int $id
* @return \Illuminate\Http\Response
public function destroy($id)
  $this->model->setIDKorisnik($id);
  try{
    $this->model->delete();
    return response(null,204);
```

```
catch(QueryException $sql){
    Log::critical("Greska pri brisanju korisnika na dan $this->date sa id: $id");
    return response(null,500);
  }
}
```

------Models-----

Glumci.php

```
<?php
* Created by PhpStorm.
* User: Dušan
* Date: 8.3.2019.
* Time: 16.42
namespace App\Models;
use Illuminate\Support\Facades\DB;
class Glumci
  private $ID_glumci;
  private $ime;
  private $prezime;
  * @return mixed
  public function getIDGlumci()
    return $this->ID_glumci;
  * @param mixed $ID_glumci
  public function setIDGlumci($ID_glumci): void
```

```
$this->ID_glumci = $ID_glumci;
  * @return mixed
  public function getIme()
    return $this->ime:
  * @param mixed $ime
  public function setIme($ime): void
    $this->ime = $ime;
  * @return mixed
  public function getPrezime()
    return $this->prezime;
  * @param mixed $prezime
  public function setPrezime($prezime): void
    $this->prezime = $prezime;
  private $table = "glumci";
 public function getAll(){
    return DB::table($this->table)->get();
 public function delete(){
    DB::transaction(function(){
      DB::table("serija_glumci")->where("ID_glumci",$this->ID_glumci)-
>delete();
      DB::table($this->table)->where("ID_glumci", $this->ID_glumci)->delete();
    });
```

Grad.php

```
<?php
/**
 * Created by PhpStorm.
 * User: Dušan
 * Date: 25.2.2019.
 * Time: 00.18
 */
namespace App\Models;

use Illuminate\Support\Facades\DB;
class Grad
{
    private $ID_grad;
    private $grad_ime;

/**
 * @return mixed
 */
public function getIDGrad()
{</pre>
```

```
return $this->ID_grad;
* @param mixed $ID_grad
public function setIDGrad($ID_grad): void
  $this->ID_grad = $ID_grad;
* @return mixed
public function getGradIme()
  return $this->grad_ime;
* @param mixed $grad_ime
public function setGradIme($grad_ime): void
  $this->grad_ime = $grad_ime;
public function getAll(){
  $query = DB::table("grad")->get();
  return $query;
```

Izvestaj.php

```
<!php
/**

* Created by PhpStorm.

* User: ASUS

* Date: 12.3.2019

* Time: 0:59

*/

namespace App\Models;
</pre>
```

```
use Illuminate\Support\Facades\DB;
class Izvestaj
   * @param mixed $ID_korisnik
  public function setIDKorisnik($ID_korisnik): void
    $this->ID_korisnik = $ID_korisnik;
  private $ID_korisnik;
  private $datum;
  private $table = 'izvestaj';
   * @param mixed $datum
  public function setDatum($datum): void
    $this->datum = $datum;
  public function insert($activity) {
    DB::table($this->table)->insert([
       'ID_korisnik' => $this->ID_korisnik,
       'datum' => $this->datum,
  public function getAll(){
    return DB::table('izvestaj as i')
       ->join('korisnik as k','i.ID_korisnik', '=','k.ID_korisnik')
       ->get();
```

Komentar.php

```
<?php
* Created by PhpStorm.
* User: Dušan
* Date: 4.3.2019.
namespace App\Models;
use function foo\func;
use Illuminate\Support\Facades\DB;
class Komentar
  private $ID komentar;
  private $komentar_tekst;
  private $ID_korisnik;
  private $ID_serija;
  private $datum;
  private $komentar like;
  private $komentar_dislike;
  private $table = "komentar";
   * @return mixed
  public function getIDKomentar()
    return $this->ID_komentar;
   * @param mixed $ID_komentar
  public function setIDKomentar($ID_komentar): void
    $this->ID_komentar = $ID_komentar;
   * @return mixed
```

```
public function getKomentarTekst()
  return $this->komentar_tekst;
* @param mixed $komentar_tekst
public function setKomentarTekst($komentar_tekst): void
  $this->komentar_tekst = $komentar_tekst;
* @return mixed
public function getIDKorisnik()
  return $this->ID_korisnik;
* @param mixed $ID_korisnik
public function setIDKorisnik($ID_korisnik): void
  $this->ID_korisnik = $ID_korisnik;
* @return mixed
public function getIDSerija()
  return $this->ID_serija;
* @param mixed $ID_serija
public function setIDSerija($ID_serija): void
  $this->ID_serija = $ID_serija;
```

```
* @return mixed
public function getDatum()
  return $this->datum:
* @param mixed $datum
public function setDatum($datum): void
  $this->datum = $datum;
* @return mixed
public function getKomentarLike()
  return $this->komentar like;
* @param mixed $komentar_like
public function setKomentarLike($komentar_like): void
  $this->komentar_like = $komentar_like;
* @return mixed
public function getKomentarDislike()
  return $this->komentar_dislike;
* @param mixed $komentar_dislike
public function setKomentarDislike($komentar_dislike): void
  $this->komentar_dislike = $komentar_dislike;
```

```
public function getSeriesComments(){
    $query = DB::table('komentar as km')
       ->join('korisnik as k', "km.ID_korisnik", "=", "k.ID_korisnik")
       ->join('serija as s', "km.ID_serija", "=", "s.ID_serija")
       ->where('km.ID_serija',$this->ID_serija)
       ->select('*', 'km.ID_korisnik as komentator')
       ->get();
    return $query;
  public function insert(){
    DB::table($this->table)->insert([
      "komentar_tekst" => $this->komentar_tekst,
      "ID korisnik" => $this->ID korisnik.
      "ID serija" => $this->ID serija.
      "datum" => $this->datum
    ]);
  public function delete(){
    DB::transaction(function() {
       DB::table("glasanje")->where([
         'ID komentar' => $this->ID komentar,
         'ID korisnik' => $this->ID korisnik
       1)->delete();
       DB::table($this->table)->where('ID komentar', $this->ID komentar)-
>delete():
    });
  public function like(){
    DB::transaction(function(){
      DB::table($this->table)
         ->where('ID komentar', $this->ID komentar)
         ->increment("komentar_like", 1);
      DB::table('glasanje')->insert([
         'ID komentar' => $this->ID komentar,
         'ID_korisnik' => $this->ID_korisnik
      ]);
    });
```

Korisnik.php

```
<?php
* Created by PhpStorm.
* User: Dušan
* Date: 23.2.2019.
namespace App\Models;
use Illuminate\Support\Facades\DB;
class Korisnik
  private $ID_korisnik;
  private $ime;
  private $prezime;
  private $email;
  private $username;
  private $password;
  private $token;
  private $pol;
  private $aktivan;
  private $datum_registracije;
  private $datum_izmene;
  private $obrisan;
```

```
private $ID_grad;
private $ID_uloga;
private $table = "korisnik";
* @return mixed
public function getIDKorisnik()
  return $this->ID_korisnik;
* @param mixed $ID_korisnik
public function setIDKorisnik($ID_korisnik): void
  $this->ID_korisnik = $ID_korisnik;
* @return mixed
public function getIme()
  return $this->ime;
* @param mixed $ime
public function setIme($ime): void
* @return mixed
public function getPrezime()
  return $this->prezime;
* @param mixed $prezime
```

```
public function setPrezime($prezime): void
  $this->prezime = $prezime;
* @return mixed
public function getEmail()
  return $this->email;
* @param mixed $email
public function setEmail($email): void
  $this->email = $email:
* @return mixed
public function getUsername()
  return $this->username;
* @param mixed $username
public function setUsername($username): void
  $this->username = $username;
* @return mixed
public function getPassword()
  return $this->password;
```

```
* @param mixed $password
public function setPassword($password): void
  $this->password = $password;
* @return mixed
public function getToken()
  return $this->token;
* @param mixed $token
public function setToken($token): void
  $this->token = $token;
* @return mixed
public function getPol()
  return $this->pol;
*@param mixed $pol
public function setPol($pol): void
  this->pol = pol;
* @return mixed
public function getAktivan()
  return $this->aktivan;
```

```
* @param mixed $aktivan
public function setAktivan($aktivan): void
  $this->aktivan = $aktivan;
* @return mixed
public function getDatumRegistracije()
  return $this->datum_registracije;
* @param mixed $datum_registracije
public function setDatumRegistracije($datum_registracije): void
  $this->datum_registracije = $datum_registracije;
* @return mixed
public function getDatumIzmene()
  return $this->datum izmene;
* @param mixed $datum_izmene
public function setDatumIzmene($datum_izmene): void
  $this->datum_izmene = $datum_izmene;
* @return mixed
public function getObrisan()
```

```
return $this->obrisan;
* @param mixed $obrisan
public function setObrisan($obrisan): void
  $this->obrisan = $obrisan;
* @return mixed
public function getIDGrad()
  return $this->ID_grad;
* @param mixed $ID_grad
public function setIDGrad($ID_grad): void
  $this->ID_grad = $ID_grad;
* @return mixed
public function getIDUloga()
  return $this->ID_uloga;
* @param mixed $ID_uloga
public function setIDUloga($ID_uloga): void
  $this->ID_uloga = $ID_uloga;
public function login(){
  $query = DB::table($this->table)->where([["username",$this->username],
    ["password",md5($this->password)],
    ["aktivan",1],
    ["obrisan",0]
```

```
])->first();
  return $query;
public function register(){
  $query = DB::table($this->table)->insert([
     "ime" => $this->ime,
    "prezime" => $this->prezime.
    "username" => $this->username.
     "password" => md5($this->password),
    "token" => $this->token,
    "pol" => $this->pol,
    "datum registracije" => $this->datum_registracije,
    "ID_grad" => $this->ID_grad,
    "ID uloga" \Rightarrow 2
  1);
  return $query;
public function getUsers(){
  $query = DB::table($this->table)->get();
  return $query;
public function insert(){
  $query = DB::table($this->table)->insert([
     "ime" => $this->ime,
    "prezime" => $this->prezime,
     "username" => $this->username.
    "password" => md5($this->password),
    "token" => $this->token,
    "pol" => $this->pol,
    "datum_registracije" => $this->datum_registracije,
    "ID grad" => $this->ID grad,
    "ID uloga" => $this->ID uloga.
    "aktivan" => $this->aktivan
  ]);
  return $query;
public function getOneUser(){
  $query = DB::table("korisnik as k")
    ->join("uloga as u", "k.ID_uloga", "=", "u.ID_uloga")
    ->join("grad as g","k.ID_grad","=","g.ID_grad")
    ->where("ID_korisnik",$this->ID_korisnik)->get();
  return $query;
public function update(){
```

```
$query = DB::table($this->table)->where("ID_korisnik",$this->ID_korisnik)
       ->update([
         "prezime" => $this->prezime,
         "email" =>$this->email,
         "username" => $this->username,
         "password" => md5($this->password),
         "pol" => $this->pol,
         "datum izmene" => $this->datum izmene,
         "ID_grad" => $this->ID_grad,
         "ID_uloga" => $this->ID_uloga,
         "aktivan" => $this->aktivan.
         "obrisan" => $this->obrisan
  public function delete(){
    DB::table($this->table)->where("ID_korisnik", $this->ID_korisnik)-
>update(["obrisan" => 1]);
  public function activate(){
    DB::table($this->table)->where("token", $this->token)->update([
      "aktivan" => 1
```

Link.php

```
<!php
/**

* Created by PhpStorm.

* User: ASUS

* Date: 25.2.2019

* Time: 22:44

*/

namespace App\Models;
use Illuminate\Support\Facades\DB;

class Link
{
</pre>
```

```
private $ID_link;
private $naziv;
private $putanja;
private $ID_link_parent;
private $table = 'link';
* @return mixed
public function getIDLink()
  return $this->ID_link;
* @param mixed $ID_link
public function setIDLink($ID_link): void
  $this->ID_link = $ID_link;
* @return mixed
public function getNaziv()
  return $this->naziv;
* @param mixed $naziv
public function setNaziv($naziv): void
  $this->naziv = $naziv;
* @return mixed
public function getPutanja()
  return $this->putanja;
```

```
* @param mixed $putanja
  public function setPutanja($putanja): void
    $this->putanja = $putanja;
  * @return mixed
  public function getIDLinkParent()
    return $this->ID_link_parent;
  * @param mixed $ID_link_parent
  public function setIDLinkParent($ID_link_parent): void
    $this->ID_link_parent = $ID_link_parent;
  public function getMenu(){
    $query = DB::table($this->table)->where('ID_link_parent',-1)->get();
    return $query;
  public function getCategories(){
    $query = DB::table($this->table)->where('ID_link_parent',0)-
>orderBy("naziv")->get();
    return $query;
  public function insert(){
    DB::table($this->table)->insert([
         "naziv" => $this->naziv,
         "putanja" => $this->putanja,
         "ID link parent" => 0
      ]);
  public function delete(){
    DB::table($this->table)->where("ID_link", $this->ID_link)->delete();
  public function getOne(){
    return DB::table($this->table)->where("ID_link", $this->ID_link)->get();
```

Serija.php

```
<?php
* Created by PhpStorm.
* User: Dušan
* Date: 2.3.2019.
* Time: 16.56
namespace App\Models;
use Illuminate\Support\Facades\DB;
class Serija
  private $ID_serija;
  private $serija naziv:
  private $serija_tekst;
  private $ID serija glumci;
  private $ID_link;
  private $godina;
  private $slika:
  private $obrisan;
  private $serija_like;
  private $serija_dislike;
  private $ID_korisnik;
  private $ID_glumci;
  private \$data = [];
```

```
* @param array $data
public function setData(array $data): void
  $this->data = $data;
* @param mixed $ID_glumci
public function setIDGlumci($ID_glumci): void
  $this->ID_glumci = $ID_glumci;
private $putanja;
* @return mixed
public function getPutanja()
  return $this->putanja;
* @param mixed $putanja
public function setPutanja($putanja): void
  $this->putanja = $putanja;
* @return mixed
public function getIDKorisnik()
  return $this->ID_korisnik;
* @param mixed $ID_korisnik
public function setIDKorisnik($ID_korisnik): void
```

```
$this->ID_korisnik = $ID_korisnik;
private $table = "serija";
* @return mixed
public function getIDSerija()
  return $this->ID_serija;
* @param mixed $ID_serija
public function setIDSerija($ID_serija): void
  $this->ID_serija = $ID_serija;
* @return mixed
public function getSerijaNaziv()
  return $this->serija_naziv;
* @param mixed $serija_naziv
public function setSerijaNaziv($serija_naziv): void
  $this->serija_naziv = $serija_naziv;
* @return mixed
public function getSerijaTekst()
  return $this->serija_tekst;
* @param mixed $serija_tekst
```

```
public function setSerijaTekst($serija_tekst): void
  $this->serija_tekst = $serija_tekst;
* @return mixed
public function getIDSerijaGlumci()
  return $this->ID_serija_glumci;
* @param mixed $ID_serija_glumci
public function setIDSerijaGlumci($ID_serija_glumci): void
  $this->ID_serija_glumci = $ID_serija_glumci;
* @return mixed
public function getIDLink()
  return $this->ID_link;
* @param mixed $ID_link
public function setIDLink($ID_link): void
  $this->ID_link = $ID_link;
* @return mixed
public function getGodina()
  return $this->godina;
```

```
* @param mixed $godina
public function setGodina($godina): void
  $this->godina = $godina;
* @return mixed
public function getSlika()
  return $this->slika;
* @param mixed $slika
public function setSlika($slika): void
  $this->slika = $slika;
* @return mixed
public function getObrisan()
  return $this->obrisan;
* @param mixed $obrisan
public function setObrisan($obrisan): void
  $this->obrisan = $obrisan;
* @return mixed
public function getSerijaLike()
  return $this->serija_like;
```

```
* @param mixed $serija_like
public function setSerijaLike($serija_like): void
  $this->serija_like = $serija_like;
* @return mixed
public function getSerijaDislike()
  return $this->serija_dislike;
* @param mixed $serija_dislike
public function setSerijaDislike($serija_dislike): void
  $this->serija_dislike = $serija_dislike;
* @return string
public function getAll(){
  return DB::table($this->table)->get();
public function getSeriesByCategory(){
  $query = DB::table($this->table)
    ->select(
       "link.naziv as naziv_kategorije")
     ->join("link',"serija.ID_link","=","link.ID_link")
    ->where([
    ["link.putanja",$this->putanja],
    ['serija.obrisan','=',0]
  ])->get();
  return $query;
public function getNewestSeries(){
  $query = DB::table($this->table)->limit(5)->where('serija.obrisan','=',0)-
```

```
>orderBy("godina", "desc")->get();
     return $query;
  public function dislike()
     DB::transaction(function() {
     DB::table("glasanje_serija")->insert([
       "ID_serija" => $this->ID_serija,
       "ID_korisnik" => $this->ID_korisnik
     ]);
     DB::table($this->table)
       ->where("ID_serija",$this->ID_serija)
       ->increment('serija_dislike', 1);
     });
  public function like()
     DB::transaction(function() {
       DB::table("glasanje_serija")->insert([
          "ID serija" => $this->ID_serija,
          "ID_korisnik" => $this->ID_korisnik
       1);
       DB::table($this->table)
          ->where("ID_serija",$this->ID_serija)
          ->increment('serija like', 1);
     });
  public function getOne(){
     return DB::table("serija as s")
       ->join("link as l", 's.ID_link', "=", 'l.ID_link')
       ->where("s.ID_serija", $this->ID_serija)
       ->get();
  public function getRoles(){
     return DB::table("glumci as g")
       ->join('serija_glumci as sg','g.ID_glumci',"=","sg.ID_glumci")
       ->join('serija as s', "sg.ID_serija", "=", "s.ID_serija")
       ->where("s.ID_serija", $this->ID_serija)
       ->get();
  public function search(){
     return DB::table($this->table)
           ->where("serija_naziv","LIKE", "%$this->serija_naziv%")
            ->where('obrisan',"=".0)
```

```
->get();
public function delete(){
  DB::table($this->table)
     ->where('ID_serija', $this->ID_serija)
     ->update(['obrisan' => 1]);
public function insert(){
      $id = DB::table($this->table)->insertGetId([
         'serija naziv' => $this->serija naziv,
         'serija_tekst' => $this->serija_tekst,
          'ID link' => $this->ID link.
          'godina' => $this->godina,
          'slika' => $this->slika
       1);
      return $id:
public function insertCredits() {
  DB::table('serija_glumci')->insert([
     'ID_serija' => $this->ID_serija,
     'ID glumci' => $this->ID glumci
  ]);
public function updateInfo(){
  DB::table('serija')->where('ID_serija', $this->ID_serija)->update([
     'serija_naziv' => $this->serija_naziv,
     'serija tekst' => $this->serija tekst,
     'ID link' => $this->ID link,
     'godina' => $this->godina,
     'obrisan' => $this->obrisan
  ]);
public function updateCreditsFirstStep(){
     DB::table('serija_glumci')->where('ID_serija', $this->ID_serija)
       ->delete():
public function updateCreditsFinalStep(){
  DB::table('serija_glumci')->insert([
     "ID serija" => $this->ID serija,
```

Sponzor.php

```
<?php
* Created by PhpStorm.
* User: Dušan
* Date: 2.3.2019.
 * Time: 14.07
namespace App\Models;
use Illuminate\Support\Facades\DB;
class Sponzor
  private $ID_sponsor;
  private $slika;
  private $link;
   * @return mixed
  public function getLink()
    return $this->link;
   * @param mixed $link
  public function setLink($link): void
```

```
$this->link = $link;
private $table = "sponzor";
* @return mixed
public function getIDSponsor()
  return $this->ID_sponsor;
* @param mixed $ID_sponsor
public function setIDSponsor($ID_sponsor): void
  $this->ID_sponsor = $ID_sponsor;
* @return string
* @return mixed
public function getSlika()
  return $this->slika;
* @param mixed $slika
public function setSlika($slika): void
  $this->slika = $slika;
public function getSponsors(){
  $query = DB::table($this->table)->get();
  return $query;
public function insertSponsor(){
  DB::table($this->table)->insert([
```

```
"slika" => $this->slika,
    "link" => $this->link
]);
}
public function deleteSponsor(){
    DB::table($this->table)->where("ID_sponzor",$this->ID_sponsor)->delete();
}
public function getOneSponsor(){
    $query = DB::table($this->table)->where("ID_sponzor',$this->ID_sponsor)->get();
    return $query;
}
public function updateLink(){
    DB::table("sponzor")->where("ID_sponzor",$this->ID_sponsor)->update(["link" => $this->link]);
}
public function updatePicture(){
    DB::table("sponzor")->where("ID_sponzor",$this->ID_sponsor)->update(["slika" => $this->slika]);
}
}
```

Uloga.php

```
<!php
/**
    * Created by PhpStorm.
    * User: Dušan
    * Date: 7.3.2019.
    * Time: 13.47
    */

namespace App\Models;

use Illuminate\Support\Facades\DB;

class Uloga
{
    private $ID_uloga;
    private $uloga_naziv;

    /**
    * @return mixed
    */

*/
</pre>
```

```
public function getIDUloga()
  return $this->ID_uloga;
 * @param mixed $ID_uloga
public function setIDUloga($ID_uloga): void
  $this->ID_uloga = $ID_uloga;
* @return mixed
public function getUlogaNaziv()
  return $this->uloga_naziv;
* @param mixed $uloga_naziv
public function setUlogaNaziv($uloga_naziv): void
  $this->uloga_naziv = $uloga_naziv;
public function getRoles(){
  return DB::table('uloga')->get();
```

------public/css-----

main.css

```
margin:0;
  padding:0;
  font-family: "Segoe UI Semibold";
a{
  text-decoration: none;
img{
  border-radius: 3px;
#wrapper{
  display:flex;
  flex-direction: column;
  width:100%;
#header{
  display:flex;
  width:100%;
  border-bottom: 4px #1b4b72 solid;
  justify-content: space-around;
#logo{
  flex-basis:180px;
  height:98px;
  list-style: none;
nav{
  display:flex;
  justify-items: center;
  align-items: center;
  flex-basis:55%;
  margin-bottom:1px;
  max-height: 98px;
  margin-left: 60px;
nav > ul\{
  display:flex;
  flex-basis:100%;
  justify-content: space-between;
```

```
nav > ul > li
  display:flex;
  padding:0 15px;
  background: #1b4b72;
  justify-content: space-between;
  align-content: space-between;
  max-height: 98px;
  border-radius: 0 0 10px 10px;
nav > ul > li > a
  display:flex;
  text-align: center;
  padding:35px 0;
  color:ivory;
  font-size:20px;
  justify-self: center;
  align-self: center;
  font-family: "Segoe UI Semibold";
nav > ul > li > h4{}
  display:flex;
  text-align: center;
  padding:35px 0;
  color:ivory;
  font-size:20px;
  justify-self: center;
  align-self: center;
  font-family: "Segoe UI Semibold";
nav ul li:hover{
  animation: nav;
  animation-duration: 1s;
@keyframes nav{
  from{background-color: #1b4b72; }
  to{ background-color: #1b77aa; }
#criteria {
  flex-basis: 20%;
  display: flex;
  align-items: center;
  margin-left: 30px;
#search{
  margin:20px;
```

```
padding:4px;
  font-size: 18px;
  outline: #00adff;
  border-radius: 5px;
.fa-search{
  justify-content: flex-end;
#container{
  display: grid;
  grid-template-areas: "left-side articles right-side";
  width:100%;
  justify-content: space-between;
#left-side{
  display:flex;
  width:20%;
#left-side ul {
  display:flex;
  flex-direction: column;
  justify-items: center;
  align-content: space-around;
  align-items: center;
#left-side ul li{
  padding:20px;
  border-radius:0px 20px 20px 0px;
  justify-self: center;
  justify-content: space-between;
  margin-top:30px;
  background-color: #b75800;
  width:150px;
#left-side ul li:first-child{
  margin-top:1px;
\#left-side > ul > li > a > h3
  color:ivory;
  font-size:28px;
  cursor: pointer;
  font-weight: normal;
#articles{
  display:grid;
```

```
width:95%;
  align-content: baseline;
  justify-content: space-around;
.item{
  display:grid;
  flex-direction: row;
  grid-template-columns: 1fr 2fr;
  grid-template-areas: "img right-container";
  max-height: max-content;
  justify-content: space-around;
  align-items: baseline;
  width:100%;
  margin-top:20px;
.img{
  align-self: center;
  justify-self: right;
  margin:0 30px;
.heading{
  margin-top:30px;
  text-align:center;
.text{
  margin-top: 10px;
  word-break:keep-all;
  text-align:justify;
.date-com{
  display:flex;
  flex-basis:100%;
.fa-plus{
  color:lightgreen;
  cursor:pointer;
.fa-minus{
  cursor:pointer;
  color:lightcoral;
  margin-left:10px;
.right{
  cursor: pointer;
```

```
.details{
  cursor: pointer;
  word-break: break-all;
.details:hover{
  text-decoration: underline;
.no-underline:hover{
  text-decoration: none;
  cursor: auto;
#right-side{
  display:flex;
  width:100%;
  flex-direction: column;
.sponsor{
  margin:2px 5px;
  flex-basis: 100%;
  max-height: max-content;
footer{
  display:flex;
  background-color: #1b4b72;
  width:100%;
  height:100%;
  justify-content: center;
  margin-top:2px;
  justify-items: center;
  align-items: center;
footer h6{
  justify-self: center;
  color:ivory;
  padding:5px;
  font-size:14px;
footer a{
  color:ivory;
  justify-self: flex-start;
  padding:20px 10px;
  font-size: 15px;
#autor{
  display:flex;
  width:100%;
```

```
justify-content: center;
  align-content: center;
  margin-top:160px;
#autor_slika img{
  border-radius: 20px;
  justify-self: center;
  align-self: center;
#autor_tekst{
  justify-self: center;
  align-self: center;
  width:50%;
  padding:10px;
  font-size: 17px;
#autor_tekst h4{
  text-align: justify;
  color:#1b4b72;
  padding:10px;
  font-size:20px;
  background-color:#e8edef;
  border-radius: 20px;
#kontakt input[type="text"]{
  margin:10px;
#kontakt_forma{
  display:flex;
  width:600px;
  text-align:center;
  margin:0 auto;
  padding:20px;
#kontakt_forma input {
  padding:5px;
  border-radius:5px;
  width:200px;
  margin-top: 20px;
#ime_korisnik{
  width:60%;
#prezime_korisnik{
  width:60%;
```

```
#kontakt_forma textarea{
  margin-top:20px;
  width:400px;
  height:250px;
  min-height: 250px;
  max-height: 250px;
  min-width: 400px;
  max-width: 400px;
  border-radius:10px;
  padding:10px;
  font-size:18px;
  margin-bottom: 5px;
.btn {
  padding: 10px 100px 10px 100px;
  font-size: 20px;
  background-color: #333333;
  color: #e5e5e5;
  border-radius: 20px;
  outline-color: transparent;
  margin: 0 auto;
.btn:hover{
  animation-name: btn;
  animation-duration: 1s;
  background: #1b4b72;
#kontaktOk{
  display:none;
.edit{
  padding:2px;
  background-color: #1b4b72;
  text-align: center;
  color:ivory;
  display:inline-block;
  border-radius:5px;
  font-size: 17px;
  outline: transparent;
  position: sticky;
.del{
  padding:2px;
  background-color: darkred;
  text-align: center;
  margin-top:3px;
```

```
color:ivory;
  font-size: 17px;
  border-radius:5px;
#admin-news{
  display:grid;
  justify-items:center;
  align-items: center;
  width:100%;
  grid-template-columns: 1fr 1fr;
  justify-content: space-around;
#admin-news .item{
  justify-content: space-between;
.ftr{
  color:white;
  text-align: center;
.ftr a:visited{
  color:white:
#no{
  justify-content: space-around;
  text-align: center;
  color:#993423;
.no-news{
  text-align: center;
.no-news h4{
  text-align: center;
.news{
  display:grid;
  width:800px;
  margin-top:10px;
.news .text p{
  text-align: justify;
  padding:2px;
  white-space:pre-line;
.ftr h5 a{
  color:white;
```

```
.refresh{
  cursor: pointer;
  font-size: 12px;
  padding-top: 20px;
#comment{
  margin-top:2px;
  margin-bottom:2px;
  width:500px;
  height:auto;
.center{
  text-align: center;
  padding-top: 10px;
  font-size: 20px;
  color:#1b4b72;
.comment-field{
  min-width: 450px;
  max-width: 450px;
  min-height: 90px;
  max-height: 90px;
  font-size: 17px;
  margin:10px;
  padding:5px;
  margin-left:30px;
  border-radius: 5px;
  outline-color: transparent;
.comments-btn{
  padding:5px 10px;
  background-color: #1b4b72;
  color:ivory;
  border-radius: 5px;
  outline: transparent;
  position:relative;
  left:430px;
.comment-user{
  font-size:12px;
  padding:2px;
  color:grey;
  width:200px;
.comment-content{
  border: 1px solid grey;
```

```
border-radius: 5px;
  padding:4px 10px;
  width:400px;
  word-break: break-all;
.warning{
  color:ivory;
  background-color: #993423;
  margin-top:5px;
  text-align: center;
  padding:5px;
  display: none;
  border-radius: 20px;
.success{
  border-radius: 20px;
  color:ivory;
  margin-top:5px;
  text-align: center;
  padding:5px;
  display: none;
  background-color: darkgreen;
.forbidden{
  padding:5px 0;
.forbidden a{
  text-align: center;
  color:#ac1412:
.anketa{
  width:500px;
  padding-top:3px;
.fa-thumbs-down{
  color:#993423;
  cursor: pointer;
  margin-left:5px;
  width:max-content;
.fa-thumbs-up{
  margin-left:5px;
  color:green;
  cursor: pointer;
  width:max-content;
```

```
.fa-thumbs-down:hover{
  color: #dc141f:
.fa-thumbs-up:hover{
  color: limegreen;
.one{
  width:400px;
.red{
  color:red;
  margin-left:10px;
.green{
  color:green;
.fa-trash-alt{
  width:100px;
  text-align: right;
  padding-top:3px;
  cursor: pointer;
.comment-heading{
  font-size: 17px;
  color:#9e9e9e;
  width:300px;
  text-align: center;
.feedbackAdmin{
  text-align: center;
  color:#e5e5e5;
  padding:5px;
  font-size: 17px;
  font-weight: lighter;
  width:100%;
.ok{
  background: linear-gradient(45deg, #00adff, #0077ff);
.er{
  background: linear-gradient(45deg, crimson, #ac1412);
.date-com .fa{
  justify-items: left;
.left{
```

```
width:max-content;
}
.right{
    position:relative;
    left:400px;
    font-size:12px;
}
.roles{
    display:inline-block;
}
.big{
    padding-bottom:20px;
}
```

main-login-reg.css

```
padding: 0;
  margin: 0;
  font-family: "Segoe UI Semibold";
#wrapper{
  display: flex;
  flex-basis: 100%;
  min-height: 100vh;
  background: -webkit-linear-gradient(45deg, #0091a0bf, #1b4b72);
  background: -o-linear-gradient(45deg, #0091a0bf, #1b4b72);
  background: -moz-linear-gradient(45deg,#0091a0bf,#1b4b72);
  align-items: center;
  justify-content: center;
  justify-self: center;
#box{
  display: block;
  width:412px;
  border:2px white solid;
  border-radius: 10px;
  margin:0 auto;
  background: white;
  padding-bottom: 10px;
#box1{
  display: block;
  width:410px;
  min-height:100%;
```

```
background-color: white;
  margin:0 auto;
  padding-bottom: 10px;
#header{
  width:100%;
#box #header h3{
  font-size: 35px;
  color:#e5e5e5;
  text-transform: uppercase;
  background: #333333;
  text-align: center;
  padding:5px;
  margin-top: 1px;
  border-radius:10px;
#box1 #header h3{
   font-size: 35px;
   color:#e5e5e5;
   text-transform: uppercase;
   background: #333333;
   border-top-right-radius: 10px;
   border-top-left-radius: 10px;
   text-align: center;
   padding:5px;
#content{
  display:grid;
  grid-template-columns: 40% 60%;
  grid-template-areas: "left right";
  grid-auto-rows: 70px;
  grid-gap: 5px;
  justify-items:center;
  align-items: center;
  padding:10px;
#content1{
  display:grid;
  grid-template-columns: 40% 60%;
  grid-template-areas: "left right";
  grid-auto-rows: 42px;
  grid-gap: 10px;
  justify-items:center;
  align-items: center;
  padding:15px;
```

```
.right{
  padding:10px;
  font-size:15px;
  align-self: center;
  justify-self: end;
  width:83%;
  border-radius:5px;
  background:white;
  border: 1px groove #9e9e9e;
  outline-color:transparent;
.left{
  align-self:center;
  justify-self: start;
  font-size: 17px;
  font-weight: bolder;
  text-transform: initial;
.btn{
  padding:10px 100px 10px 100px;
  font-size:20px;
  background-color: #333333;
  color:#e5e5e5;
  border-radius: 20px;
  outline-color: transparent;
  margin-left:238px;
.btn:hover{
  animation-name: btn:
  animation-duration: 1s;
  background: #035577;
.btn:active{
  position:relative;
  bottom:-3px;
  left:3px;
h5{
  text-align: center;
  font-size:15px;
  color:#999;
h5 a{
  color:#999;
```

```
text-decoration: none;
  color: #333333;
a:visited{
  color:#333333;
.select{
  width: 92.7%;
.feedback{
  text-align: center;
  color:#e5e5e5;
  padding:5px;
  border-top-right-radius:10px;
  border-top-left-radius:10px;
  font-size: 17px;
  font-weight: lighter;
  display: none;
.feedbackAdmin{
  text-align: center;
  color:#e5e5e5;
  padding:5px;
  border-top-right-radius:10px;
  border-top-left-radius:10px;
  font-size: 17px;
  font-weight: lighter;
.ok{
  background: linear-gradient(45deg, #00adff, #0077ff);
.er{
  background: linear-gradient(45deg, crimson,#ac1412);
.false{
  padding:5px;
  text-align: center;
  color:#e5e5e5;
  border-top-right-radius:10px;
  border-top-left-radius:10px;
  font-size: 14.5px;
  margin-bottom:1px;
#pol{
```

```
display:flex;
  align-items: center;
  justify-content: center;
  padding:10px 30px;
  margin:auto;
#m{
  margin-right:20px;
  justify-self: flex-start;
#f{
  justify-self: flex-end;
input[type='radio']{
  margin-left:10px;
@keyframes btn {
  from {background-color: #333333;}
  to {background-color: #035577;}
#users {
  display:inline-block;
  flex-direction: row;
  width:100%;
  background-color: white;
.item{
  display: inline-block;
  border: 2px solid lightgray;
  border-radius: 20px;
  padding:10px;
  width:max-content;
  margin:10px;
.key{
  font-size: 18px;
  color:grey;
  margin-top:5px;
.edit{
  padding:2px;
  background-color: dodgerblue;
  text-align: center;
  color:ivory;
  width:100%;
  border-radius:5px;
```

```
font-size: 17px;
  outline: transparent;
  position: sticky;
.del{
  padding:2px;
  background-color: darkred;
  text-align: center;
  margin-top:3px;
  color:ivory;
  width:100%;
  font-size: 17px;
  border-radius:5px;
.sp{
  width:300px;
#edit-news{
  padding:5px 5px;
#edit-news textarea {
  min-width:400px;
  max-width: fit-content;
  min-height:200px;
  max-height: 200px;
.btn1{
  position: relative;
  left:-190px;
  margin-top:20px;
.btn1:active{
  position: relative;
  left:-190px;
  margin-top:20px;
.btn2{
  margin-left:70px;
  margin-top:10px;
#sponsors{
  display:flex;
  flex-direction: row;
  flex-wrap: wrap;
.sponsorAdmin{
```

```
width:300px;
  margin:2px 10px;
  padding:5px 10px;
  border: 1px solid #9e9e9e;
  border-radius: 2px;
#sponsors button{
  padding:5px;
  background-color: darkred;
  color:ivory;
  margin-bottom:10px;
  outline: transparent;
  border-radius: 10px;
.categoryAdmin{
  width:max-content;
  margin:2px 10px;
  padding:5px 10px;
  border: 1px solid #9e9e9e;
  border-radius: 2px;
  text-align: center;
#sponsors .editSponsor{
  background-color: #1b77aa;
.categoryAdmin h3{
  text-align: center;
.series{
  display:flex;
  width:max-content;
  padding-top:10px;
.padd{
  padding-left:20px;
.s{
  width:80px;
  margin-top:15px;
.row{
  padding:10px;
  text-align: center;
.cell{
  padding:10px;
```

```
text-align: center;
}
.root{
  font-weight: bolder;
}
```

-----public/js-----

adminDeleteCategory.js

```
var del = $(".delSponsor");
del.click(function() {
  var id = $(this).data("id");
  console.log(id);
  $.ajaxSetup({
     headers:{
       "X-CSRF-TOKEN": $('meta[name=_token]').attr('content')
  });
  $.ajax({
     url: "/admin/zanrovi/brisanje/"+id,
     method:"DELETE",
     success:function(data, xhr){
       alert("Uspesno ste obrisali kategoriju");
       location.reload();
     error:function(xhr, status, error) {
       switch (xhr.status) {
          case 500:
            alert("Izvinjavamo se zbog tehničkih problema");
            break;
```

adminDeleteRole.js

```
var btn = $(".delSponsor");
btn.click(function () {
 var id = \$(this).data('id');
 $.ajaxSetup({
    headers: {
      "X-CSRF-TOKEN": $("meta[name='_token']").attr("content")
  });
 $.ajax({
    url:"/admin/uloge/brisanje/"+id,
    method:"DELETE",
    success:function (data) {
      alert("Uspešno ste obrisali glumca/glumicu");
      location.reload();
    error:function (x,s,e) {
      alert("Greška pri brisanju, kontakirajte admina");
 });
});
```

adminDeleteSeries.js

```
var del = $(".del");
del.click(function() {
  var id = $(this).data("id");
  console.log(id);
  $.ajaxSetup({
    headers:{
        "X-CSRF-TOKEN" : $('meta[name=_token]').attr('content')
      }
});
  $.ajax({
    url: "/admin/serije/brisanje/"+id,
    method:"DELETE",
    success:function(data, xhr){
        alert("Uspesno ste obrisali seriju");
        location.reload();
    },
    error:function(xhr, status, error) {
        alert("Izvinjavamo se zbog tehničkih problema");
    }
}
```

```
});
});
```

adminDeleteUser.js

```
\mathbf{var} \ \mathbf{del} = \$(".del");
del.click(function() {
  var id = $(this).data("id");
  console.log(id);
  $.ajaxSetup({
     headers:{
       "X-CSRF-TOKEN": $('meta[name=_token]').attr('content')
  });
  $.ajax({
     url: "/admin/korisnici/brisanje/"+id,
     method:"DELETE".
     success:function(data, xhr){
        alert("Uspesno ste obrisali korisnika");
       location.reload();
     error:function(xhr, status, error) {
       switch (xhr.status) {
          case 500:
             alert("Izvinjavamo se zbog tehničkih problema");
```

adminInsertCategory.js

```
var btn = $("#btn");
var category = $("#category");
var feeedbackOk = $("#f200");
var feedbackError1 = $("#f500");
var div = $("#errors");
var er = $(".er");
var falsee = $(".false");
var errors = [];
btn.click(() => {
    var reCategory = /^[A-ZŽĆČŠÐ][a-zšđčćž]{2,15}(\s[a-zšđčćž]{2,15})*$/;
    if (!reCategory.test(category.val())) {
```

```
category.css("border", "1px solid red");
    errors.push("Ime kategorije ne sme biti kraće od tri karaktera i duže od 15!
<br/>br/> Dozvoljena su samo slova");
 else {
    category.css("border", "");
 if (errors.length > 0) {
    feedbackError1.css("display", "none");
    var error = "";
    for (var x in errors) {
      error += "" + errors[x] + "";
    div.html(error);
 else {
    $.ajaxSetup({
         "X-CSRF-TOKEN": $('meta[name="_token"]').attr("content")
    });
    console.log(category.val());
    $.ajax({
      method: "POST",
      data: {
        category: category.val()
      success: function (data, xhr) {
         feedbackError1.css("display", "none");
         feeedbackOk.css("display", "block");
      error: function (xhr, status, error) {
         switch (xhr.status) {
           case 422:
             div.html("Ime kategorije vec postoji!");
             feeedbackOk.css("display", "none");
              feedbackError1.css("display", "none");
             break;
           case 500:
             feeedbackOk.css("display", "none");
             feedbackError1.css("display", "block");
             feedbackError.css("display", "none");
             div.css("display", "none");
             break;
```

```
}
});
});
}
```

adminInsertRole.js

```
var btn = ("#btn");
var first = \$("#ime");
var last = $("#prezime");
var feeedbackOk = $("#f200");
var feedbackError1 = $("#f500");
var div = $("#errors");
var er = $(".er");
var falsee = $(".false");
var errors = [];
btn.click(() => {
  var reFirst= /^([A-ZŠĐČĆŽ][a-zšđčćž\s]{2,15})(\s[A-ZŠĐČĆŽ][a-
zšđčćž\s]{2,15})*$/;
  var reLast= /^([A-ZŠĐČĆŽ][a-zšđčćž\s]{2,25})(\s[A-ZŠĐČĆŽ][a-
zšđčćž\s]{2,25})*$/;
  if(!reFirst.test(first.val().trim())){
     first.css("border","1px solid red");
     errors.push("Ime mora početi velikim slovom! <br/> Ime ne sme biti kraće od
3 i duže od 16 karaktera!");
     console.log(first.val());
  else{
    first.css("border","");
  if(!reLast.test(last.val().trim())){
     last.css("border","1px solid red");
     errors.push("Prezime mora početi velikim slovom! <br/> Prezime ne sme biti
  else{
     last.css("border","");
  if (errors.length > 0) {
     feedbackError1.css("display", "none");
     var error = "";
    for (var x in errors) {
       error += "" + errors[x] + "";
     div.html(error);
```

```
else {
  div.html("");
  $.ajaxSetup({
       "X-CSRF-TOKEN": $('meta[name="_token"]').attr("content")
  });
  $.ajax({
    url: "/admin/uloge/unos",
    method: "POST",
    data: {
       first: first.val(),
       last: last.val()
    success: function (data, xhr) {
       feedbackError1.css("display", "none");
       feeedbackOk.css("display", "block");
    error: function (xhr, status, error) {
       switch(xhr.status){
         case 500:
            feeedbackOk.css("display", "none");
            feedbackError1.css("display","block");
            break:
         case 422:
            div.html("Vec postoji glumac sa ovim
            feeedbackOk.css("display","none");
            feedbackError1.css("display", "none");
            break:
  });
```

adminInsertUser.js

```
var first = $("#first");
var last = $("#last");
var email = $("#email");
var btn = $("#btn");
var city = $("#city");
var roll = $("#roll");
```

```
var active = $("#active");
var username = $("#username");
var password = $("#password");
var passwordConfirm = $("#password1");
var feeedbackOk = $("#f200");
var feedbackError1 = $("#f500");
var div = $("#errors");
var er = $(".er");
var falsee = $(".false");
btn.click(() =>{
  var reFirst= /^([A-ZŠĐČĆŽ][a-zšđčćž\-']{2,15})(\s[A-ZŠĐČĆŽ][a-zšđčćž\-
\{2,15\})*$/;
  var reLast= /^([A-ZŠĐČĆŽ][a-zšđčćž\-']{2,25})(\s[A-ZŠĐČĆŽ][a-zšđčćž\-
  var reEmail = /^[^@\s]{3,25}@[^@\s]{2,10}\.[^@\s]{2,7}$/;
  var cityValue = city.val();
  var rollValue = roll.val();
  var activeValue = active.val();
  var gender = $("input[type='radio']:checked");
  var reUsername = /^[a-z \le d \le 20-9] \{6,15\} $/;
  var rePassword = /^[A-ZŠĐČĆŽa-zšđčćž?!&^#|$%@,*\/0-9]{8,15}$/;
  var errors = [];
  if(!reFirst.test(first.val())){
    first.css("border","1px solid red");
    errors.push("Ime mora početi velikim slovom! <br/> Ime ne sme biti kraće od
3 i duže od 16 karaktera!");
    console.log(first.val());
  else{
    first.css("border","");
  if(!reLast.test(last.val())){
    last.css("border","1px solid red");
    errors.push("Prezime mora početi velikim slovom!<br/>Prezime ne sme biti
kraće od 3 i duže od 26 karaktera!");
  else{
    last.css("border","");
  if(!reEmail.test(email.val())){
    email.css("border","1px solid red");
    errors.push("Email nije u dobrom formatu!");
  else{
    email.css("border","");
```

```
if(cityValue==="0"){
     city.css("border","1px solid red");
     errors.push("Morate izabrati grad!");
  else{
     city.css("border","");
  if(!reUsername.test(username.val())){
     username.css("border","1px solid red");
     errors.push("Korisničko ime ne sme biti kraće od 6 i duže od 15
  else{
     username.css("border","");
  if(!rePassword.test(password.val())){
     password.css("border","1px solid red");
     errors.push("Lozinka ne sme biti kraća od 8 i duža od 15 karaktera!<br/>
Dozvoljeni su specijalni karakteri i velika slova!");
  else{
     password.css("border","");
  if(password.val() !== passwordConfirm.val()){
     passwordConfirm.css("border","1px solid red");
     errors.push("Lozinke se ne podudaraju!");
  else if(passwordConfirm.val()===""){
     passwordConfirm.css("border","1px solid red");
     errors.push("Morate potvrditi lozinku!");
  else{
     passwordConfirm.css("border","");
  if(rollValue==="0"){
     roll.css("border","1px solid red");
     errors.push("Morate izabrati ulogu!");
  else{
     roll.css("border","");
  if(activeValue==="null"){
     active.css("border","1px solid red");
     errors.push("Morate izabrati aktivnost!");
```

```
else{
  active.css("border","");
if(errors.length > 0)
  feedbackError1.css("display", "none");
  var error ="";
  for(var x in errors){
    error += ""+errors[x]+"";
  div.html(error);
else{
  $.ajaxSetup({
    headers:{
       "X-CSRF-TOKEN": $('meta[name="_token"]').attr('content'),
       accepts: "application/json"
  });
  div.html("");
  $.ajax({
    type:"POST",
    dataType: "JSON",
    data:{
       firstname:first.val(),
       lastname:last.val(),
       email:email.val().
       gender:gender.val(),
       city:cityValue,
       username:username.val(),
       password:password.val(),
       passwordConfirm:passwordConfirm.val(),
       roll:rollValue.
       active:activeValue
    success:function (data,xhr) {
       feeedbackOk.css("display","block");
    error:function (xhr,status,error) {
       switch(xhr.status){
         case 500:
            feeedbackOk.css("display", "none");
            feedbackError1.css("display", "block");
            break;
         case 422:
```

adminUpdateCategory.js

```
var btn = ("#btn");
var category = $("#category");
var feeedbackOk = $("#f200");
var feedbackError1 = $("#f500");
var div = $("#errors");
var er = \$(".er");
var falsee = $(".false");
var errors = []:
var ID = $("#ID");
btn.click(() => {
   \mathbf{var} \ \mathbf{reCategory} = /^[A-Z\check{Z}\check{C}\check{S}B][a-z\check{s}d\check{c}\check{c}\check{z}]\{2,15\} (\s[a-z\check{s}d\check{c}\check{c}\check{z}]\{2,15\}) *\$/; 
  if (!reCategory.test(category.val())) {
     category.css("border", "1px solid red");
     errors.push("Ime kategorije ne sme biti kraće od tri karaktera i duže od 15!
 <br/>br/> Dozvoljena su samo slova");
  else {
     category.css("border", "");
  if (errors.length > 0) {
     feedbackError1.css("display", "none");
     var error = "":
     for (var x in errors) {
        error += "" + errors[x] + "";
     div.html(error);
  else {
     $.ajaxSetup({
           "X-CSRF-TOKEN": $('meta[name="_token"]').attr("content")
```

```
console.log(category.val());
$.ajax({
  url: "/admin/zanrovi/izmena/"+ID.val(),
  method: "POST",
  data: {
    category: category.val()
  success: function (data, xhr) {
    feedbackError1.css("display", "none");
    feeedbackOk.css("display", "block");
  error: function (xhr, status, error) {
    switch (xhr.status) {
       case 422:
         div.html("Ime kategorije vec postoji!");
         feeedbackOk.css("display", "none");
         feedbackError1.css("display", "none");
         break;
       case 500:
         feeedbackOk.css("display", "none");
         feedbackError1.css("display", "block");
         feedbackError.css("display", "none");
         div.css("display", "none");
         break:
});
```

adminUpdateRole.js

```
var btn = $("#btn");
var first = $("#ime");
var last = $("#prezime");
var ID = $("#ID");
var feeedbackOk = $("#f200");
var feedbackError1 = $("#f500");
var div = $("#errors");
var er = $(".er");
var falsee = $(".false");
var errors = [];
btn.click(() => {
    var reFirst= /^([A-ZŠĐČĆŽ][a-zšđčćž\-']{2,15})(\s[A-ZŠĐČĆŽ][a-zšđčćž\-']{2,15})*$/;
```

```
var reLast= /^([A-ZŠĐČČŽ][a-zšđčćž\-']{2,25})(\s[A-ZŠĐČČŽ][a-zšđčćž\-
(2,25)*$/;
  if(!reFirst.test(first.val())){
    first.css("border","1px solid red");
    errors.push("Ime mora početi velikim slovom! <br/> Ime ne sme biti kraće od
    console.log(first.val());
  else{
    first.css("border","");
  if(!reLast.test(last.val())){
    last.css("border","1px solid red");
    errors.push("Prezime mora početi velikim slovom!<br/>Prezime ne sme biti
kraće od 3 i duže od 26 karaktera!");
  else{
    last.css("border","");
  if (errors.length > 0) {
    feedbackError1.css("display", "none");
    var error = "";
    for (var x in errors) {
       error += "<p class='false er'>" + errors[x] + "</p>";
    div.html(error);
  else {
    div.html("");
    $.ajaxSetup({
       headers:{
          "X-CSRF-TOKEN": $('meta[name="_token"]').attr("content")
     });
    $.ajax({
       url: "/admin/uloge/izmena/"+ID.val(),
       method: "PUT",
       data: {
          first: first.val(),
         last: last.val()
       success: function (data, xhr) {
          feedbackError1.css("display", "none");
         feeedbackOk.css("display", "block");
       error: function (xhr, status, error) {
```

```
alert("Doslo je do greske!");
}
});
}
});
```

adminUpdateUser.js

```
var ID = ("#ID");
var first = $("#first");
var last = $("#last");
var email = $("#email");
\mathbf{var} \, \mathbf{btn} = \$("\#\mathbf{btn}");
var city = $("#city");
\overline{\text{var roll}} = \$("\#\text{roll}");
var active = $("#active");
var status = $("#a");
var username = $("#username");
var feeedbackOk = $("#f200");
var feedbackError1 = $("#f500");
var div = $("#errors");
var er = $(".er");
var falsee = $(".false");
btn.click(() =>{
  var reFirst= /^([A-ZŠĐČĆŽ][a-zšđčćž\-']{2,15})(\s[A-ZŠĐČĆŽ][a-zšđčćž\-
  var reLast= /^([A-ZŠĐČĆŽ][a-zšđčćž\-']{2,25})(\s[A-ZŠĐČĆŽ][a-zšđčćž\-
']{2,25})*$/;
  var reEmail = /^[^@\s]{3,25}@[^@\s]{2,10}\.[^@\s]{2,7}$/;
  var cityValue = city.val();
  var rollValue = roll.val();
  var activeValue = active.val();
  var gender = $("input[type='radio']:checked");
  var reUsername = /^[a-z \times d \times 0-9] \{6,15\} $/;
  var errors = [];
  if(!reFirst.test(first.val())){
     first.css("border","1px solid red");
     errors.push("Ime mora početi velikim slovom! <br/> Ime ne sme biti kraće od
     console.log(first.val());
  else{
     first.css("border","");
  if(!reLast.test(last.val())){
```

```
last.css("border","1px solid red");
     errors.push("Prezime mora početi velikim slovom!<br/>Prezime ne sme biti
kraće od 3 i duže od 26 karaktera!");
  else{
     last.css("border","");
  if(!reEmail.test(email.val())){
     email.css("border","1px solid red");
     errors.push("Email nije u dobrom formatu!");
  else{
     email.css("border","");
  if(cityValue==="0"){
     city.css("border","1px solid red");
     errors.push("Morate izabrati grad!");
  else{
     city.css("border","");
  if(!reUsername.test(username.val())){
     username.css("border","1px solid red");
     errors.push("Korisničko ime ne sme biti kraće od 6 i duže od 15
karaktera!<br/>Nisu dozvoljeni specijalni karakteri i velika slova!");
  else{
     username.css("border","");
  if(rollValue==="0"){
     roll.css("border","1px solid red");
     errors.push("Morate izabrati ulogu!");
  else{
     roll.css("border","");
  if(activeValue==="null"){
     active.css("border","1px solid red");
     errors.push("Morate izabrati aktivnost!");
  else{
     active.css("border","");
  if($('#a').val()==="null"){
     $('#a').css("border","1px solid red");
```

```
errors.push("Morate izabrati aktivnost!");
else{
  $(\#a').css(\"border\",\"\");
if(errors.length > 0)
  feedbackError1.css("display", "none");
  var error ="";
  for(var x in errors){
    error += ""+errors[x]+"";
  div.html(error);
else{
  $.ajaxSetup({
       "X-CSRF-TOKEN": $("meta[name='_token']").attr("content")
  });
  $.ajax({
     url:"/admin/korisnici/izmena/"+ID.val(),
    method:"POST",
    data:{
       ID:ID.val(),
       firstname:first.val(),
       lastname:last.val(),
       email:email.val(),
       gender:gender.val(),
       city:cityValue,
       username:username.val(),
       roll:rollValue.
       active:activeValue,
       status:$("#a").val(),
     success:function (data,xhr) {
       feeedbackOk.css("display","block");
     error:function (xhr,status,error) {
       switch (xhr.status) {
         case 404:
            window.location.href="../greska.php";
            break:
         case 422:
            alert("Izvinjavamo se zbog tehničkih problema");
            break;
         case 409:
```

login.js

```
var username = $("#username");
var password = $("#password");
\mathbf{var} \, \mathbf{btn} = \$("\#\mathbf{btn}");
var feeedbackOk = $("#f200");
var feedbackError = $("#f400");
var feedbackError1 = $("#f500");
var div = \$("#errors");
var er = \$(".er");
var falsee = $(".false");
btn.click(function () {
  var reUsername = /[a-zšđčćž0-9]{6,15}$/;
  var rePassword = /^[A-ZŠĐČĆŽa-zšđčćž?!&^#|$\%@*\\0-9]{8,15}$/;
  var errors = [];
 if(!reUsername.test(username.val())){}
    username.css("border","1px solid red");
    errors.push("Korisničko ime ne sme biti kraće od 6 i duže od 15 karaktera!
  else{
    username.css("border","");
  if(!rePassword.test(password.val())){
     password.css("border","1px solid red");
     errors.push("Lozinka ne sme biti kraća od 8 i duža od 15 karaktera!<br/>
Dozvoljeni su specijalni karakteri i velika slova!");
  else{
     password.css("border","");
  if(errors.length > 0)
     feedbackError.css("display", "none");
```

```
feedbackError1.css("display", "none");
  var error ="";
  for(var x in errors){
    error += `${errors[x]}`;
  div.html(error);
else {
  $.ajaxSetup({
       "X-CSRF-TOKEN": $("meta[name='_token']").attr("content")
    accept : "application/json"
  });
  $.ajax({
    url:"/login",
    method:"POST",
    data:{
      username: username.val(),
      password: password.val()
    success:function (data) {
       er.css("display","none");
       div.css("display", "none");
       feeedbackOk.css("display", "block");
       window.location.href = "/":
    error:function (xhr,status,error) {
       switch (xhr.status) {
          case 401:
            feeedbackOk.css("display", "none");
            feedbackError.css("display", "block");
            feedbackError1.css("display", "none");
            div.css("display", "none");
         break;
         case 500:
            feeedbackOk.css("display", "none");
            feedbackError1.css("display", "block");
            feedbackError.css("display", "none");
            div.css("display", "none");
         break;
  });
```

main.js

```
function sendToken() {
  $.ajaxSetup({
       "X-CSRF-TOKEN": $("meta[name='_token']").attr("content")
    // accepts: "application/json"
  });
$(document).ready(function() {
//vracanje na prijavu
  $(document).on("click",".redirect", function () {
     window.location.href = '/prijava';
  });
//vracanje na serije
  $(document).on('click','.refresh',function(){
    location.reload();
  }):
 $(document).on("click","#btn-comment",function() {
  var user = $(this).data("user");
  var series = $(this).data("idseries");
  var commentValue = $('.comment-field').val();
  var errors = [];
 var er = $(".warning");
  var ok = (".success");
  var regex = /^[a-zšdčćž0-9A-ZŠĐČĆŽ?!\.\s]{5,200}$/;
  if(!regex.test(commentValue)){
       errors.push("Greska");
  if(errors.length > 0) {
    ok.css("display", "none");
    er.css("display","block");
  else{
    sendToken();
    $.ajax({
       method:"POST",
       data:{
         iduser: user,
         idseries : series.
          comment : comment Value
       success:function (data) {
```

```
er.css("display","none");
         ok.css("display", "block");
      error:function (xhr,status,error) {
         switch (xhr.status) {
           case 422:
              er.css("display", "block");
              ok.css("display", "none");
              break:
           case 500:
              alert("Izvinjavamo se zbog tehničkih problema");
              break:
    });
});
  //prikaz komentara
  $(document).on('click',".right", function () {
  var idseries = $(this).data("idseries");
  var series = $(this).data("series");
  var user = $(this).data("user");
  console.log(idseries);
  console.log(series);
  console.log(user);
  $.ajax({
    url:"/komentari/"+idseries.
    method:"GET".
    success:function(data){
       var root = $("#articles");
       var com = "":
       if(data.sesija) {
         com = "<div id='comments'>":
         com += "<h3 class=' center'>"+series+"</h3>";
         com += "<form action=" method=">";
         com += "<textarea id='comment' class='comment-field' ></textarea>";
         com += "<input type='button' data-idseries="' + idseries + "' data-user="
+ user + "' class='comments-btn' id='btn-comment' value='Pošalji'>";
         com += "</form>";
         com += "<h5 class='warning'>Komentar mora imati izmedju 5 i 200
karaktera! <br/> " +
            "Dozvoljena su samo slova, znakovi interpunkcije i brojevi!</h5>";
         com += "<h5 class='success'>Komentar uspešno poslat.</h5>";
         com += "</form>";
         for(let i=0;i<data.podaci.length;i++) {
            com += "<div class='comment'>":
```

```
com += "<h3 class='comment-user'>" + data.podaci[i].username +" "
+data.podaci[i].datum+ "</h3>";
            com += "<h5 class='comment-content'>" +
data.podaci[i].komentar_tekst + "</h5>";
            if(data.podaci[i].komentar_tekst != null)
            com += "<span class='anketa'>";
            if(data.podaci[i].komentator == user) {
               console.log(data.podaci[i].komentator)
               com += "<i class='green fa'> " + data.podaci[i].komentar_like + "
</i><i class='red fa'> " + data.podaci[i].komentar_dislike + "</i> <i data-user="" +
data.podaci[i].ID_korisnik + "' data-com="' + data.podaci[i].ID_komentar + "'
class='fas fa-trash-alt'></i></span>";
            else {
               com += "<i class='fa fa-thumbs-up' data-com="" +
data.podaci[i].ID_komentar + "' data-user="" + user + "' data-series="" +
data.podaci[i].ID_vest + "> " + data.podaci[i].komentar_like + " </i>
fa-thumbs-down' data-user="" + user + "' data-idseries="" + data.podaci[i].ID_serija
+ "'data-com="" + data.podaci[i].ID_komentar + "'> ";
              com += data.podaci[i].komentar_dislike + "</i></span>";
            com += "</div>";
          com += "<h6 class='refresh'>Povratak na serije</h6>";
          root.html(com);
       else{
          com = "<div id='comments'>":
          for(let i=0;i<data.podaci.length;i++) {
            com += "<div class='comment'>";
            com += "<h3 class='comment-user'>" + data.podaci[i].username +" "
+data.podaci[i].datum+ "</h3>";
            com += "<h5 class='comment-content'>" +
data.podaci[i].komentar_tekst + "</h5>";
            com += "<span class='anketa'>";
            com += "<i class='green fa'> " + data.podaci[i].komentar like + "
</i><i class='red fa'> " + data.podaci[i].komentar_dislike + "</i>";
            com += "</div>";
          com += "</div><h5 class='forbidden'><a class='redirect' >Morate se
ulogovati da biste komentarisali</a></h5>";
          com += "<h6 class='refresh'>Povratak na serije</h6>";
          root.html(com);
     error:function (xhr, status, error) {
```

```
alert("Izvinjavamo se zbog tehničkih problema");
  });
  $(document).on('keydown','#search',function(){
  var char = \$(\#search).val();
  console.log(char);
  $.ajax({
     url: "/pretraga/"+char,
     method: "GET".
     success: function (data) {
        var root = $("#articles");
        var series = "";
        var tekst = "":
       if(data.korisnik) {
          for (let i = 0; i < data.podaci.length; <math>i++) {
             series += "<div class='item'>";
             tekst = data.podaci[i].serija_tekst;
             series += "<div class='img'>" +
               "<img src="" + data.podaci[i].slika + "" alt="" +
data.podaci[i].serija_naziv + "' title="" + data.podaci[i].serija_naziv + "' width='200'
height='150'>" +
               "</div>":
             series += "<div class='right-container'>";
             series += "<div class='date-com'>";
             series += "<i class='left vote-series-plus fa fa-plus' data-idseries="' +
data.podaci[i].ID_serija + "' data-user=" + data.korisnik.ID_korisnik + "' data-
series="" + data.podaci[i].serija_naziv + "" > " + data.podaci[i].serija_like+ " </i>";
             series += "<i class='left vote-series-plus fa fa-minus' data-idseries="' +
data.podaci[i].ID_serija + "' data-user="" + data.korisnik.ID_korisnik + "' data-
series="" + data.podaci[i].serija naziv + "" > " + data.podaci[i].serija dislike+ "
             series += "<h6 class='right' data-idseries="" + data.podaci[i].ID_serija
+ "' data-user="" + data.korisnik.ID_korisnik + "' data-series="" +
data.podaci[i].serija_naziv + "'>Komentari</h6>";
             series += "</div>":
             series += "<div class='details' data-idseries="" +
data.podaci[i].ID_serija + "'><h3 class="heading'>" + data.podaci[i].serija_naziv +
"</h3>" + tekst.substring(0, 150) + "...</div>";
             series += "</div>";
             series += "</div>";
          root.html(series);
```

```
else{
          for (let i = 0; i < data.podaci.length; <math>i++) {
            series += "<div class='item'>";
            tekst = data.podaci[i].serija_tekst;
            series += "<div class='img'>" +
               "<img src="" + data.podaci[i].slika + "" alt="" +
data.podaci[i].serija_naziv + "' title="" + data.podaci[i].serija_naziv + "' width='200'
               "</div>":
            series += "<div class='right-container'>";
            series += "<div class='date-com'>";
            series +="<a class='redirect' ><i class='left fa fa-plus'></i>
class='left fa fa-minus'></i></a>";
            series += "<h6 class='right' data-idseries="" + data.podaci[i].ID_serija
+ "'data-series=" + data.podaci[i].serija_naziv + "'>Komentari</h6>";
            series += "</div>";
            series += "<div class='details' data-idseries="" +
data.podaci[i].ID_serija + "><h3 class="heading">" + data.podaci[i].serija_naziv +
'</h3>" + tekst.substring(0, 150) + "...</div>";
            series += "</div>";
            series += "</div>";
          root.html(series);
     error: function (xhr, status, error) {
  });
});
  //prikaz jedne serije
     $(document).on('click','.details', function() {
     var user = $(this).data("user");
     var series = $(this).data("series");
     var id = $(this).data("idseries");
     console.log(id):
     //ovo radimo
     sendToken():
     $.ajax({
       url: "/serija/"+id,
       method: "GET",
       dataType:"JSON",
       success: function (data) {
          var root = $("#articles");
```

```
var series = "<div class='news'>";
          console.log(data.podaci);
          console.log(data.podaci.uloge);
          if(data.korisnik) {
            for (let i = 0; i < data.podaci.length; <math>i++) {
               series += "<div>" +
                  "<img src="" + data.podaci[i].slika + "' alt="" +
data.podaci[i].serija_naziv + "'title="" + data.podaci[i].serija_naziv + "'
               series += "<div class='right-container'>";
               series += "<div class='date-com'>";
               series += "<h6 class='right' data-idseries="" +
data.podaci[i].ID_serija + "' data-user="" + data.korisnik.ID_korisnik + "' data-
series="" + data.podaci[i].serija naziv + "'>Komentari</h6>";
               series += "</div>";
               series += "<div class='details no-underline' data-id="" +
data.podaci[i].ID_serija + ">";
               series += "<h3 class='heading'>" + data.podaci[i].serija_naziv +
               series += "<h4 class='left'>Godina:" + data.podaci[i].godina +
"</h4>":
               series += "<div class='text'>" + data.podaci[i].serija_tekst +
               series += "Uloge: ";
               for(let j=0;j<data.glumci.length;j++){
                 series+= "<h4 class='roles'> " + data.glumci[j].glumci_ime + " " +
data.glumci[j].glumci prezime + " </h4><br/>";
               series += "</div>":
            series += "</div>":
            root.html(series);
            for (let i = 0; i < data.podaci.length; <math>i++) {
               series += "<diy>" +
                 "<img class="big' src="" + data.podaci[i].slika + "' alt="" +
data.podaci[i].serija naziv + "'title=" + data.podaci[i].serija naziv + "'
                  "</div>":
               series += "<div class='right-container'>";
               series += "<div class='date-com'>";
               series += "<h6 class='right' data-idseries="" +
data.podaci[i].ID_serija + "' data-series="' + data.podaci[i].serija_naziv +
```

```
''>Komentari</h6>";
              series += "</div>":
              series += "<div class='details no-underline' data-id="" +
data.podaci[i].ID_serija + ">";
              series += "<h3 class='heading'>" + data.podaci[i].serija_naziv +
              series += "<h4 class='left'>Godina:" + data.podaci[i].godina +
"</h4>":
              series += "<div class='text'>" + data.podaci[i].serija_tekst +
              series += "Uloge: ";
              for(let j=0;j<data.glumci.length;j++){
                 series+= "<h4 class='roles'> " + data.glumci[j].glumci_ime + " " +
data.glumci[j].glumci_prezime + " </h4><br/>";
            series += "</div>";
            series += "</div>";
            root.html(series);
       error: function (xhr, status, error) {
          switch (xhr.status) {
            // case 404:
            // window.location.href = "../greska.php";
            case 500:
               alert("Izvinjavamo se zbog tehničkih problema");
              break:
     });
  });
    //lajk komentara
     $(document).on("click",".fa-thumbs-up",function(){
     var series = $(this).data('series');
     var user = $(this).data('user');
     var com = $(this).data('com');
     var object = \$(this);
     sendToken();
     $.ajax({
       url:"/commentsLike",
       method:"POST",
       data:{
         // series :series,
```

```
user: user,
         com:com
      success:function(data){
         object.html(" Vaš glas je zabeležen ");
      error:function(x,s,e){
         switch (x.status) {
           case 409:
              object.html(" Već ste glasali! ");
              break;
           case 500:
              alert("Izvinjavamo se zbog tehničkih problema");
    });
 });
/dislike komentara
    $(document).on("click",".fa-thumbs-down",function(){
    var series = $(this).data('series');
    var user = $(this).data('user');
    var com = $(this).data('com');
    var object = \$(this);
    sendToken();
    $.ajax({
      url:"/commentsDislike",
      method:"POST",
      data:{
         user: user,
         com:com
      success:function(data){
         object.html(" Vaš glas je zabeležen ");
      error:function(x,s,e){
         switch (x.status) {
           case 409:
              object.html(" Već ste glasali ");
              break:
           case 500:
              alert("Izvinjavamo se zbog tehničkih problema");
              break;
```

```
});
 prikaz komentara za korisnika
      console.log(iduser);
      console.log(root);
      sendToken();
    // method:"GET",
    // dataType:"JSON",
       // if(data.length == "){
              com ="<h4 class='comment-heading'>Nemate nijedan
komentar</h4>"
         // var com = "<h4 class='comment-heading'>Vaši komentari:</h4>";
            for (var i = 0; i < data.kom.length; i++) {
                com += "<h3 class='comment-user one'>" + data.kom[i].username
+ " " + data.kom[i].serija_naziv + " " + data.kom[i].datum + "</h3>";
                com += "<h5 class='comment-content'>" +
data.kom[i].komentar_tekst + "</h5>";
               com += "<span class='anketa'><i class='green fa'> " +
data.kom[i].komentar_like + " </i><i class='red fa'> " +
data.kom[i].komentar_dislike + "</i> <i data-user="" + data.kom[i].ID_korisnik + ""
data-com="" + data.kom[i].ID_komentar + "' class='fas fa-trash-alt'></i></span>";
                com += "</div>";
         // root.html(com);
       // error:function (x,s,e) {
                alert("Izvinjavamo se zbog tehničkih problema");
  $(document).on('click','.fa-trash-alt',function() {
    // e.stopPropagation();
    var com = $(this).data('com');
    var user = $(this).data('user');
```

```
sendToken();
  $.ajax({
     url:"commentsDelete",
     method:"DELETE",
     data:{
       com:com.
       user:user
     success:function (data) {
       alert("Uspešno ste obrisali komentar!");
       location.reload();
     error:function (x,s,e) {
       alert("Izvinjavamo se zbog tehničkih problema");
  });
});
$(document).on("click",".vote-series-minus",function(){
  var series = $(this).data('series');
  var user = $(this).data('user');
  var object = \$(this);
  console.log(series);
  console.log(user);
  sendToken():
  $.ajax({
     url:"/seriesDislike",
     method:"POST".
     data:{
       series:series,
       user:user
     success:function(data){
       console.log("da");
       console.log(data);
       object.html("Vaš glas je zabeležen");
     error:function(x,s,e){
       console.log("ne");
       switch (x.status) {
          case 409:
            object.html(" Već ste glasali ");
            break:
          case 500:
            alert("Izvinjavamo se zbog tehničkih problema");
            break:
```

```
});
});
$(document).on("click", ".vote-series-plus", function(){
  var series = $(this).data('series');
  var user = $(this).data('user');
  var object = \$(this);
  console.log(series);
  console.log(user);
  sendToken();
  $.ajax({
     url:"/seriesLike",
     method:"POST",
       series:series.
       user:user
     success:function(data){
       console.log(data);
       object.html("Vaš glas je zabeležen");
     error:function(x,s,e){
       console.log("ne");
       switch (x.status) {
          case 409:
            object.html(" Već ste glasali ");
            break:
          case 500:
            alert("Izvinjavamo se zbog tehničkih problema");
            break;
  });
```

registration.js

```
var first = $("#first");
var last = $("#last");
var email = $("#email");
var btn = $("#btn");
var city = $("#city");
```

```
var username = $("#username");
var password = $("#password");
var passwordConfirm = $("#password1");
var feeedbackOk = $("#f200");
var feedbackError1 = $("#f500");
var div = $("#errors");
var er = $(".er");
var falsee = $(".false");
btn.click(function() {
  var reFirst= /^([A-ZŠĐČĆŽ][a-zšđčćž\-']{2,15})(\s[A-ZŠĐČĆŽ][a-zšđčćž\-
\{2,15\})*$/;
  var reLast= /^([A-ZŠĐČĆŽ][a-zšđčćž\-']{2,25})(\s[A-ZŠĐČĆŽ][a-zšđčćž\-
']{2,25})*$/;
  var reEmail = /^[^@\s]{3,25}@[^@\s]{2,10}\.[^@\s]{2,7}$/;
  var cityValue = city.val();
  var gender = $("input[type='radio']:checked");
  var reUsername = /^[a-z \le d \le 0-9] \{6,15\} $/;
  var rePassword = /^[A-Z$DCCZa-zšđčćž?!&^#|$%@*\/0-9]{8,15}$/;
  var errors = []:
  if(!reFirst.test(first.val())){
    first.css("border", "1px solid red");
    errors.push("Ime mora početi velikim slovom! <br/> Ime ne sme biti kraće od
3 i duže od 16 karaktera!");
    console.log(first.val());
  else{
    first.css("border","");
  if(!reLast.test(last.val())){
    last.css("border","1px solid red");
    errors.push("Prezime mora početi velikim slovom!<br/>Prezime ne sme biti
  else{
    last.css("border","");
  if(!reEmail.test(email.val())){
    email.css("border","1px solid red");
    errors.push("Email nije u dobrom formatu!");
  else{
    email.css("border","");
  if(cityValue==="0"){
    city.css("border","1px solid red");
    errors.push("Morate izabrati grad!");
```

```
else{
    city.css("border","");
  if(!reUsername.test(username.val())){
    username.css("border","1px solid red");
    errors.push("Korisničko ime ne sme biti kraće od 6 i duže od 15 karaktera!
  else{
    username.css("border","");
  if(!rePassword.test(password.val())){
    password.css("border","1px solid red");
    errors.push("Lozinka ne sme biti kraća od 8 i duža od 15 karaktera!<br/>
Dozvoljeni su specijalni karakteri i velika slova!");
  else{
    password.css("border","");
  if(password.val() !== passwordConfirm.val()){
    passwordConfirm.css("border","1px solid red");
    errors.push("Lozinke se ne podudaraju!");
  else if(passwordConfirm.val()===""){
    passwordConfirm.css("border","1px solid red");
    errors.push("Morate potvrditi lozinku!");
  else{
    passwordConfirm.css("border","");
  if(errors.length > 0){
    feedbackError1.css("display", "none");
    var error ="":
    for(var x in errors){
       error += ""+errors[x]+"";
    div.html(error);
  else{
    $.ajaxSetup({
         "X-CSRF-TOKEN": $("meta[name='_token']").attr("content")
    $.aiax(
```

```
method:"POST".
  // dataType:"JSON",
  data:{
    firstname:first.val(),
    lastname:last.val(),
    email:email.val().
    gender:gender.val(),
    city:cityValue,
    username:username.val(),
    password:password.val(),
    passwordConfirm:passwordConfirm.val()
  success:function (data) {
    console.log(data.data);
    div.css("display", "none");
    feeedbackOk.css("display","block");
    feedbackError1.css("display","none");
  error:function (xhr,status,error) {
    console.log("evo me");
    switch(xhr.status){
      case 500:
         div.css("display", "none");
         feeedbackOk.html("display","none");
         feedbackError1.css("display","block");
      break:
      case 422:
         div.html("Korisničko ime je zauzeto!");
         feeedbackOk.css("display","none");
         feedbackError1.css("display", "none");
         username.css("border","1px solid red");
      break:
});
```

```
-----resources/views/layouts-----
```

form.blade.php

```
@include('partials.headForm')
@yield('content')
```

master.blade.php

```
@include('partials.header')
@include('partials.left-side')
@yield('content')
@include('partials.right-side')
@include('partials.footer')
```

------pages-----resources/views/pages-----

autor.blade.php

```
@extends('layouts.master')
@section('title', 'Autor')
@section('content')
<div id="articles">
  <div id="autor">
     <div id="autor_slika">
       <img src="images/ja.jpg" alt="slika-autora" width="200" height="200"</pre>
title="Dušan Krsmanović"/>
     </div>
     <div id="autor tekst">
       <h4> Autor ovog sajta je Dušan Krsmanović 28/16, student Visoke ICT
škole.
         smera internet tehnologije. Ovaj sajt je namenjen isključivo u edukativne
svrhe kao deo predispitnih obaveza.
       </h4>
     </div>
  </div>
</div>
@endsection
```

dodaj-glumca.blade.php

```
@extends('layouts.form')
@section('title','Dodaj glumca')
```

```
<div id="wrapper">
  <div id="box">
    <div id="errors">
      <noscript>
        Molimo Vas omogućite JavuScript kako biste dodali
glumca!
      </noscript>
    </div>
    Uspešno ste dodali glumca!<br/>
    <div id="header">
      <h3>Dodaj glumca</h3>
    </div>
    <form id="forma2" action="" method="">
      <div id="content1" class="admin">
        Ime
        <input type="text" class="right" id="ime" autofocus="autofocus"</pre>
placeholder="Petar"/>
        Prezime
        <input type="text" class="right" id="prezime" placeholder="Petrovic"/>
        <input type="button" value="DODAJ" class="btn" id="btn"/>
      </div>
    </form>
    <footer>
      < h5 >
        <a href="{{route('role-show')}}">Nazad na spisak glumaca</a>
      </h5>
    </footer>
  </div>
  <script src="{{asset("/")}}../js/jquery-3.3.1.min.js"</pre>
type="text/javascript"></script>
  <script src="{{asset("/")}}../js/adminInsertRole.js"</pre>
type="text/javascript"></script>
```

dodaj-kategoriju.blade.php

```
Uspešno ste dodali kategoriju!<br/>
    Trenutno ne možete dodati kategoriju
    <div id="header">
      <h3>Dodaj kategoriju</h3>
    </div>
    <form id="forma2" action="" method="">
      <div id="content1" class="admin">
        Dodaj kategoriju
        <input type="text" class="right" id="category" autofocus="autofocus"</pre>
placeholder="Kategorija"/>
        <input type="button" value="DODAJ" class="btn" id="btn"/>
      </div>
    </form>
    <footer>
      < h5 >
        <a href="{{route('genre-show')}}">Nazad na spisak kategorija</a>
      </h5>
    </footer>
  </div>
  <script src="{{asset("/")}}../js/jquery-3.3.1.min.js"</pre>
type="text/javascript"></script>
  <script src="{{asset("/")}}../js/adminInsertCategory.js"</pre>
type="text/javascript"></script>
```

dodaj-korisnika.blade.php

```
@extends('layouts.form')
@section('title', 'Dodaj korinsika')
@section('content')
<div id="wrapper" >
 <div id="box">
   <div id="errors">
     <noscript>
       Molimo Vas omogućite JavuScript kako biste se
registrovali korisnika!
     </noscript>
   Uspešno ste registrovali
korisnika!<br/>/p>
   Trenutno ne možete registrovati
korisnika!
   <div id="header">
     <h3>Registracija</h3>
   </div>
```

```
<form id="forma2" action="" method="">
      <div id="content1" class="admin" >
        Ime
        <input type="text" class="right" id="first" autofocus="autofocus"</pre>
placeholder="Petar"/>
        Prezime
        <input type="text" class="right" id="last" placeholder="Petrović"/>
        Email
        <input type="text" class="right" id="email"</pre>
placeholder="petar@domen.com"/>
        Pol
        <div id="pol" class="left">
          <label for="m">Muški</label>
          <input type="radio" name="pol" class="radio" checked="checked"</pre>
id="m" value="m"/>
          <label for="f">Ženski</label>
          <input type="radio" name="pol" class="radio" id="f" value="z"/>
        </div>
        Grad
        <select class="right select" name="city" id="city">
          <option value="0">Izaberite...
          @foreach ($gradovi as $grad)
          <option value="{{$grad->ID_grad}}">{{$grad-}
>grad_ime}}</option>
          @endforeach
        </select>
        Korisničko ime
        <input type="text" class="right" id="username"</pre>
placeholder="korisnik1"/>
        Lozinka
        <input type="password" class="right" id="password"</pre>
placeholder="Lozinka1#$%"/>
        Potvrdi lozinku
        <input type="password" class="right" id="password1"</pre>
placeholder="Lozinka1#$%"/>
        Uloga
        <select class="right select" name="roll" id="roll">
          <option value="0">Izaberite...
          @foreach ($uloge as $uloga)
            <option value="{{$uloga->ID_uloga}}">{{$uloga-
>uloga_ime}}</option>
          @endforeach
        </select>
        Aktivnost
        <select name="active" class="right select" id="active">
          <option value="null">Izaberite...
```

```
<option value="0">Neaktivan</option>
            <option value="1">Aktivan</option>
          </select>
          <input type="button" value="REGISTRUJ" class="btn" id="btn"/>
       </div>
     </form>
     <footer>
       <h5>
          <a href="{{route('pocetna')}}">Nazad na početnu stranu</a>
       </h5>
     </footer>
     <script src="{{asset(\( '\' )\)}}js/jquery-3.3.1.min.js"</pre>
type="text/javascript"></script>
     <script src="{{asset('/')}}js/adminInsertUser.js"</pre>
type="text/javascript"></script>
@endsection
```

dodaj-seriju.blade.php

```
@extends('layouts.form')
@section('title','Dodaj seriju')
@section('content')
  <div id="wrapper">
    <div id="box">
      <div id="errors">
        @if(session()->has('error'))
          {{session()->get('error')}}
        @endif
        @if ($errors->any())
          @foreach ($errors->all() as $error)
            {{\$error}}
          @endforeach
        @endif
        @if(session()->has("uspeh"))
          Uspešno ste dodali seriju
        @endif
     </div>
      <div id="header">
        <h3>Dodaj seriju</h3>
      </div>
      <form id="forma2" action="{{route("series-insert")}}" method="POST"</pre>
enctype="multipart/form-data">
        @csrf
        <div id="admin-news" class="admin">
         Izaberi kategoriju
```

```
<select class="right select" id="category" name="category" >
            <option value="0">Izaberite...</option>
            @foreach ($kategorije as $kategorija)
              <option value="{{$kategorija->ID_link}}">{{$kategorija-
>naziv}}</option>
            @endforeach
          </select>
          Izaberi glumce
          @foreach($glumci as $glumac)
            <label for="{{$glumac->ID_glumci}}">{{$glumac-
>glumci_ime}} {{$glumac->glumci_prezime}}</label>
            <input type="checkbox" id="{{$glumac->ID_glumci}}"
value="{{$glumac->ID_glumci}}" name="glumci[]" > <br/>
          @endforeach
          Ime serije
          <input type="text" class="right" name="name" />
          Godina
          <input type="text" class="right" name="year" />
          Tekst
          <textarea name="text" cols="30" rows="10"></textarea>
          Slika
          <input class="right" type="file" name="img" >
          <input type="submit" value="Dodaj" class="btn btn2" name="btn"/>
        </div>
      </form>
      <footer>
        <h5><a href="{{route('pocetna')}}}">Nazad na početnu stranu</a></h5>
      </footer>
    </div>
@endsection
```

dodaj-sponzora.blade.php

```
@endforeach
    @endif
    @if(session()->has("uspeh"))
      Uspešno ste dodali sponzora
    @endif
  </div>
  <div id="header">
    <h3>Dodaj sponzora</h3>
  </div>
  <form id="forma2" action="{{route("sponsor-insert")}}" method="POST"</pre>
enctype="multipart/form-data">
    @csrf
    <div id="content1" class="admin">
      Link
      <input type="text" class="right sp" id="link" autofocus="autofocus"</pre>
placeholder="http://www.sajt.com" name="link"/>
      Slika
      <input type="file" class="right sp" id="img" name="img" />
      <input type="submit" value="DODAJ" class="btn" id="btn" name="btn"/>
    </div>
  </form>
  <footer>
    <h5><a href="{{route('pocetna')}}">Nazad na početnu stranu</a></h5>
  </footer>
</div>
@endsection
```

glumci.blade.php

```
@extends('layouts.form')
@section('title','Glumci')
@section('content')
  <div id="errors">
    @if(session()->has("uspeh"))
      Uspešno ste dodali glumca
    @endif
    @if(session()->has('error'))
      Doslo je do greske kontaktirajte
admina!
    @endif
 </div>
  <div id="sponsors">
    @foreach($glumci as $glumac)
      <div class="categoryAdmin">
       <h3>Ime: {{$glumac->glumci ime}}</h3>
```

```
<h3>Prezime: {{$glumac->glumci_prezime}}</h3>
         <button class="delSponsor" data-id='{{$glumac-</pre>
>ID_glumci}}'>Obriši</button>
         <a href="{{route('role-one-render',["id" => $glumac-
>ID_glumci])}}"><button class="editSponsor">Izmena</button></a>
       </div>
     @endforeach
  </div>
  <footer>
    < h5 >
       <a href="{{route('pocetna')}}}">Nazad na početnu stranu</a>
    </h5>
  </footer>
  <script type="text/javascript" src="{{asset('/')}}js/jquery-3.3.1.min.js"></script>
  <script src="{{asset("/")}}js/adminDeleteRole.js"</pre>
type="text/javascript"></script>
@endsection
```

izmena-glumca.blade.php

```
@extends('layouts.form')
@section('title','Izmena glumca')
<div id="wrapper">
  <div id="box">
    <div id="errors">
      <noscript>
        Molimo Vas omogućite JavuScript kako biste
izmenili glumca!
      </noscript>
    </div>
    Uspešno ste izmenili glumca!<br/>
    <div id="header">
      <h3>Izmeni glumca</h3>
    </div>
    <form id="forma2" action="" method="">
      <div id="content1" class="admin">
        @foreach($podaci as $podatak)
        <input type="hidden" id="ID" value="{{$podatak->ID_glumci}}">
        Ime
        <input type="text" class="right" value="{{$podatak->glumci_ime}}"
id="ime" autofocus="autofocus" placeholder="Petar"/>
        Prezime
        <input type="text" class="right" id="prezime" value="{{$podatak-</pre>
>glumci_prezime}}" autofocus="autofocus" placeholder="Petrovic"/>
        <input type="button" value="IZMENI" class="btn" id="btn"/>
```

```
@endforeach
</div>
</form>
<footer>
<h5>
<a href="{{route('role-show')}}">Nazad na spisak glumaca</a>
</h5>
</footer>
</div>
<script src="{{asset("/")}}../js/jquery-3.3.1.min.js"
type="text/javascript"></script>
<script src="{{asset("/")}}../js/adminUpdateRole.js"
type="text/javascript"></script>
```

izmena-kategorije.blade.php

```
@extends('layouts.form')
@section('title', 'Dodaj kategoriju')
<div id="wrapper" >
  <div id="box">
    <div id="errors">
      <noscript>
        Molimo Vas omogućite JavuScript kako biste
izmenili kategoriju!
      </noscript>
    </div>
    Uspešno ste izmenili kategoriju!<br/>
    Trenutno ne možete izmeniti
kategoriju
    <div id="header">
      <h3>Izmeni kategoriju</h3>
    <form id="forma2" action="" method="">
      <div id="content1" class="admin">
        Izmeni kategoriju
        @foreach($podaci as $podatak)
          <input type="hidden" value="{{$podatak->ID_link}} " id='ID'>
        <input type="text" class="right" id="category" value="{{$podatak-</pre>
>naziv}}" autofocus="autofocus" placeholder="Kategorija"/>
        <input type="button" value="DODAJ" class="btn" id="btn"/>
        @endforeach
      </div>
    </form>
    <footer>
      <h5>
```

izmena-serije.blade.php

```
@extends('layouts.form')
@section('title', 'Izmeni seriju')
@section('content')
  <div id="wrapper">
    <div id="box">
      <div id="errors">
        @if ($errors->any())
          @foreach ($errors->all() as $error)
             {{$error}}
          @endforeach
        @endif
      </div>
      <div id="header">
        <h3>Izmeni seriju</h3>
      </div>
      @foreach($serija as $s)
        <form id="forma2" action="{{route("series-update-info", ["id" => $s-
>ID_serija])}}" method="POST" >
          @method('PUT')
          @csrf
          <div id="edit-news" class="admin">
             Naziv serije
            <input type="text" class="right sp" autofocus="autofocus"</pre>
value="{{$s->serija_naziv}}" name="name"/>
             Godina
            <input type="text" class="right sp" value="{{$s->godina}}"
name="year"/>
             Tekst
             <textarea name="text" cols="30" rows="10">{{$s-}
>serija_tekst}}</textarea>
             Izaberi kategoriju
             <select class="right select" id="category" name="category">
               <option value="{{$s->ID_link}}">{{$s->naziv}}</option>
               @foreach ($kategorije as $kategorija)
```

```
<option value="{{$kategorija->ID_link}}">{{$kategorija-
>naziv}}</option>
               @endforeach
             </select>
             @foreach($svi_glumci as $glumac)
               <label for="{{$glumac->ID_glumci}}">{{$glumac-
>glumci_ime}} {{$glumac->glumci_prezime}}</label>
               <input type="checkbox" id="{{$glumac->ID_glumci}}"
value="{{$glumac->ID_glumci}}" name="glumci[]"
                   @foreach($glumci as $g)
                   @if($g->ID_glumci == $glumac->ID_glumci)
                   checked="checked"
                   @endif
                   @endforeach>
               <br/>br/>
             @endforeach
             Status
             <select name="status" class="right select" id="a">
               <option value="null">Izaberite...</option>
               @if(s->obrisan == 0)
                 <option selected="selected" value="0">Nije obrisan
                 <option value="1">Obrisan</option>
               @else
                 <option value="0">Nije obrisan</option>
                 <option selected="selected" value="1">Obrisan</option>
               @endif
             </select>
             <input type="submit" value="IZMENI" class="btn btn2" id="btn2"</pre>
      @endforeach
           </div>
           <footer>
             <h5><a href="{{route('pocetna')}}}">Nazad na početnu
stranu</a></h5>
           </footer>
        </form>
    </div>
    <div id="box">
      <div id="errors">
         @if($errors->any())
           @foreach ($errors->all() as $error)
             {{$error}}
           @endforeach
         @endif
         @if(session()->has('uspeh'))
```

```
Uspesno ste izmenili sliku
        @endif
      </div>
      <div id="header">
        <h3>Izmeni sliku</h3>
      </div>
      @foreach($serija as $s)
        <form id="forma3" action="{{route("series-update-picture", ["id" => $s-
>ID_serija])}}" method="POST" enctype="multipart/form-data">
          @csrf
          @method('PUT')
          <div id="content1" class="admin">
             Slika
            <input type="file" class="right sp" id="img" name="img" />
             @endforeach
            <input type="submit" value="IZMENI" class="btn" id="btn"</pre>
name="btn"/>
          </div>
        </form>
        <footer>
          <h5><a href="{{route('pocetna')}}}">Nazad na početnu
stranu</a></h5>
        </footer>
    </div>
  </div>
@endsection
```

izmena-sponzora.blade.php

```
@extends('layouts.form')
@section('title','Izmeni sponzora')
@section('content')
 <div id="wrapper">
 <div id="box">
    <div id="errors">
      @if ($errors->anv())
        @foreach ($errors->all() as $error)
          {{$error}}
        @endforeach
      @endif
    </div>
    <div id="header">
      <h3>Izmeni link</h3>
    </div>
    @foreach($podaci as $podatak)
    <form id="forma2" action="{{route("sponsor-update-link", ["id" =>
```

```
$podatak->ID_sponzor] )}}" method="POST" enctype="multipart/form-data">
       @method('PUT')
      @csrf
      <div id="content1" class="admin">
         Link
         <input type="text" class="right sp" id="link" autofocus="autofocus"</pre>
value="{{$podatak->link}}" placeholder="http://www.sajt.com" name="link"/>
    @endforeach
         <input type="submit" value="IZMENI" class="btn" id="btn"</pre>
name="btn"/>
      </div>
      <footer>
         <h5><a href="{{route('pocetna')}}">Nazad na početnu stranu</a></h5>
      </footer>
    </form>
    </div>
      <div id="box">
         <div id="errors">
           @if ($errors->any())
             @foreach ($errors->all() as $error)
               {{$error}}
             @endforeach
           @endif
        </div>
         <div id="header">
           <h3>Izmeni sliku</h3>
         </div>
         @foreach($podaci as $podatak)
           <form id="forma3" action="{{route("sponsor-update-picture", ["id")}</pre>
=> $podatak->ID_sponzor])}}" method="POST" enctype="multipart/form-data">
             @csrf
             @method('PUT')
             <div id="content1" class="admin">
               Slika
               <input type="file" class="right sp" id="img" name="img" />
               @endforeach
               <input type="submit" value="IZMENI" class="btn" id="btn"</pre>
name="btn"/>
             </div>
           </form>
           <footer>
             <h5><a href="{{route('pocetna')}}}">Nazad na početnu
stranu</a></h5>
           </footer>
  </div>
```

```
</div>
@endsection
```

izmena-korisnika.blade.php

```
@extends('layouts.form')
@section('title', 'Spisak korisnika')
@section('content')
<div id="wrapper">
  <div id="box">
    <div id="errors">
      <noscript>
        Molimo Vas omogućite JavuScript kako biste se
izmenili korisnika!
      </noscript>
    </div>
    Uspešno ste izmenili korisnika!<br/>
    Trenutno ne možete izmeniti
korisnika!
    <div id="header">
      <h3>Izmena</h3>
    </div>
    @foreach($podaci as $podatak)
    <form id="forma2" action="" method="">
      <div id="content1" class="admin">
        <input type="hidden" value="{{$podatak->ID_korisnik}}" id="ID">
        Ime
        <input type="text" class="right" id="first" autofocus="autofocus"</pre>
value="{{$podatak->ime}}"/>
        Prezime
        <input type="text" class="right" id="last" value="{{$podatak-</pre>
>prezime}}"/>
        Email
        <input type="text" class="right" id="email" value="{{$podatak-</pre>
>email } } "/>
        Pol
        <div id="pol" class="left">
          <label for="m">Muški</label>
          <input type="radio" name="pol" class="radio" @if($podatak-</pre>
>pol=="m") checked="checked" @endif id="m" value="m"/>
          <label for="f">Ženski</label>
          <input type="radio" name="pol" class="radio" @if($podatak-</pre>
>pol=="z") checked="checked" @endif id="f" value="z"/>
        </div>
        Grad
        <select class="right select" name="city" id="city">
```

```
<option value="0">Izaberite...
           <option selected="selected" value="{{$podatak-</pre>
>ID_grad}}">{{$podatak->grad_ime}}</option>
           @foreach ($gradovi as $grad)
             <option value="{{$grad->ID_grad}}">{{$grad-
>grad_ime}}</option>
           @endforeach
        </select>
        Korisničko ime
        <input type="text" class="right" id="username" value="{{$podatak-</pre>
>username } }"/>
        Uloga
        <select class="right select" name="roll" id="roll">
           <option value="0">Izaberite...</option>
           <option selected="selected" value="{{$podatak-</pre>
>ID_uloga}}">{{$podatak->uloga_ime}}</option>
           @foreach ($uloge as $uloga)
           <option value="{{$uloga->ID_uloga}}">{{$uloga-
>uloga_ime}}</option>
           @endforeach
        </select>
        Aktivnost
        <select name="active" class="right select" id="active">
           <option value="null">Izaberite...
           @if($podatak->aktivan === 0)
           <option selected="selected" value="0">Neaktivan</option>
           <option value="1">Aktivan</option>
           @else
           <option value="0">Neaktivan</option>
           <option selected="selected" value="1">Aktivan</option>
           @endif
        </select>
        Status
        <select name="status" class="right select" id="a">
           <option value="null">Izaberite...
           @if($podatak->obrisan == 0)
           <option selected="selected" value="0">Nije obrisan
           <option value="1">Obrisan</option>
           @else
           <option value="0">Nije obrisan
           <option selected="selected" value="1">Obrisan</option>
           @endif
        </select>
        <input type="button" value="Izmeni" class="btn" id="btn"/>
        @endforeach
      </div>
```

izvestaj.blade.php

```
@extends('layouts.form')
@section('title', 'Izvestaj aktivnosti')
Username
  Datum
  Aktivnost
 @foreach($data as $d)
 {{$d->username}}
  {{$d->datum}}
  {{$d->aktivnost}}
 @endforeach
<footer>
 <h5><a href="{{route('pocetna')}}}">Nazad na početnu stranu</a></h5>
</footer>
```

kategorije.blade.php

```
@endif
     @if(session()->has('error'))
       Doslo je do greske kontaktirajte
admina!
     @endif
  </div>
  <div id="sponsors">
     @foreach($kategorije as $kategorija)
       <div class="categoryAdmin">
         <h3>{{$kategorija->naziv}}</h3>
         <button class="delSponsor" data-id='{{$kategorija-</pre>
>ID_link}}'>Obriši</button>
         <a href="{{route('genre-one-render',["id" => $kategorija-
>ID_link])}}"><button class="editSponsor">Izmena</button></a>
       </div>
     @endforeach
  </div>
  <footer>
    < h5 >
       <a href="{{route('pocetna')}}}">Nazad na početnu stranu</a>
    </h5>
  </footer>
  <script type="text/javascript" src="{{asset('/')}}js/jquery-3.3.1.min.js"></script>
  <script src="{{asset("/")}}js/adminDeleteCategory.js"</pre>
type="text/javascript"></script>
@endsection
```

kontakt.blade.php

```
<br/>
       <span id="kontaktOk">Pitanje uspešno poslato!</span>
    </form>
  </div>
</div>
<script src="{{asset(/')}}js/jquery-3.3.1.min.js" type="text/javascript"></script>
<script type="text/javascript">
  var btn = $("#userFeedback");
  btn.click(function () {
    var firstname = $("#imeKontakt");
    var lastname = $("#prezimeKontakt");
     var email = $("#emailKontakt");
    var reFirstnameLastname = /^[A-ZŠDČĆŽa-zšđžčć\s]{2,25}$/;
    var reEmail = /^[^@\s]{3,25}@[^@\s]{2,8}\.[^@\s]{2,6}$/;
     var errors = []:
     var content = $("#pitanje");
    if(!reFirstnameLastname.test(firstname.val())){
       firstname.css(
       errors.push("Ime mora početi velikim slovom");
    else{
       firstname.css("border","1px solid #14a1e2");
    if(!reFirstnameLastname.test(lastname.val())){
       lastname.css({
         border: "1px solid red"
       });
       errors.push("Prezime mora početi velikim slovom");
    else{
       lastname.css("border", "1px solid #14a1e2");
    if(!reEmail.test(email.val())){
       email.css({
         border: "1px solid red"
       errors.push("Email nije u dobrom formatu");
    else{
       email.css("border", "1px solid #14a1e2");
    if(content.val().length < 10)
       content.css({
```

```
border: "1px solid red"
        });
        errors.push("Sadrzaj je prekratak");
      else{
        content.css("border","1px solid #14a1e2");
      if(errors.length > 0)
        console.log("Greska");
      else {
        $.ajaxSetup({
             'X-CSRF-TOKEN': $('meta[name="_token"]').attr('content')
         });
        $.ajax({
           method: "POST",
           data: {
             ime: firstname.val(),
             prezime: lastname.val(),
             email: email.val(),
             content: content.val()
           success: function(data, xhr) {
             $("#kontaktOk").css("display", "block");
           error: function(xhr, status, error){
             alert("Izvinjavamo se, trenutno imamo tehničkih problema");
         });
   });
 </script>
endsection
```

korisnici.blade.php

```
{{$korisnik->ime}}
     Prezime
     {{$korisnik->prezime}}
     Korisničko ime
     {{$korisnik->username}}
     Email
     {{$korisnik->email}}
     Aktivnost
     {{$korisnik->aktivan}}
     Status
     @if($korisnik->obrisan==0) {{"Nije obrisan"}}
       @else {{"Obrisan"}}
       @endif
     @if($korisnik->datum izmene=="/")
     Datum registracije
     {{$korisnik->datum_registracije}}
     @else
     Datum izmene
     {{$korisnik->datum_izmene}}
     @endif
     <a href="{{route('user-one-render',["id" => $korisnik-
>ID_korisnik])}}"><button class="edit">Izmeni</button></a>
     <button @if($korisnik->obrisan==1) disabled="disabled" @endif
class="del" data-id="{{$korisnik->ID_korisnik}}">Obriši</button>
   </div>
   @endforeach
 </div>
 <footer>
   <h5><a href="{{route('pocetna')}}}">Nazad na početnu stranu</a></h5>
 </footer>
 <script src="{{asset("/")}}js/jquery-3.3.1.min.js"</pre>
type="text/javascript"></script>
 <script src="{{asset("/")}}js/adminDeleteUser.js"</pre>
type="text/javascript"></script>
@endsection
```

pocetna.blade.php

```
<div class="img">
            <img src="{{asset("/").$serija->slika }}" alt="{{ $serija->serija_naziv}
}}" title="{{ $serija->serija_naziv }}" width="200" height="150">
         </div>
         <div class="right-container">
            <div class="date-com">
              @if(session()->has('user'))
                 <i data-user="{{session()->get('user')->ID_korisnik}}"
                  data-series="{{ $serija->ID_serija }}"
                   class="left vote-series-plus fa fa-plus"> {{ $serija->serija_like}
}} </i>
                 <i data-user="{{session()->get('user')->ID_korisnik}}"
                  data-series="{{ $serija->ID_serija }}"
                  class="left vote-series-minus fa fa-minus"> {{$serija-
>serija_dislike}} </i>
              @else
                 <a href="{{route('renderLogin')}}"><i class="left fa fa-
plus"></i><i class="left fa fa-minus"></i></a>
              @endif
              @if(session()->has('user'))
                 <h6 class="right" data-idseries="{{ $serija->ID serija}}"
                   data-user="{{ session()->get('user')->ID_korisnik}}"
                   data-series="{{ $serija->serija_naziv}}">Komentari</h6>
              @else
                 <h6 class="right" data-idseries="{{ $serija->ID_serija}}"
                   data-series="{{ $serija->serija naziv}}">Komentari</h6>
              @endif
            </div>
            <div class="details" data-idseries="{{$serija->ID_serija}}">
              <h3 class="heading">{{ $serija->serija_naziv }}</h3>
              {{ substr($serija->serija_tekst,0,150).'...'}}
            </div>
         </div>
       </div>
     @endforeach
  </div>
@endsection
```

prijava.blade.php

```
@extends('layouts.form')
@section('title', 'Prijava')
@section('content')
```

```
<div id="wrapper">
  <div id="box">
    <div id="errors">
      <noscript>
        Molimo Vas omogućite JavuScript kako biste se
prijavili!
      </noscript>
    </div>
    Uspešno ste se prijavili!
    Uneti podaci nisu ispravni!
    Trenutno se ne možete prijaviti!
    <div id="header">
      <h3>Prijava</h3>
    </div>
    <form id="forma1" action="" method="">
      <div id="content">
        Korisničko ime
        <input type="text" class="right" id="username" autofocus="autofocus"</pre>
placeholder="korisnik1"/>
        Lozinka
        <input type="password" class="right" id="password"</pre>
placeholder="Lozinka1#$%"/>
        <input type="button" value="PRIJAVI SE" class="btn" id="btn" />
      </div>
    </form>
    <footer>
      < h5 >
        Niste registrovani? <a href="{{route('renderRegistration')}}}">Registrujte
se</a> <br/>
        <a href="{{route('pocetna')}}">Nazad na početnu stranu</a>
      </h5>
    </footer>
  </div>
 <script src="{{asset('/')}}}js/jquery-3.3.1.min.js" type="text/javascript"></script>
 <script src="{{asset('/')}}js/login.js" type="text/javascript"></script>
  @endsection
```

registracija.blade.php

```
<noscript>
        Molimo Vas omogućite JavuScript kako biste se
registrovali!
      </noscript>
    </div>
    Uspešno ste se registrovali!<br/>Poslat
Vam je email sa aktivacionim linkom!
    Trenutno se ne možete registrovati!
    <div id="header">
      <h3>Registracija</h3>
    </div>
    <form>
      <div id="content1" >
        Ime
        <input type="text" class="right" id="first" autofocus="autofocus"</pre>
placeholder="Petar"/>
        Prezime
        <input type="text" class="right" id="last" placeholder="Petrović"/>
        Email
        <input type="text" class="right" id="email"</pre>
placeholder="petar@domen.com"/>
        Pol
        <div id="pol" class="left">
          <label for="m">Muški</label>
          <input type="radio" name="pol" class="radio" checked="checked"</pre>
id="m" value="m"/>
          <label for="f">Ženski</label>
          <input type="radio" name="pol" class="radio" id="f" value="z"/>
        </div>
        Grad
        <select class="right select" name="city" id="city">
          <option value="0">Izaberite...
          @foreach ($cities as $city)
          <option value="{{$city->ID_grad}}">{{$city->grad_ime}}</option>
          @endforeach
        </select>
        Korisničko ime
        <input type="text" class="right" id="username"</pre>
placeholder="korisnik1"/>
        Lozinka
        <input type="password" class="right" id="password"</pre>
placeholder="Lozinka1#$%"/>
        Potvrdi lozinku
        <input type="password" class="right" id="password1"</pre>
placeholder="Lozinka1#$%"/>
        <input type="button" value="REGISTRUJ SE" class="btn" id="btn"/>
```

serije.blade.php

```
@extends('layouts.master')
@section('content')
<div id="articles">
   @foreach($serije as $serija)
  <div class="item">
     <div class="img">
       <img src="{{asset("/").$serija->slika }}" alt="{{ $serija->serija_naziv }}"
title="{{ $serija->serija_naziv }}" width="200" height="150">
     </div>
     <div class="right-container">
       <div class="date-com">
          @if(session()->has('user'))
            <i data-user="{{session()->get('user')->ID korisnik}}"
              data-idseries="{{ $serija->ID serija }}"
              class="left vote-series-plus fa fa-plus"> {{ $serija->serija_like }}
</i>
            <i data-user="{{session()->get('user')->ID_korisnik}}"
              data-idseries="{{ $serija->ID serija }}"
               class="left vote-series-minus fa fa-minus"> {{$serija-
>serija_dislike}} </i>
          @else
            <a href="{{route('renderLogin')}}"><i class="left fa fa-plus"></i><i
class="left fa fa-minus"></i></a>
          @endif
          @if(session()->has('user'))
               <h6 class="right" data-idseries="{{ $serija->ID_serija}}"
                 data-user="{{ session()->get('user')->ID_korisnik}}"
                 data-series="{{ $serija->serija naziv}}">Komentari</h6>
```

serije-spisak.blade.php

```
@extends('layouts.form')
@section('title', 'Serije')
@section('content')
  <div id="admin-news">
    <div id="errors">
      @if(session()->has('error'))
         {{session()->get('error')}}
      @endif
      @if(session()->has("uspeh"))
         {{session()->get('uspeh')}}
      @endif
    </div>
    @foreach($serije as $serija)
    <div class="series">
      <div class="img">
         <img src="{{ asset('/').$serija->slika }}" alt="{{ $serija->serija_naziv
}}" title="{{ $serija->serija_naziv }}" width="200" height="150">
      </div>
      <div class="text padd">
         <span class="heading">
      <h6>Godina: {{ $serija->godina }}</h6>
      <h3>{{ $serija->serija naziv }}</h3>
           <h4>Status: @if($serija->obrisan==1) {{"Obrisano"}} @else {{"Nije"
obrisano"}} @endif</h4>
    </span>
        <div class="details">{{ substr($serija->serija tekst,0,150).'...' }} <br/>
```

```
<a href="{{route('series-one-render', ["id" => $serija->ID_serija, "cat")
=> $serija->ID_link])}}"><button class="edit s">Izmeni</button></a>
            <button class="del s" data-id="{{$serija-
>ID_serija}}">Obriši</button>
         </div>
       </div>
    </div>
     @endforeach
  </div>
  <footer>
    <h5><a href="{{route('pocetna')}}}">Nazad na početnu stranu</a></h5>
  </footer>
  <script src="{{asset("/")}}js/jquery-3.3.1.min.js"</pre>
type="text/javascript"></script>
  <script src="{{asset("/")}}js/adminDeleteSeries.js"</pre>
type="text/javascript"></script>
  @endsection
```

sponzori.blade.php

```
@extends('layouts.form')
@section('content')
  <div id="errors">
    @if(session()->has("uspeh"))
      Uspešno ste izmenili sponzora
    @endif
    @if(session()->has('error'))
         Doslo je do greske kontaktirajte
admina!
    @endif
  </div>
  <div id="sponsors">
    @foreach($sponzori as $item)
    <div class="sponsorAdmin">
      <button class="delSponsor" data-id='{{$item-</pre>
>ID_sponzor}}'>Obriši</button>
      <a href="{{route('sponsor-one-render',["id" => $item-
>ID_sponzor])}}"><button class="editSponsor">Izmena</button></a>
      <a target="_blank" href="{{ $item->link }}">
         <img src="{{asset("/").$item->slika }}" alt="{{ substr($item->link,7)}
}}" title="{{ substr($item->link,7) }}" width="300" height="150">
      </a>
    </div>
    @endforeach
  </div>
```

```
<script type="text/javascript" src="{{asset(\(/'\)})}js/jquery-3.3.1.min.js"></script>
 <script type="text/javascript">
    $('.delSponsor').click(function() {
      var id = \$(this).data('id');
         $.ajaxSetup({
              "X-CSRF-TOKEN": $("meta[name='_token']").attr("content")
         });
      console.log(id);
      $.ajax({
         url:"/admin/sponzori/brisanje/"+id,
         method:"DELETE",
         success:function (data) {
            alert("Uspešno ste obrisali sponzora!");
            location.reload():
         error:function (x,s,e) {
           switch (x.status) {
              case 404:
                window.location.href="greska.php";
                break:
              case 409:
                alert("Izvinjavamo se zbog tehničkih problema");
                break:
      })
    });
 </script>
 </body>
 </html>
@endsection
```

------resources/views/partials------

footer.blade.php

```
<footer>
    <a href="{{asset('/')}}}dokumentacija.pdf">Dokumentacija</a>
    <h6>Copyright Dušan Krsmanović {{date("Y")}} &copy;</h6>
    @if(session()->has('user') && session()->get('user')->ID_uloga == 1)
         <a href="{{route("sponsor-show")}}">Spisak sponzora</a>
         <a href="{{route('user-show')}}">Spisak korisnika</a>
         <a href="{{route('genre-show')}}">Spisak žanrova</a>
```

```
<a href="{{route("role-show")}}">Spisak glumaca</a>
<a href="{{route('series-show')}}">Spisak serija</a>
<a href="{{route('user-form')}}">Dodaj korisnika</a>
<a href="{{route('genre-form')}}">Dodaj žanr</a>
<a href="{{route('sponsor-form')}}">Dodaj sponzora</a>
<a href="{{route('series-form')}}">Dodaj seriju</a>
<a href="{{route('series-form')}}">Dodaj glumce</a>
<a href="{{route('role-form')}}">Dodaj glumce</a>
<a href="{{route('activity')}}">Izveštaj</a>
@ endif
</footer>
</div>
<script type="text/javascript" src="{{asset('')}}js/jquery-3.3.1.min.js"></script></script type="text/javascript" src="{{asset('')}}js/main.js"></script></body>
</html>
```

header.blade.php

```
<!doctype html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport"
     content="width=device-width, user-scalable=no, initial-scale=1.0,
maximum-scale=1.0, minimum-scale=1.0">
  <meta http-equiv="X-UA-Compatible" content="ie=edge">
  k rel="stylesheet"
href="https://use.fontawesome.com/releases/v5.6.3/css/all.css" integrity="sha384-
UHRtZLI+pbxtHCWp1t77Bi1L4ZtiqrqD80Kn4Z8NTSRyMA2Fd33n5dQ8IWUE0
0s/" crossorigin="anonymous">
  k rel="stylesheet" href="{{asset('/')}}css/main.css" type="text/css">
  <meta name="_token" content="{{csrf_token()}}"/>
  <title>ISDB @vield('title')</title>
</head>
<body>
<div id="wrapper">
  <div id="header">
    <div id="logo">
      <a href=""><img src="{{asset("/")}}images/logo.png" alt="logo"
title="logo" height="98" ></a>
    </div>
    <nav>
       \langle ul \rangle
         @foreach($linkovi as $link)
         <a href="{{$link->putanja}}" class="nav">{{$link-}
```

```
>naziv}}</a>
         @endforeach
         @if(session()->has('user'))
           <h4 class="info" data-iduser="{{session()->get('user')-}
>ID_korisnik}}"
           class="nav">{{session()->get('user')->username}}</hd>
         <a href="{{route("logout")}}" class="nav">Odjavi se</a>
         @else
         <a href="{{route('renderLogin')}}" class="nav">Prijava</a>
         <a href="{{route('renderRegistration')}}" class="nav"
">Registracija</a>
         @endif
      </nav>
    <div id="criteria">
      <input type="search" id="search" placeholder="Pretraži serije..." />
      <i class="fa fa-search"></i>
    </div>
  </div>
```

headForm.blade.php

```
<!doctype html>
<html lang="sr">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, user-scalable=no, initial-</pre>
scale=1.0, maximum-scale=1.0, minimum-scale=1.0">
  <meta name="author" content="Dusan Krsmanovic">
  <meta name="keywords" content="registracija, ISDB">
  <meta http-equiv="X-UA-Compatible" content="ie=edge">
  <link rel="stylesheet" href="{{asset('/')}}css/material-design-iconic-</pre>
font.min.css" type="text/css">
  <link rel="stylesheet" type="text/css" href="{{asset('/')}}css/main-login-</pre>
reg.css">
  <meta name="_token" content="{{csrf_token()}}"/>
  <title>@yield('title')</title>
</head>
<body>
```

left-side.blade.php

```
<div id="container">
    <div id="left-side">
```

right-side.blade.php

------Requests------

AdminInsertSeriesRequest.php

```
namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class AdminInsertSeriesRequest extends FormRequest
{
    /**
    * Determine if the user is authorized to make this request.
    *
    * @return bool
    */
    public function authorize()
    {
        return true;
    }

/**
```

```
* Get the validation rules that apply to the request.
* @return array
public function rules()
  return [
       'text' => 'required|min:20',
       "img" => "required|file|mimes:jpg,jpeg,gif,png|max:2000"
public function messages()
  return [
     'name.regex' => "Ime mora imati od 5 do 60 karaktera!",
     'text.regex' => 'Tekst mora imati najmnaje 20 karaktera!',
     'year.regex' => 'Godina mora imati četiri cifre!',
     "img.mimes" => "Nije dozvoljena ekstenzija!",
     "required" => "Slika nije odabrana!"
  ];
```

AdminInsertUserRequest.php

```
namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class AdminInsertUserRequest extends FormRequest
{
    /**
    * Determine if the user is authorized to make this request.
    *
    * @return bool
    */
    public function authorize()
{
```

```
return true;
  * Get the validation rules that apply to the request.
   * @return array
  public function rules()
    return [
       "username" => "required|regex:/^[a-zšđčćž0-
9]{6,15}$/|unique:korisnik,username",
       "password" => "required|regex:/^[A-ZŠĐČĆŽa-zšđčćž?!&#$%@0-
       "firstname" => 'required|regex:/^([A-ZŠĐČĆŽ][a-zšđčćž]{2,15})(\s[A-
Z\tilde{S}D\tilde{C}\tilde{Z}[a-zšđčćž-]\{2,15\})*$/',
       "lastname" => 'required|regex:/^([A-ZŠĐČĆŽ][a-zšđčćž]{2,25})(\s[A-
ZŠĐČĆŽ][a-zšđčćž-]{2,25})*$/',
       "passwordConfirm" => "same:password"
  public function messages()
    return [
     "username.unique" => "Korisnicko ime je zauzeto!"
```

FeedbackRequest.php

```
public function authorize()
  return true;
* Get the validation rules that apply to the request.
* @return array
public function rules()
  return [
    "ime" => "regex:/^[A-ZŠDČĆŽa-zšđžčć\s]{2,25}$/"
    "prezime" \Rightarrow "regex:/^[A-ZŠĐČĆŽa-zšđžčć\s]{2,25}$/",
  ];
public function messages()
 return [
  "ime.regex" => "Ime nije u dobrom formatu",
  "prezime.regex" => "Prezime nije u dobrom formatu",
  "email.email" => "Email nije u dobrom formatu"
```

GenreRequest.php

```
<?php

namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class GenreRequest extends FormRequest
{
    /**
    * Determine if the user is authorized to make this request.
    *
    * @return bool
    */
    public function authorize()
</pre>
```

LogRequest.php

```
namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class LogRequest extends FormRequest
{
    /**
    * Determine if the user is authorized to make this request.
    *
    * @return bool
    */
    public function authorize()
    {
        return true;
    }

    /**
    * Get the validation rules that apply to the request.
    *
    * @return array
    */
    public function rules()
}
```

```
return [
    "username" => "required|regex:/^[a-zšďčćž0-9]{6,15}$/",
    "password" => "required|regex:/^[A-ZŠĐČĆŽa-zšďčćž?!&#$%@0-
9]{8,15}$/"
    ];
}
public function messages()
{
    return [
        "username.regex" => "Korisničko ime ne sme biti kraće od 6 i duže od 15
karaktera!Nisu dozvoljeni specijalni karakteri i velika slova!",
        "password.regex" => "Lozinka ne sme biti kraća od 8 i duža od 15
karaktera! Dozvoljeni su specijalni karakteri i velika slova!"
    ];
}
```

PictureRequest.php

```
<?php
namespace App\Http\Requests;
use Illuminate\Foundation\Http\FormRequest;
class PictureRequest extends FormRequest
{
    /**
    * Determine if the user is authorized to make this request.
    *
    * @return bool
    */
    public function authorize()
    {
        return true;
    }

    /**
    * Get the validation rules that apply to the request.
    *
    * @return array
    */
    public function rules()
    {
        return [</pre>
```

```
"img" => "required|file|mimes:jpg,jpeg,gif,png|max:2000"
];
}
public function messages()
{
   return [
        "img.mimes" => "Nije dozvoljena ekstenzija!",
        "img.max" => "Maksimalna veličina slike je 2 MB!",
        "required" => "Slika nije odabrana!"
];
}
```

RegRequest.php

```
<?php
namespace App\Http\Requests;
use Illuminate\Foundation\Http\FormRequest;
class RegRequest extends FormRequest
   * Determine if the user is authorized to make this request.
   * @return bool
  public function authorize()
    return true;
   * Get the validation rules that apply to the request.
   * @return array
  public function rules()
    return [
       "username" => "required|regex:/^[a-zšđčćž0-
9]{6,15}$/|unique:korisnik,username",
       "password" => "required|regex:/^[A-ZŠĐČĆŽa-zšđčćž?!&#$%@0-
       "firstname" \Rightarrow 'required|regex:/^([A-ZŠĐČĆŽ][a-zšđčćž]{2,15})(\s[A-
```

```
ZŠĐČĆŽ|[a-zšđčćž-]{2,15})*$/',

"lastname" => 'required|regex:/^([A-ZŠĐČĆŽ][a-zšđčćž]{2,25})(\s[A-ZŠĐČĆŽ][a-zšđčćž-]{2,25})*$/',

"email" => 'required|email',

"passwordConfirm" => "same:password"

];

}
```

SendCommentRequest.php

```
<?php
namespace App\Http\Requests;
use Illuminate\Foundation\Http\FormRequest;
class SendCommentRequest extends FormRequest
   * Determine if the user is authorized to make this request.
   * @return bool
  public function authorize()
    return true;
   * Get the validation rules that apply to the request.
   * @return array
  public function rules()
    return [
       "comment" => "required|regex:/^[a-zšđčćž0-9A-ZŠĐČĆŽ?!\.\s]{5,200}$/"
     ];
```

SponsorRequest.php

```
<?php
```

```
namespace App\Http\Requests;
use Illuminate\Foundation\Http\FormRequest;
class SponsorRequest extends FormRequest
   * Determine if the user is authorized to make this request.
   * @return bool
  public function authorize()
    return true;
   * Get the validation rules that apply to the request.
   * @return array
  public function rules()
    return [
  public function messages()
    return [
       "link.url" => "Link nije u ispravnom formatu!"
```

------Middleware------

AdminMiddleware.php

```
<?php
namespace App\Http\Middleware;
use Illuminate\Support\Facades\Log;
use Closure:
class AdminMiddleware
   * Handle an incoming request.
  * @param \Illuminate\Http\Request $request
  *@param \Closure $next
  * @return mixed
  public function handle($request, Closure $next)
    if(!$request->session()->has('user')){
       Log::alert("Neautorizovani korisnik sa ip adresom: ".$request->ip(). "je
pokusao da pristupi admin panelu");
       return redirect()->route("pocetna");
    $user = $request->session()->get('user');
    $username = $request->session()->get('user')->username;
    if($user->ID uloga!==1) {
       Log::critical("Korisnik sa korisnickim imenom". $username. "pokusao je
da pristupi admin panelu");
       return redirect()->route("pocetna");
    return $next($request);
```

AuthMiddleware.php

```
<?php
namespace App\Http\Middleware;
use Closure;</pre>
```

```
class AuthMiddleware
{
    /**
    * Handle an incoming request.
    *
    *@param \Illuminate\Http\Request $request
    *@param \Closure $next
    *@return mixed
    */
    public function handle($request, Closure $next)
    {
        if($request->session()->has('user')){
            return $next($request);
        }
        return redirect()->route('autor');
    }
}
```