# 1. Za potrebe ovog sajta korišćene su sledeće tehnologije:


- ♦ HTML4
- ♦ HTML5
- **❖** CCS2
- ❖ CSS3
- JavaScript
- ❖ Jquery
- AJAX
- ❖ PHP
- **❖** JSON

#### 2. Opis funkcionalnosti:

- Admin panel Kotrola sadržaja na sajtu za administratora
- Galerija slike popularnih proizvoda i slike proizvoda za kupovinu
- Registracija pri završetku regfistracije korisniku se šalje mejl sa aktivacionim linkom i tek kada korisnik klikne na njega postaje aktivan korisnik, korišćen PHP mailer
- Logovanje samo korisnici koji su se prethodno registrovali i aktivirali svoj nalog mogu se ulogovati
- Kontak stranica nakon što korisnik ispravno popuni sva polja i klikom na Pošalji, administratoru sajta se šalje mejl sa mejlom, imenom i prezimenom osobe koje želi da postavi pitanje
- Upotreba AJAX-a logovanje, registracija, izmena korisnika, kontakt stranica su odrađene pomoću AJAX-a
- Dinamičko generisanje iz baze Sadržaj koji je ključan (proizvodi, korisnici) se izvlači iz baze
- Korisinik moze dodavati proizvode u korpu, u gornjem desnom uglu mu se ispisuje korisničko ime kao i koliko proizvoda ima u korpi, dok se u samoj korpi prikazuje ukupan iznos koji je potreban da uplati

#### 3.Template

Index.php?page=pocetna, Index.php?page=softver, Index.php?page=hardver, Index.php?page=kontakt, Index.php?page=autor



#### Html

```
<?php
    endforeach;
    else: echo "";
    endif;
    ?>
    </div>
</div>
<script type="text/javascript" src="js/jquery-3.3.1.min.js"></script>
<script type="text/javascript" src="js/jquery.cycle.all.ax.js"></script></script></script>
```

```
<?php
  require_once "php/connection.php";
<div id="content">
  <aside id="leftContent">
    <?php
    $upit_linkovi = "SELECT * FROM linkovi WHERE nivo NOT IN (0, -1)";
    $rezultat_linkovi = $connection->query($upit_linkovi);
    echo '';
    foreach($rezultat_linkovi as $red)
      echo "<a href='".$red->putanja_link."'>".$red->naziv_link."</a>";
      echo "";
    echo "";
    ?>
  </aside>
<body>
<div id="wrapper">
  <header id="header">
    <div id="logo">
       <?php logo(); ?>
    </div>
    <nav id="navigation">
      ul id="navigation-ul">
         <?php
         $sql = "SELECT * FROM linkovi WHERE nivo = 0";
         $call = executeQuery($sql);
        foreach($call as $item):?>
         <a href='<?=$item->putanja_link?>'><?=$item-</li>
>naziv_link?></a>
        <?php endforeach; ?>
```

```
</nav>
    <div id="btn">
      <?php if(isset($_SESSION['user'])) :</pre>
        if($_SESSION['user']->ID_uloge==2): ?>
          <a</pre>
href="index.php?page=korpa"><?= $_SESSION["user"]->username ?><br/>br/>U
korpi : <?php countCart(); ?> </a>
          <a href="php/logout.php"><button class="btnReqLog
btnHover" id = "logout">Odjavite se</button></a>
        <?php else: ?>
          <?=</pre>
$ SESSION["user"]->username ?></a>
          <a href="php/logout.php"><button class="btnRegLog btnHover"
adminInfo" id = "logout">Odjavite se</button></a>
          <a</pre>
href="views/korisnici.php" > Korisnici (<?php countUsers() ?>)</a>
        <?php endif;?>
      <?php else: ?>
      <a href="register.php"><button class="btnRegLog btnHover" id =
reg">Registracija</button></a>
      <a href="log.php"><button class="btnRegLog btnHover" id =
"login">Prijava</button></a>
      <?php endif; ?>
    </div>
  </header>
<aside id="rightContent">
  <div class="baner"><h2>Sponzori sajta</h2></div>
  <?php
    $sql = "SELECT * FROM sponzori ORDER BY slika DESC LIMIT 3";
    $call = executeQuery($sql);
    if(!empty($call)) :
    foreach($call as $value):
  $link = $value->link;
  $title = explode(".",$link);
  ?>
  <div id="sponzori">
    <a href="<?=$value->link?>" target=" blank"><img src="<?=$value-
>slika?>" alt="<?=$value->naziv?>" title="<?=$title[1]?>" width="250"
height="150"></a>
<?php
```

```
endforeach;
else:
echo "";
endif;
?>
  </div>
</aside>
</div>
<div class="footer">
  <h6>Sva prava zadržana &reg; Katarina Jovanic</h6>
  <?php
  if(isset($_SESSION['user'])&&($_SESSION['user']->naziv_uloge
=="administrator")):
    include "php/adminPopular.php";
    include "php/adminLogo.php";
    include "php/adminSponsor.php";
    if(isset($_POST['send'])) :
       $errors =[];
      $ime = $_POST['man'];
      regex = "/^[\w\s]{3,50}$/";
      if(!preg_match($regex,$ime)) :
         $errros[] = "Ime nije u dobrom formatu";
      endif;
      if(count($errors)>0) :
         foreach($errors as $error)
           echo $error;
       else:
        $sql = "INSERT INTO proizvodjac VALUES('',:naziv)";
        $prepare = $connection->prepare($sql);
        $prepare->bindParam(":naziv",$ime);
        try{
          $code = $prepare->execute() ? 201 :500;
          echo "Dodat proizvođač";
        catch(PDOException $exception){
          code = 409;
```

```
$exception->getMessage();
        http_response_code($code);
        endif;
    endif;
    ?>
     <form id="mform" action="<?=
htmlentities($_SERVER['PHP_SELF']."?".$_SERVER['QUERY_STRING']);?>" method
="post">
       <input type="text" name="man" id="mans" placeholder="Ime</pre>
proizvođača">
       <input type="submit" name="send" id="man" class="adminInsert
btnProduct" value="Dodaj proizvođača">
    </form>
  <?php endif; ?>
  <a href="dokumentacija.pdf" class="">Dokumentacija</a>
</div>
<script type="text/javascript" src="js/jquery-3.3.1.min.js"></script>
<script type="text/javascript" src="js/jquery.cycle.all.ax.js"></script>
<script src="js/script.js" type="text/javascript"></script>
<script src="js/deleteProduct.js"></script>
<script src="js/updateProduct.js"></script>
</body>
</html>
```

#### Script.js

```
$(document).ready(function () {
    function refresh() {
        setTimeout(function () {
            location.reload();
        }, 100);
    }
    $(".cycle1").cycle({
```

```
fx: 'slideX'
});
$("span").hide();
//brisanje proizvoda
var del = $(".userDelete");
del.click(function(){
  var id = $(this).data("id");
  $.ajax({
     url: "http://localhost/SajtPHP1.1/php/userDel.php",
     method:"POST",
     dataType:"JSON",
     data:{
       id:id,
       btn:"sent"
     success:function(data, xhr){
       refresh();
       alert("Uspešno ste obrisali prozvod iz korpe");
     error:function(xhr, status, error) {
       switch (xhr.status) {
          case 404:
            window.location.href = "http://localhost/SajtPHP1.1/404.php";
          case 500:
            alert("Izvinjavamo se zbog tehničkih problema");
            break;
});
//kupovina
var buy = $(".userBuy");
buy.click(function () {
  var id = $(this).data("id");
  var p = $(this).data("p");
  $.ajax({
     url: "http://localhost/SajtPHP1.1/php/userBuy.php",
     method:"POST",
     dataType:"JSON",
     data:{
       id:id.
```

```
p:p,
       btn:"sent"
     success:function(data, xhr){
       refresh();
       alert("Uspešno ste kupili proizvod");
     error:function(xhr, status, error) {
       switch (xhr.status) {
          case 404:
            window.location.href = "http://localhost/SajtPHP1.1/404.php";
            break;
          case 500:
            alert("Izvinjavamo se zbog tehničkih problema");
            break;
  });
});
//korpa
var card = $(".cart");
card.click(function(){
  var id = $(this).data("id");
  var p = $(this).data("p");
  $.ajax({
     url: "http://localhost/SajtPHP1.1/php/userCard.php",
     method:"POST",
     dataType:"JSON",
     data:{
       id:id,
       p:p,
       btn:"sent"
     success:function(data, xhr){
       refresh();
       alert("Dodali ste proizvod u korpu!");
     error:function (xhr, status, error) {
       switch (xhr.status) {
          case 404:
            window.location.href = "http://localhost/SajtPHP1.1/404.php";
```

```
break;
          case 500:
            alert("Izvinjavamo se zbog tehničkih problema");
            break;
  });
});
  var btn = $("#userFeedback");
  btn.click(function () {
    var firstname = $("#imeKontakt");
    var lastname = $("#prezimeKontakt");
    var email = $("#emailKontakt");
    var reFirstnameLastname = /^[A-ZŠDČĆŽa-zšđžčć\s]{2,25}$/;
    var reEmail = /^[^@\s]{3,25}@[^@\s]{2,8}\.[^@\s]{2,6}$/;
    var errors = [];
    var content = $("#pitanje");
    if(!reFirstnameLastname.test(firstname.val())){
       firstname.css(
          "border", "1px solid red"
       firstname.val("");
       errors.push("Ime mora početi velikim slovom");
    else{
       firstname.css("border","1px solid #14a1e2");
    if(!reFirstnameLastname.test(lastname.val())){
       lastname.css({
         border: "1px solid red"
       lastname.val("");
       errors.push("Prezime mora početi velikim slovom");
    else{
       lastname.css("border", "1px solid #14a1e2");
    if(!reEmail.test(email.val())){
       email.css({
          border: "1px solid red"
       });
       email.val("");
```

```
errors.push("Email nije u dobrom formatu");
  else{
     email.css("border", "1px solid #14a1e2");
  if(content.val().length < 10){</pre>
     content.css({
       border: "1px solid red"
     });
     content.val("");
     errors.push("Sadrzaj je prekratak ");
  else{
     content.css("1px solid #14a1e2");
  if(errors.length > 0)
     console.log("Greska");
  else {
     $.ajax({
       url: "http://localhost/SajtPHP1.1/php/userFeedback.php",
       method: "POST",
       data: {
          ime: firstname.val(),
          prezime: lastname.val(),
          email: email.val(),
          content: content.val(),
          btn:"sent"
       success: function(data, xhr) {
         $("#kontaktOk").css("display", "");
       error: function(xhr, status, error){
             alert("Izvinjavamo se, trenutno imamo tehničkih problema");
     });
});
```


```
</div>
<div class="footer">
<h6>Sva prava zadržana &reg; Katarina Jovanic</h6>
<?php
```

```
if(isset($_SESSION['user'])&&($_SESSION['user']->naziv_uloge
=="administrator")):
    include "php/adminPopular.php";
    include "php/adminLogo.php";
    include "php/adminSponsor.php";
    if(isset($_POST['send'])) :
       $errors =[];
      $ime = $_POST['man'];
       regex = "/^[\w\s]{3,50}$/";
      if(!preg_match($regex,$ime)) :
         $errros[] = "Ime nije u dobrom formatu";
       endif;
      if(count($errors)>0):
         foreach($errors as $error)
           echo $error;
       else:
        $sql = "INSERT INTO proizvodjac VALUES('',:naziv)";
        $prepare = $connection->prepare($sql);
        $prepare->bindParam(":naziv",$ime);
        try{
          $code = $prepare->execute() ? 201 :500;
          echo "Dodat proizvođač";
        catch(PDOException $exception){
          code = 409;
          $exception->getMessage();
        http_response_code($code);
        endif;
    endif;
    ?>
    <form id="mform" action="<?=
htmlentities($_SERVER['PHP_SELF']."?".$_SERVER['QUERY_STRING']);?>" method
="post">
       <input type="text" name="man" id="mans" placeholder="Ime
proizvođača">
       <input type="submit" name="send" id="man" class="adminInsert
btnProduct" value="Dodaj proizvođača">
```

```
</php endif; ?>
    <a href="dokumentacija.pdf" class="">Dokumentacija</a>

</div>
<script type="text/javascript" src="js/jquery-3.3.1.min.js"></script>
<script type="text/javascript" src="js/jquery.cycle.all.ax.js"></script>
<script src="js/script.js" type="text/javascript"></script>
<script src="js/deleteProduct.js"></script>
<script src="js/deleteProduct.js"></script>
</script src="js/updateProduct.js"></script>
</body>
</html>
```

### Log.php



# CSS kod Tudji css:

```
@font-face {
   font-family: 'BebasNeueRegular';
   src: url('fonts/BebasNeue-webfont.eot');
   src: url('fonts/BebasNeue-webfont.eot?#iefix') format('embedded-opentype'),
     url('fonts/BebasNeue-webfont.woff') format('woff'),
     url('fonts/BebasNeue-webfont.ttf') format('truetype'),
     url('fonts/BebasNeue-webfont.svg#BebasNeueRegular') format('svg');
```

```
font-weight: normal;
  font-style: normal;
/* CSS reset */
body,div,dl,dt,dd,ul,ol,li,h1,h2,h3,h4,h5,h6,pre,form,fieldset,input,textarea,p,blockq
uote,th,td {
 margin:0;
 padding:0;
html,body {
 margin:0;
 padding:0;
 height: 100%;
table {
 border-collapse:collapse;
 border-spacing:0;
fieldset,img {
 border:0;
address, caption, cite, code, dfn, th, var {
 font-style:normal;
 font-weight:normal;
ol,ul {
 list-style:none;
caption,th {
 text-align:left;
h1,h2,h3,h4,h5,h6 {
 font-size:100%;
 font-weight:normal;
q:before,q:after {
 content:";
.center a{
 margin:0 auto;
abbr,acronym { border:0;
```

```
article, aside, details, figcaption, figure,
footer, header, hgroup, menu, nav, section {
 display: block;
/* General Demo Style */
body{
 font-family: Cambria, Palatino, "Palatino Linotype", "Palatino LT STD", Georgia,
serif;
 background: #fff url(../images/bg.jpg) repeat top left;
 font-weight: 400;
 font-size: 15px;
 color: #1d3c41;
 overflow-y: scroll;
a{
 color: #333;
 text-decoration: none;
.container{
 width: 100%;
 height: 100%;
 position: relative;
 text-align: center;
.clr{
 clear: both;
.container > header{
 padding: 20px 30px 10px 30px;
 margin: 0px 20px 10px 20px;
 position: relative;
 display: block;
 text-shadow: 1px 1px 1px rgba(0,0,0,0.2);
  text-align: center;
.container > header h1{
 font-family: 'BebasNeueRegular', 'Arial Narrow', Arial, sans-serif;
 font-size: 35px;
 line-height: 35px;
 position: relative;
 font-weight: 400;
 color: rgba(26,89,120,0.9);
 text-shadow: 1px 1px 1px rgba(0,0,0,0.1);
```

```
padding: 0px 0px 5px 0px;
.container > header h1 span{
 color: #7cbcd6;
 text-shadow: 0px 1px 1px rgba(255,255,255,0.8);
.container > header h2{
 font-size: 16px;
 font-style: italic;
 color: #2d6277;
 text-shadow: 0px 1px 1px rgba(255,255,255,0.8);
/* Header Style */
.codrops-top{
 line-height: 24px;
 font-size: 11px;
 background: rgba(255, 255, 255, 0.4);
 text-transform: uppercase;
 z-index: 9999;
 position: relative;
 box-shadow: 1px 0px 2px rgba(0,0,0,0.2);
.codrops-top a{
 padding: 0px 10px;
 letter-spacing: 1px;
 color: #333;
 text-shadow: 0px 1px 1px #fff;
 display: block;
.codrops-top a:hover{
 background: #fff;
.codrops-top span.right{
 float: right;
.codrops-top span.right a{
 float: left;
 display: block;
.codrops-demos{
 text-align:center;
 display: block;
```

```
padding: 14px;
.codrops-demos span{
 display: inline-block;
 padding-right: 15px;
 text-shadow: 1px 1px 1px rgba(255, 255, 255, 0.8);
.codrops-demos a,
.codrops-demos a.current-demo,
.codrops-demos a.current-demo:hover{
  display: inline-block;
 font-style: italic;
 font-size: 12px;
 padding: 3px 5px;
 margin: 0px 3px;
 font-weight: 800;
 box-shadow: 1px 1px 1px rgba(0,0,0,0.05) inset;
 color: #fff;
 text-shadow: 1px 1px 1px rgba(0,0,0,0.1);
 background: rgba(104,171,194,0.5);
.codrops-demos a:hover{
 background: #4fa2c4;
.codrops-demos a.current-demo,
.codrops-demos a.current-demo:hover{
 color: rgba(104,171,194,1);
 background: rgba(255,255,255,0.9);
 box-shadow: 0px 1px 1px rgba(0,0,0,0.1);
```

```
/* remove codrops styles and reset the whole thing */
#container_demo{
    text-align: left;
    margin: 0;
    padding: 0;
    margin: 0 auto;
    font-family: "Trebuchet MS","Myriad Pro",Arial,sans-serif;
}

/** fonts used for the icons **/
@font-face {
```

```
font-family: 'FontomasCustomRegular';
  src: url('fonts/fontomas-webfont.eot');
  src: url('fonts/fontomas-webfont.eot?#iefix') format('embedded-opentype'),
  url('fonts/fontomas-webfont.woff') format('woff'),
  url('fonts/fontomas-webfont.ttf') format('truetype'),
  url('fonts/fontomas-webfont.svg#FontomasCustomRegular') format('svg');
  font-weight: normal;
  font-style: normal;
@font-face {
  font-family: 'FranchiseRegular';
  src: url('fonts/franchise-bold-webfont.eot');
  src: url('fonts/franchise-bold-webfont.eot?#iefix') format('embedded-
opentype'),
  url('fonts/franchise-bold-webfont.woff') format('woff'),
  url('fonts/franchise-bold-webfont.ttf') format('truetype'),
  url('fonts/franchise-bold-webfont.svg#FranchiseRegular') format('svg');
  font-weight: normal;
  font-style: normal;
a.hiddenanchor{
  display: none;
/** The wrapper that will contain our two forms **/
#wrapper{
  width: 60%;
  right: 0px;
  min-height: 560px;
  margin: 0px auto;
  width: 500px;
  position: relative;
/**** Styling the form elements **/
/**** general text styling ****/
#wrapper a{
  color: rgb(95, 155, 198);
  text-decoration: underline;
#wrapper h1{
  font-size: 30px;
```

```
color: rgb(6, 106, 117);
  padding: 2px 10px;
  text-align: center;
  padding-bottom: 10px;
'** For the moment only webkit supports the background-clip:text; */
#wrapper h1{
  background: -webkit-repeating-linear-gradient(-45deg,
  rgb(95, 155, 198),
  rgb(95, 165, 188) 20px,
  rgb(95, 145, 208) 20px,
  rgb(95, 165, 188) 40px,
  rgb(95, 145, 208) 40px);
  -webkit-text-fill-color: transparent;
  -webkit-background-clip: text;
#wrapper h1:after{
  content: ' ';
  display: block;
  width: 100%;
  height: 2px;
  margin-top: 10px;
  background: -moz-linear-gradient(left, rgba(147,184,189,0) 0%,
rgba(147,184,189,0.8) 20%, rgba(147,184,189,1) 53%, rgba(147,184,189,0.8) 79%,
rgba(147,184,189,0) 100%);
  background: -webkit-gradient(linear, left top, right top, color-
stop(0%,rgba(147,184,189,0)), color-stop(20%,rgba(147,184,189,0.8)), color-
stop(53%,rgba(147,184,189,1)), color-stop(79%,rgba(147,184,189,0.8)), color-
stop(100%,rgba(147,184,189,0)));
  background: -webkit-linear-gradient(left, rgba(147,184,189,0)
0%,rgba(147,184,189,0.8) 20%,rgba(147,184,189,1) 53%,rgba(147,184,189,0.8)
79%,rgba(147,184,189,0) 100%);
  background: -o-linear-gradient(left, rgba(147,184,189,0) 0%,rgba(147,184,189,0.8)
20%,rgba(147,184,189,1) 53%,rgba(147,184,189,0.8) 79%,rgba(147,184,189,0) 100%);
  background: -ms-linear-gradient(left, rgba(147,184,189,0)
0%,rgba(147,184,189,0.8) 20%,rgba(147,184,189,1) 53%,rgba(147,184,189,0.8)
79%,rgba(147,184,189,0) 100%);
  background: linear-gradient(left, rgba(147,184,189,0) 0%,rgba(147,184,189,0.8)
20%,rgba(147,184,189,1) 53%,rgba(147,184,189,0.8) 79%,rgba(147,184,189,0) 100%);
#wrapper p{
  margin-bottom:15px;
```

```
#wrapper p:first-child{
  margin: 0px;
#wrapper label{
  color: rgb(64, 92, 96);
  position: relative;
/**** advanced input styling ****/
/* placeholder */
::-webkit-input-placeholder {
  color: rgb(190, 188, 188);
  font-style: italic;
input:-moz-placeholder,
textarea:-moz-placeholder{
  color: rgb(190, 188, 188);
  font-style: italic;
input {
  outline: none;
/* all the input except submit and checkbox */
#wrapper input:not([type="checkbox"]){
  width: 92%;
  margin-top: 4px;
  padding: 10px 5px 10px 32px;
  border: 1px solid rgb(178, 178, 178);
  -webkit-appearance: textfield;
  -webkit-box-sizing: content-box;
  -moz-box-sizing : content-box;
  box-sizing: content-box;
  -webkit-border-radius: 3px;
  -moz-border-radius: 3px;
  border-radius: 3px;
  -webkit-box-shadow: 0px 1px 4px 0px rgba(168, 168, 168, 0.6) inset;
  -moz-box-shadow: 0px 1px 4px 0px rgba(168, 168, 168, 0.6) inset;
  box-shadow: 0px 1px 4px 0px rgba(168, 168, 168, 0.6) inset;
  -webkit-transition: all 0.2s linear;
  -moz-transition: all 0.2s linear;
  -o-transition: all 0.2s linear;
```

```
transition: all 0.2s linear;
#wrapper input:not([type="checkbox"]):active,
#wrapper input:not([type="checkbox"]):focus{
  border: 1px solid rgba(91, 90, 90, 0.7);
  background: rgba(238, 236, 240, 0.2);
  -webkit-box-shadow: 0px 1px 4px 0px rgba(168, 168, 168, 0.9) inset;
  -moz-box-shadow: 0px 1px 4px 0px rgba(168, 168, 168, 0.9) inset;
  box-shadow: 0px 1px 4px 0px rgba(168, 168, 168, 0.9) inset;
/** the magic icon trick! **/
[data-icon]:after {
  content: attr(data-icon);
  font-family: 'FontomasCustomRegular';
  color:rgb(95, 155, 198);
  position: absolute;
  left: 10px;
  top: 35px;
  width: 30px;
/*styling both submit buttons */
#wrapper p.button input{
  width: 30%;
  cursor: pointer;
  background-color:rgb(61, 120, 179);
  padding: 8px 5px;
  font-family: 'Segoe UI Semibold', 'Arial Narrow', Arial, sans-serif;
  color: #fff;
  font-size: 20px;
  border: 1px solid rgb(28, 108, 122);
  margin-bottom: 10px;
  text-shadow: 0 1px 1px rgba(0, 0, 0, 0.5);
  -webkit-border-radius: 3px;
  -moz-border-radius: 3px;
  border-radius: 3px;
  -webkit-box-shadow: 0px 1px 6px 4px rgba(0, 0, 0, 0.07) inset,
  0px 0px 0px 3px rgb(254, 254, 254),
  0px 5px 3px 3px rgb(210, 210, 210);
  -moz-box-shadow:0px 1px 6px 4px rgba(0, 0, 0, 0.07) inset,
  Opx Opx Opx 3px rgb(254, 254, 254),
  0px 5px 3px 3px rgb(210, 210, 210);
```

```
box-shadow:0px 1px 6px 4px rgba(0, 0, 0, 0.07) inset,
  0px 0px 0px 3px rgb(254, 254, 254),
  0px 5px 3px 3px rgb(210, 210, 210);
  -webkit-transition: all 0.2s linear;
  -moz-transition: all 0.2s linear;
  -o-transition: all 0.2s linear:
  transition: all 0.2s linear;
#wrapper p.button input:hover{
  background-color: #14a1e2;
#wrapper p.button input:active,
#wrapper p.button input:focus{
  background-color: #14a1e2;
  position: relative;
  top: 1px;
  border: 1px solid rgb(12, 76, 87);
  -webkit-box-shadow: 0px 1px 6px 4px rgba(0, 0, 0, 0.2) inset;
  -moz-box-shadow: 0px 1px 6px 4px rgba(0, 0, 0, 0.2) inset;
  box-shadow: 0px 1px 6px 4px rgba(0, 0, 0, 0.2) inset;
p.login.button,
p.signin.button{
  text-align: right;
  margin: 5px 0;
p.reset.button{
  margin:5px 0;
  text-align: left;
/* styling the checkbox "keep me logged in"*/
.keeplogin{
  margin-top: -5px;
.keeplogin input,
.keeplogin label{
  display: inline-block;
  font-size: 12px;
  font-style: italic;
.keeplogin input#loginkeeping{
  margin-right: 5px;
```

```
.keeplogin label{
  width: 80%;
/*styling the links to change from one form to another */
p.change_link{
  position: absolute;
  color: rgb(127, 124, 124);
  left: 0px;
  height: 20px;
  width: 440px;
  padding: 17px 30px 20px 30px;
  font-size: 16px
  text-align: right;
  border-top: 1px solid rgb(219, 229, 232);
  -webkit-border-radius: 0 0 5px 5px;
  -moz-border-radius: 0 0 5px 5px;
  border-radius: 0 0 5px 5px;
  background: rgb(225, 234, 235);
  background: -moz-repeating-linear-gradient(-45deg,
  rgb(247, 247, 247),
  rgb(247, 247, 247) 15px,
  rgb(225, 234, 235) 15px,
  rgb(225, 234, 235) 30px,
  rgb(247, 247, 247) 30px
  background: -webkit-repeating-linear-gradient(-45deg,
  rgb(247, 247, 247),
  rgb(247, 247, 247) 15px,
  rgb(225, 234, 235) 15px,
  rgb(225, 234, 235) 30px,
  rgb(247, 247, 247) 30px
  background: -o-repeating-linear-gradient(-45deg,
  rgb(247, 247, 247),
  rgb(247, 247, 247) 15px,
  rgb(225, 234, 235) 15px,
  rgb(225, 234, 235) 30px,
  rgb(247, 247, 247) 30px
```

```
background: repeating-linear-gradient(-45deg,
  rgb(247, 247, 247),
  rgb(247, 247, 247) 15px,
  rgb(225, 234, 235) 15px,
  rgb(225, 234, 235) 30px,
  rgb(247, 247, 247) 30px
#wrapper p.change_link a {
  display: inline-block;
  font-weight: bold;
  background-color:rgb(61, 120, 179);
  padding: 2px 6px;
  color: white;
  margin-left: 10px;
  text-decoration: none;
  -webkit-border-radius: 4px;
  -moz-border-radius: 4px;
  border-radius: 4px;
  border: 1px solid rgb(203, 213, 214);
  -webkit-transition: all 0.4s linear;
  -moz-transition: all 0.4s linear:
  -o-transition: all 0.4s linear;
  -ms-transition: all 0.4s linear;
  transition: all 0.4s linear;
#wrapper p.change_link a:hover {
  color: white;
  background-color: #14a1e2;
  border: 1px solid azure;
#wrapper p.change_link a:active{
  position: relative;
  top: 1px;
/** Styling both forms **/
#register,
#login{
  position: absolute;
  top: 0px;
  width: 88%;
  padding: 18px 6% 60px 6%;
  margin: 0 0 35px 0;
```

```
background: rgb(247, 247, 247);
  border: 1px solid rgba(147, 184, 189,0.8);
  -webkit-box-shadow: 0pt 2px 5px rgba(105, 108, 109, 0.7), 0px 0px 8px 5px
rgba(208, 223, 226, 0.4) inset;
  -moz-box-shadow: 0pt 2px 5px rgba(105, 108, 109, 0.7), 0px 0px 8px 5px
rgba(208, 223, 226, 0.4) inset;
  box-shadow: 0pt 2px 5px rgba(105, 108, 109, 0.7), 0px 0px 8px 5px rgba(208,
223, 226, 0.4) inset;
  -moz-border-radius: 5px;
  border-radius: 5px;
#register{
  z-index: 23;
  opacity: 0;
#login{
  z-index: 22;
#toregister:target ~ #wrapper #register,
#tologin:target ~ #wrapper #login{
  z-index: 22;
  -webkit-animation-name: fadeInLeft;
  -moz-animation-name: fadeInLeft;
  -ms-animation-name: fadeInLeft:
  -o-animation-name: fadeInLeft;
  animation-name: fadeInLeft;
  -webkit-animation-delay: .1s;
  -moz-animation-delay: .1s;
  -o-animation-delay: .1s;
  -ms-animation-delay: .1s;
  animation-delay: .1s;
#toregister:target ~ #wrapper #login,
#tologin:target ~ #wrapper #register{
  -webkit-animation-name: fadeOutLeft;
  -moz-animation-name: fadeOutLeft;
  -ms-animation-name: fadeOutLeft:
  -o-animation-name: fadeOutLeft;
  animation-name: fadeOutLeft:
```

```
/** the actual animation, credit where due : http://daneden.me/animate/ ***/
.animate{
  -webkit-animation-duration: 0.5s;
  -webkit-animation-timing-function: ease;
  -webkit-animation-fill-mode: both;
  -moz-animation-duration: 0.5s;
  -moz-animation-timing-function: ease;
  -moz-animation-fill-mode: both:
  -o-animation-duration: 0.5s:
  -o-animation-timing-function: ease;
  -o-animation-fill-mode: both;
  -ms-animation-duration: 0.5s:
  -ms-animation-timing-function: ease;
  -ms-animation-fill-mode: both;
  animation-duration: 0.5s:
  animation-timing-function: ease;
  animation-fill-mode: both;
/** yerk some ugly IE fixes 'cause I know someone will ask "why does it look ugly in
IE?", no matter how many warnings I will put in the article */
.lt8 #wrapper input{
  padding: 10px 5px 10px 32px;
  width: 92%;
.lt8 #wrapper input[type=checkbox]{
  width: 10px;
  padding: 0;
.lt8 #wrapper h1{
  color: #066A75;
.lt8 #register{
  display: none;
.lt8 p.change_link,
.ie9 p.change_link{
  position: absolute;
```

```
height: 90px;
  background: transparent;
#feedback p{
  font-size: 15px;
  color: rgb(6, 106, 117);
  padding: 5px 0px;
  text-align: center;
.er{
  font-size:12.5px;
  color:red;
  word-break: break-word;
  text-align:justify;
.ok{
  font-size:12.5px;
  color:rgb(61, 120, 179);
  word-break: break-word;
  text-align:justify;
```

#### Html

```
<!DOCTYPE html>
<!--[if It IE 7 ]> <html lang="en" class="no-js ie6 It8"> <![endif]-->
<!--[if IE 7 ]> <html lang="en" class="no-js ie7 lt8"> <![endif]-->
<!--[if IE 8 ]> <html lang="en" class="no-js ie8 lt8"> <![endif]-->
<!--[if IE 9 ]> <html lang="en" class="no-js ie9"> <![endif]-->
<!--[if (gt IE 9)|!(IE)]><!--> <html lang="en" class="no-js"> <!--<![endif]-->
<head>
  <meta charset="UTF-8"/>
  <title>NanoSoft DeLux</title>
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta name="description" content="Login and Registration Form with HTML5</pre>
and CSS3" />
  <meta name="keywords" content="html5, css3, form, switch, animation, :target,
pseudo-class" />
  <meta name="author" content="Katarina Jovanic" />
  k rel="shortcut icon" href="images/fav.ico" type="image/x-icon">
  k rel="stylesheet" type="text/css" href="css/demo.css" />
  k rel="stylesheet" type="text/css" href="css/stylelog.css" />
```

```
<link rel="stylesheet" type="text/css" href="css/animate-custom.css" />
</head>
```

```
<body>
<div class="container">
  <div class="codrops-top">
    <div id="center">
      <?php
        include "php/connection.php";
      logo(); ?>
    </div>
    <div class="clr"></div>
  </div><!--/ Codrops top bar -->
  <header>
    <nav class="codrops-demos">
    </nav>
  </header>
  <section>
    <div id="container_demo" ><!-- hidden anchor to stop jump
http://www.css3create.com/Astuce-Empecher-le-scroll-avec-l-utilisation-de-
target#wrap4 -->
       <div id="wrapper">
         <div id="login" class="animate form">
           <form id="formaLog" autocomplete="on">
             <h1>Prijava</h1>
             >
                <label for="usernameLog" class="uname" data-icon="u" >
Korisničko ime </label>
                <input id="usernameLog" name="username"</pre>
autofocus="autofocus" type="text" placeholder="korisnik1234"/>
             >
                <label for="passwordLog" class="youpasswd" data-icon="p">
Lozinka </label>
                <input id="passwordLog" name="password" type="password"
placeholder="Abcd1234" />
```

```
<span id="feedbackError" class="er">Uneti podaci nisu
ispravni!</span>
            <span id="feedback500L" class="er">Izvinjavamo se, trenutno se ne
mozete prijaviti </span>
            <span id="feedback200L" class="ok">Uspešna prijava!</span>
            <input type="button" value="OK" name="send" id="btn" />
            Nemate nalog?
              <a href="register.php" class="to_register">Registrujte se</a>
            </form>
        </div>
      </div>
    </div>
  </section>
</div>
<script src="js/jquery-3.3.1.min.js"></script>
<script src="js/scriptLog.js"></script>
</body>
</html>
```

### scriptLog

```
$(document).ready(function () {
    $("span").hide();
});

var username = $("#usernameLog");
var password = $("#passwordLog");
var btn = $("#btn");
```

```
btn.click(function(){
  var reUsername = /^[a-z \le d \le 2]{4,10}[0-9]{1,4}
  var rePassword = /^[A-ZŠDČĆŽ][a-zšđčćž]{3,10}[0-9]{1,4}$/;
  var errors = [];
  if(!reUsername.test(username.val())){
       errors.push("Korisničko ime nije u dobrom formatu");
       username.css("border", "1px solid red");
       console.log("nijeime");
  else{
     username.css("border" ,"");
  if(!rePassword.test(password.val())){
     console.log("nit je lozinka");
     errors.push("Lozinka nije u dobrom formatu");
     password.css("border", "1px solid red");
  else{
     password.css("border" ,"");
  if(errors.length > 0){
     console.log("Nesto je trulo u drzavi Danskoj");
  else{
     $.ajax({
      url: "http://localhost/SajtPHP1.1/php/login.php",
      method: "post",
      dataType: "json",
      data:{
         username: username.val(),
         password: password.val(),
         btn: "sent"
      },
       success: function(data,xhr){
          $("#feedback200L").css("display", "");
          $("#feedbackError").css("display", "none");
          $("#feedback500L").css("display", "none");
          setTimeout(function () {
              window.location.href =
'http://localhost/SajtPHP1.1/index.php?page=pocetna";
           }, 700);
```

```
error:function(xhr, status,error){
     switch(xhr.status){
       case 404:
          $("#feedbackError").css("display", "");
          break;
       case 409:
          $("#feedbackError").css("display", "");
          break;
       case 422:
          $("#feedbackError").css("display", "");
          break;
       case 403:
          $("#feedbackError").css("display", "");
          break;
       case 500:
          $("#feedback500L").css("display", "");
          break;
});
```

## Register.php



CSS kod Tudji css:

```
@font-face {
  font-family: 'BebasNeueRegular';
  src: url('fonts/BebasNeue-webfont.eot');
  src: url('fonts/BebasNeue-webfont.eot?#iefix') format('embedded-opentype'),
     url('fonts/BebasNeue-webfont.woff') format('woff'),
     url('fonts/BebasNeue-webfont.ttf') format('truetype'),
     url('fonts/BebasNeue-webfont.svg#BebasNeueRegular') format('svg');
  font-weight: normal;
  font-style: normal;
/* CSS reset */
body,div,dl,dt,dd,ul,ol,li,h1,h2,h3,h4,h5,h6,pre,form,fieldset,input,textarea,p,blockq
uote,th,td {
 margin:0;
 padding:0;
html,body {
 margin:0;
 padding:0;
 height: 100%;
table {
 border-collapse:collapse;
 border-spacing:0;
fieldset,img {
 border:0;
address, caption, cite, code, dfn, th, var {
 font-style:normal;
 font-weight:normal;
ol,ul {
 list-style:none;
caption,th {
 text-align:left;
h1,h2,h3,h4,h5,h6 {
 font-size:100%;
 font-weight:normal;
q:before,q:after {
```

```
content:";
.center a{
 margin:0 auto;
abbr,acronym { border:0;
article, aside, details, figcaption, figure,
footer, header, hgroup, menu, nav, section {
 display: block;
/* General Demo Style */
body{
 font-family: Cambria, Palatino, "Palatino Linotype", "Palatino LT STD", Georgia,
serif;
 background: #fff url(../images/bg.jpg) repeat top left;
 font-weight: 400;
 font-size: 15px;
 color: #1d3c41;
 overflow-y: scroll;
 color: #333;
 text-decoration: none;
.container{
 width: 100%;
 height: 100%;
 position: relative;
 text-align: center;
.clr{
 clear: both;
.container > header{
 padding: 20px 30px 10px 30px;
 margin: 0px 20px 10px 20px;
 position: relative;
 display: block;
 text-shadow: 1px 1px 1px rgba(0,0,0,0.2);
  text-align: center;
.container > header h1{
```

```
font-family: 'BebasNeueRegular', 'Arial Narrow', Arial, sans-serif;
 font-size: 35px;
 line-height: 35px;
 position: relative;
 font-weight: 400;
 color: rgba(26,89,120,0.9);
 text-shadow: 1px 1px 1px rgba(0,0,0,0.1);
  padding: 0px 0px 5px 0px;
.container > header h1 span{
 color: #7cbcd6;
 text-shadow: 0px 1px 1px rgba(255,255,255,0.8);
.container > header h2{
 font-size: 16px;
 font-style: italic;
 color: #2d6277;
 text-shadow: 0px 1px 1px rgba(255,255,255,0.8);
/* Header Style */
.codrops-top{
 line-height: 24px;
 font-size: 11px;
 background: rgba(255, 255, 255, 0.4);
 text-transform: uppercase;
 z-index: 9999;
 position: relative;
 box-shadow: 1px 0px 2px rgba(0,0,0,0.2);
.codrops-top a{
 padding: 0px 10px;
 letter-spacing: 1px;
 color: #333;
 text-shadow: 0px 1px 1px #fff;
 display: block;
.codrops-top a:hover{
 background: #fff;
.codrops-top span.right{
 float: right;
```

```
.codrops-top span.right a{
 float: left;
 display: block;
.codrops-demos{
 text-align:center;
 display: block;
 padding: 14px;
.codrops-demos span{
 display: inline-block;
 padding-right: 15px;
 text-shadow: 1px 1px 1px rgba(255, 255, 255, 0.8);
.codrops-demos a,
.codrops-demos a.current-demo,
.codrops-demos a.current-demo:hover{
  display: inline-block;
 font-style: italic;
 font-size: 12px;
 padding: 3px 5px;
 margin: 0px 3px;
 font-weight: 800;
 box-shadow: 1px 1px 1px rgba(0,0,0,0.05) inset;
 text-shadow: 1px 1px 1px rgba(0,0,0,0.1);
 background: rgba(104,171,194,0.5);
codrops-demos a:hover{
 background: #4fa2c4;
.codrops-demos a.current-demo,
.codrops-demos a.current-demo:hover{
 color: rgba(104,171,194,1);
 background: rgba(255,255,255,0.9);
 box-shadow: 0px 1px 1px rgba(0,0,0,0.1);
/* remove codrops styles and reset the whole thing */
#container demo{
  text-align: left;
  margin: 0;
  padding: 0;
  margin: 0 auto;
```

```
font-family: "Trebuchet MS", "Myriad Pro", Arial, sans-serif;
/** fonts used for the icons **/
@font-face {
  font-family: 'FontomasCustomRegular';
  src: url('fonts/fontomas-webfont.eot');
  src: url('fonts/fontomas-webfont.eot?#iefix') format('embedded-opentype'),
     url('fonts/fontomas-webfont.woff') format('woff'),
     url('fonts/fontomas-webfont.ttf') format('truetype'),
     url('fonts/fontomas-webfont.svg#FontomasCustomRegular') format('svg');
  font-weight: normal;
  font-style: normal;
@font-face {
  font-family: 'FranchiseRegular';
  src: url('fonts/franchise-bold-webfont.eot');
  src: url('fonts/franchise-bold-webfont.eot?#iefix') format('embedded-
opentype'),
     url('fonts/franchise-bold-webfont.woff') format('woff'),
     url('fonts/franchise-bold-webfont.ttf') format('truetype'),
     url('fonts/franchise-bold-webfont.svg#FranchiseRegular') format('svg');
  font-weight: normal;
  font-style: normal;
/** The wrapper that will contain our two forms **/
#wrapper{
 width: 60%;
 right: 0px;
 min-height: 560px;
 margin: 0px auto;
 width: 500px;
 position: relative;
 **** Styling the form elements **/
/**** general text styling ****/
#wrapper a{
 color: rgb(95, 155, 198);
 text-decoration: underline;
```

```
#wrapper h1{
 font-size: 30px;
 color: rgb(6, 106, 117);
 padding: 2px 10px;
 text-align: center;
 padding-bottom: 10px;
/** For the moment only webkit supports the background-clip:text; */
#wrapper h1{
 background: -webkit-repeating-linear-gradient(-45deg,
 rgb(95, 155, 198),
 rgb(95, 165, 188) 20px,
 rgb(95, 145, 208) 20px,
 rgb(95, 165, 188) 40px,
 rgb(95, 145, 208) 40px);
 -webkit-text-fill-color: transparent;
 -webkit-background-clip: text;
#wrapper h1:after{
 content: ' ';
 display: block;
 width: 100%;
 height: 2px;
 margin-top: 10px;
 background: -moz-linear-gradient(left, rgba(147,184,189,0) 0%,
rgba(147,184,189,0.8) 20%, rgba(147,184,189,1) 53%, rgba(147,184,189,0.8) 79%,
rgba(147,184,189,0) 100%);
 background: -webkit-gradient(linear, left top, right top, color-
stop(0%,rgba(147,184,189,0)), color-stop(20%,rgba(147,184,189,0.8)), color-
stop(53%,rgba(147,184,189,1)), color-stop(79%,rgba(147,184,189,0.8)), color-
stop(100%,rgba(147,184,189,0)));
 background: -webkit-linear-gradient(left, rgba(147,184,189,0)
0%,rgba(147,184,189,0.8) 20%,rgba(147,184,189,1) 53%,rgba(147,184,189,0.8)
79%,rgba(147,184,189,0) 100%);
 background: -o-linear-gradient(left, rgba(147,184,189,0) 0%,rgba(147,184,189,0.8)
20%,rgba(147,184,189,1) 53%,rgba(147,184,189,0.8) 79%,rgba(147,184,189,0) 100%);
 background: -ms-linear-gradient(left, rgba(147,184,189,0)
0%,rgba(147,184,189,0.8) 20%,rgba(147,184,189,1) 53%,rgba(147,184,189,0.8)
79%,rgba(147,184,189,0) 100%);
 background: linear-gradient(left, rgba(147,184,189,0) 0%,rgba(147,184,189,0.8)
20%,rgba(147,184,189,1) 53%,rgba(147,184,189,0.8) 79%,rgba(147,184,189,0) 100%);
```

```
#wrapper p{
 margin-bottom:15px;
#wrapper p:first-child{
 margin: 0px;
#wrapper label{
 color: rgb(64, 92, 96);
 position: relative;
/**** advanced input styling ****/
/* placeholder */
::-webkit-input-placeholder {
 color: rgb(190, 188, 188);
 font-style: italic;
input:-moz-placeholder,
textarea:-moz-placeholder{
 color: rgb(190, 188, 188);
 font-style: italic;
input, select {
 outline: none;
/* all the input except submit and checkbox */
#wrapper select, input:not([type="checkbox"]){
 width: 92%;
 margin-top: 4px;
 padding: 10px 5px 10px 32px;
 border: 1px solid rgb(178, 178, 178);
 -webkit-appearance: textfield;
 -webkit-box-sizing: content-box;
  -moz-box-sizing : content-box;
      box-sizing: content-box;
 -webkit-border-radius: 3px;
   -moz-border-radius: 3px;
      border-radius: 3px;
 -webkit-box-shadow: 0px 1px 4px 0px rgba(168, 168, 168, 0.6) inset;
   -moz-box-shadow: 0px 1px 4px 0px rgba(168, 168, 168, 0.6) inset;
      box-shadow: 0px 1px 4px 0px rgba(168, 168, 168, 0.6) inset;
```

```
-webkit-transition: all 0.2s linear;
   -moz-transition: all 0.2s linear;
    -o-transition: all 0.2s linear;
      transition: all 0.2s linear;
#wrapper input:not([type="checkbox"]):active, select,
#wrapper input:not([type="checkbox"]):focus{
 border: 1px solid rgba(91, 90, 90, 0.7);
 background: rgba(238, 236, 240, 0.2);
 -webkit-box-shadow: 0px 1px 4px 0px rgba(168, 168, 168, 0.9) inset;
   -moz-box-shadow: 0px 1px 4px 0px rgba(168, 168, 168, 0.9) inset;
      box-shadow: 0px 1px 4px 0px rgba(168, 168, 168, 0.9) inset;
/** the magic icon trick! **/
[data-icon]:before {
  content: attr(data-icon);
  font-family: 'FontomasCustomRegular';
 color:rgb(95, 155, 198);
  position: absolute;
  left: 10px;
  top: 35px;
 width: 30px;
/*styling both submit buttons */
#wrapper p.button input{
 width: 30%;
 cursor: pointer;
 background-color:rgb(61, 120, 179);
 padding: 8px 5px;
 font-family: 'Segoe UI Semibold';
 color: #fff;
 font-size: 20px;
 border: 1px solid rgb(28, 108, 122);
 margin-bottom: 10px;
 text-shadow: 0 1px 1px rgba(0, 0, 0, 0.5);
 -webkit-border-radius: 3px;
   -moz-border-radius: 3px;
      border-radius: 3px;
 -webkit-box-shadow: 0px 1px 6px 4px rgba(0, 0, 0, 0.07) inset,
      0px 0px 0px 3px rgb(254, 254, 254),
      0px 5px 3px 3px rgb(210, 210, 210);
```

```
-moz-box-shadow:0px 1px 6px 4px rgba(0, 0, 0, 0.07) inset,
      0px 0px 0px 3px rgb(254, 254, 254),
      0px 5px 3px 3px rgb(210, 210, 210);
      box-shadow:0px 1px 6px 4px rgba(0, 0, 0, 0.07) inset,
      Opx Opx Opx 3px rgb(254, 254, 254),
      0px 5px 3px 3px rgb(210, 210, 210);
 -webkit-transition: all 0.2s linear;
   -moz-transition: all 0.2s linear;
     -o-transition: all 0.2s linear:
      transition: all 0.2s linear;
#wrapper p.button input:hover{
 background-color: #14a1e2;
#wrapper p.button input:active,
#wrapper p.button input:focus{
 background-color: #14a1e2;
 position: relative;
 top: 1px;
 border: 1px solid rgb(12, 76, 87);
 -webkit-box-shadow: 0px 1px 6px 4px rgba(0, 0, 0, 0.2) inset;
   -moz-box-shadow: 0px 1px 6px 4px rgba(0, 0, 0, 0.2) inset;
      box-shadow: 0px 1px 6px 4px rgba(0, 0, 0, 0.2) inset;
p.login.button,
p.signin.button{
 text-align: right;
 margin: 5px 0;
p.reset.button{
 margin:5px 0;
 text-align: left;
/* styling the checkbox "keep me logged in"*/
.keeplogin{
 margin-top: -5px;
.keeplogin input,
.keeplogin label{
 display: inline-block;
 font-size: 13px;
 font-style: italic;
```

```
.keeplogin input#loginkeeping{
 margin-right: 5px;
.keeplogin label{
 width: 80%;
/*styling the links to change from one form to another */
p.change_link{
 position: absolute;
 color: rgb(127, 124, 124);
 left: 0px;
 height: 20px;
 width: 440px;
 padding: 17px 30px 20px 30px;
 font-size: 16px ;
 text-align: right;
 border-top: 1px solid rgb(219, 229, 232);
 -webkit-border-radius: 0 0 5px 5px;
   -moz-border-radius: 0 0 5px 5px;
      border-radius: 0 0 5px 5px;
 background: rgb(225, 234, 235);
 background: -moz-repeating-linear-gradient(-45deg,
 rgb(247, 247, 247),
 rgb(247, 247, 247) 15px,
 rgb(225, 234, 235) 15px,
 rgb(225, 234, 235) 30px,
 rgb(247, 247, 247) 30px
 background: -webkit-repeating-linear-gradient(-45deg,
 rgb(247, 247, 247),
 rgb(247, 247, 247) 15px,
 rgb(225, 234, 235) 15px,
 rgb(225, 234, 235) 30px,
 rgb(247, 247, 247) 30px
 background: -o-repeating-linear-gradient(-45deg,
 rgb(247, 247, 247),
 rgb(247, 247, 247) 15px,
 rgb(225, 234, 235) 15px,
```

```
rgb(225, 234, 235) 30px,
 rgb(247, 247, 247) 30px
 background: repeating-linear-gradient(-45deg,
 rgb(247, 247, 247),
 rgb(247, 247, 247) 15px,
 rgb(225, 234, 235) 15px,
 rgb(225, 234, 235) 30px,
 rgb(247, 247, 247) 30px
 );
#wrapper p.change_link a {
 display: inline-block;
 font-weight: bold;
 background-color:rgb(61, 120, 179);
 padding: 2px 6px;
 color: white:
 margin-left: 10px;
 text-decoration: none;
 -webkit-border-radius: 4px;
 -moz-border-radius: 4px;
 border-radius: 4px;
 border: 1px solid rgb(203, 213, 214);
 -webkit-transition: all 0.4s linear;
 -moz-transition: all 0.4s linear;
 -o-transition: all 0.4s linear;
 -ms-transition: all 0.4s linear;
 transition: all 0.4s linear;
#wrapper p.change_link a:hover {
 color: white;
 background-color: #14a1e2;
 border: 1px solid azure;
#wrapper p.change_link a:active{
 position: relative;
 top: 1px;
/** Styling both forms **/
#register,
#login{
 position: absolute;
 top: 0px;
```

```
width: 88%;
 padding: 18px 6% 60px 6%;
 margin: 0 0 35px 0;
 background: rgb(247, 247, 247);
 border: 1px solid rgba(147, 184, 189, 0.8);
 -webkit-box-shadow: 0pt 2px 5px rgba(105, 108, 109, 0.7), 0px 0px 8px 5px
rgba(208, 223, 226, 0.4) inset;
   -moz-box-shadow: 0pt 2px 5px rgba(105, 108, 109, 0.7), 0px 0px 8px 5px
rgba(208, 223, 226, 0.4) inset;
      box-shadow: 0pt 2px 5px rgba(105, 108, 109, 0.7), 0px 0px 8px 5px
rgba(208, 223, 226, 0.4) inset;
 -webkit-box-shadow: 5px;
 -moz-border-radius: 5px;
    border-radius: 5px;
#register{
 z-index: 23;
#login{
 z-index: 22;
 opacity: 0;
#toregister:target ~ #wrapper #register,
#tologin:target ~ #wrapper #login{
 z-index: 23:
 -webkit-animation-name: fadeInLeft;
 -moz-animation-name: fadeInLeft;
 -ms-animation-name: fadeInLeft;
 -o-animation-name: fadeInLeft:
 animation-name: fadeInLeft;
 -webkit-animation-delay: .1s;
 -moz-animation-delay: .1s;
 -o-animation-delay: .1s;
 -ms-animation-delay: .1s;
 animation-delay: .1s;
#toregister:target ~ #wrapper #login,
#tologin:target ~ #wrapper #register{
 -webkit-animation-name: fadeOutLeft;
 -moz-animation-name: fadeOutLeft:
 -ms-animation-name: fadeOutLeft;
 -o-animation-name: fadeOutLeft;
```

```
animation-name: fadeOutLeft;
/** the actual animation, credit where due : http://daneden.me/animate/ ***/
.animate{
 -webkit-animation-duration: 0.5s:
 -webkit-animation-timing-function: ease;
 -webkit-animation-fill-mode: both;
 -moz-animation-duration: 0.5s;
 -moz-animation-timing-function: ease;
 -moz-animation-fill-mode: both;
 -o-animation-duration: 0.5s;
 -o-animation-timing-function: ease;
 -o-animation-fill-mode: both;
 -ms-animation-duration: 0.5s;
 -ms-animation-timing-function: ease;
 -ms-animation-fill-mode: both;
 animation-duration: 0.5s:
 animation-timing-function: ease;
 animation-fill-mode: both;
/** yerk some ugly IE fixes 'cause I know someone will ask "why does it look ugly in
IE?", no matter how many warnings I will put in the article */
.lt8 #wrapper input{
 padding: 10px 5px 10px 32px;
  width: 92%:
.lt8 #wrapper input[type=checkbox]{
 width: 10px;
 padding: 0;
.lt8 #wrapper h1{
 color: #066A75;
.lt8 #register{
 display: none;
```

```
.lt8 p.change_link,
.ie9 p.change_link{
 position: absolute;
 height: 90px;
 background: transparent;
.er{
  font-size:12.5px;
  color:red:
  word-break: break-word;
  text-align:justify;
span{
  word-break: break-word;
#feedback p{
 font-size: 15px;
 color: rgb(6, 106, 117);
 padding: 5px 0px;
 text-align: center;
.ok{
 font-size:12.5px;
 color:rgb(61, 120, 179);
 word-break: break-word;
 text-align:justify;
```

#### Html

```
k rel="shortcut icon" href="images/fav.ico" type="image/x-icon">
  <link rel="stylesheet" type="text/css" href="css/demo.css" />
  k rel="stylesheet" type="text/css" href="css/style.css" />
  <link rel="stylesheet" type="text/css" href="css/animate-custom.css" />
</head>
<body>
<div class="container">
  <!-- Codrops top bar -->
  <div class="codrops-top">
    <div id="center">
       <?php logo(); ?>
         </div>
    <div class="clr"></div>
  </div>
  <header>
    <nav class="codrops-demos">
    </nav>
  </header>
  <section>
    <div id="container_demo" >
       <div id="wrapper">
         <div id="register" class="animate form">
           <form id="formReg">
              <h1> Registracija </h1>
                <label for="firstLastName" data-icon="u">Ime i
prezime < /label >
                <input id="firstLast" name="firstLastName"
autofocus="autofocus" type="text" placeholder="Ime Prezime" />
                <span class="er" id="firstLastError">Ime i prezime moraju početi
velikim slovom</span>
              >
                <label for="address" data-icon="u">Ulica i broj</label>
                <input id="address" name="addressName" type="text"
placeholder="Ulica i broj" />
```

```
<span class="er" id="addressError">Ime ulice mora početi
velikim slovom</span>
             <label for="city" data-icon="u">Grad</label>
             >
               <select name="city" id="city">
                 <option value="0">Kliknite da odaberete grad
                 <?php
                 $upit="SELECT * FROM grad";
                 $gradovi = executeQuery($upit);
                 foreach ($gradovi as $grad):?>
                    <option value="<?= $grad->ID_grad; ?>"><?= $grad-</pre>
>ime_grada?></option>
                 <?php endforeach; ?>
               </select>
               <span class="er" id="cityError">Morate izabrati grad</span>
             >
               <label for="username" class="uname" data-icon="u">Korisničko
ime</label>
               <input id="username" name="usernameName" type="text"
placeholder="korisnik1234" />
               <span class="er" id="usernameError">Korisničko ime mora imati
između 4 i 10 karaktera i barem 1 do 4 broja </span>
             >
               <label for="email" class="youmail" data-icon="e"
>Email</label>
               <input id="email" name="emailName" type="text"</pre>
placeholder="neko@nesto.nesto"/>
               <span class="er" id="emailError">Email nije u dobrom
formatu</span>
             >
               <label for="password" class="youpasswd" data-
icon="p">Lozinka</label>
               <input id="password" name="passwordName" type="password"
placeholder="Abcdef1234"/>
               <span class="er" id="passwordError">Lozinka mora imati između
4 do 10 karaktera i barem 1 do 4 broja i početi velikim slovom </span>
             >
```

```
<label for="passwordConfirm" class="youpasswd" data-</pre>
icon="p">Potvrdi lozinku </label>
               <input id="passwordConfirm" name="passwordConfirmName"</pre>
type="password" placeholder="Abcdef1234"/>
               <span class="er" id="passwordConfirmError">Lozinke se ne
podudaraju</span>
             <span id="feedback201" class="ok">Uspešna
registracija! < br/> Poslat vam je email sa aktivacionim linkom. < /span>
             <span id="feedback422" class="er">Podaci nisu
kompletni!</span>
             <span id="feedback409" class="er">Korisničko ime već
postoji!</span>
             <span id="feedback500" class="er">Izvinjavamo se, trenutno se ne
mozete prijaviti </span>
             <input type="button" value="OK" name="send" id="btn"/>
             Već ste registrovani?
               <a href="log.php" class="to_register">Prijavite se</a>
             </form>
        </div>
      </div>
    </div>
  </section>
</div>
<script src="js/jquery-3.3.1.min.js"></script>
<script src="js/scriptReg.js"></script>
</body>
```

#### ScriptReg.js

```
$(document).ready(function () {
$('span').hide();
});
```

```
let city = document.querySelector("#city");
let dugme = $("#btn");
dugme.click(function(){
  let citySelected = city.options[city.selectedIndex].value;
  let firstLast = $("#firstLast");
  let username = $("#username");
  let email = $("#email");
  let password = $("#password");
  let address = $("#address");
  let passwordConfirm = $("#passwordConfirm");
  let reFirstLast = /^([A-ZŠDČĆŽ][a-zšđčćž]{3,15})(\s[A-ZŠDČĆŽ][a-
zšđčćž]{3,20})+$/;
  let reUsername = /^[a-z \le d \le 2]{4,10}[0-9]{1,4}
  let reAddress = /^([A-ZŠDČĆŽ][a-zšđčćž]{3,15})+(\s[A-ZŠDČĆŽ][a-
zšđčćž]{3,20})*(\s([0-9]{1,4}([a-z])?)|(bb))$/;
  let rePassword = /^[A-ZŠĐČĆŽ][a-zšđčćž]{3,10}[0-9]{1,4}$/;
  let reEmail = /^[^@\s]{3,25}@[^@\s]{2,8}\.[^@\s]{2,6}$/;
  let nizGreske = [];
  let firstLastSpan = $("#firstLastError");
  let citySpan = $("#cityError");
  let usernameSpan = $("#usernameError");
  let addressSpan = $("#addressError");
  let emailSpan = $("#emailError");
  let passwordSpan = $("#passwordError");
  let passwordConfirmSpan = $("#passwordConfirmError");
  let feedbackSpan = $("#feedback");
  if(!reFirstLast.test(firstLast.val())){
```

ITS

```
nizGreske.push("Ime i prezime moraju početi velikim slovom");
  firstLast.css("border", "1px solid red");
  console.log("Nije");
  firstLastSpan.css("display", "block");
else {
  firstLastSpan.css("display", "none");
  console.log("jeste");
  firstLast.css("border", "1px solid rgb(74, 225, 240)");
if(!reAddress.test(address.val())){
  nizGreske.push("Ime i prezime moraju početi velikim slovom");
  address.css("border","1px solid red");
  console.log("Nije");
  addressSpan.css("display", "block");
else{
  addressSpan.css("display", "none");
  console.log("jeste");
  address.css("border", "1px solid rgb(74, 225, 240)");
if(citySelected == "0"){
  nizGreske.push("Morate izabrati grad");
  city.style.border = "1px solid red";
  console.log(citySelected);
  citySpan.css("display", "block");
else{
  city.style.border = "1px solid rgb(74, 225, 240)";
  console.log(citySelected);
  citySpan.css("display", "none");
```

```
if(!reUsername.test(username.val())){
  nizGreske.push("Korisničko ime nije u dobrom formatu");
  username.css("border", "1px solid red");
  console.log("Nije");
  usernameSpan.css("display", "block");
else{
  username.css("border", "1px solid rgb(74, 225, 240)");
  usernameSpan.css("display", "none");
  console.log("jeste");
if(!reEmail.test(email.val())){
  nizGreske.push("Email nije u dobrom formatu");
  email.css("border", "1px solid red");
  console.log("Nije");
  emailSpan.css("display", "block");
else{
  emailSpan.css("display", "none");
  console.log("jeste");
  email.css("border", "1px solid rgb(74, 225, 240)");
if(!rePassword.test(password.val())) {
  nizGreske.push("Lozinka nije u dobrom formatu");
  password.css("border", "1px solid red");
  console.log("Nije");
  passwordSpan.css("display", "block");
else{
  console.log("jeste");
  password.css("border", "1px solid rgb(74, 225, 240)");
  passwordSpan.css("display", "none");
if((password.val() != passwordConfirm.val()) || passwordConfirm.val() == ""){
  nizGreske.push("Lozinke se ne podudaraju");
  console.log("Nije");
```

ITS

```
passwordConfirm.css("border", "1px solid red");
  passwordConfirmSpan.css("display", "block");
else{
  console.log("jeste");
  passwordConfirm.css("border", "1px solid rgb(74, 225, 240)");
  passwordConfirmSpan.css("display", "none");
if(nizGreske.length > 0){
  console.log("Nesto ne valja");
else{
  $.ajax({
    url: "http://localhost/SajtPHP1.1/php/obrada.php",
    method:"POST",
    dataType:"JSON",
    data:{
       firstLastName:firstLast.val(),
       cityName:citySelected,
       address:address.val(),
       usernameName:username.val(),
       emailName:email.val(),
       passwordName:password.val(),
       passwordConfirmName:passwordConfirm.val(),
       send:"sent"
    success: function(data, xhr){
         $("#feedback201").css("display", "");
         $("#feedback409").css("display", "none");
         $("#feedback500").css("display", "none");
         $("#feedback422").css("display", "none");
         setTimeout(function () {
          window.location.href = "http://localhost/SajtPHP1.1/log.php";
       }, 5000);
    error: function (xhr, status, error) {
       switch(xhr.status) {
         case 404:
            window.location.href="http://localhost/SajtPHP1.1/404.php";
```

# 3. Organizacija sajta


#### 3.1 index.php?page=pocetna




#### 3.2 index.php?page=softver



## 3.3 index.php?page=hardver



## 3.4 index.php?page=kontakt




## 3.6 register.php



## 3.7 log.php





# 3.8 views/korisnici.php





# 3.9 updateUser.php

