Q U P S T R	C cubic	T tetragonal	R rhombohedral	O orthorhombic	O orthorhombic	M monoclinic	M monoclinic	A anorthic	H hexagonal	Dirichlet cells also known as Voronoi domains Federov parallelohedra	
1 truncated octahedron	C1 cI (rrr rrr)	T1 tI (rrs rrs)	R1 hR (rrr sss)	O1A oF (rrs rrt)	O1B oI (rst rst)	M1A mC (rrs ttu)	M1B mC (rst rsu)	A1 aP (rst uvw)			
2 elongated dodecahedron		T2 tI (rr0 rrs)		O2 oI (rs0 srt)		M2A mC (rs0 stu)	M2B * mC (rs0 rst)	A2 * aP (rs0 tuv)			
3 truncated octahedron	C3 cF (rr0 rr0)		R3 hR (rr0 sr0)	O3 * oI (rs0 rs0)		M3 * mC (rs0 ts0)		A3 * aP (rs0 tu0)			
4 hexagonal prism				O4 oS (00r sst)		M4 mP (00r stu)			H4 hP (00r rrs)		
5 cuboid	C5 cP (000 rrr)	T5 tP (000 rrs)		O5 oP (000 rst)							

* Not a full-dimensional Bravais type

O3 is a 2-D manifold that is part of O1B
M3 is a 3-D manifold that is part of M1B
M2B is a 3-D manifold that is part of M1B

[modified after Delone, Galiulin, and Shtogrin, 1975]