TCC and LCC

YEGOR BUGAYENKO


Lecture #8 out of 24 80 minutes

All visual and text materials presented in this slidedeck are either originally made by the author or taken from public Internet sources, such as website. Copyright belongs to their respected authors.



"Module cohesion may be conceptualized as the cement that holds the processing elements of a module together. In a sense, a high degree of module cohesion is an indication of close approximation of inherent problem structure."

Edward Yourdon and Larry Constantine, Structured
 Design: Fundamentals of a Discipline of Computer Program
 and Systems Design, Prentice Hall, 1979



"We define two measures of class cohesion based on the <u>direct</u> and <u>indirect</u> connections of method pairs: TCC and LCC."

<u>James M. Bieman</u> and Byung-Kyoo Kang, *Cohesion and Reuse in an Object-Oriented System*, Proceedings of the Symposium on Software Reusability (SSR), 1995

Tight and Loose Class Cohesion (TCC+LCC)

```
Max possible connections (NP):
class Rectangle
                                   N \times (N-1)/2 = 4 \times 3/2 = 6
  int x, y, w, h;
  int area()
                                    Directly connected (NDC = 4):
   return w * h;
                                    area+fit, area+resize, move+fit,
  int move(int dx, dy)
    x += dx; y += dy;
                                   resize+fit
  int resize(int dx, dy)
                                    Indirectly connected (NIC = 2):
    w += dx; h += dy;
                                    area+move, move+resize
  bool fit()
  return w < 100
                                   TCC = NDC/NP = 4/6 = 0.66
      && x < 100;
                                   LCC = (NDC + NIC)/NP = 6/6 = 1.00
```

Cohesion and Reuse in an Object-Oriented System*

James M. Bleman and Byung-Kyoo Kang
Dayartment of Computer Science
Coheman Guster Christophy
(2003) 491-7006, Fax: (2003) 491-2466
bleman@cs.coloratae.ode, language Cacoloratae.ode

We often and upply two new reneways of object-oriented state of the classes are epite-observe, but that the testing of the classes are epite-observe, but that the testing of the classes are epite-observe, but that the testing of the classes are epite-observe, but that the testing of the classes are epite-observe, but that the testing of the classes are epite-observe, but that the testing of the classes are epite-observe, but that the testing of the computer of the classes are epite-observe, but that the testing of the computer of the classes are epite-observe, but that the testing of the computer of the classes are epite-observe, but that the testing of the computer of the classes are epite-observe, but the testing of the computer of the classes are epite-observed to make the conflicted plant of the classes are epite-observed to make the conflicted plant of the classes are epite-observed to make the conflicted plant of the classes are epite-observed to make the conflicted plant of the classes are epite-observed to make the conflicted plant of the classes are epite-observed to make the conflicted plant of the classes are epite-observed to make the conflicted plant of the classes are epite-observed to make the conflicted plant of the classes are epite-observed to make the conflicted plant of the classes are epite-observed to make the conflicted plant of the classes are epite-observed to make the conflicted plant of the classes are epite-observed to make the conflicted plant of the classes are epite-observed to make the conflicted plant of the classes are epite-observed to make the conflicted plant of the classes are epite-observed to make the conflicted plant of the classes are epite-observed to make the conflicted plant of the classes are epite-observed to the conflicted plant of the

"If a class is designed in ad hoc manner and unrelated components are included in the class, the class represents more than one concept and does not model an entity. The cohesion value of such a class is likely to be less than 0.5."

<u>James M. Bieman</u> and Byung-Kyoo Kang, *Cohesion and Reuse in an Object-Oriented System*, Proceedings of the Symposium on Software Reusability (SSR), 1995



"Cohesion refers to how closely all the routines in a class or all the code in a routine support a central purpose—how focused the class is. The ideas of abstraction and cohesion are closely related—a class interface that presents a good abstraction usually has strong cohesion."

Steven McConnell, Code Complete, 2004

Abstraction



• Color: red

• Weight: 120g

• Price: \$0.99



```
var file = {
  path: '/tmp/data.txt',
  read: function() { ... },
  write: function(txt) { ... }
}
```

The slide is taken from the "Pain of OOP" (2023) course.

Inheritance vs. Cohesion




Figure 3: Number of descendents and Class Cohesion

"Our results show that the classes that are heavily reused via inheritance exhibit lower cohesion. We expected to find that the most reused classes would be the most cohesive ones." — James M. Bieman and Byung-Kyoo Kang

Inheritance is Code Reuse

```
class Manuscript {
  protected String body;
  void print(Console console) {
    console.println(this.body);
  }
}

class Article
  extends Manuscript {
  void submit(Conference cnf) {
    cnf.send(this.body);
  }
}
```

"The Article copies method print() and attribute body from the Manuscript, as if it's not a living organism, but rather a dead one from which we inherit its parts."

"Implementation inheritance was created as a mechanism for code reuse. It doesn't fit into OOP at all."

Source: Inheritance Is a Procedural Technique for Code Reuse (2016)

Composition over Inheritance

```
class Manuscript
                                  1 class Manuscript
  protected String body;
                                     protected String body;
  void print(Console console)
                                    void print(Console console)
    console.println(this.body);
                                        console.println(this.body);
class Article
                                    class Article
  extends Manuscript
                                     Manuscript manuscript;
  void submit(Conference cnf)
                                     Article(Manuscript m)
    cnf.send(this.body);
                                        this.manuscript = m;
                                     void submit(Conference cnf)
                                  10
                                        cnf.send(this.body);
                                  11
```

Wikipedia: https://en.wikipedia.org/wiki/Composition_over_inheritance

TCC+LCC can be calculated by a few tools:

- jPeek for Java
- C++ don't know
- Python don't know
- JavaScript don't know
- C# don't know

Read this:

Cohesion and Reuse in an Object-Oriented System, James M. Bieman and Byung-Kyoo Kang, Proceedings of the Symposium on Software Reusability (SSR), 1995

Inheritance Is a Procedural Technique for Code Reuse (2016)