CHALLENGE SHEET

Switf01 Hit3

A task-management platform with a chained REST, GraphQL, and gRPC attack path.

DIFFICULTY	TRACK	HOST PORT	LAB ID
HARD	WEB	4000, 50051, 3000	switf01-hit3

EASY | MEDIUM | HARD | INSANE

VERIFY THE SOLVE

```
• python3 ../scripts/check.py switf01-hit3
```

Brief

You have read-only access to a task-management platform used by a small development team. Your account is the lowest-privilege tier, you can view projects you belong to and interact with tasks assigned to you.

The platform exposes three protocols: a REST API, a GraphQL endpoint, and a gRPC service. Each protocol reveals something the others hide. Work through the layers in order. The flag is held behind a limit that the visible interface enforces but the hidden service ignores.

Starting credentials: `swilam` / `swift123`

Setup

Run these from the lab directory:

```
docker compose up --build -d
```

Wait until all services report ready (about 20–30 seconds on first run).

Service	Address
Web application	`http://localhost:3000`
GraphQL endpoint	`http://localhost:4000/graphql`
gRPC service	`localhost:50051`

To reset the environment to its original state:

```
docker compose down -v && docker compose up --build -d
```

Goal

Obtain the flag that appears in the gRPC admin list when the admin count reaches six. Verify the solve from the lab directory:

```
python3 ../../../scripts/check.py .
```