


My Draw.io



My SQL

SELECT * FROM lab2.assignment;

	employeeID	projectID	workingHour
►	123	1	22.5
	123	2	7.5
	123	3	10
	333	10	10
	333	20	10
	453	1	20
	453	2	20
	666	3	40
	888	20	0
	987	20	15

SELECT * FROM lab2.department;

	departmentID	departmentName	managerID	dateOfEmployment
▶	1	Quan ly	888	1971-06-19
	4	Dieu hanh	777	1985-01-01
	5	Nghien cuu	333	1978-05-22
✱	NULL	NULL	NULL	NULL

SELECT * FROM lab2.departmentaddress;

	departmentID	address
▶	1	TP HCM
	4	HA NOI
	5	NHA TRANG
	5	TP HCM
	5	VUNG TAU

SELECT * FROM lab2.employees;

	employeeID	lastName	middleName	firstName	dateOfBirth	gender	salary	address	managerID	departmentID
▶	123	Dinh	Ba	Tien	1955-01-09	Nam	30000.00	731 Tran Hung Dao Q1 TPHCM	333	5
	333	Nguyen	Thanh	Tung	1945-12-08	Nam	40000.00	638 Nguyen Van Cu Q5 TPHCM	888	5
	453	Tran	Thanh	Tam	1962-07-31	Nam	25000.00	543 Mai Thi Luu Ba Dinh Ha Noi	333	5
	666	Nguyen	Manh	Hung	1952-09-15	Nam	38000.00	975 Le Lai P3 Vung Tau	333	5
	777	Tran	Hong	Quang	1959-03-29	Nam	25000.00	980 Le Hong Phong Vung Tau	987	4
	888	Vuong	Ngoc	Quyen	1927-10-10	Nu	55000.00	450 Trung Vuong My Tho TG	NULL	1
	987	Le	Thi	Nhan	1931-06-20	Nu	43000.00	291 Ho Van Hue Q.PN TPHCM	888	4
	999	Bui	Thuy	Vu	1958-07-19	Nam	25000.00	332 Nguyen Thi Hoc Quy Nhon	987	4
✱	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

SELECT * FROM lab2.project;

	projectID	projectName	projectAddress	departmentID
▶	1	San pham X	VUNG TAU	5
	2	San pham Y	NHA TRANG	5
	3	San pham Z	TP HCM	5
	10	Tin hoc hoa	HA NOI	4
	20	Cap Quang	TP HCM	1
	30	Dao tao	HA NOI	4
✱	NULL	NULL	NULL	NULL

SELECT * FROM lab2.relative;

	employeeID	relativeName	gender	dateOfBirth	relationship
▶	123	Chau	Nu	1978-12-31	Con gai
	987	Dang	Nam	1932-02-29	Vo chong
	333	Duong	Nu	1948-05-03	Vo chong
	123	Duy	Nam	1978-01-01	Con trai
	123	Phuong	Nu	1957-05-05	Vo chong
	333	Quang	Nu	1976-04-05	Con gai
	333	Tung	Nam	1973-10-25	Con trai
✱	NULL	NULL	NULL	NULL	NULL

use lab2;

SELECT * FROM lab2.employees;

alter table employees

add constraint fk

foreign key (managerID)

references employees (employeeID);

alter table employees

add constraint fk1

foreign key (departmentID)

references department (departmentID);

SELECT * FROM lab2.department;

alter table department

add constraint fk2

foreign key (managerID)

references employees (employeeID);

SELECT * FROM lab2.assignment;

insert into assignment (employeeID, projectID, workingHour) values

(123, 1, 22.5),

(123, 2, 7.5),

(123, 3, 10),

(333, 10, 10),

(333, 20, 10),

(453, 1, 20),

(453, 2, 20),

(666, 3, 40),

(888, 20, 0),

(987, 20, 15);

alter table assignment

add constraint fk5

foreign key (employeeID)

references employees (employeeID);

alter table assignment

add constraint fk6

foreign key (projectID)

references project (projectID);

SELECT * FROM lab2.project;

insert into project (projectID, projectName, projectAddress, departmentID) values

(1, 'San pham X', 'VUNG TAU', 5),

(2, 'San pham Y', 'NHA TRANG', 5),

(3, 'San pham Z', 'TP HCM', 5),

(10, 'Tin hoc hoa', 'HA NOI', 4),

(20, 'Cap Quang', 'TP HCM', 1),

(30, 'Dao tao', 'HA NOI', 4);

alter table project

add constraint fk4

foreign key (departmentID)

references department (departmentID);

```
SELECT * FROM lab2.relative;
```

```
insert into relative (employeeID, relativeName, gender, dateOfBirth, relationship) values
```

```
(123, 'Chau', 'Nu', '1978-12-31', 'Con gai'),
```

```
(123, 'Duy', 'Nam', '1978-01-01', 'Con trai'),
```

```
(123, 'Phuong', 'Nu', '1957-05-05', 'Vo chong'),
```

```
(333, 'Duong', 'Nu', '1948-05-03', 'Vo chong'),
```

```
(333, 'Tung', 'Nam', '1973-10-25', 'Con trai'),
```

```
(333, 'Quang', 'Nu', '1976-04-05', 'Con gai'),
```

```
(987, 'Dang', 'Nam', '1932-02-29', 'Vo chong');
```

```
alter table relative
```

```
add constraint fk7
```

```
foreign key (employeeID)
```

```
references employees (employeeID);
```

```
SELECT * FROM lab2.departmentaddress;
```

```
alter table project add column startingDate DATE;
```

```
alter table project modify column startingDate YEAR;
```

```
alter table project drop column startingDate;
```

```
alter table employees modify column gender VARCHAR(3);
```

```
alter table relative modify column gender VARCHAR(3);
```

```
alter table employees
```

```
add constraint check_gender CHECK (gender IN ('Nam', 'Nu'));
```

alter table relative

add constraint check_gender_relative CHECK (gender IN ('Nam', 'Nu'));

alter table employees

add constraint checkDateOfBirthEmployee Check (dateOfBirth < '2025-07-14');

use lab2;

SELECT * FROM lab2.employees;

alter table employees

add constraint fk

foreign key (managerID)

references employees (employeeID);

alter table employees

add constraint fk1

foreign key (departmentID)

references department (departmentID);

SELECT * FROM lab2.department;

alter table department

add constraint fk2

foreign key (managerID)

references employees (employeeID);

SELECT * FROM lab2.assignment;

insert into assignment (employeeID, projectID, workingHour) values

(123, 1, 22.5),

(123, 2, 7.5),

(123, 3, 10),

(333, 10, 10),

(333, 20, 10),

(453, 1, 20),

(453, 2, 20),

(666, 3, 40),

(888, 20, 0),

(987, 20, 15);

alter table assignment

add constraint fk5

foreign key (employeeID)

references employees (employeeID);

alter table assignment

add constraint fk6

foreign key (projectID)

references project (projectID);

SELECT * FROM lab2.project;

insert into project (projectID, projectName, projectAddress, departmentID) values

(1, 'San pham X', 'VUNG TAU', 5),

(2, 'San pham Y', 'NHA TRANG', 5),

(3, 'San pham Z', 'TP HCM', 5),

(10, 'Tin hoc hoa', 'HA NOI', 4),

(20, 'Cap Quang', 'TP HCM', 1),

(30, 'Dao tao', 'HA NOI', 4);

alter table project

add constraint fk4

foreign key (departmentID)

references department (departmentID);

```
SELECT * FROM lab2.relative;
```

```
insert into relative (employeeID, relativeName, gender, dateOfBirth, relationship) values
```

```
(123, 'Chau', 'Nu', '1978-12-31', 'Con gai'),
```

```
(123, 'Duy', 'Nam', '1978-01-01', 'Con trai'),
```

```
(123, 'Phuong', 'Nu', '1957-05-05', 'Vo chong'),
```

```
(333, 'Duong', 'Nu', '1948-05-03', 'Vo chong'),
```

```
(333, 'Tung', 'Nam', '1973-10-25', 'Con trai'),
```

```
(333, 'Quang', 'Nu', '1976-04-05', 'Con gai'),
```

```
(987, 'Dang', 'Nam', '1932-02-29', 'Vo chong');
```

```
alter table relative
```

```
add constraint fk7
```

```
foreign key (employeeID)
```

```
references employees (employeeID);
```

```
SELECT * FROM lab2.departmentaddress;
```

```
alter table project add column startingDate DATE;
```

```
alter table project modify column startingDate YEAR;
```

```
alter table project drop column startingDate;
```

```
alter table employees modify column gender VARCHAR(3);
```

```
alter table relative modify column gender VARCHAR(3);
```

```
alter table employees add constraint check_gender CHECK (gender IN ('Nam', 'Nu'));
```


alter table relative add constraint check_gender_relative CHECK (gender IN ('Nam', 'Nu'));

alter table employees add constraint checkDateOfBirthEmployee Check (dateOfBirth < '2025-07-14');

alter table department add constraint uniqueIdDepartment UNIQUE(departmentID);



Table Name:

Schema: **lab2**

Charset/Collation:

Engine:

Comments:

Column Name	Datatype	PK	NN	UQ	B	UN	ZF	AI	G	Default/Expression
 employeeID	VARCHAR(3)	☐	☐	☐	☐	☐	☐	☐	☐	NULL
 projectID	INT	☐	☐	☐	☐	☐	☐	☐	☐	NULL
 workingHour	FLOAT	☐	☒	☐	☐	☐	☐	☐	☐	
		☐	☐	☐	☐	☐	☐	☐	☐	



Table Name:

Schema: **lab2**

Charset/Collation:

Engine:

Comments:

Index Name	Type	Index Columns
fk5	INDEX	
fk6	INDEX	

Column	#	Order	Length



Table Name:

Schema: **lab2**

Charset/Collation:

Engine:

Comments:

Foreign Key Name	Referenced Table	Column	Referenced Column
fk5	`lab2`.`employees`		
fk6	`lab2`.`project`		

[illegible]


 Table Name: Schema: **lab2**

Charset/Collation: Engine:

Comments:

Index Name	Type	Index Columns
PRIMARY	PRIMARY	
uniqueIdDepartment	UNIQUE	
fk2	INDEX	



Table Name:

Schema: **lab2**

Charset/Collation:

Engine:

Comments:

Foreign Key Name	Referenced Table	Column	Referenced Column
fk2	`lab2`.`employees`		

[illegible]



Table Name:

Schema: **lab2**

Charset/Collation:

Engine:

Comments:

Index Name	Type
fk3	INDEX

Column	#	Order	Length



Table Name:

Schema: **lab2**

Charset/Collation:

Engine:

Comments:

Foreign Key Name	Referenced Table	Column	Referenced Column
fk3	`lab2`.`department`		

[illegible]

Table Name: Schema: **lab2**

Charset/Collation:

Engine:

Comments:

Index Name	Type
PRIMARY	PRIMARY
fk	INDEX
fk1	INDEX

Index Columns

Column	#	Order	Length
--------	---	-------	--------

Table Name: Schema: **lab2**

Charset/Collation:

Engine:

Comments:

Foreign Key Name	Referenced Table
fk	`lab2`.`employees`
fk1	`lab2`.`department`

Column	Referenced Column
--------	-------------------

Table Name: Schema: **lab2**

Charset/Collation:

Engine:

Comments:

Column Name	Datatype	PK	NN	UQ	B	UN	ZF	AI	G	Default/Expression
projectID	INT	☒	☒	☐	☐	☐	☐	☐	☐	
projectName	VARCHAR(30)	☐	☒	☐	☐	☐	☐	☐	☐	
projectAddress	VARCHAR(100)	☐	☒	☐	☐	☐	☐	☐	☐	
departmentID	INT	☐	☐	☐	☐	☐	☐	☐	☐	NULL
		☐	☐	☐	☐	☐	☐	☐	☐	

Table Name: Schema: **lab2**

Charset/Collation:

Engine:

Comments:

Index Name	Type
PRIMARY	PRIMARY
fk4	INDEX

Index Columns

Column	#	Order	Length
--------	---	-------	--------

Table Name: Schema: **lab2**Charset/Collation: Engine: Comments:

Foreign Key Name	Referenced Table	Column	Referenced Column
fk4	`lab2`.`department`		

Table Name: Schema: **lab2**Charset/Collation: Engine: Comments:

Column Name	Datatype	PK	NN	UQ	B	UN	ZF	AI	G	Default/Expression
employeeID	VARCHAR(3)	☐	☐	☐	☐	☐	☐	☐	☐	NULL
relativeName	VARCHAR(50)	☒	☒	☐	☐	☐	☐	☐	☐	
gender	VARCHAR(3)	☐	☐	☐	☐	☐	☐	☐	☐	NULL
dateOfBirth	DATE	☐	☐	☐	☐	☐	☐	☐	☐	NULL
relationship	VARCHAR(30)	☐	☒	☐	☐	☐	☐	☐	☐	

Table Name: Schema: **lab2**Charset/Collation: Engine: Comments:

Index Name	Type	Index Columns
PRIMARY	PRIMARY	
fk7	INDEX	

Column	#	Order	Length

Table Name: Schema: **lab2**Charset/Collation: Engine: Comments:

Foreign Key Name	Referenced Table	Column	Referenced Column
fk7	`lab2`.`employees`		



CSE301_Lab2 Data Import

Import from Disk Import Progress

Import Options

☒ Import from Dump Project Folder

C:\Users\phatt\Documents\dumps\Dump20250720



Select the Dump Project Folder to import. You can do a selective restore.

Load Folder Contents

☐ Import from Self-Contained File

C:\Users\phatt\Documents\dumps\export.sql



Select the SQL/dump file to import. Please note that the whole file will be imported.

Default Schema to be Imported To

Default Target Schema:

New...

The default schema to import the dump into.
NOTE: this is only used if the dump file doesn't contain its schema, otherwise it is ignored.

Select Database Objects to Import (only available for Project Folders)

Imp...	Schema
☒	lab2

Imp...	Schema Objects

Dump Structure and Dat

Select Views

Select Tables

Unselect All

Press [Start Import] to start...

Start Import



CSE301_Lab2 Data Export

Advanced Options...

Object Selection Export Progress

Tables to Export

Exp...	Schema
☐	db_8_7_2025
☐	demo
☒	lab2
☐	managementproject
☐	sys

Exp...	Schema Objects

Refresh

Dump Structure and Dat

Select Views

Select Tables

Unselect All

Objects to Export

☐ Dump Stored Procedures and Functions

☐ Dump Events

☐ Dump Triggers

Export Options

☒ Export to Dump Project Folder

C:\Users\phatt\Documents\dumps\Dump20250720 (1)



Each table will be exported into a separate file. This allows a selective restore, but may be slower.

☐ Export to Self-Contained File

C:\Users\phatt\Documents\dumps\Dump20250720.sql



All selected database objects will be exported into a single, self-contained file.

☐ Create Dump in a Single Transaction (self-contained file only)

☐ Include Create Schema

Press [Start Export] to start...

Start Export