

```

146 • select
147     sm.salesman_name, cl.client_name, sm.city
148 from
149     salesman sm
150 join
151     clients cl
152 where
153     sm.city = cl.city;

```

Result Grid   Filter Rows: Export:  Wrap Cell Content: 

	salesman_name	client_name	city
▶	Tien	Mai Xuan	Dai An
	Deb	Le Xuan	Thu Dau Mot
	Khoa	Le Xuan	Thu Dau Mot
	Tin	Trinh Huu	Da Lat
	Deb	Tran Tuan	Thu Dau Mot
	Khoa	Tran Tuan	Thu Dau Mot
	Phat	Ho Nhu	Hanoi
	Huu	Tran Hai	Ho Chi Minh
	Tien	Nguyen Thanh	Dai An
	Tin	Nguyen Sy	Da Lat
	Huu	Duong Thanh	Ho Chi Minh
	Phat	Tran Minh	Hanoi

```

162      -- 2
163  •   select cl.client_number, cl.client_name, so.order_number
164      from clients cl
165      inner join

```

Result Grid



 Filter Rows:

Export: 

Wrap Cell Content: 

	client_number	client_name	order_number
▶	C101	Mai Xuan	O20001
	C101	Mai Xuan	O20005
	C101	Mai Xuan	O20009
	C102	Le Xuan	O20002
	C102	Le Xuan	O20008
	C103	Trinh Huu	O20003
	C104	Tran Tuan	O20004
	C105	Ho Nhu	O20006
	C106	Tran Hai	O20007
	C106	Tran Hai	O20010
	C107	Nguyen Th...	O20011
	C108	Nguyen Sy	O20012
	C109	Duong Thanh	O20013
	C110	Tran Minh	O20014

```

167      -- 3
168  •   select cl.*, count(*) numberOfOrder
169      from clients cl
170      inner join salesorder so on cl.client_number = so.client_number
171      group by cl.client_number, cl.client_name
172      having count(*) > 0;

```

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

	Client_Number	Client_Name	Address	City	Pincode	Province	Amount_Paid	Amount_Due	numberOfOrder
▶	C101	Mai Xuan	Phu Hoa	Dai An	700001	Binh Duong	10000.0000	5000.0000	3
	C102	Le Xuan	Phu Hoa	Thu Dau Mot	700051	Binh Duong	18000.0000	3000.0000	2
	C103	Trinh Huu	Phu Loi	Da Lat	700051	Lam Dong	7000.0000	3200.0000	1
	C104	Tran Tuan	Phu Tan	Thu Dau Mot	700080	Binh Duong	8000.0000	0.0000	1
	C105	Ho Nhu	Chanh My	Hanoi	700005	Hanoi	7000.0000	150.0000	1
	C106	Tran Hai	Phu Hoa	Ho Chi Minh	700002	Ho Chi Minh	7000.0000	1300.0000	2
	C107	Nguyen Thanh	Hoa Phu	Dai An	700023	Binh Duong	8500.0000	7500.0000	1
	C108	Nguyen Sy	Tan An	Da Lat	700032	Lam Dong	15000.0000	1000.0000	1
	C109	Duong Thanh	Phu Hoa	Ho Chi Minh	700011	Ho Chi Minh	12000.0000	8000.0000	1
	C110	Tran Minh	Phu My	Hanoi	700005	Hanoi	9000.0000	1000.0000	1

```

174      -- 4
175  •   select cl.*, count(so.Order_Number) numberOfOrder
176      from clients cl
177      inner join salesorder so on cl.client_number = so.client_number
178      group by cl.client_number, cl.client_name
179      having count(so.Order_Number) > 3;

```

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

	Client_Number	Client_Name	Address	City	Pincode	Province	Amount_Paid	Amount_Due	numberOfOrder
--	---------------	-------------	---------	------	---------	----------	-------------	------------	---------------

```

181      -- 5
182  •   select cl.*, count(so.order_number) numberOfOrder
183      from clients cl
184      inner join salesorder so on cl.client_number = so.client_number
185      group by cl.client_number
186      having count(so.order_number) > 1
187      order by numberOfOrder DESC;

```

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

	Client_Number	Client_Name	Address	City	Pincode	Province	Amount_Paid	Amount_Due	numberOfOrder
	C101	Mai Xuan	Phu Hoa	Dai An	700001	Binh Duong	10000.0000	5000.0000	3
	C102	Le Xuan	Phu Hoa	Thu Dau Mot	700051	Binh Duong	18000.0000	3000.0000	2
	C106	Tran Hai	Phu Hoa	Ho Chi Minh	700002	Ho Chi Minh	7000.0000	1300.0000	2

```

189      -- 6
190  •   select sm.salesman_name, sum(sod.order_quantity) total_product_sold
191      from salesman sm
192      inner join salesorder so on sm.salesman_number = so.salesman_number
193      inner join salesorderdetails sod on so.order_number = sod.order_number
194      group by sm.salesman_name
195      having sum(sod.order_quantity) > 20;

```

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

	salesman_name	total_product_sold
▶	Huu	36
	Khoa	59
	Tin	28

```

197      -- 7
198 •   select cl.*, count(so.order_status) numberOfCancelled
199      from clients cl
200     inner join salesorder so on cl.client_number = so.client_number
201     where so.order_status = 'Cancelled'
202     group by cl.client_number
203     having numberOfCancelled > 1;

```

Result Grid |  Filter Rows: | Export:  | Wrap Cell Content: 

	Client_Number	Client_Name	Address	City	Pincode	Province	Amount_Paid	Amount_Due	numberOfCancelled
--	---------------	-------------	---------	------	---------	----------	-------------	------------	-------------------

```

205      -- 8
206 •   SELECT cl.Client_Name, cl.Client_Number, so.Order_Number, so.Salesman_Number, sod.Product_Number
207      FROM clients cl
208     inner JOIN salesorder so ON cl.Client_Number = so.Client_Number
209     inner JOIN salesorderdetails sod ON so.Order_Number = sod.Order_Number;

```

Result Grid |  Filter Rows: | Export:  | Wrap Cell Content: 

	Client_Name	Client_Number	Order_Number	Salesman_Number	Product_Number
	Mai Xuan	C101	O20005	S003	P1008
	Mai Xuan	C101	O20005	S003	P1002
	Mai Xuan	C101	O20009	S004	P1008
	Le Xuan	C102	O20002	S003	P1007
	Le Xuan	C102	O20008	S006	P1004
	Trinh Huu	C103	O20003	S002	P1003
	Tran Tuan	C104	O20004	S003	P1004
	Ho Nhu	C105	O20006	S005	P1002
	Tran Hai	C106	O20007	S001	P1005
	Tran Hai	C106	O20010	S006	P1006
	Tran Hai	C106	O20010	S006	P1001
	Nguyen Th...	C107	O20011	S005	P1007
	Nguyen Sy	C108	O20012	S004	P1005
	Nguyen Sy	C108	O20012	S004	P1001
	Duong Thanh	C109	O20013	S001	P1006

```

211      -- 9
212  •   select p.*, count(sod.order_number) numberOfClients
213      from product p
214      inner join salesorderdetails sod on p.product_number = sod.product_number
215      group by p.product_number;

```

Result Grid   Filter Rows: Export:  Wrap Cell Content: 							
	Product_Number	Product_Name	Quantity_On_Hand	Quantity_Sell	Sell_Price	Cost_Price	numberOfClients
▶	P1001	TV	10	30	1000.0000	800.0000	4
	P1002	Laptop	12	25	1500.0000	1100.0000	4
	P1003	AC	23	10	400.0000	300.0000	1
	P1004	Modem	22	16	250.0000	230.0000	2
	P1005	Pen	19	13	12.0000	8.0000	2
	P1006	Mouse	5	10	100.0000	105.0000	2
	P1007	Keyboard	45	60	120.0000	90.0000	2
	P1008	Headset	63	75	50.0000	40.0000	2

```

225      -- 10
226  •   select sod.product_number, count(distinct so.client_number) numberOfClient
227      from salesorderdetails sod
228      inner join salesorder so on sod.order_number = so.order_number
229      group by sod.product_number
230      having numberOfClient > 2;

```

Result Grid   Filter Rows: Export:  Wrap Cell Content: 		
	product_number	numberOfClient
▶	P1001	3
	P1002	3

```
232      -- 11
233 •    select sm.salesman_name, sm.salary
234      from salesman sm
235      order by sm.salary DESC
236      limit 1 offset 1;
```

Result Grid			Filter Rows:	Export:
	salesman_name	salary		
▶	Tin	20000.0000		

```
238      -- 12
239 •    select sm.salesman_name, sm.salary
240      from salesman sm
241      order by sm.salary ASC
242      limit 1 offset 1;
```

Result Grid			Filter Rows:	Export:
	salesman_name	salary		
▶	Huu	15000.0000		

```

244      -- 13
245 •    select sm.salesman_number, sm.salesman_name
246      from salesman sm
247     inner join salesorder so on sm.salesman_number = so.salesman_number
248     where so.client_number = 'C108'
249     group by sm.salesman_number;

```

Result Grid			Filter Rows:	Export:	Wrap Cell Content:
	salesman_number	salesman_name			
▶	S004	Tien			

```

251      -- 14
252 •    select sm.salesman_name, sm.salary
253      from salesman sm
254     where sm.salary > (
255         select salary from salesman sm1
256         where sm1.salesman_number = 'S001'
257     );

```

Result Grid			Filter Rows:	Export:	Wrap Cell Content:
	salesman_name	salary			
▶	Phat	25000.0000			
	Khoa	17500.0000			
	Tien	16500.0000			
	Tin	20000.0000			

```

259      -- 15
260  •    select sm.salesman_name
261      from salesman sm
262      inner join salesorder so on so.salesman_number = sm.salesman_number
263      inner join salesorderdetails sod on sod.order_number = so.order_number
264      where sod.product_number = 'P1002'
265      group by sm.salesman_number;

```

Result Grid   Filter Rows: Export:  Wrap Cell Content: 

	salesman_name
▶	Khoa
	Deb
	Huu

```

267      -- 16
268  •    select sm.salesman_number, sm.salesman_name
269      from salesman sm
270      inner join salesorder so on so.salesman_number = sm.salesman_number
271      inner join salesorderdetails sod on sod.order_number = so.order_number
272      inner join product p on p.product_number = sod.product_number
273      where p.product_name = 'Pen'
274      group by sm.salesman_number;

```

Result Grid   Filter Rows: Export:  Wrap Cell Content: 

	salesman_number	salesman_name
▶	S001	Huu
	S004	Tien

```
276      -- 17
277  ●    select sm.salesman_name, sm.salary
278         from salesman sm
279  ⊖    where sm.salary > (
280           select avg(salary) from salesman
281        )
282      group by sm.salesman_number;
```

Result Grid			Filter Rows:	Export:
	salesman_name	salary		
▶	Phat	25000.0000		
	Tin	20000.0000		

```

284      -- 18
285  ●    select cl.client_name, cl.amount_paid
286      from clients cl
287  where cl.amount_paid > (
288      select avg(amount_paid) from clients
289  )
290      group by cl.client_number;

```

Result Grid



Filter Rows:

Export:



	client_name	amount_paid
▶	Le Xuan	18000.0000
	Nguyen Sy	15000.0000
	Duong Thanh	12000.0000

```

292      -- 19
293  ●    select p.*
294      from product p
295  inner join salesorderdetails sod on sod.product_number = p.product_number
296  inner join salesorder so on so.order_number = sod.order_number
297  inner join clients cl on cl.client_number = so.client_number
298  where cl.client_name = 'Le Xuan';

```

Result Grid



Filter Rows:

Export:



Wrap Cell Content:



	Product_Number	Product_Name	Quantity_On_Hand	Quantity_Sell	Sell_Price	Cost_Price
▶	P1007	Keyboard	45	60	120.0000	90.0000
	P1004	Modem	22	16	250.0000	230.0000

```

300      -- 20
301  •   select p.product_name, cl.client_name, cl.amount_due
302      from product p
303      inner join salesorderdetails sod on sod.product_number = p.product_number
304      inner join salesorder so on so.order_number = sod.order_number
305      inner join clients cl on cl.client_number = so.client_number
306      inner join salesman sm on so.salesman_number = sm.salesman_number
307      where so.delivery_status = 'Delivered';

```

Result Grid   Filter Rows: Export:  Wrap Cell Content: 

	product_name	client_name	amount_due
▶	TV	Mai Xuan	5000.0000
	Laptop	Mai Xuan	5000.0000
	Keyboard	Le Xuan	3000.0000
	AC	Trinh Huu	3200.0000
	Modem	Tran Tuan	0.0000
	Pen	Tran Hai	1300.0000
	Mouse	Tran Hai	1300.0000
	TV	Tran Hai	1300.0000

```

309      -- 21
310  •   select sm.salesman_name, p.product_name
311      from product p
312      inner join salesorderdetails sod on sod.product_number = p.product_number
313      inner join salesorder so on so.order_number = sod.order_number
314      inner join clients cl on cl.client_number = so.client_number
315      inner join salesman sm on so.salesman_number = sm.salesman_number
316      where so.order_status = 'Cancelled';

```

Result Grid   Filter Rows: Export:  Wrap Cell Content: 

	salesman_name	product_name
▶	Khoa	Keyboard
	Khoa	TV
	Khoa	Headset
	Khoa	Laptop
	Deb	Keyboard

```

318      -- 22
319  •   select p.product_name, p.sell_price, p.cost_price, so.delivery_status
320      from product p
321      inner join salesorderdetails sod on sod.product_number = p.product_number
322      inner join salesorder so on so.order_number = sod.order_number
323      inner join clients cl on cl.client_number = so.client_number
324      inner join salesman sm on so.salesman_number = sm.salesman_number
325      where cl.client_name = 'Nguyen Thanh ';

```

Result Grid				
	product_name	sell_price	cost_price	delivery_status
▶	Keyboard	120.0000	90.0000	Ready to Ship

```

327      -- 23
328  •   select cl.client_name, p.product_name, p.sell_price, sm.salesman_name, so.delivery_status, sod.order_quantity
329      from clients cl
330      inner join salesorder so on cl.client_number = so.client_number
331      inner join salesorderdetails sod on so.order_number = sod.order_number
332      inner join product p on sod.product_number = p.product_number
333      inner join salesman sm on so.salesman_number = sm.salesman_number;

```

Result Grid						
	client_name	product_name	sell_price	salesman_name	delivery_status	order_quantity
▶	Mai Xuan	TV	1000.0000	Khoa	Delivered	5
	Mai Xuan	TV	1000.0000	Khoa	On Way	8
	Tran Hai	TV	1000.0000	Tin	Delivered	9
	Nguyen Sy	TV	1000.0000	Tien	On Way	2
	Mai Xuan	Laptop	1500.0000	Khoa	Delivered	4
	Mai Xuan	Laptop	1500.0000	Khoa	On Way	14
	Ho Nhu	Laptop	1500.0000	Deb	Ready to Ship	5
	Tran Minh	Laptop	1500.0000	Huu	On Way	20
	Trinh Huu	AC	400.0000	Phat	Delivered	12
	Tran Tuan	Modem	250.0000	Khoa	Delivered	3
	Le Xuan	Modem	250.0000	Tin	Ready to Ship	8

```

335      -- 24
336 •   select sm.salesman_name, p.product_name, so.order_date
337      from clients cl
338      inner join salesorder so on cl.client_number = so.client_number
339      inner join salesorderdetails sod on so.order_number = sod.order_number
340      inner join product p on sod.product_number = p.product_number
341      inner join salesman sm on so.salesman_number = sm.salesman_number
342      where so.order_status = 'Successful' and so.delivery_status <> 'Delivered';

```

Result Grid   Filter Rows: | Export:  | Wrap Cell Content: 

	salesman_name	product_name	order_date
▶	Tien	Headset	2022-04-24
	Tien	Pen	2022-05-12
	Tien	TV	2022-05-12
	Huu	Laptop	2022-05-16

```

344      -- 25
345 •   select cl.client_name, p.product_name, so.order_number, so.delivery_status
346      from clients cl
347      inner join salesorder so on cl.client_number = so.client_number
348      inner join salesorderdetails sod on so.order_number = sod.order_number
349      inner join product p on sod.product_number = p.product_number
350      inner join salesman sm on so.salesman_number = sm.salesman_number
351      where so.delivery_status = 'On Way';

```

Result Grid   Filter Rows: | Export:  | Wrap Cell Content: 

	client_name	product_name	order_number	delivery_status
▶	Mai Xuan	TV	O20005	On Way
	Mai Xuan	Headset	O20005	On Way
	Mai Xuan	Laptop	O20005	On Way
	Mai Xuan	Headset	O20009	On Way
	Nguyen Sy	Pen	O20012	On Way
	Nguyen Sy	TV	O20012	On Way
	Tran Minh	Laptop	O20014	On Way

```

353  -- 26
354  • select distinct sm.salesman_name, p.product_name, cl.city
355  from clients cl
356  inner join salesorder so on cl.client_number = so.client_number
357  inner join salesorderdetails sod on so.order_number = sod.order_number
358  inner join product p on sod.product_number = p.product_number
359  inner join salesman sm on so.salesman_number = sm.salesman_number
360  where
361      so.delivery_status = 'Delivered'
362  and exists (
363      select 1 from clients c11
364      inner join salesorder so1 on c11.client_number = so1.client_number
365      inner join salesorderdetails sod1 on so1.order_number = sod1.order_number
366      inner join salesman sm1 on so1.salesman_number = sm1.salesman_number
367      where
368          so1.delivery_status = 'Delivered'
369          and sm.salesman_name = sm1.salesman_name
370          and sod.product_number = sod1.product_number
371          and cl.city = c11.city
372          and cl.client_number <> c11.client_number
373  )

```

Result Grid |   Filter Rows: | Export:  | Wrap Cell Content: 

	salesman_name	product_name	city
--	---------------	--------------	------

```

375  -- 27
376  • select cl.client_name, p.product_name, count(*) times
377  from clients cl
378  inner join salesorder so on cl.client_number = so.client_number
379  inner join salesorderdetails sod on so.order_number = sod.order_number
380  inner join product p on sod.product_number = p.product_number
381  inner join salesman sm on so.salesman_number = sm.salesman_number
382  group by cl.client_name, p.product_name
383  having times > 1;

```

Result Grid |   Filter Rows: | Export:  | Wrap Cell Content: 

	client_name	product_name	times
▶	Mai Xuan	TV	2
	Mai Xuan	Laptop	2
	Mai Xuan	Headset	2

```

385      -- 28
386 •   select distinct sm.salesman_number, sm.salesman_name, sm.salary
387      from salesman sm
388      where
389          sm.salary < (select avg(salary) from salesman)
390          and sm.city = 'Thu Dau Mot';

```

Result Grid			
Filter Rows:			
Export:  Wrap Cell Content: 			
	salesman_number	salesman_name	salary
▶	S003	Khoa	17500.0000
	S005	Deb	13500.0000

```

385      -- 29
386 •   select sm.salesman_number, sm.salesman_name, sm.salary
387      from salesman sm
388      where sm.salary > (
389          select max(salary)
390          from (
391              select sm1.salary from salesman sm1
392              inner join salesorder sol on sm1.salesman_number = sol.salesman_number
393              where sol.order_status = 'Successful'
394          ) as successful_salaries
395      )
396      order by sm.salary ASC;
397

```

Result Grid			
Filter Rows:			
Export:  Wrap Cell Content: 			
	salesman_number	salesman_name	salary
