Price Guide April 2016

Frost GROUP

infrico

APW wyott

Waterman
COMMERCIAL REFRIGERATION MANUFACTURERS

VIANEN
AUSTRALIA

COOLING & REFRIGERATION

Under Counter Gastronorm 1/1 Refrigerators 8
Upright Refrigerators/Freezers 9
Upright Gastronorm 2/1 Refrigerators/Freezers 10
Under Counter Refrigerators 11
Under Counter Gastronorm 1/1 Solid Door Refrigerators/Freezers 12
Under Counter Gastronorm 1/1 Solid Door Remote Refrigerators 13
Under Counter Solid Door Pass Through Refrigerator 14
Under Counter Tall Refrigerators 15
Under Counter Tall Remote Refrigerators 16
Infrico Low Height Refrigerated Drawer Cabinets 17
Infrico Salad Preparation Counters 18
Upright Solid/Glass Door Refrigerators 19
Upright Solid Door Freezers 20
Upright Slim Line Gastronorm 1/1 Refrigerators 21
Upright Slim Line Gastronorm 1/1 Freezers 22
Upright Gastronorm 2/1 Reach In Refrigerators/Freezers 23
Reach-in Trolleys 24
Blast Chiller/Freezer 25
Mobile Hot Cupboards 26
Infricool Range Accessories 27
Infricool Premium Accessories 27
Ambar Refrigerated/Heated Display 28
Ambar Refrigerated Display - Self Serve 29
Onix Show Cases 30
Barcelona Modular Line Refrigerated and Open Ambient Display Cabinets 31
Barcelona Modular Line Refrigerated and Open Ambient Display Cabinets 32
Aries Modular Line - Refrigerated, Ambient and Open Display Cabinets 33
Aries Modular Line - Gelato Display Cabinets 35
Coral Series Modular Gelato Display Cabinets 36
Drop-in Buffet Refrigerated Display 37
Drop-in Buffet Refrigerated Display Self Serve 38
Drop-in Buffet Countertop Refrigerated Cold Plate 39
Drop-in Buffet Countertop Refrigerated Cold Well Blown Air 40
Drop-in Countertop Heated Bain Marie 41
Drop-in Buffet Countertop Glass Ceramic Hob 42
Gantries to Suit Drop-in Buffet Units 43
Infrico Multi-Deck Refrigerated Open Display Cabinets 45
Infrico Multi-Deck Refrigerated Open Display Cabinet 46

HEATING

Overhead Heat Strips 50
Ceramic Overhead Warmers 51
Overhead Mounting Heights 52
Conveyor Toasters 53
Countertop Display Merchandisers 54
Plate Dispensers 55
C* Radiant Countertop Fry Holding Stations 56
Ease *Extreme Digital Holding Drawers 57

CUSTOM BUILT REFRIGERATION

Auto Chill Glass Chiller 62
Glass Chiller with doors - remote operation 63
Under Bar Glass Door Bottle Cabinets - Remote Operation 64
Under Bar Glass Door Bottle Cabinets - Self Contained, digital controls 64
Under Bar Pass Through Bottle Glass Door Cabinets - Remote Operation 65
Back Bar Glass Door Bottle Cabinets - Remote Operation 66
Back Bar Glass Door Bottle Cabinets - Self Contained 66
Under Bench Solid Door Food Storage Cabinets - Remote 67
Under Bench Solid Door Food Storage Cabinets - Self Contained 67
Under Bar Pass Through Solid Door Food Storage Cabinets - Remote Operation 68
Upright Glass Door Bottle Cabinets - Remote 69
Upright Glass Door Bottle Cabinets - Self Contained 69
Upright Solid Door Food Storage Cabinets - Remote Operation 70
Back Bar Glass Door Bottle Cabinets - Self Contained 70
Low Temp Upright Solid Door Storage Cabinets - Remote Operation 71
Low Temp Upright Solid Door Storage Cabinets - Self Contained 71

VENTILATION

Vianen Basic Line Canopies 75
Vianen Jetstream Canopies 76
Vianen Compensator Canopies 78
Vianen Water Misty Canopy System 80

Terms and Conditions 83

infrico

10 REASONS TO CHOOSE

1 HEALTH

- Curved interiors facilitate easy cleaning
- Adjustable legs up to 200mm to facilitate cleaning of the floor and aid in the stability of the unit
- Ability to dismantle the shelves and guides for superior cleaning of the unit's interior.
- Interior drains of the unit can evacuate liquids.

2 STRUCTURE

- Insulation is free of CFC's. Polyurethane high-pressure injected with a density of 40 Kg/m^3
- Exterior and interiors in stainless steel AISI 304 (top, bottom, side, front and inner doors)#
- Worktops in Steel AISI 304

3 DOORS

- Hinges with automatic return and permanent pressure
- The automatic return remains freed when the opening surpasses a 95º angle.
- Interior of door contains a triple chamber door gasket (easy to remove)
- The quality of the gasket material (exempt of leads and cadmium) assures its stability against greasy acids, yeasts and fungi
- The handles are integrated into the doors.
- Doors are reversible in all the refrigerated tables range.

4 CONTROL SYSTEMS

- 30 amps for refrigeration or freezing
- Digital controllers and an integrated control panel protect against greases and liquids. The degree protection against liquids catalogued as IP44, while the digital control reaches the IP65 grade.
- Higher precision in the control of temperature.
- Greater adjustment of the interval of temperatures.
- Viewing of temperature through a digital screen
- The temperature probes are NTC type and they are closed and sealed- responsible for controlling the temperature of the chamber and the defrosting.

5 REFRIGERATION SYSTEM

- The new ventilated condensation system allows an efficient and fast exchange of temperatures in the unit that translates to a better performance of the equipment.
- The constant circulation of air avoids the accumulation of moisture in the lodging of the unit
- Removable condensing units and use of stainless steel evaporative trays
- The low temperature freezers uses the hot gas defrosting system.
- Use forced evaporators for obtaining an optimum performance and unifying the temperatures in the interiors of the machine.
- Uses evaporators treated against corrosive agents.
- Uses of compact monoblocks allowing better capacity easy cleaning and further maintenance of the machine.

6 100% QUALITY TESTED

- Leak detection systems - all condensing units are tested to 100% in a helium chamber.
- Three tests are performed to guarantee circuit sealing along the production line - Nitrogen, Helium, Nitrogen and Refrigerant
- Tests and trials at the end of each line ensures compliance with electrical safety tests defined in the rules UNE-EN 60335-2-89:2004 to 100% production
- Laboratories approved for compliance with council directive DC 2004/108/CE of electrical safety and electromagnetic compatibility DC 2006/95/CE
- A tracking system allows us to identify, inspect, control and approve our products.
- AENOR audited and certified by internationally recognised firm. ISO 9001:2008 (Quality); ISO 14001:2004 (Environmental); OSHAS 18001:2007 (Prevention and Worker Safety) standards.
- Audited and certified by INTERTEK for compliance with UL 471 and NSF 7; application in the US and Canadian markets.

Infrico Premium range only

INFRICO

7 QUALITY CONTROL

- Evaporators and condenser coils have a thickness of 0.35mm and 0.55mm with copper tube thickness
- Electronic controllers with 2 HP (30 amps) guarantee relays to a greater number of operations with greater reliability and sealing against moisture penetration.
- New membrane keyboards; performance and handling will be comfortable, easy and with unique style.
- Incorporating LED lighting, to reduce the energy consumption by 80% to 90% compared to a traditional bulb.
- Permanently committed to innovation, improving cooling systems and using the newest materials and components in our latest designs.

8 ENVIRONMENTALLY FRIENDLY

- Infricos' policy of respecting and preserving the environment is certified by international standard ISO 14001:2004
- Compressors have high energy efficiency and low noise levels
- Infrico cares for the future, using refrigerants that respect global warming and protect the ozone layer
- Compliance with the RoHS Directive (2002/95/ce)
- We declare that our products comply with RoHS Directive which concerns the restriction of the use of certain hazardous substances in electrical and electronic equipment, such as lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) above the agreed levels.

9 CUSTOMER SERVICE

- Availability - Infrico has permanent stock of equipment to provide flexibility in delivery
- Infrico has a large group of professionals and business delegates for national and international customer service
- Sales Service is focused on advising, care, repair and delivery of spare parts to customers
- Infrico offers assistance to all of your projects through its technical department
- Infrico includes 1 year warranty for all its products

10 ENERGY SAVING MEASURES

- LED lighting
- Over-sized condensers and evaporators to improve energy efficiency
- Anti corrosion materials to avoid leakages
- New compressors generate high energy and low noise level
- Hot gas defrost
- New hydrocarbons refrigerants R.600a.y R.290*.
- Triple magnetic chamber gasket to avoid loss of cooled air
- Guarantee of insulation density in injected panels
- Closing air curtains exhibitors with (optional) glass doors
- Advanced electronic development to handle intelligent defrost cycles
- High performance motor fan (optional)
- Double and triple glass doors with argon charge at zero consumption

eco Efficiency

Over the coming years there will be a phase out of Hydrofluorocarbon gases, or HFC's in commercial refrigeration such as the common R404a and R134a gases. These have already been phased out in domestic applications due to their high Global Warming Potential (GWP). These gases have been successfully replaced with Hydrocarbon alternatives such as R290. Investing now in R290 refrigeration will ensure a long life of your new fridge or freezer as the phase out will also include limiting servicing of HFC units. As a benefit, your running costs will decrease and there'll be less heat emitted into your work environment. And you'll be saving the planet.

A

infrico

Infricool Range

Under Counter Gastronorm 1/1 Refrigerators

BSG 2000 II
Shown with optional S/S splashback bench top

- Stainless Steel Exterior AISI 430 with galvanised metal back
- Stainless Steel Work Top AISI 304
- Stainless Steel Interior AISI 430
- Self Closing Doors with stay-open feature
- Final defrost temperature control
- Stainless Steel Evaporation tray
- Doors with integrated handle and opening hinge
- Easy to clean slides and shelves
- Easy to change triple chamber door seals
- Interior shelves 325mm x 530mm Gastronorm 1/1
- 2 PVC coated shelves per door
- Door opening of 375mm x 540mm
- Completely injected compact structure
- Ambient operating temperature +32° C

MODEL NUMBER	DOORS	DIMENSIONS (w x d x h)	VOLUME (litres)	PRICE (excl. GST)
BSG 1500 II	2	1,495mm x 700mm x 850/900mm	315 L	$ 3,880.00
BSG 2000 II	3	1,990mm x 700mm x 850/900mm	485 L	$ 4,680.00
BSG 2500 II*	4	2,485mm x 700mm x 850/900mm	650 L	$ 5,790.00

Ready to order? ***Call us today on: 1300 FROSTS or Email us at: sales@frostcatering.com.au***

* Indent only

Warranty 2 years parts and 1 year labour

A

Infricool Range

Upright Refrigerators/Freezers

- Stainless Steel Exterior AISI 430 with galvanised metal back
- Stainless Steel Interior AISI 430
- Self Closing Doors with stay-open feature
- Final defrost temperature control
- Easy to clean interior
- Stainless Steel Evaporation tray
- Doors with integrated handle and opening hinge
- Full height door clearance 580mm x 1,350mm
- Easy cleaning guides and shelves
- Interior shelves 325mm x 530mm
- 4 Plastic coated wire shelves per door
- Ambient operating temperature +32° C
- Bottom mounted unit

ASN 400 II

MODEL NUMBER	TYPE	DOORS	DIMENSIONS (w x d x h)	VOLUME (litres)	PRICE (excl. GST)
ASN 400 II	REF	1	687mm x 610mm x 2,050mm	330 L	$ 3,280.00
ASN 800 II	REF	2	1,385mm x 610mm x 2,050mm	720 L	$ 4,940.00
ASN 400 BT II	FREEZER	1	687mm x 610mm x 2,050mm	330 L	$ 4,455.00
ASN 800 BT II	FREEZER	2	1,385mm x 610mm x 2,050mm	720 L	$ 5,830.00

Ready to order? ***Call us today on: 1300 FROSTS or Email us at: sales@frostcatering.com.au***

* Indent only

Warranty 2 years parts and 1 year labour

A

Infricool Range

Upright Gastronorm 2/1 Refrigerators/Freezers

- Stainless Steel AISI 430 exterior with galvanised metal back
- Stainless steel AISI 430 Interior
- Self Closing Doors with stay open feature
- Control of final defrost temperature
- Easy Cleaning Interior
- Stainless Steel Evaporation Tray
- Doors with integrated handle and opening hinge
- Easy cleaning Slides and Shelves
- Easy to change triple chamber door seals
- Interior shelves at 530mm x 650mm Gastronorm 2/1
- 4 Plastic Coated Wire Shelves per door
- Door opening of 580mm x 1,495mm
- Ambient operating temperature +32°C
- Top mounted unit

ASG 1400 BT II

MODEL NUMBER	TYPE	DOORS	DIMENSIONS (w x d x h)	VOLUME (litres)	PRICE (excl. GST)
ASG 700 II	REF	1	687mm x 800mm x 2,125mm	600 L	$ 3,820.00
ASG 1400 II	REF	2	1,385mm x 800mm x 2,125mm	1,300 L	$ 5,510.00
ASG 700 BT II	FREEZER	1	687mm x 800m x 2,125mm	600 L	$ 5,230.00
ASG 1400 BT II	FREEZER	2	1,385mm x 800mm x 2,125mm	1,300 L	$ 6,940.00

Ready to order? ***Call us today on: 1300 FROSTS or Email us at: sales@frostcatering.com.au***

* Indent only

Warranty 2 years parts and 1 year labour

A

Under Counter Refrigerators

BMPP 1500 II
Shown with optional S/S splashback bench top

BMPP 2000 CR
Shown with optional S/S splashback bench top

- Stainless Steel Exterior AISI 304 18/10
- Stainless Steel Interior AISI 304
- Self Closing Door with stay open feature
- Completely injected compact structure
- Final defrost temperature control
- Stainless Steel Evaporation Tray
- Doors with stylish handle and blocked opening hinge
- Interior of door inserted with easy to change triple chamber door seals
- Easy to clean slides and shelves
- Interior shelves 325mm x 430mm
- Door opening of 375mm x 526mm
- Tropicalized ambient operating temperature +43°C
- Left hand services option - Add $ 110.00
- Adjustable legs up to 200mm
- LED Lighting - CR models only
- Low E Triple Glazed Doors - CR models only

MODEL NUMBER	TYPE	DOORS	DIMENSIONS (w x d x h)	VOLUME (litres)	PRICE (excl. GST)
BMPP 1500 II	SOLID	2	1,468mm x 600mm x 850/900mm	245 L	$ 5,015.00
BMPP 2000 II	SOLID	3	1,960mm x 600mm x 850/900mm	385 L	$ 5,960.00
BMPP 2500 II*	SOLID	4	2,452mm x 600mm x 850/900mm	525 L	$ 7,025.00
BMPP 1500 CR	GLASS	2	1,468mm x 600mm x 850/900mm	245 L	$ 5,195.00
BMPP 2000 CR	GLASS	3	1,960mm x 600mm x 850/900mm	385 L	$ 6,890.00
BMPP 2500 CR	GLASS	4	2,452mm x 600mm x 850/900mm	525 L	$ 8,430.00

Add 5% to price for ecoEfficiency option

Ready to order? ***Call us today on: 1300 FROSTS or Email us at: sales@frostcatering.com.au***

* Indent only

Warranty 2 years parts and 2 years labour

A

infrico

Under Counter Gastronorm 1/1 Solid Door Refrigerators/Freezers

eco Efficiency

BMGN 1470 II

Shown with optional S/S splashback bench top

- Stainless Steel Exterior AISI 304
- Stainless Steel Interior AISI 304
- Self Closing Door with stay open feature
- Completely injected compact structure
- Final defrost temperature control
- Stainless Steel Evaporation Tray
- Doors with integrated handle and blocked opening hinge
- Interior of door inserted with easy to change triple chamber door seals
- Easy to clean slides and shelves
- Interior shelves 325mm x 530mm
- Door opening of 375mm x 526mm
- Legs adjustable up to 200mm
- Tropicalized ambient operating temperature +43°C
- Left Hand Services Option - Add $ 110.00
- Heated Door Frame to avoid accumulation of ice - Freezers only
- Hot Gas Defrost - Freezers only

MODEL NUMBER	TYPE	DOORS	DIMENSIONS (w x d x h)	VOLUME (litres)	PRICE (excl. GST)
BMGN 1050 II	REF	1	1,050mm x 700mm x 850/900mm	165 L	$ 3,900.00
BMGN 1470 II	REF	2	1,468mm 700mm x 850/900mm	295 L	$ 4,985.00
BMGN 1960 II	REF	3	1,960mm x 700mm x 850/900mm	460 L	$ 6,570.00
BMGN 2450 II*	REF	4	2,452mm x 700mm x 850/900mm	625 L	$ 7,800.00
BMGN 1050 BT	FREEZER	1	1,050mm x 700mm x 850/900mm	165 L	$ 4,900.00
BMGN 1470 BT	FREEZER	2	1,160mm x 700mm 850/900mm	295 L	$ 6,550.00

Add 5% to price for ecoEfficiency option

Ready to order?

Call us today on: 1300 FROSTS or Email us at: sales@frostcatering.com.au

* Indent only

Warranty 2 years parts and 2 years labour

A

infrico

Under Counter Gastronorm 1/1 Solid Door Remote Refrigerators

eco Efficiency

condensing units not included

BMGN 1960 GR
Shown with optional S/S splashback bench top

- Stainless Steel Exterior AISI 304
- Stainless Steel Interior AISI 304
- Self Closing Door with stay open feature
- Completely injected compact structure
- Final defrost temperature control
- Stainless steel Evaporation Tray
- Doors with integrated handle and blocked opening hinge
- Interior of door inserted with easy to change triple chamber door seals
- Easy to clean slides and shelves
- Interior shelves 325mm x 530mm
- Door opening of 375mm x 526mm
- Optional triple glass door with interior light - LED—POA*
- Expansion valve included
- Legs adjustable up to 200mm
- Tropicalized ambient operating temperature +43°C
- Left Hand Services Option - Add $ 110.00

MODEL NUMBER	DOORS	DIMENSIONS (w x d x h)	VOLUME (litres)	PRICE (excl. GST)
BMGN 1470 GR*	2	1,160mm x 700m x 850/900mm	295 L	$ 4,560.00
BMGN 1960 GR*	3	1,652mm x 700mm x 850/900mm	460 L	$ 5,670.00
BMGN 2450 GR*	4	2,144mm x 700mm x 850/900mm	625 L	$ 6,780.00

Add 5% to price for ecoEfficiency option

Ready to order? ***Call us today on: 1300 FROSTS or Email us at: sales@frostcatering.com.au***

* Indent only

Warranty 2 years parts and 2 years labour

A

infrico

Under Counter Solid Door Pass Through Refrigerator

eco Efficiency

MR 2190 PDC

Shown with optional S/S work top and glass doors

- Exterior and Interior of AISI 304 stainless steel
- Self Closing Doors with stay open feature
- Control of final defrost temperature
- Interior with radiused corners to facilitate cleaning
- Evaporation tray of stainless steel
- Doors with integrated handle and blocked opening hinge
- Guides and shelves easy to take off for cleaning
- Optional lock for doors
- Tropicalized ambient operating temperature +43°C
- Adjustable legs up to 200 mm
- Triple glazed glass doors P.O.A

MR 2190 PDC

- Interior Shelves 400mm x 600mm
- Door Clearance 450mm x 536mm

BMGN 1960 PDC

- Interior Shelves 325mm x 530mm
- Door Clearance 375mm x 526mm

MODEL NUMBER	DOORS	DIMENSIONS (w x d x h)	VOLUME (litres)	PRICE (excl. GST)
MR 2190 PDC	3	2,185mm x 800mm x850/900mm	590 L	$ 6,780.00
BMGN 1960 PDC	3	1,960mm x 700mm 850mm	435 L	$ 6,570.00

Add 5% to price for ecoEfficiency option

Ready to order?

Call us today on: 1300 FROSTS or Email us at: sales@frostcatering.com.au

* Indent only

Warranty 2 years parts and 2 years labour

A

Under Counter Tall Refrigerators

eco Efficiency

FMPP 2000 II
Shown with optional S/S splashback bench top

FMPP 2000 CR
Shown with optional S/S splashback bench top

- Stainless Steel Exterior AISI 304 18/10
- Stainless Steel Interior AISI 304
- Self Closing Doors with stay open feature
- Completely injected compact structure
- Final defrost temperature control
- Stainless Steel Evaporation Tray
- Doors with integrated handle and blocked opening hinge
- Interior of door inserted with easy to change triple chamber door seals
- Easy to clean slides and shelves
- Interior shelves 325mm x 430mm
- Door opening of 375mm x 726mm
- Tropicalized ambient operating temperature +43°C
- Triple Glazed Glass Doors - CR models only
- Adjustable legs up to 200mm

MODEL NUMBER	TYPE	DOORS	DIMENSIONS (w x d x h)	VOLUME (litres)	PRICE (excl. GST)
FMPP 1500 II	SOLID	2	1,468mm x 600mm x 1,050mm	325 L	$ 5,015.00
FMPP 2000 II	SOLID	3	1,960mm x 600mm x 1,050mm	510 L	$ 6,040.00
FMPP 2500 II*	SOLID	4	2,452mm x 600mm x 1,050mm	695 L	$ 7,020.00
FMPP 1500 CR	GLASS	2	1,160mm x 600mm x 1,050mm	325 L	$ 5,425.00
FMPP 2000 CR	GLASS	3	1,655mm x 600mm x 1,050mm	510 L	$ 6,940.00
FMPP 2500 CR*	GLASS	4	2,145mm x 600mm x 1,050mm	695 L	$ 8,415.00

Add 5% to price for ecoEfficiency option

Ready to order? ***Call us today on: 1300 FROSTS or Email us at: sales@frostcatering.com.au***

* Indent only

Warranty 2 years parts and 2 years labour

A

infrico

Under Counter Tall Remote Refrigerators

eco Efficiency

FMPP 2000 GR

Shown with optional S/S splashback bench top

FMPP 2000 CRGR

Shown with optional S/S splashback bench top

- Stainless Steel Exterior AISI 304 18/10
- Stainless Steel Interior AISI 304
- Self Closing Doors with stay open feature
- Completely injected compact structure
- Final defrost temperature control
- Stainless Steel evaporation tray
- Doors with stylish handle and blocked opening hinge
- Interior of door inserted with easy to change triple chamber door seals
- Easy to clean slides and shelves
- Interior shelves 325mm x 430mm
- Door opening of 375mm x 726mm
- Tropicalized ambient operating temperature +43°C
- Triple Glazed Doors with LED lighting - CR models only
- Adjustable legs up to 200mm
- Expansion Valve included

MODEL NUMBER	TYPE	DOORS	DIMENSIONS (w x d x h)	VOLUME (litres)	PRICE (excl. GST)
FMPP 1500 CRGR	GLASS	2	1,160mm x 600mm x 1,050mm	325 L	$ 5,250.00
FMPP 2000 CRGR	GLASS	3	1,652mm x 600mm x 1,050mm	510 L	$ 6,530.00
FMPP 2500 CRGR	GLASS	4	2,144mm x 600mm x 1,050mm	695 L	$ 7,900.00
FMPP 1500 GR	SOLID	2	1,160mm x 600mm x 1,050mm	325 L	$ 4,775.00
FMPP 2000 GR	SOLID	3	1,652mm x 600mm x1,050mm	510 L	$ 5,905.00
FMPP 2500 GR*	SOLID	4	2,144mm x 600mm x 850/900mm	695 L	$ 6,950.00

Add 5% to price for ecoEfficiency option

Ready to order?

Call us today on: 1300 FROSTS or Email us at: sales@frostcatering.com.au

* Indent only

Warranty 2 years parts and 2 years labour

A

Infrico Low Height Refrigerated Drawer Cabinets

MSG 2000

- Exterior high grade AISI 304 stainless steel
- Interior high grade AISI 304 stainless steel
- Internal corners radiused
- Drawers have telescopic slides to suit 1/1 gastronorm x 100mm deep pans with soft closing function
- Body of drawer 305mm x 508mm x 105mm
- Adjustable legs up to 200mm
- Control of final defrost temperature
- Electronic controller with temperature display
- Stainless Steel Evaporator Tray
- Drain inside the cabinet
- Tropicalized ambient operating temperature +43°C
- Optional lock for drawers

MODEL NUMBER	DOORS	DIMENSIONS (w x d x h)	VOLUME (litres)	PRICE (excl. GST)
MSG 1000*	2	1,000mm x 650mm x 640mm	75 L	$ 3,490.00
MSG 1400	4	1,400mm x 650mm x 640mm	170 L	$ 4,180.00
MSG 2000	6	2,000mm 650mm x 640mm	265 L	$ 5,310.00
MSG 2400	8	2,400mm 650mm x 640mm	360 L	$ 6,520.00

Add 5% to price for ecoEfficiency option

Ready to order? ***Call us today on: 1300 FROSTS or Email us at: sales@frostcatering.com.au***

* Indent only

Warranty 2 years parts and 2 years labour

A

infrico

Infrico Salad Preparation Counters

eco Efficiency

MEV 1500

- Exterior and Interior of AISI 304 stainless steel
- Self Closing Doors with stay open feature
- Drain inside the cabinet
- Control of final defrost temperature
- Interior with radiused corners to facilitate cleaning
- Evaporation tray of stainless steel
- Doors with integrated handle and blocked opening hinge
- Guides and shelves easy to take off for cleaning
- Stainless steel insulated lid with blocked opening hinge
- Optional lock for doors
- Interior shelves of 325mm x 430mm
- Door clearance of 375mm x 526mm
- Blown air well to top
- Tropicalized ambient operating temperature +43°C
- Adjustable legs up to 200 mm.

MODEL NUMBER	DOORS	PANS	DIMENSIONS (w x d x h)	VOLUME (litres)	PRICE (excl. GST)
MEV 1000	2	4 x 1/3 GN	980mm x 800mm x 860/1,060mm	267 L	$ 4,840.00
MEV 1500	3	7 x 1/3 GN	1,470mm x 800mm x 860/1,060mm	400 L	$ 5,425.00

Add 5% to price for ecoEfficiency option

Ready to order?

Call us today on: 1300 FROSTS or Email us at: sales@frostcatering.com.au

* Indent only

Warranty 2 years parts and 2 years labour

A

infrico

Upright Solid/Glass Door Refrigerators

eco Efficiency

- Stainless Steel Exterior AISI 304
- Stainless Steel Interior AISI 304
- Self Closing Doors with stay open feature
- Final defrost temperature control
- Stainless Steel Evaporation Tray
- Triple Glazed Glass Door and blocked opening hinge - AEX models only
- Easy Cleaning Slides and Shelves
- Interior shelves 530mm x 460mm (AN/AEX 500)
- Interior shelves 530mm x 510mm (AN/AEX 1000)
- Big door opening of 580mm x 1,345mm
- Easy to disassemble triple chamber door seals
- Interior light
- Optional lock for doors
- Adjustable legs up to 200mm
- Tropicalized ambient operating temperature +43°C

AN 501 TF

AEX 500 TF

MODEL NUMBER	TYPE	DOORS	DIMENSIONS (w x d x h)	VOLUME (litres)	PRICE (excl. GST)
AN 501 TF	SOLID	1	687mm x 700mm x 2,060mm	500 L	$ 4,930.00
AN 1002 TF	SOLID	2	1,385mm x 700mm x 2,060mm	1,100 L	$ 6,045.00
AN 1004 TF*	SOLID	4 only 1/2	1,385mm x 700mm x 2,060mm	1,110 L	$ 6,330.00
AN 1606 TF*	SOLID	6 only 1/2	2,081mm x 700mm x 2,060mm	1,730 L	$ 9,170.00
AEX 500 TF	GLASS	1	687mm x 700mm x 2,060mm	500 L	$ 5,035.00
AEX 1000 TF	GLASS	2	1,385mm x 700mm x 2,060mm	1,110 L	$ 6,465.00

Add 5% to price for ecoEfficiency option

Ready to order? ***Call us today on: 1300 FROSTS or Email us at: sales@frostcatering.com.au***

* Indent only

Warranty 2 years parts and 2 years labour

A

infrico

Upright Solid Door Freezers

eco Efficiency

- Stainless Steel Exterior AISI 304
- Stainless Steel Interior AISI 304
- Self Closing Door with stay open feature
- Final defrost temperature control
- Stainless Steel evaporation tray
- Doors with integrated handle and blocked opening hinge
- Interior of door inserted with easy to change triple chamber door seals
- Easy to clean slides and shelves
- Interior Shelves 530mm x 460mm (AN500)
- Interior shelves 530mm x 510mm (AN1000)
- Big door opening of 580mm x 1,345mm
- Optional locks for doors
- Adjustable legs up to 200mm
- Tropicalized ambient operating temperature +43°C
- Heated Door Frame

AN 1002 BT

MODEL NUMBER	DOORS	DIMENSIONS (w x d x h)	VOLUME (litres)	PRICE (excl. GST)
AN 501 BT	1	687mm x 700mm x 2,030mm	500 L	$ 5,990.00
AN 502 BT*	2 only 1/2	687mm x 700mm x 2,060mm	500 L	$ 6,240.00
AN 1002 BT	2	1,385mm x 700mm x 2,030mm	1,110 L	$ 7,525.00
AN 1003 BT*	1 Full 2 only 1/2	1,385mm x 700mm x 2,060mm	1,110 L	$ 7,870.00
AN 502 MX	2 only 1/2	687mm x 700mm x 2,060mm	240 L ea	$ 6,785.00

Add 5% to price for ecoEfficiency option

Ready to order? ***Call us today on: 1300 FROSTS or Email us at: sales@frostcatering.com.au***

* Indent only

Warranty 2 years parts and 2 years labour

A

infrico

Upright Slim Line Gastronorm 1/1 Refrigerators

eco Efficiency

- Stainless Steel Exterior AISI 304
- Stainless Steel Interior AISI 304
- Final defrost temperature control
- Doors with integrated handle and blocked opening hinge
- Easy to clean slides and shelves
- Optional lock for doors and drawers
- Easy to change triple chamber door seals
- Interior shelves of 325mm x 530mm GN 1/1(4)
- Big door opening of 375mm x 685mm half height door
- Adjustable legs up to 200mm
- LED Lighting
- 4 Plastic coated wire shelves per full door
- 2 Plastic Coated Wire Shelves per half door
- Triple Glazed 'Low E' Glass Doors - CR models only
- Tropicalised ambient operating temperature +43°C

Body of Drawer 1/3
(305mm x 515mm x 160mm deep)

Body of Drawer 1/2
(305mm x 515mm x 285mm deep)

AGN 323

AGN 300 CR

MODEL NUMBER	TYPE	DOORS	DIMENSIONS (w x d x h)	VOLUME (litres)	PRICE (excl. GST)
AGN 301	SOLID	1	482mm x 695mm x 2,100mm	325 L	$ 4,675.00
AGN 323	SOLID	1 only 1/2 door 3 only 1/3 drawers	482mm x 695mm x 2,100mm	325 L	$ 5,455.00
AGN 602	SOLID	2	974mm x 695mm x 2,100mm	745 L	$ 7,870.00
AGN 644	SOLID	2 only 1/2 doors 4 only 1/2 drawers	974mm x 695mm x 2,100mm	745 L	$ 9,095.00
AGN 300 CR	GLASS	1	482mm x 695mm x 2,100mm	325 L	$ 4,895.00
AGN 600 CR*	GLASS	2	974mm x 695mm x 2,100mm	745 L	$ 7,195.00

Add 5% to price for ecoEfficiency option

Ready to order? ***Call us today on: 1300 FROSTS or Email us at: sales@frostcatering.com.au***

* Indent only

Warranty 2 years parts and 2 years labour

A

infrico

Upright Slim Line Gastronorm 1/1 Freezers

eco Efficiency

- Stainless Steel Exterior AISI 304
- Stainless Steel Interior AISI 304
- Final defrost temperature control
- Doors with integrated handle and blocked opening hinge
- Easy to clean slides and shelves
- Optional lock for doors
- Easy to change triple chamber door seals
- Interior shelves of 325mm x 530mm gastronorm 1/1
- 4 Plastic Coated Wire Shelves per full height door
- 2 Plastic Coated Wire Shelves per half height door
- Big door openings of 375mm x 685mm half height door
- Big door openings of 375mm x 1,495mm full height door
- Adjustable legs up to 200mm
- Tropicalised ambient operating temperature +43°C

AGN 302 BT

MODEL NUMBER	DOORS	DIMENSIONS (w x d x h)	VOLUME (litres)	PRICE (excl. GST)
AGN 301 BT	1	482mm x 695mm x 2,100mm	325 L	$ 5,340.00
AGN 302 BT	2 only 1/2	482mm x 695mm x 2,100mm	325 L	$ 5,450.00
AGN 602 BT	2	974mm x 695mm x 2,100mm	745 L	$ 7,440.00

Add 5% to price for ecoEfficiency option

Ready to order?

Call us today on: 1300 FROSTS or Email us at: sales@frostcatering.com.au

* Indent only

Warranty 2 years parts and 2 years labour

A

Upright Gastronorm 2/1 Reach In Refrigerators/Freezers

eco Efficiency

- Stainless Steel Exterior AISI 304
- Stainless Steel Interior AISI 304
- Final defrost temperature control - BT models only
- Doors with integrated handle and blocked opening hinge
- Easy to clean slides and shelves
- Optional lock for doors
- Easy to change triple chamber door seals
- Interior shelves of 620mm x 530mm gastronorm 2/1
- 4 Plastic Coated Wire Shelves per full height door
- Big door openings of 375mm x 1,495mm full height door
- Adjustable legs up to 200mm
- LED Lighting
- Tropicalised ambient operating temperature +43°C

AGB 701

MODEL NUMBER	TYPE	DOORS	DIMENSIONS (w x d x h)	VOLUME (litres)	PRICE (excl. GST)
AGB 701	REF	1	687mm x 794mm x 2,130mm	610 L	$ 5,130.00
AGB 1402	REF	2	1,385mm x 794mm x 2,130mm	1,340 L	$ 6,885.00
AGB 701 BT	FREEZER	1	687mm x 794mm x 2,130mm	610 L	$ 6,495.00
AGB 1402 BT	FREEZER	2	1,385mm x 794mm x 2,130mm	1,340 L	$ 8,810.00

Add 5% to price for ecoEfficiency option

Ready to order? ***Call us today on: 1300 FROSTS or Email us at: sales@frostcatering.com.au***

* Indent only

Warranty 2 years parts and 2 years labour

infrico

Reach-in Trolleys

eco Efficiency

- AISI 304 Stainless Steel
- Integrated handle doors
- Interior of door inserted with a triple chamber door gasket - easy to remove
- Door opening of 700mm x 1,850mm
- Thermal insulation 80mm of thickness of high density 40 Kg/m^{3,} CFC's free, polyurethane
- Zero ODP and low GWP
- Accept 1 G/N 2/1 trolley or 1 trolley 600 x 400
- Temperature and automatic defrost regulated by a digital controller (30 a)

RIC1P

Self contained

MODEL NUMBER	DOORS	DIMENSIONS (w x d x h)	VOLUME (litres)	PRICE (excl. GST)
RIC1P	1	940mm x 1,060mm x 2,360mm	1,281 L	$ 10,600.00
RIC2P	2	1,820mm x 1,060mm 2,360mm	2,726 L	$ 12,800.00

Remote controlled

MODEL NUMBER	DOORS	DIMENSIONS (w x d x h)	VOLUME (litres)	PRICE (excl. GST)
RIC1PGR	1	940mm x 1,060mm x 2,360mm	1,281 L	$ 9, 790.00
RIC2PGR	2	1,820mm x 1,060mm 2,360mm	2,726 L	$ 11,660.00

Add 5% to price for ecoEfficiency option

Ready to order?

Call us today on: 1300 FROSTS or Email us at: sales@frostcatering.com.au

* Indent only

Warranty 2 years parts and 1 year labour

A

Blast Chiller/Freezer

ABT 51L

- Stainless Steel Exterior AISI 304
- Stainless Steel Interior AISI 304
- Self closing doors
- Doors with integrated handle and blocked opening hinge
- Easy to clean slides
- Thermal Insulation
- Heated Door Frame
- Easy read control panel
- USB connection
- Blast Chilling at +90°C to +3°C in less than 90 minutes
- Blast Freezing at +90°C to –18°C in less than 270 minutes
- Hot gas defrost and expansion valve

MODEL NUMBER	CAPACITY	DIMENSIONS (w x d x h)	PRICE (excl. GST)
ABT51L	20kg / 12kg	837mm x 836mm x 925mm	$ 8,840.00
ABT71M	30kg / 18kg	1,468mm x 700mm x 850mm	$ 10,535.00
ABT101L	40kg / 25kg	837mm x 836mm x 1,716mm	$ 12,175.00

Add 5% to price for ecoEfficiency option

Ready to order? ***Call us today on: 1300 FROSTS or Email us at: sales@frostcatering.com.au***

* Indent only

Warranty 2 years parts and 2 years labour

A

infrico

Mobile Hot Cupboards

The Infrico Hot Trolleys are the ideal solution for maintaining and delivering hot meals at the correct service temperature while conserving texture and flavour.

- Exterior and Interior in stainless steel AISI304
- Satin finish and double insulating walls
- Door of stainless steel with a silicon gasket
- Shelf supports in stainless steel with a U formation
- 60mm distance between shelf levels
- Removable heating drawer with ventilated element and humidity generator
- Silent wheels 125mm diameter, two with brakes
- Bumpers for protection during transit
- Electric thermostat with adjustable temperature

CCD 2021

MODEL NUMBER	GASTRONORM 2/1 SHELF CAPACITY	DIMENSIONS (w x d x h)	PRICE (excl. GST)
CCD1021*	10	750mm x 810mm x 1,122mm	$ 4,885.00
CCD2021	20	750mm x 810mm x 1,720mm	$ 6,110.00

MOBILE HOT CUPBOARD - OPTIONAL EXTRAS

MODEL NUMBER	GASTRONORM 2/1 SHELF CAPACITY	PRICE (excl. GST)
CCD 2/1SS	2/1 Gastronorm Stainless Steel Shelves	$ 95.00 each

Ready to order?

Call us today on: 1300 FROSTS or Email us at: sales@frostcatering.com.au

* Indent only

Warranty 2 years parts and 2 years labour

Infricool Range Accessories

MODEL NUMBER	DETAILS		PRICE (excl. GST)
Additional PVC Coated Shelves			
ASN400/800	Cabinets	502 x54	$ 50.00 each
ASG 700/1400	Cabinets	502 x14	$ 50.00 each
BSG 1500/200	Cabinets	502 x07	$ 50.00 each
Additional Stainless Steel Shelf Supports			
ASN 400/800	Cabinets	503 x56/57	$ 40.00 pair
ASG 700/1400	Cabinets	503 x02 /x03	$ 40.00 pair
BSG 1500/2000	Cabinets	503 x 50/51	$ 40.00 pair

Infricool Premium Accessories

MODEL NUMBER	DETAILS		PRICE (excl. GST)
Additional PVC Coated Shelves			
AN 500/1000	Series Cabinets	502 x04	$ 50.00 each
AGN 300/600	Series Cabinets	502 x12	$ 50.00 each
BMPP/FMPP	Series Cabinets	502 x07	$ 50.00 each
BMGN/MEV	Series Cabinets	502 x12	$ 50.00 each
Additional Stainless Steel Shelf Supports			
AN 500/1000	Series Cabinets	503 x14/x19	$ 40.00 pair
AGN 300/600	Series Cabinets	503 x15 /x20	$ 40.00 pair
BMGN/FMPP	Series Cabinets	503 x15/ x16	$ 40.00 pair
Bank of 2 Soft Closing Drawers (fitted)		BMGN 1/2 x200	$ 895.00
Bank of 3 Soft Closing Drawers (fitted)		BMGN 1/3 x100	$ 1,155.00
Locks			
Lock to Solid Door Unit		506 x120/121	$ 80.00 each
Lock to Glass Door Unit		506 x60	$ 80.00 each

A

infrico

Ambar Refrigerated/Heated Display

eco Efficiency

- Curved Glass Front
- AISI 304 Stainless steel Exterior and Interior
- AISI 304 Stainless steel upper worktop
- Superior profile with LED lighting
- Display surface area and shelves with LED lighting
- Profiles in anodized aluminium
- Digital control to rear
- Interior temperature display
- Double stainless steel evaporative pan, first with hot gas second with electrical element
- Automatic defrost - Refrigerated models only
- Double Glazed Glass to front and side - Refrigerated models only
- Double glazed sliding door on the rear - Refrigerated models only
- Temperature range +4°C / +8°C - Refrigerated models only
- 3 adjustable glass shelves to chilled units
- 2 adjustable glass shelves to heated units
- Standard colour white/black, other options available —POA*

MODEL NUMBER	TYPE	DIMENSIONS (w x d x h)	VOLUME (litres)	DISPLAY (m^2)	PRICE (excl. GST)
VBR 9R	REF	978mm x 810mm x 1,300mm	274 L	1.4m^2	$ 6,320.00
VBR 12R	REF	1,290mm x 810mm x 1,300mm	365 L	1.4m^2	$ 6,750.00
VBR 18R*	REF	1,915mm x 810mm x 1,300mm	548 L	2.8m^2	$ 8,420.00
VBR 9 HT	HOT	938mm x 810mm x 1,300mm	274 L	1.4m^2	$ 6,320.00

Add 5% to price for ecoEfficiency option - refrigerated model only

Ready to order? ***Call us today on: 1300 FROSTS or Email us at: sales@frostcatering.com.au***

* Indent only

Warranty 2 years parts and 1 year labour

A

infrico

Ambar Refrigerated Display - Self Serve

eco Efficiency

VBR 12 SS

- AISI 304 Stainless Steel Interior and Exterior
- AISI 304 Stainless Steel Exposition Surface Area
- AISI 304 Stainless Steel Upper Worktop
- Base of enamelled steel tube
- Superior profile with LED lighting
- Exposition surface area and shelves with LED lighting
- Profiles in Anodized aluminium
- Interior temperature display
- Ventilated refrigeration
- Automatic defrost
- Double side panels
- Night curtain standard and front brackets
- Double Stainless Steel Evaporative pan, first with hot glass second with electrical resistance.
- Stainless Steel Perforated Internal Panel to rear wall
- Temperature range +4°C / +8°C
- Standard colour white, other options available — POA*
- Black units available upon request

MODEL NUMBER	DIMENSIONS (w x d x h)	VOLUME (litres)	DISPLAY (m^2)	PRICE (excl. GST)
VBR 9SS	978mm x 810mm x 1,300mm	274 L	0.7m^2	$ 6,320.00
VBR 12SS	1,290mm x 810mm x 1,300mm	365 L	1.1m^2	$ 6,750.00
VBR 18SS*	1,915mm x 810mm x 1,300mm	548 L	1.4m^2	$ 8,420.00

Add 5% to price for ecoEfficiency option

Ready to order? ***Call us today on: 1300 FROSTS or Email us at: sales@frostcatering.com.au***

* Indent only

Warranty 2 years parts and 1 year labour

infrico

Onix Show Cases

eco Efficiency

VON 12 PR

- Designed for bakery goods
- Stainless Steel Interior AISI 304
- Stainless Steel AISI 304 Upper Worktop
- Double Glazed Hinged Front Glass Door
- Double Glass Sliding Doors and Sides
- Digitally Controlled Temperature and Defrost Function
- Exterior in anodized aluminum
- Stainless Steel Evaporative Pan
- LED lighting
- 3 Glass Adjustable Shelves

MODEL NUMBER	TYPE	DIMENSIONS (w x d x h)	PRICE (excl. GST)
VON9PR	REF	938mm x 810mm x 1,300mm	$ 7,305.00
VON12PR	REF	1,250mm x 810mm x 1,300mm	$ 8,025.00
VON18PR*	REF	1,875mm x 810mm x 1,300mm	$ 9,755.00
VON9HPT	HEAT	938mm x 810mm x 1,300mm	$ 7,135.00

Add 5% to price for ecoEfficiency option

Ready to order?

Call us today on: 1300 FROSTS or Email us at: sales@frostcatering.com.au

* Indent only

Warranty 2 years parts and 1 year labour

A

infrico

Barcelona Modular Line Refrigerated and Open Ambient Display Cabinets

eco Efficiency

VBC 18 R

- Exterior of Laminate Plate 430 Stainless Steel
- Interior of 304 Stainless Steel
- 304 Stainless Steel Display Surface
- Base of enamelled steel tube
- Structure for glasses support of silver anodized aluminium
- ABS thermoformed decorative panels
- Tempered Liftable Glass
- Automatic Defrost
- Lacquered decoration
- Temperature Range 0°C/6°C



Barcelona Corner Options



VBC 90 AA R



VBC 45 AA R



VBC 90 AC R



VBC 45 AC R

Add 5% to price for ecoEfficiency option

Ready to order? ***Call us today on: 1300 FROSTS or Email us at: sales@frostcatering.com.au***

* Indent only

Warranty 2 years parts and 1 year labour

A

infrico

Barcelona Modular Line Refrigerated and Open Ambient Display Cabinets

eco Efficiency

VBC 90 ACR

VBC 90 AAR

MODEL NUMBER	STYLE	DIMENSIONS (w x d x h)	DISPLAY (m^2)	PRICE (excl. GST)
VBC 25R	REF	2,560mm x 1,150mm x 1,290mm	1.93m^2	$ 9,400.00
VBC 9R*	REF	998mm x 1,150mm x 1,290mm	0.72m^2	$ 6,060.00
VBC 12R*	REF	1,310mm x 1,150mm x 1,290mm	0.96m^2	$ 6,700.00
VBC 15R*	REF	1,622m x 1,150mm x 1,290mm	1.20m^2	$ 7,290.00
VBC 18R*	REF	1,935mm x 1,150mm x 1,290mm	1.44m^2	$ 8,260.00
VBC 9C*	No canopy	998mm x 1,150mm x 906mm	0.72m^2	$ 2,780.00
VBC 12M*	No canopy	1,310mm x 1,150mm x 906mm	0.96m^2	$ 3,010.00
VBM 15M*	No canopy	1,622mm x 1,150mm x 906mm	1.20m^2	$ 3,260.00
VBC	Modular line angled units, neutral units, bain marie units, curved options and counter units			P.O.A

Add 5% to price for ecoEfficiency option

Ready to order?

Call us today on: 1300 FROSTS or Email us at: sales@frostcatering.com.au

* Indent only

Warranty 2 years parts and 1 year labour

A

Aries Modular Line - Refrigerated, Ambient and Open Display Cabinets

VAR 9 R

- Modular Line
- Refrigerated with canopy
- Exterior of Laminate Plate
- Interior of 304 Stainless Steel
- Compact Quartz Worktop
- 304 Stainless Steel Display Surface
- Base of enamelled steel tube
- Structure for glass support of silver anodized aluminium
- ABS thermoformed decorative panels
- Hinged curved tempered glass
- Temperature Range +4°C / +8°C (R Series)
- Standard colour red/black, other colours POA*

Aries Corner Options



VAR AA 90 R



VAR AC 45 R



VAR AC 90 R



VAR AA 45 N

MODEL NUMBER	STYLE	DIMENSIONS (w x d x h)	DISPLAY (m^2)	PRICE (excl. GST)
VAR 9 R	REF	1,018mm x 1,145mm x 1,310mm	0.72m^2	$ 8,500.00
VAR 12 R	REF	1,330mm x 1,145mm x 1,310mm	0.96m^2	$ 8,800.00
VAR 15 R	REF	1,642mm x 1,145mm x 1,310mm	1.20m^2	$ 9,900.00
VAR 18 R	REF	1,955mm x 1,145mm 1,310mm	1.44m^2	$ 11,000.00
VAR 25 R	REF	2,580mm x 1,145mm x 1,310mm	1.93m^2	$ 12,100.00
VAR 12 B	AMB	1,018mm x 1,145mm x 1,310mm	0.72m^2	$ 9,900.00
VAR	Angled units, neutral units, bain marie units, curved option and counter units			P.O.A

Add 5% to price for ecoEfficiency option

Ready to order? ***Call us today on: 1300 FROSTS or Email us at: sales@frostcatering.com.au***

* Indent only

Warranty 2 years parts and 1 year labour

A

infrico

Aries Modular Line - Gelato Display Cabinets

eco Efficiency

VAR 12 H

- Modular Line
- Exterior of Laminate Plate
- Interior of 304 Stainless Steel
- Compact Quartz Worktop
- 304 Stainless Steel Display Surface
- Base of enamelled steel tube
- Structure for glass support of silver anodized aluminium
- Hinged curved heated tempered glass
- Temperature Range –15°C/-18°C - ventilated
- Standard colour red/black, other colour options available —POA*

MODEL NUMBER	DIMENSIONS (w x d x h)	5 L TRAY CAPACITY	PRICE (excl. GST)
VAR 12 H	1,330mm x 1,145mm x 1,310mm	14	$ 12,650.00
VAR 15 H	1,642mm x 1,145mm x 1,310mm	16	$ 14,300.00
VAR 18 H	1,955mm x 1,145mm x 1,310mm	20	$ 15,400.00

Add 5% to price for ecoEfficiency option

Ready to order? ***Call us today on: 1300 FROSTS or Email us at: sales@frostcatering.com.au***

* Indent only

Warranty 2 years parts and 1 year labour

A

infrico

Coral Series Modular Gelato Display Cabinets

eco Efficiency

VCB 18 H

- Modular Line
- Compact quartz worktop
- Lift up tempered glass to front
- Enamelled steel base
- LED lighting to upper profile
- Anodized aluminium profile glass support structure
- Hot gas defrost
- 4 climatic controls
- Temperature Range –15°C/-18°C

MODEL NUMBER	DIMENSIONS (w x d x h)	5 L TRAY CAPACITY	PRICE (excl. GST)
VCB 12 H	1,250mm x 1,115mm x 1,320mm	14	$ 13,450.00
VCB 15 H	1,562mm x 1,115mm x 1,320mm	16	$ 14,890.00
VCB 18 H	1,875mm x 1,115mm x 1,320mm	20	$ 16,440.00

Add 5% to price for ecoEfficiency option

Ready to order?

Call us today on: 1300 FROSTS or Email us at: sales@frostcatering.com.au

* Indent only

Warranty 2 years parts and 1 year labour

A

Drop-in Buffet Refrigerated Display

EEV AV 4

- Refrigerated display unit for storing and displaying cold products
- Made of stainless steel AISI 304, with CFC-free injected polyurethane insulation
- Refrigerated well with capacity for 3 or 4 Gastro Norm 1/1 trays with maximum depth of 150mm excludes pans
- 3 shelf display cabinet
- Ventilated refrigeration in the display cabinet to maintain a uniform temperature
- Digital controls
- Automatic defrost
- R404a refrigeration gas
- Temperature range in display cabinet +4°C/12°C

MODEL NUMBER	DIMENSIONS (w x d x h)	DISPLAY SIZE	PRICE (excl. GST)
EEVAV3	1,135mm x 765mm x 1,700mm	1,100mm x 690mm	$ 6,350.00
EEVAV4	1,455mm x 765mm x 1,700mm	1,420mm x 690mm	$ 7,210.00

Add 5% to price for ecoEfficiency option

Ready to order? ***Call us today on: 1300 FROSTS or Email us at: sales@frostcatering.com.au***

* Indent only

Warranty 2 years parts and 1 year labour

infrico

Drop-in Buffet Refrigerated Display Self Serve

eco Efficiency

EEV MC 3

- Refrigerated display unit for storing and displaying cold products
- Made of stainless steel AISI 304, with CFC-free injected polyurethane insulation
- Refrigerated well with capacity for 3 or 4 Gastronorm 1/1 trays with maximum depth of 150mm— excludes pans
- 3 shelf display cabinet
- Ventilated refrigeration in the display cabinet to maintain a uniform temperature
- Digital controls
- Automatic defrost
- R404a refrigeration gas
- Temperature range in display cabinet +4°C/12°C
- Night Blind
- Stainless Steel perforated internal panel to rear wall

MODEL NUMBER	DIMENSIONS (w x d x h)	DISPLAY SIZE	PRICE (excl. GST)
EEVMC3	1,135mm x 765mm x 1,700mm	1,100mm x 690mm	$ 5,755.00
EEVMC4	1,455mm x 765mm x 1,700mm	1,420mm x 690mm	$ 6,840.00

Add 5% to price for ecoEfficiency option

Ready to order?

* Indent only

Call us today on: 1300 FROSTS or Email us at: sales@frostcatering.com.au

Warranty 2 years parts and 1 year labour

A

Drop-in Buffet Countertop Refrigerated Cold Plate

EEPF3

- Refrigerated Elements for storing and displaying cold products or drinks
- Made of Stainless Steel AISI 304
- CFC-Free Injected Polyurethane Insulation
- Digital Controls
- Temperature range in cold plate –4°C/+4°C

NB: Does not included upper mounts, glazing or gastronorm / ice trays

MODEL NUMBER	DIMENSIONS (w x d x h)	DISPLAY AREA	PRICE (excl. GST)
EEPF3	1,135mm x 650mm x 490mm	1,100 mm x 615mm	$ 3,625.00
Optional: Stone top			+ $ 860.00
EEPF4	1,455mm x 650mm x 490mm	1,420mm x 615mm	$ 4,090.00
Optional: Stone top			+ $ 940.00
EEPF5	1,755mm x 650mm x 490mm	1,740mm x 615mm	$ 4,555.00
Optional: Stone top			+ $ 1,020.00

Add 5% to price for ecoEfficiency option

A

infrico

Drop-in Buffet Countertop Refrigerated Cold Well Blown Air

eco Efficiency

EECFV4

- Refrigerated Well for storing and displaying cold products
- Made from AISI 304 Stainless Steel
- Refrigerated cube with capacity for 3 or 4 gastronorm 1/1 trays with maximum depth of 200mm
- Adjustable Floor depth inside well
- Digital controls
- Automatic defrost
- R404a refrigerant gas
- Temperature range in cold well +2°C/10°C
- Available as a remote unit on request

NB. Does not include upper mounts, glazing or gastronorm / ice trays.

MODEL NUMBER	DIMENSIONS (w x d x h)	1/1 TRAY CAPACITY	PRICE (excl. GST)
EECFV3	1,155mm x 745mm x 865mm	3	$ 3,990.00
EECFV4	1,475mm x 745mm x 865mm	4	$ 4,540.00
EECFV5	1,804mm x 745mm x 865mm	5	$ 5,550.00

Add 5% to price for ecoEfficiency option

Ready to order?

Call us today on: 1300 FROSTS or Email us at: sales@frostcatering.com.au

* Indent only

Warranty 2 years parts and 1 year labour

infrico

Drop-in Countertop Heated Bain Marie

EEBM4

- Made of AISI 304 Stainless Steel
- Well moulded in a single part with rounded edges to assist cleaning and ensure hygiene
- Capacity for 2, 3, 4, 5 or 6 gastronorm 1/1 trays with a maximum 200mm depth.
- Indirect heating system through concealed elements
- Regulated Bain Marie temperature of 30°C to 90°
- Digital Control
- Ventilated Fan Forced Air Heating System - EEBMV models only

EEBMV4

NB. Does not include upper mounts, glazing or gastronorm trays.

MODEL NUMBER	TYPE	DIMENSIONS (w x d x h)	PRICE (excl. GST)
EEBM2*	WET	815mm x 650mm x 380mm	$ 2,220.00
EEBM3	WET	1,135mm x 650mm x 380mm	$ 2,665.00
EEBM4	WET	1,455mm x 650mm x 380mm	$ 3,010.00
EEBM5*	WET	1,775mm x 650mm x 380mm	$ 3,655.00
EEBM6*	WET	2,095mm x 650mm x 380mm	$ 4,525.00
EEBMV3	DRY	1,135mm x 650mm x 460mm	$ 2,955.00
EEBMV4	DRY	1,455mm x 650mm x 460mm	$ 3,335.00

A

infrico

Drop-in Buffet Countertop Glass Ceramic Hob

EEVC3

- Made of AISI 304 Stainless Steel
- SCHOTT Glass Ceramic Hob
- Independent control for each area
- Maximum temperature 130°C

NB. Does not include upper mounts, glazing or gastronorm trays.

MODEL NUMBER	DIMENSIONS (w x d x h)	PRICE (excl. GST)
EEVC2*	815mm x 650mm x 225mm	$ 3,480.00
EEVC3	1,135mm x 650mm x 225mm	$ 4,390.00
EEVC4	1,455mm x 650mm x 225mm	$ 5,670.00

Ready to order? ***Call us today on: 1300 FROSTS or Email us at: sales@frostcatering.com.au***

* Indent only

Warranty 2 years parts and 1 year labour

A

Gantries to Suit Drop-in Buffet Units











MODEL NUMBER	DETAILS	PRICE (excl. GST)
EEEC1	Glass support posts	$ 750.00 pair
EEEC2	2 tier glass support posts	$ 1,165.00 pair
EEVS750	2 module glass top and sneeze guards	$ 675.00
EEVS1125	3 module glass top and sneeze guards	$ 710.00
EEVS1500	4 module glass top and sneeze guards	$ 750.00
EEVS2025	5 module glass top and sneeze guards	$ 790.00
EEVE750	2 module intermediate glass shelf	$ 340.00
EEVE1125	3 module intermediate glass shelf	$ 365.00
EEVE1500	4 module intermediate glass shelf	$ 390.00
EEVE2025	5 module intermediate glass shelf	$ 430.00
EEPN	cutlery starter station	$ 1,310.00
EEVF750	2 module front glass panel	$ 335.00
EEVF1125	3 module front glass panel	$ 355.00
EEVF1500	4 module front glass panel	$ 385.00
EEVF2025	5 module front glass panel	$ 425.00

A

infrico

Gantries to Suit Drop-in Buffet Units





MODEL NUMBER	DETAILS	PRICE (excl. GST)
EEKI750	2 module LED light strip	$ 595.00
EEKI1125	3 module LED light strip	$ 625.00
EEKI1500	4 module LED light strip	$ 695.00
EEKI2025	5 module LED light strip	$ 760.00
EEKIR750	2 module IR heat strip (heat only)	$ 590.00
EEKIR1125	3 module IR heat strip (heat only)	$ 765.00
EEKIR1500	4 module IR heat strip (heat only)	$ 915.00
EEKIR2025	5 module IR heat strip (heat only)	$ 1,090.00
EEKH750	2 module halogen heat strip	$ 590.00
EEKH1125	3 module halogen heat strip	$ 765.00
EEKH1500	4 module halogen heat strip	$ 915.00
EEKH2025	5 module halogen heat strip	$ 1,090.00

A

infrico

Infrico Multi-Deck Refrigerated Open Display Cabinets

with manual night blind in colorbond finish

eco Efficiency

- Air Curtain Grab 'n' Go
- Useful for display and sale of packaged products
- Maximum storage capacity, minimal space area
- 4 rows of height and slope adjustable shelves
- Electronic control
- Side display with double glazing
- Automatic defrost
- Automatic evaporation of defrost water
- Removable condenser units
- Modular Customizable line
- Temperature Range 2°C/5°C
- Ambient 25°C at 60%
- Black and White Standard Colours
- LED on each shelf

EML 12 C M2

OPTION EMS version 650mm deep—POA*

Other colours as below—POA*

RAL 9016* WHITE	RAL 9017 BLACK	RAL 5017 BLUE	RAL 2003 ORANGE	RAL 6018 GREEN	RAL 1018 YELLOW	RAL 3003 MAROON

MODEL NUMBER	DIMENSIONS (w x d x h)	PRICE (excl. GST)
EML 9 C M2*	1,018mm x 850mm x 2,000mm	$ 6,000.00
EML 12 C M2	1,330mm x 850mm x 2,000mm	$ 6,700.00
EML 18 C M2	1,955mm x 850mm x 2,000mm	$ 7,500.00

Add 5% to price for ecoEfficiency option

Ready to order? ***Call us today on: 1300 FROSTS or Email us at: sales@frostcatering.com.au***

* Indent only

Warranty 2 years parts and 1 year labour

A

infrico

Infrico Multi-Deck Refrigerated Open Display Cabinet

with motorised lockable aluminium night blind in stainless steel finish

eco Efficiency

- 304 Stainless Steel Wall Mounted Display Cabinets
- Useful for display and sale of packaged products
- Maximum storage capacity, minimal space area
- 4 rows of height and slope adjustable shelves + floor
- Electronic control
- Automatic defrost
- Automatic evaporation of defrost water
- Removable condenser units
- Modular line
- Temperature Range 2°C/5°C
- Ambient 25°C at 60%
- LED lights on each shelf

EMS 12 INOX PM2

OPTION EML version 850mm deep—POA*

Glass End Panels with manual night blind —POA*

MODEL NUMBER	DIMENSIONS (w x d x h)	PRICE (excl. GST)
EMS 9 INOX PM2	1,018mm x 650mm x 2,085mm	$ 7,050.00
EMS 12 INOX PM2*	1,330mm x 650mm x 2,085mm	$ 7,500.00
EMS 18 INOX PM2*	1,955mm x 650mm x 2,085mm	$ 9,500.00

Add 5% to price for ecoEfficiency option

Ready to order? ***Call us today on: 1300 FROSTS or Email us at: sales@frostcatering.com.au***

* Indent only

Warranty 2 years parts and 1 year labour

HEAD
RED

APW wyott®

APW wyott®

Overhead Heat Strips

The standard Calrod Overhead Warmers delivers over 22% more heat to your prepared food than competitive models! Polished in "mirror finished" staineless steel, reflectors behind heating elements radiate more heat towards the food.

FD Series

FDL Series with Light

MODEL NUMBER	LENGTH	POWER	PRICE (excl. GST)
FD SERIES			
FD-18L	460mm	250 watts	$ 480.00
FD-24H	610mm	575 watts	$ 515.00
FD-30H	760mm	760 watts	$ 550.00
FD-36H	910mm	920 watts	$ 580.00
FD-42H	1,070mm	1,100 watts	$ 600.00
FD-48H	1,220mm	1,265 watts	$ 620.00
FD-54H	1,370mm	1,425 watts	$ 660.00
FD-60H	1,520mm	1,610 watts	$ 700.00
FD-66H	1,680mm	1,800 watts	$ 740.00
FD-72H	1,830mm	1,980 watts	$ 800.00
FDL SERIES			
FDL-18L	460mm	330 watts	$ 650.00
FDL-24H	610mm	655 watts	$ 700.00
FDL-30H	760mm	840 watts	$ 760.00
FDL-36H	910mm	1,080 watts	$ 850.00
FDL-42H	1,070mm	1,260 watts	$ 900.00
FDL-48H	1,220mm	1,425 watts	$ 960.00
FDL-54H	1,370mm	1,585 watts	$ 1,040.00
FDL-60H	1,520mm	1,850 watts	$ 1,140.00
FDL-66H	1,680mm	2,040 watts	$ 1,250.00
FDL-72H	1,830mm	2,220 watts	$ 1,380.00

NOTE: Double standard calrod units are available - P.O.A

Each stainless steel overhead warmer includes angle brackets, pilot light and infinite control as standard

FD Series are approximately 150mm long x 65mm high

FDL Series are approximately 230mm long x 65mm high

APW wyott®

Ceramic Overhead Warmers

The **C Radiant** ceramic overhead warmers deliver greater heat intensity with efficient radiant energy designed for use in highly air conditioned areas and passage ways to keep food crisp and ready to serve.

FDC Series

FDLC Series

MODEL NUMBER	LENGTH	POWER	PRICE (excl. GST)
FDC SERIES			
FDC-18HR	460mm	700 watts	$ 990.00
FDC-24HR	610mm	800 watts	$ 1,010.00
FDC-30HR	760mm	1,150 watts	$ 1,200.00
FDC-36HR*	910mm	1,500 watts	$ 1,230.00
FDC-42HR*	1,070mm	2,000 watts	$ 1,335.00
FDC-48HR*	1,220mm	2,200 watts	$ 1,360.00
FDC-54HR*	1,370mm	2,700 watts	$ 1,590.00
FDLC SERIES			
FDLC-18HR	460mm	780 watts	$ 1,090.00
FDLC-24HR	610mm	880 watts	$ 1,155.00
FDLC-30HR	760mm	1,230 watts	$ 1,335.00
FDLC-36HR*	910mm	1,510 watts	$ 1,515.00
FDLC-42HR*	1,070mm	1,680 watts	$ 1,665.00
FDLC-48HR*	1,220mm	2,110 watts	$ 1,820.00
FDLC-54HR*	1,370mm	2,380 watts	$ 2,030.00

NOTE: Double ceramic units are available - P.O.A

Each stainless steel overhead warmer includes angle brackets, pilot light and infinite control as standard

FDC Series are approximately 150mm long x 65mm high

FDLC Series are approximately 230mm long x 65mm high

APW wyott®

Overhead Mounting Heights

OPTIONS	
Plug and lead kit (1.5m flex and plug)	+ $ 65.00
Remote control panel (1)	+ $ 225.00
Remote control panel (2)	+ $ 290.00

Single units

*CALROD	C*RADIANT™
	
	

Double units

*CALROD	C*RADIANT™
	
	

Ready to order? ***Call us today on: 1300 FROSTS or Email us at: sales@frostcatering.com.au***

* Indent only

Warranty 1 year parts and 1 year labour

APW wyott®

Conveyor Toasters

Eco Toaster

The ECO-4000 was designed from the ground up to start fast, save electricity, produce perfect toast, and work well in the front or back of the house. It saves approximately 40% more energy than competitive products, with programmable electronic intelligence that gives Toast Now rapid response, adjustable cycling for any quantities or types of toasting products.

XTREME Radiant

X*TREME toast radiant conveyor toaster is standard with variable speed control, super feeder and 37mm high product opening. The 250 mm conveyor will produce up to 350 slices per hour. Standard with power saving switch and cool to touch front and top surfaces. Production rate depending on conveyor speed

AT Express Toaster

The AT express small footprint is standard with front loading, variable seed control, super feeder, and 37mm product opening and 254 mm convertor belt. Production rate depending on conveyor speed

MODEL NUMBER	OUTPUT (slices per hour)	DIMENSIONS (w x d x h)	PRICE (excl. GST)
ECO 4000 500E*	500	380mm x 600mm x 380mm	$ 3,940.00
XTREME*	300	380mm x 450mm x 340mm	$ 2,890.00
AT EXPRESS*	300	375mm x 460mm 340mm	$ 1,990.00

* Return to base warranty only

Ready to order? ***Call us today on: 1300 FROSTS or Email us at: sales@frostcatering.com.au***

* Indent only

Warranty 1 year parts and 1 year labour

A

APW wyott®

Countertop Display Merchandisers

- Great looking display merchandiser that keeps a variety of packaged foods hot
- Provides fast and easy accessibility to the consumer
- Available in one or two shelf versions
- Flat shelf or slanted shelf design
- Keeps wrapped product at NSF safe temperatures through a system of infrared overhead heat and a thermostatically controlled heated base
- Durable and sturdy infrastructure and support made of solid stainless steel
- Unit will not sway from side to side or sag in the middle
- Heated base is designed with special coated aluminium that transfers heat efficiently and allows boxes and wrapped products to smoothly slide down toward the front
- Tempered glass end panels allow maximum visibility
- Shatter resistant incandescent lights builds the overall presentation.

MODEL NUMBER	DESCRIPTION	WATTAGE	DIMENSIONS (w x d x h)	PRICE (excl. GST)
Racer slanted display merchandisers - single shelf				
DMXS-30S*	Single shelf slanted 30"	715 watts	762mm x 686mm 585mm	$ 5,325.00
DMXS-36S*	Single shelf slanted 36"	865 watts	915mm x 686mm x 585mm	$ 5,650.00
DMXS-42S*	Single shelf slanted 42"	1,015 watts	1,067mm x 686mm x 585mm	$ 6,280.00
DMXS-48S*	Single shelf slanted 48"	1,260 watts	1,220mm x 686mm x 585mm	$ 6,690.00
DMXS-54S*	Single shelf slanted 54"	1,400 watts	1,372mm x 686mm x 585mm	$ 7,100.00
DMXS-60S*	Single shelf slanted 60"	1,560 watts	1,524mm x 686mm x 585mm	$ 7,680.00
Racer slanted display merchandiser - double shelf				
DMXD-30S*	Double shelf slanted 30"	1,380 watts	762mm x 686mm x 832mm	$ 7,780.00
DMXD-36S	Double shelf slanted 36"	1,680 watts	915mm x 686mm x 832mm	$ 8,480.00
DMXD-42S	Double shelf slanted 42"	1,965 watts	1,067mm x 686mm x 832mm	$ 9,260.00
DMXD-48S	Double shelf slanted 48"	2,470 watts	1,220mm x 686mm x 832mm	$ 10,100.00
DMXD-54S	Double shelf slanted 54"	2,724 watts	1,372mm x 686mm x 832mm	$ 10,780.00
DMXD-60S*	Double shelf slanted 60"	3,045 watts	1,524mm x 686mm 832mm	$ 11,600.00

Ready to order? ***Call us today on: 1300 FROSTS or Email us at: sales@frostcatering.com.au***

* Indent only

Warranty 1 year parts and 1 year labour

A

Plate Dispensers

MODEL NUMBER		PRICE (excl. GST)
UNSHIELDED AND UNHEATED (ADJUSTABLE)		
L-9A*	plates sized between 90-230mm	$ 1,300.00
L-12A	plates sized between 235 - 300mm	$ 1,720.00
SHIELDED AND HEATED (ADJUSTABLE)		
HL-9A*	plates sized between 90-230mm	$ 2,430.00
HL-12A	plates sized between 235-300mm	$ 2,790.00
SHIELDED AND HEATED (FIXED)		
HL-13*	plates between 290-330mm	$ 1,670.00
ACCESSORIES		
Dome covers HL-9 Stainless Steel		$ 145.00
Dome covers HL-12 Stainless Steel		$ 145.00

A

APW wyott®

C* Radiant Countertop Fry Holding Stations

- Designed to provide the most effective "top and bottom" heat to keep Fried Foods at the optimum temperature over a longer period of time
- The C*Radiant CFHS line includes 21" wide and 16" wide portable models
- Top Heat is provided by a system of ceramic heaters that efficiently heat foods without continuing to cook them
- Thermostatically controlled heated base provides uniform holding temperatures from below
- Two 40 Watt coated bulbs light up the bin area, making an attractive display of product
- Perforated Bin is included in both
- The C*Radiant CFHS-21 includes a standard Fry Bag Holding Ribbon

MODEL NUMBER	DESCRIPTION	WATTAGE	DIMENSIONS (w x d x h)	PRICE (excl. GST)
CFHS-21*	21" fry holding station	1,130 watts	543mm x 683mm x 540mm	$ 3,920.00
CFHS-16*	16" fry holding station	880 watts	420mm x 558mm x 543mm	$ 3,350.00

Ready to order? ***Call us today on: 1300 FROSTS or Email us at: sales@frostcatering.com.au***

* Indent only

Warranty 1 year parts and 1 year labour

APW wyott®

Ease *Extreme Digital Holding Drawers

- Feature "easy access" control panels that are positioned at the top of the unit
- A "flip down" drawer front that allows easy access to remove the interior pan
- Designed with a tough Stainless Steel Construction and Heavy Duty Drawer Slide
- Drawer slides feature the "Easy Roller" design that eliminates the problem of drawers jamming as you close them.
- Drawers have perimeter heating elements, thermostatic controls, and moisture control vents
- Ease*Extreme are supplied with an easy to read digital control system
- Cord and plug
- 6 only 171mm deep pan included.

MODEL NUMBER	DESCRIPTION	WATTAGE	DIMENSIONS (w x d x h)	PRICE (excl. GST)
HDXI-1*	Single drawer	450 watts	648mm x 534mm x 508mm	$ 3,750.00
HDXI-2*	Double drawer	900 watts	648mm x 534mm x 712mm	$ 5,700.00
HDXI-3*	Triple Drawer	1,350 watts	648mm x 534mm x 966mm	$ 7,350.00
HDXI-4*	Quadruple Drawer	1,800 watts	648mm x 534mm x 1,220mm	$ 9,100.00

Ready to order? ***Call us today on: 1300 FROSTS or Email us at: sales@frostcatering.com.au***

* Indent only

Warranty 1 year parts and 1 year labour

Waterman

Waterman
COMMERCIAL REFRIGERATION MANUFACTURERS

About Waterman Custom Refrigeration

With a history dating back to the 1930's, Waterman Refrigeration is regarded as a pioneer in the commercial refrigeration industry.

From an era when the humble "ice box" was the norm, to developing commercial refrigerators for the local butcher and grocer, to manufacturing large scale refrigeration requirements for hotels and supermarkets, Waterman has been bringing ideas from concept to reality for more than 80 years.

Today this tradition lives on under The Frost Group of companies, where Waterman still designs and manufactures custom refrigerated and heating displays and holding cabinets for the food service industry.

As a niche manufacturer, Waterman can design and construct bespoke cabinets for:

- Kitchens and bars
- Patisserie and cake displays
- Butchers and seafood display cabinets
- Spectacular wine towers and hotel buffet units
- Drawer refrigeration
- Meat display cabinets
- Mobile bars

All units manufactured to exact requirements and budget with a choice of finishes ranging from stainless steel to powder-coated options and coloured stainless designs. Doors and glass can be double glazed, triple glazed, heated glass, or tinted finishes.

If you have a project requiring specialist design expertise and the highest level of finish combined with tried and tested refrigeration capabilities then contact our team at sales@frostcatering.com.au

FROM THIS...



TO THIS!

Waterman
COMMERCIAL REFRIGERATION MANUFACTURERS

Auto Chill Glass Chiller

Two door model shown

- Stainless Steel Interior and Exterior
- Simple Spring Adjustment to suit most glass types
- Fast Efficient Glass Chilling - across the top air flow
- Open Top Convenience - lids optional
- Electronic Temperature Control
- Double Glazed Self Closing Doors
- Leg Mounted
- Available in both Left Hand and Right Hand services
- Ease of service and cleaning
- Solder type TX Valve fitted to suit customers choice of refrigerant

Waterman
COMMERCIAL REFRIGERATION MANUFACTURERS







SPECIFICATIONS:

Stainless Steel Interior and Exterior

- Double Glazed Doors—Heated Fascia
- Low Replacement Cost Fan/Motor
- T.X. Valve Fitted—Piped Outlet
- Three Trays Per Door

SERVICES—Optional:

- Electrics 10 AMP 240 Volt
- Refrigeration Plus Thermostat Conduit
- Ø 20 Drain

Glass Chiller with doors - remote operation

MODEL	DIMENSIONS (d x h x w)	WATTAGE (at -5°C)	PRICE (excl. GST)
Single Door	560mm x 880mm x 740mm	750 watts	$ 3,140.00
Double Door	560mm x 880mm x 1,235mm	1,100 watts	$ 4,210.00

Additional extras

DESCRIPTION	PRICE (excl. GST)
Sliding lid kit - single door glass chiller	$ 390.00
Sliding lid kit - double door glass chiller	$ 460.00

Ready to order? ***Call us today on: 1300 FROSTS or Email us at: sales@frostcatering.com.au***

* Indent only

Warranty 1 year parts and 1 year labour

B

Waterman
COMMERCIAL REFRIGERATION MANUFACTURERS

Under Bar Glass Door Bottle Cabinets - Remote Operation

DESCRIPTION	DIMENSIONS (d x h x w)	PRICE (excl. GST)
Single Door Under Bar Bottle Cabinet on legs	550mm x 880mm x 750mm	$ 3,230.00
Two Door Under Bar Bottle Cabinet on legs	550mm x 880mm x 1,200mm	$ 3,930.00
Three Door Under Bar Bottle Cabinet on legs	550mm x 880mm x 1,800mm	$ 5,190.00
Four Door Under Bar Bottle Cabinet on legs	550mm x 880mm x 2,400mm	$ 6,280.00
Five Door Under Bar Bottle Cabinet on legs	550mm x 880mm x 3,000mm	$ 7,730.00
Six Door Under Bar Bottle Cabinet on legs	550mm x 880mm x 3,600mm	$ 8,740.00

Additional Extras

DESCRIPTION	PRICE (excl. GST)
Service Compartment - one access panel only	$ 200.00
Digital Thermostat with defrost function	$ 250.00
Triple Glazed E Argon Heat Reflective Doors - per door	$ 70.00
Heated Glass Doors - per door	$ 740.00
Triple Glazed E Argon Heat Reflective - heated frames only N/T	$ 170.00
Locks to doors - per door	$ 90.00

Under Bar Glass Door Bottle Cabinets - Self Contained, digital controls

DESCRIPTION	DIMENSIONS (d x h x w)	PRICE (excl. GST)
Single Door Cabinet on Legs - automatic	550mm x 880mm x 1,300mm	$ 5,490.00
Two Door Cabinet on Legs - automatic	550mm x 880mm x 1,800mm	$ 6,160.00
Three Door Cabinet on Legs - automatic	550mm x 880mm x 2,400mm	$ 7,220.00
Four Door Cabinet on Legs - automatic	550mm x 880mm x 3,000mm	$ 8,580.00
Five Door Cabinet on Legs	550mm x 880mm x 3,600mm	$ 9,830.00
Six Door Cabinet on Legs	550mm x 880mm x 4,200mm	$ 10,900.00

Additional Extras

DESCRIPTION	PRICE (excl. GST)
Electric Condensation Tray	$ 270.00
Heated Glass Doors - per door	$ 740.00
Triple Glazed E Argon - Heat Reflective Frames Only N/T	$ 170.00
Locks to Doors - per door, fitted	$ 90.00

Ready to order? ***Call us today on: 1300 FROSTS or Email us at: sales@frostcatering.com.au***

* Indent only

Warranty 1 year parts and 1 year labour

Waterman
COMMERCIAL REFRIGERATION MANUFACTURERS

Under Bar Pass Through Bottle Glass Door Cabinets - Remote Operation

DESCRIPTION	DIMENSIONS (d x h x w)	PRICE (excl. GST)
Single Door Cabinet on legs	800mm x 880mm x 750mm	$ 4,160.00
Two Door Cabinet on legs	800mm x 880mm x 1,200mm	$ 5,350.00
Three Door Cabinet on legs	800mm x 880mm x 1,800mm	$ 7,210.00
Four Door Cabinet on legs	800mm x 880mm x 2,400mm	$ 8,470.00
Five Door on legs	800mm x 880mm x 3,000mm	$ 10,820.00
Six Door on legs	800mm x 880mm x 3,600mm	$ 12,930.00

Additional Extras

DESCRIPTION	PRICE (excl. GST)
Service Compartment - one access panel only	$ 200.00
Digital Thermostat with defrost function	$ 250.00
Heated Glass Doors - per door	$ 740.00
Triple Glazed E Argon Heat Reflective - heated frames only N/T	$ 170.00
Locks to doors - per door	$ 90.00

B

Waterman
COMMERCIAL REFRIGERATION MANUFACTURERS

Back Bar Glass Door Bottle Cabinets - Remote Operation

DESCRIPTION	DIMENSIONS (d x h x w)	PRICE (excl. GST)
Single Door Cabinet on legs	600mm x 1,030mm x 750mm	$ 3,040.00
Two Door Cabinet on legs	600mm x 1,030mm x 1,200mm	$ 3,760.00
Three Door Cabinet on legs	600mm x 1,030mm x 1,800mm	$ 5,050.00
Four Door Cabinet on legs	600mm x 1,030mm x 2,400mm	$ 6,290.00
Five Door Cabinet on legs	600mm x 1,030mm x 3,000mm	$ 7,690.00
Six Door Cabinet on legs	600mm x 1,030mm x 3,600mm	$ 8,820.00

Additional Extras

DESCRIPTION	PRICE (excl. GST)
Service Compartment - one access panel only	$ 200.00
Digital Thermostat with defrost function	$ 250.00
Heated Glass Doors - per door	$ 740.00
Triple Glazed E Argon Heat Reflective - heated frames only N/T	$ 170.00
Locks to doors - per door	$ 90.00

Back Bar Glass Door Bottle Cabinets - Self Contained

DESCRIPTION	DIMENSIONS (d x h x w)	PRICE (excl. GST)
Single Door Cabinet on Legs - automatic	600mm x 1,030mm x 1,300mm	$ 5,210.00
Two Door Cabinet on Legs - automatic	600mm x 1,030mm x 1,800mm	$ 5,570.00
Three Door Cabinet on Legs - automatic	600mm x 1,030mm x 2,400mm	$ 7,240.00
Four Door Cabinet on Legs - automatic	600mm x 1,030mm x 3,000mm	$ 8,690.00
Five Door Cabinet on Legs	600mm x 1,030mm x 3,600mm	$ 10,010.00
Six Door Cabinet on Legs	600mm x 1,030mm x 4,200mm	$ 11,180.00

Additional Extras

DESCRIPTION	PRICE (excl. GST)
Electric Condensation Tray	$ 270.00
Heated Glass Doors - per door	$ 740.00
Triple Glazed E Argon - Heat Reflective Frames Only N/T	$ 170.00
Locks to Doors - per door, fitted	$ 90.00

Waterman
COMMERCIAL REFRIGERATION MANUFACTURERS

Under Bench Solid Door Food Storage Cabinets - Remote

DESCRIPTION	DIMENSIONS (d x h x w)	PRICE (excl. GST)
Single Door Cabinet on legs	700mm x 880mm x 750mm	$ 3,080.00
Two Door Cabinet on legs	700mm x 880mm x 1,200mm	$ 3,740.00
Three Door Cabinet on legs	700mm x 880mm x 1,800mm	$ 4,940.00
Four Door Cabinet on legs	700mm x 880mm x 2,400mm	$ 6,080.00
Five Door Cabinet on legs	700mm x 880mm x 3,000mm	$ 7,370.00
Six Door Cabinet on legs	700mm x 880mm x 3,600mm	$ 8,410.00

Additional Extras

DESCRIPTION	PRICE (excl. GST)
Service Compartment - one access panel only	$ 200.00
Digital Thermostat with defrost function	$ 250.00
Heated Glass Doors - per door	$ 100.00
Locks to doors - per door	$ 90.00

Under Bench Solid Door Food Storage Cabinets - Self Contained

DESCRIPTION	DIMENSIONS (d x h x w)	PRICE (excl. GST)
Single Door Cabinet on Legs - automatic condensate	700mm x 880mm x 1,300mm	$ 5,120.00
Two Door Cabinet on Legs - automatic condensate	700mm x 880mm x 1,800mm	$ 5,680.00
Three Door Cabinet on Legs - automatic condensate	700mm x 880mm x 2,400mm	$ 6,860.00
Four Door Cabinet on Legs - automatic condensate	700mm x 880mm x 3,000mm	$ 8,190.00
Five Door Cabinet on Legs - automatic condensate	700mm x 880mm x 3,600mm	$ 9,390.00
Six Door Cabinet on Legs - automatic condensate	700mm x 880mm x 4,200mm	$ 10,440.00

Additional Extras

DESCRIPTION	PRICE (excl. GST)
Electric Condensation Tray	$ 270.00
Heated Glass Doors - per door	$ 100.00
Locks to Doors - per door, fitted	$ 90.00

Waterman
COMMERCIAL REFRIGERATION MANUFACTURERS

Under Bar Pass Through Solid Door Food Storage Cabinets - Remote Operation

DESCRIPTION	DIMENSIONS (d x h x w)	PRICE (excl. GST)
Single Door Cabinet on legs	800mm x 880mm x 750mm	$ 3,780.00
Two Door Cabinet on legs	800mm x 880mm x 1,200mm	$ 4,890.00
Three Door Cabinet on legs	800mm x 880mm x 1,800mm	$ 6,900.00
Four Door Cabinet on legs	800mm x 880mm x 2,400mm	$ 8,200.00
Five Door on legs	800mm x 880mm x 3,000mm	$ 9,950.00
Six Door on legs	800mm x 880mm x 3,600mm	$ 12,140.00

Additional Extras

DESCRIPTION	PRICE (excl. GST)
Service Compartment - one access panel only	$ 200.00
Digital Thermostat with defrost function	$ 250.00
Heated Glass Doors - per door	$ 100.00
Locks to doors - per door	$ 90.00

Waterman
COMMERCIAL REFRIGERATION MANUFACTURERS

Upright Glass Door Bottle Cabinets - Remote

DESCRIPTION	DIMENSIONS (d x h x w)	PRICE (excl. GST)
Single Door Cabinet on legs	600mm x 2,000mm x 750mm	$ 4,490.00
Two Door Cabinet on legs	600mm x 2,000mm x 1,200mm	$ 6,130.00
Three Door Cabinet on legs	600mm x 2,000mm x 1,800mm	$ 8,030.00
Four Door Cabinet on legs	600mm x 2,000mm x 2,400mm	$ 9,970.00
Five Door Cabinet on legs	600mm x 2,000mm x 3,000mm	$ 12,360.00
Six Door Cabinet on legs	600mm x 2,000mm x 3,600mm	$ 14,360.00

Additional Extras

DESCRIPTION	PRICE (excl. GST)
Service Compartment - one access panel only	$ 200.00
Digital Thermostat with defrost function	$ 250.00
Heated Glass Doors - per door	$ 940.00
Triple Glazed E Argon Heat Reflective - heated frames only N/T	$ 260.00
Locks to doors - per door	$ 90.00

Upright Glass Door Bottle Cabinets - Self Contained

DESCRIPTION	DIMENSIONS (d x h x w)	PRICE (excl. GST)
Single Door Cabinet on Legs - automatic	600mm x 2,300mm x 750mm	$ 6,550.00
Two Door Cabinet on Legs - automatic	600mm x 2,300mm x 1,200mm	$ 8,160.00
Three Door Cabinet on Legs - automatic	600mm x 2,300mm x 1,800mm	$ 10,250.00
Four Door Cabinet on Legs - automatic	600mm x 2,300mm x 2,400mm	$ 11,980.00

Additional Extras

DESCRIPTION	PRICE (excl. GST)
Electric Condensation Tray	$ 270.00
Heated Glass Doors - per door	$ 1,020.00
Triple Glazed E Argon - Heat Reflective Frames Only N/T	$ 260.00
Locks to Doors - per door, fitted	$ 90.00

Waterman
COMMERCIAL REFRIGERATION MANUFACTURERS

Upright Solid Door Food Storage Cabinets - Remote Operation

DESCRIPTION	DIMENSIONS (d x h x w)	PRICE (excl. GST)
Single Door Cabinet on legs	600mm x 2,000mm x 750mm	$ 4,160.00
Two Door Cabinet on legs	600mm x 2,000mm x 1,200mm	$ 5,640.00
Three Door Cabinet on legs	600mm x 2,000mm x 1,800mm	$ 7,310.00
Four Door Cabinet on legs	600mm x 2,000mm x 2,400mm	$ 9,040.00
Five Door Cabinet on legs	600mm x 2,000mm x 3,000mm	$ 11,190.00
Six Door Cabinet on legs	600mm x 2,000mm x 3,600mm	$ 12,960.00

Additional Extras

DESCRIPTION	PRICE (excl. GST)
Service Compartment - one access panel only	$ 200.00
Digital Thermostat with defrost function	$ 250.00
Triple Glazed E Argon Heat Reflective - heated frames only N/T	$ 110.00
Locks to doors - per door	$ 90.00

Back Bar Glass Door Bottle Cabinets - Self Contained

DESCRIPTION	DIMENSIONS (d x h x w)	PRICE (excl. GST)
Single Door Cabinet on Legs - automatic	600mm x 2,300mm x 750mm	$ 6,230.00
Two Door Cabinet on Legs - automatic	600mm x 2,300mm x 1,200mm	$ 7,730.00
Three Door Cabinet on Legs - automatic	600mm x 2,300mm x 1,800mm	$ 9,580.00
Four Door Cabinet on Legs - automatic	600mm x 2,300mm x 2,400mm	$ 11,200.00

Additional Extras

DESCRIPTION	PRICE (excl. GST)
Electric Condensation Tray	$ 210.00
Triple Glazed E Argon - Heat Reflective Frames Only N/T	$ 110.00
Locks to Doors - per door, fitted	$ 90.00

B

Waterman
COMMERCIAL REFRIGERATION MANUFACTURERS

Low Temp Upright Solid Door Storage Cabinets - Remote Operation

DESCRIPTION	DIMENSIONS (d x h x w)	PRICE (excl. GST)
Single Door Cabinet legs or plinth mounted	600mm x 2,000mm x 750mm	$ 4,960.00
Two Door Cabinet legs or plinth mounted	600mm x 2,000mm x 1,200mm	$ 6,590.00
Three Door Cabinet legs or plinth mounted	600mm x 2,000mm x 1,800mm	$ 8,640.00
Four Door Cabinet legs or plinth mounted	600mm x 2,000mm x 2,400mm	$ 10,390.00

Additional Extras

DESCRIPTION	PRICE (excl. GST)
Service Compartment - one access panel only	$ 200.00
Digital Thermostat with defrost function	$ 250.00
Locks to doors - per door	$ 90.00

Low Temp Upright Solid Door Storage Cabinets - Self Contained

DESCRIPTION	DIMENSIONS (d x h x w)	PRICE (excl. GST)
Single Door Cabinet on Legs	600mm x 2,300mm x 750mm	$ 6,940.00
Two Door Cabinet on Legs	600mm x 2,300mm x 1,200mm	$ 8,880.00
Three Door Cabinet on Legs	600mm x 2,300mm x 1,800mm	$ 11,340.00
Four Door Cabinet on Legs	600mm x 2,300mm x 2,400mm	$ 13,490.00

Additional Extras

DESCRIPTION	PRICE (excl. GST)
Electric Condensation Tray	$ 270.00
Locks to Doors - per door, fitted	$ 90.00

VIANEN

AUSTRALIA

VIANEN
AUSTRALIA

The Frost Group is proud to bring to its stable the Vianen range of kitchen ventilation products, designed and engineered from Holland, we manufacture these canopies in our newly purpose built facility at Cameron Park to service the Australian and New Zealand markets.

Vianen has a wide range of ventilation canopies available to be custom made and engineered to suit any application.

Presently we have the Basic Line, Jet Stream and Compensator canopies in our current manufacturing line with further expansion into the range with complete ceiling systems.

We approach the selection of a canopy for practicality and budget in mind.

From Single Wall and Single Island to Double Island configurations, we have options available to improve operational efficiency and to assist in providing a more comfortable working environment. Vianen can also provide solutions for kitchens with low ceilings, with the ability to provide hoods to 400mm in height.

From a basic exhaust canopy to a sophisticated kitchen ceiling system with built-in water wash, ultra-violet and the options to integrate smart energy efficiency with automation.

Enquire to find a suitable solution for your extraction requirements.





All canopies are custom made with varying size requirements and optional features for comfort and environmental considerations, and, as such will be treated as POA.

We can provide you with the relevant required airflow for the exhaust and supply air, relevant to the equipment being installed under.

For calculation of the required airflow we would require as a minimum, the following information.

- Full kitchen plan to scale, showing canopy location, including walls
- Equipment Specification, sizes, power/gas requirements

VIANEN
AUSTRALIA

Vianen Basic Line Canopies

Suitable for all types of cooking equipment, whether wall mounted or in an island arrangement. The canopy easily interfaces with the kitchen ceiling.

Construction:

The canopy is fabricated entirely in type 304 stainless steel (1.0 – 1.2mm) thick. All visible surfaces are ultra fine grain polished (320 grit) and polythene protected. The canopy is cut and folded into seamless sections up to 4m in length and factory assembled by means of seam welds and non-visible mechanical fixings.

Joints are provided with internal cover-plates so that no joints or mechanical fixings are visible. All metal edges are rolled smooth and are free from sharp edges and projections. The canopy lower edge is formed into a condensation channel with an inclined internal elevation to simplify cleaning and the inner edges are crush folded for safety purposes.

The canopy is equipped with Vianen Fecon grease extraction baffle filters. The filters are designed to allow the grease to run off the filters into an integral grease collecting channel and then into easily removable grease trays.



V-ADL / V-EDL
Wall and Single Island Canopies with Exhaust Only



V-ADL-MUAP / V-EDL-MUAP
Incorporated with Make Up Air Plenum (MUAP)



V-DDL
Double Island with Exhaust Only



V-DDL-MUAP
Incorporated with Make Up Air Plenum (MUAP)

OPTIONS

The Vianen Basic Line canopies are available with several options to further increase their efficiency and improve the working environment within the kitchen space.

- LED Lighting
- Front Make Up Air (MUAP)

VIANEN
AUSTRALIA

Vianen Jetstream Canopies

Suitable for all types of cooking equipment whether wall mounted or in an island arrangement. The canopy features a double skin design which allows air to be delivered through slots arranged along the inner front face and if required inner sides of the canopy to effectively and efficiently contain the thermal plume and direct it towards the grease filters.

The canopy is fabricated entirely in type 304 stainless steel (1.0 – 1.2mm) thick. All visible surfaces are ultra fine grain polished (320 grit) and polythene protected. The canopy is cut and folded into seamless sections up to 4m in length and factory assembled by means of seam welds and non-visible mechanical fixings.

Joints are provided with internal cover-plates so that no joints or mechanical fixings are visible. All metal edges are rolled smooth and are free from sharp edges and projections. The canopy lower edge is formed into a condensation channel with an inclined internal elevation to simplify cleaning and the inner edges are crush folded for safety purposes.

The canopy is equipped with Vianen Fecon grease extraction baffle filters. The filters are designed to allow the grease to run off the filters into an integral grease collecting channel and then into easily removable grease trays.

The canopy has a constant exhaust pressure drop of 100 Pa and a Jet Stream supply air pressure drop of 90 Pa.

Supply Air

Jet Stream air is taken from the ceiling void or ducted from the main kitchen or dining room area to factory fitted spigots on the canopy roof, the air passes into the insulated supply air plenum and out through a series of slots into the main canopy envelope. The air is delivered from these slots at a maximum velocity of 8m/s and at a rate of 75 m^3/h per linear metre, which represents less than 15% of the total extract airflow rate. This ensures a positive capture and containment of the thermal plume generated by the cooking process. Air is also available to be discharged through optional ABS spot coolers located on the underside of the front lip of the canopy for personal comfort of the cooking staff.

To suit various styles of cooking and canopy installation the Jet Stream canopy can be offered with slots just along the inner front face or extended down both sides of the canopy to enhance the capture and containment efficiency.

VIANEN
AUSTRALIA

Vianen Jetstream Canopies



V-JETSTREAM-A / V-JETSTREAM-E
Wall and Single Island Canopies with Exhaust Only



V-V-JETSTREAM-A3-90 / V-JETSTREAM-E3-90
Incorporated with Make Up Air Plenum (MUAP)



V-JETSTREAM-D
Wall and Single Island Canopies with Exhaust Only



V-JETSTREAM-D4-90
Incorporated with Make Up Air Plenum (MUAP)

OPTIONS

The Vianen Jet Stream canopies are available with several options to further increase their efficiency and improve the working environment within the kitchen space.

- ABS Personal Spot Coolers
- LED Lighting
- Vianen Ultra Violet system (UV-C)
- Supply Air / Front Make Up Air (MUAP)
- Jet Stream Fans

VIANEN
AUSTRALIA

Vianen Compensator Canopies

Suitable for all types of cooking equipment whether wall mounted or in an island arrangement.

The canopy uses the principles of induction by delivering air into the canopy envelope from the inner front edge of the canopy. This air can be drawn directly from outside the building and because it is not necessary to heat (or cool) the air there are positive savings to be made in energy costs.

The induction effect produced by this type of canopy enhances the capture and containment of the
thermal plume from the cooking process and reduces the potential for the contaminated air to spill out into the kitchen area.

Construction

The ENERGY SAVING COMPENSATOR canopy is fabricated entirely in type 304 stainless steel (1.0 – 1.2mm) thick

All visible surfaces are ultra fine grain polished (320 grit) and polythene protected. The canopy is cut, punched and folded into seamless sections up to 4m in length and factory assembled by means of computer controlled seam welds and non visible mechanical fixings.

Joints are provided with internal cover-plates so that no joints or mechanical fixings are visible. All metal edges are rolled smooth and are free from sharp edges and projections. The canopy lower edge is formed into a condensation channel with inclined internal elevation to simplify cleaning and the inner edges are crush folded for safety purposes. The canopy is equipped with Vianen Fecon grease extraction baffle filters. The filters are designed to allow the grease to run off the filters into an integral grease collecting channel and then into easily removable grease trays

Supply Air

The un-tempered induction air is ducted from outside the building (by others) to the factory fitted spigot(s) on the top of the canopy where it passes through the insulated supply plenum, over a perforated diffuser plate and is delivered via vertical slots arranged along the internal front edge of the canopy. This airflow typically represents 20 – 50% of the total extract rate (maximum 50%).

The supply airflow is also available to be discharged through the optional ABS spot coolers located on the underside of the front lip of the canopy for the personal comfort of the cooking staff.

VIANEN
AUSTRALIA

Vianen Compensator Canopies



V-COMP-A / V-COMP-E
Wall and Single Island Canopies with Exhaust Only



V-COMP-A-90 / V-COMP-E-90
Incorporated with Make Up Air Plenum (MUAP)



V-COMP-D
Wall and Single Island Canopies with Exhaust Only



V-COMP-D4-90
Incorporated with Make Up Air Plenum (MUAP)

OPTIONS

The Vianen Compensator canopies are available with several options to further increase their efficiency and improve the working environment within the kitchen space.

- ABS Personal Spot Coolers
- LED Lighting
- Vianen Ultra Violet system (UV-C)
- Supply Air / Front Make Up Air (MUAP)
- Jet Stream Fans

VIANEN
AUSTRALIA

Vianen Water Misty Canopy System

The Vianen Water Misty system can be used in any Vianen canopy and is suitable for use with all types of cooking equipment, especially where cooking activity is high temperature, and solid fuel appliances are used and a great deal of grease is produced during cooking.

The Water Misty system does not use the Vianen FECON filters but instead the air passes over a series of horizontal stainless steel grease baffles positioned to increase the air velocity and force severe changes in direction which ensures the grease is separated from the exhaust air stream.

The Water Misty system can be incorporated in canopies that also feature Make-Up air and UV-C filtration.

The exhaust air passes over the canopy baffles at high speed, the position of the baffles ensures the grease is thrown out of the air stream by centrifugal force. A fresh water mist is sprayed into the internal plenum of the canopy under controlled conditions which dictates the correct amount of water to ensure the system and airstream is cleaned. The separated grease with water runs into dedicated collection channels and then to drain.

This makes sure that any necessary maintenance is kept to a minimum at minimal cost whilst at the same time providing high levels of hygiene by preventing the build up of grease which would otherwise create a fire hazard.

The Vianen Water Mist baffles are fully welded (1.0-1.2mm thick) type 304 stainless steel assemblies. Grease collection channels run the full length of the canopy. Full length hinged access panels mounted with gas filled dampers and locled with captive quick release fastenings allow easy access to the plenum interior, Water Mist pipe work and spray nozzles for inspection purposes. To safeguard the operation of the system the first 3-4 metres of extract ductwork should be watertight and a moisture eliminator mounted before the extraction fan.

Technical specifications

Exhaust pressure drop water misty canopy water consumption	250 Pa 0.78 litres/min (wall model) 1.56 litres/min (island model)
Cold water connection	3/4" outer thread
Water discharge	1" outer thread
Water pressure	Water pump by Vianen
Cleaning water temperature	70° C
Electric connection on behalf of the pump	230V / 1 Ph / 50Hz

VIANEN
AUSTRALIA

WATER MISTY CANOPY
WITH RECYCLING SYSTEMS



Frost

Terms and Conditions

Terms and Conditions of Sale

The supply of goods or services by Frost Catering Equipment Pty Ltd ("Frost Catering Equipment") is made on the following terms and conditions (the "Contract Terms"):

1. GENERAL

1.1 These Contract Terms include all those statutory rights conferred on the buyer that Frost Catering Equipment is not capable of excluding, restricting or modifying ("the buyer's statutory rights").

1.2 Unless agreed in writing by Frost Catering Equipment, these Contract Terms, as amended from time to time, apply to the exclusion of all prior discussions, representations, understandings and arrangements, and all conditions and warranties (written or oral, express or implied) and other representations (contractual or otherwise), whether or not endorsed or delivered with or referred to in any order or other document delivered by the purchaser to Frost Catering Equipment.

1.3 Frost Catering Equipment may alter these Contract Terms on 30 days notice.

1.4 Unless otherwise agreed in writing by Frost Catering Equipment, the provision of engineers' services to install, start up and/or commission any goods may be the subject of a separate contract.

2. QUOTATIONS AND ORDERS

2.1 Unless previously withdrawn by Frost Catering Equipment at any time, a quotation is open for acceptance for a period of thirty (30) days from the date of the quotation after which time it will lapse.

2.2 All orders are subject to written acceptance by Frost Catering Equipment.

3. PRICE AND PRICE VARIATION

3.1 Unless otherwise stated, all prices charged are ex works.

3.2 Frost Catering Equipment is entitled to adjust any price to take into account a variation in cost arising from:

(a) delays in manufacture or installation as a result of any act or omission by the buyer, or other circumstances beyond Frost Catering Equipment's control;

(b) variations in Frost Catering Equipment's costs of manufacture including, without limitation, variations in the cost of labour or raw materials;

(c) variations in the cost of the goods to Frost Catering Equipment due to variations in the cost of freight and transport, insurance premiums, customs duties or currency exchange rates; and

(d) any error or omission.

3.3 All spare parts will incur a freight and packing charge.

4. TERMS OF PAYMENT

4.1 Unless the customer has a current approved account with Frost Catering Equipment P/L with a credit limit exceeding the intended purchase amount, payment is to be made on goods sold by Frost Catering Equipment within the terms stipulated at time of sale to the address or bank account details specified on the invoice. If payment is required upon completion of or installation, such payment shall be due on completion of Frost Catering Equipment's obligations as provided in clause 6.

4.2 Frost Catering Equipment reserves the right to impose on the buyer a minimum deposit to Frost Catering Equipment of 20% of the purchase price for standard items. Custom Stainless, Refrigeration and Exhaust Canopies require a 50% deposit of the accepted quotation amount. Cancellation of Custom Stainless, Custom Refrigeration and Exhaust Canopies will still require full payment of invoiced amount.

4.3 In the event of default by the buyer under clause 4.1 or 4.2, all debt recovery costs, including legal costs on a solicitor /own client basis and disbursements, and any mercantile agent costs charged to Frost Catering Equipment will be part of the indebtedness of the buyer to Frost Catering Equipment.

4.4 Frost Catering Equipment may charge the buyer interest on any overdue amounts at a rate of 2% per annum above the overdraft rate for the time being charged by Frost Catering Equipment's banker calculated and compounded on a daily basis from the due date until the payment is made in full.

5. VARIATION OF TERMS OF PAYMENT

5.1 If Frost Catering Equipment decides that the credit worthiness of the buyer has become unsatisfactory, Frost Catering Equipment may on written notice to the buyer:

(a) vary the terms of payment, and may require payment in full and in cash, and/or the provision of security, for any amount unpaid; and

(b) stop any goods in transit until any requirements under this clause have been complied with.

6. COMPLETION AND DELIVERY

6.1 Frost Catering Equipment will endeavour to deliver or supply the goods or services or otherwise complete the contract within the time agreed or within a reasonable time (in the absence of agreement).

6.2 Frost Catering Equipment's obligations to supply goods shall be deemed to be completed and the goods deemed to be delivered when:

(a) in the case of goods sold for delivery and installation - when the goods are assembled in position

(b) in the case of goods sold for delivery - when the goods reach the specified destination. Unloading of goods shall be the buyer's responsibility unless otherwise expressly agreed in writing.

(c) in the case of goods sold for delivery ex works - when the goods are delivered to the carrier.

6.3 Unless otherwise agreed, spare parts will be delivered by air freight at the buyer's expense.

6.4 Frost Catering Equipment shall not be liable for any loss or damage (whether direct or indirect) caused by any failure to deliver, supply or complete either in whole or in part.

6.5 Frost Catering Equipment may suspend delivery, supply or completion and/or terminate the contract where the failure to deliver, supply or complete is caused by force majeure, including any act or omission on the part of the buyer, or by any act of God, war, lightning, fire, earthquake, storm, flood, explosion, any embargoes, restraint orders or restrictions imposed directly or indirectly by any government or governmental authority, agency or department, unavailability or delay in availability of equipment, materials or transport, labour dispute and any other case whether of the kind enumerated or otherwise which is not within the control of Frost Catering Equipment.

7. WITHHOLDING SUPPLY AND DELIVERY BY INSTALMENTS

7.1 Frost Catering Equipment reserves the right to withhold supply to the buyer if the buyer is in breach of any contract with Frost Catering Equipment.

7.2 Frost Catering Equipment reserves the right to deliver the goods by instalments and each instalment shall be deemed to be sold under a separate contract incorporating these Contract Terms. Failure of Frost Catering Equipment to deliver any instalment shall not entitle the buyer to cancel the balance of the contract. Exercise of these rights does not entitle the buyer to terminate any contract with Frost Catering Equipment or claim any loss or damage.

8. INSTALLATION AND COMMISSIONING

8.1 Where Frost Catering Equipment is to install, start up or commission the goods, the buyer will provide suitable access to and possession of the premises where the goods are to be installed, started up and commissioned, and shall provide suitable facilities at the premises in order to receive the goods.

8.2 The buyer will bear the cost of:

(a) any work to be carried out by third parties including, without limitation, builders, masons, joiners, pipefitters and electricians;

(b) any alterations to existing equipment or premises for use with the goods; and

(c) all fuels, services and other facilities required for the installation starting up and commissioning of the goods.

9. TITLE AND RISK

9.1 The risk in the Products passes to the Customer when the Products are loaded at Frost Catering Equipment's warehouse for delivery to the Customer.

9.2 Frost Catering Equipment's rights under this clause 9 secure:

(a) Frost Catering Equipment's right to receive the Price of all the Products sold under these Conditions; and

(b) all other amounts owing to Frost Catering Equipment under this agreement or any other agreement between the Customer and Frost Catering Equipment.

9.3 All payments received from the Customer may be applied by Frost Catering Equipment in the manner Frost Catering Equipment, in its absolute discretion, determines.

9.4 Until full payment in cleared funds is received by Frost Catering Equipment for all Products supplied by it to the Customer, as well as all other amounts owing to FROST CATERING EQUIPMENT by the Customer under this or any other agreement:

(a) legal title and property in all Products supplied under these Conditions remain vested in FROST CATERING EQUIPMENT and do not pass to the Customer;

(b) the Customer must store the Products separately and in such a manner and maintain any labelling and packaging of Frost Catering Equipment, so that the Products are clearly and readily identifiable as the property of Frost Catering Equipment;

(c) the Customer must not sell the Products except in the ordinary course of the Customer's business;

(d) the Customer holds and agrees to hold the proceeds of any sale, lease or other dealing with the Products for FROST CATERING EQUIPMENT in a separate bank account with a bank which does not (and will not in the future) provide finance to the Customer;

(e) in addition to any rights Frost Catering Equipment may have under Chapter 4 of the PPS Act, Frost Catering Equipment may, at any time, demand the return of the Products and shall be entitled without notice to the Customer and without liability to the Customer, to enter any premises where it suspects the Products may be located in order to search for and remove the Products without committing a trespass, even though they may be attached or annexed to other goods or land not the property of Frost Catering Equipment, and for this purpose the Customer irrevocably licenses Frost Catering Equipment to enter such premises, undertakes that it will procure any necessary authority to enter from any relevant person and also indemnifies Frost Catering Equipment from and against all loss suffered or incurred by Frost Catering Equipment as a result of exercising its rights under this clause. If there is any inconsistency between Frost Catering Equipment's rights under this clause 9.4(e) and its rights under Chapter 4 of the PPS Act, this clause 9.4(e) prevails.

(f) the Customer acknowledges and warrants that Frost Catering Equipment has a security interest (for the purposes of the PPS Act) in the Products and any proceeds described in clause 9.4(d); and

(g) the security interest arising under this clause attaches to the Products when the Buyer obtains possession of the Products and the parties confirm that they have not agreed that any security interest arising under this clause 9 attaches at any later time.

9.5 The Buyer must, at its own cost, insure and keep insured the Products against such risks as a prudent owner of the Products would insure at their full cost price, with a reputable insurance company.

10. PPSA

10.1 Unless a contrary intention appears, words or expressions used in this clause that are defined in the PPS Act have the same meaning as given to them in the PPS Act.

10.2 If at any time Frost Catering Equipment determines that this Contract (or any of the transactions contemplated by or under it) creates a security interest in its favour over any personal property, Frost Catering Equipment may apply for any registration, or give any notification, in connection with that security interest and the Buyer must promptly, upon Frost Catering Equipment's request, do any thing (including, without limitation, signing and producing documents, getting documents completed or signed, obtaining consents and supplying information) to:

(a) provide more effective security over the relevant personal property;

(b) ensure that any such security interest in favour of Frost Catering Equipment:

(i) is at all times enforceable, perfected (including, where applicable, by control as well as by registration) and otherwise effective; and

(ii) ranks as a first priority security interest;

(c) enable Frost Catering Equipment to prepare and register a financing statement or a financing change statement or give any notification in connection with that security interest; and

(d) enable Frost Catering Equipment to exercise any of its rights or perform any of its obligations in connection with any such security interest or under the PPS Act.

10.3 All costs and expense arising as a result of actions taken by either party pursuant to this clause will be for the account of the Buyer. Within five days of a written request, the Buyer must pay to Frost Catering Equipment any costs or expenses incurred or to be incurred in connection with to this clause.

10.4 If Chapter 4 of the PPS Act would otherwise apply to the enforcement of the security interest created under this Contract, the Buyer agrees that the following provisions of the PPS Act will not apply:

(a) section 95 (notice of removal of accession), to the extent that it requires Frost Catering Equipment to give a notice to the Buyer;

(b) section 96 (person with an interest in the whole may retain accession);

(c) section 117 (obligations in land secured by personal property and land);

(d) section 118 (enforcing security interests in accordance with land law decisions), to the extent that it allows Frost Catering Equipment to give a notice to the Buyer;

(e) section 120 (enforcement of security interest in liquid assets);

(f) section 121(4) (enforcement of liquid assets – notice to grantor);

infrico APW wyott Waterman COMMERCIAL REFRIGERATION MANUFACTURERS VIANEN AUSTRALIA

(g) section 123 (secured party may seize collateral);

(h) section 125 (obligation to dispose of or retain collateral);

(i) section 126 (apparent possession of collateral);

(j) section 130 (notice of disposal), to the extent that it requires Frost Catering Equipment to give a notice to the Buyer;

(k) paragraph 132(3)(d) (contents of statement of account after disposal);

(l) subsection 132(4) (statement of account if no disposal);

(m) section 142 (redemption of collateral); and

(n) section 143 (reinstatement of security agreement).

10.5 Frost Catering Equipment does not need to give the Buyer any notice required under the PPS Act (including, without limitation, a notice of a verification statement under section 157 of the PPS Act) unless the requirement for the notice cannot be excluded.

10.6 Neither party will disclose to a person or entity that is not a party to this Contract information of the kind mentioned in section 275(1) of the PPS Act unless section 275(7) of the PPS Act applies or that information is publicly available.

11. TRADE IN EQUIPMENT

11.1 Where the buyer delivers goods to Frost Catering Equipment as a trade–in, the risk of any loss or damage to those goods remains with the buyer until those goods are accepted by Frost Catering Equipment.

11.2 The credit given by Frost Catering Equipment for any traded in goods will be based on the condition of those goods when delivered to Frost Catering Equipment. Title to traded–in goods shall pass to Frost Catering Equipment upon its acceptance of those goods.

12. CHANGEOVER GOODS

12.1 Frost Catering Equipment will invoice the buyer for any goods supplied on a changeover basis at sale prices at the time of dispatch.

12.2 Upon delivery of the reconditioned or repaired goods to the buyer, the buyer must promptly return any goods supplied on a changeover basis by Frost Catering Equipment. Frost Catering Equipment may accept the return of those goods having regard to their condition. If Frost Catering Equipment accepts the return of those goods, Frost Catering Equipment shall give credit to the buyer for the sale price of those goods.

13. BUYER'S REQUIREMENTS

13.1 Prior to Frost Catering Equipment's acceptance of any order, the buyer must inform Frost Catering Equipment of all its requirements including any statutory or regulatory requirements relating to the installation and end use of goods in the place of intended use. If the buyer fails to inform Frost Catering Equipment of such requirements, the buyer shall be responsible for, and shall indemnify Frost Catering Equipment against, any action, claim, demand, loss, damage, cost or expense associated with any failure to meet those requirements.

14. TESTING

14.1 Frost Catering Equipment may conduct tests on any installed or commissioned goods. The buyer shall supply any materials required for those tests or the commissioning of those goods. The buyer shall bear the costs of any additional tests required by it. The buyer must provide Frost Catering Equipment with a copy of any report obtained in relation to those additional tests.

14.2 Frost Catering Equipment may charge the buyer an engineering test fee where any goods returned for testing, subsequently pass all applicable tests.

15. BUYER'S DEFAULT AND INDEMNITY

15.1 Without prejudice to any other remedy, if the buyer breaches any of its obligations under a contract with Frost Catering Equipment, commits an act of bankruptcy, makes any composition or arrangement with its creditors, or steps are taken for the winding up of the buyer, or the buyer has a receiver appointed over any of its property, Frost Catering Equipment may treat any contract with the buyer as terminated and the price then unpaid whether or not due in whole or part, shall become due and payable.

15.2 If the manufacture, dispatch or transport of goods is delayed due to any act or omission of the buyer, and that delay continues beyond a reasonable time, Frost Catering Equipment may treat the contract as terminated and a proportion of the price that reflects the work already done by Frost Catering Equipment together with any expenses and any additional costs attributable to such delay, shall become due and payable.

15.3 The buyer shall indemnify and keep Frost Catering Equipment indemnified against any action, claim, demand, loss, damage, cost or expense which:

(a) Frost Catering Equipment may suffer or incur, or is liable for arising out of, or in connection with the storage, use, possession, or other act or omission of the buyer in respect of any goods supplied; or

(b) may be brought by a third party arising out of or in connection with any goods supplied by Frost Catering Equipment to the buyer.

16. CLAIMS

16.1 The buyer shall advise Frost Catering Equipment in writing of any claims:

(a) for loss or damage – within 14 days of receipt in the case of Australian orders and 21 days of receipt in the case of export orders; and

(b) for non–delivery or a shortfall in delivery – within 7 days of agreed or reasonable delivery time in the case of Australian orders and 14 days of agreed or reasonable delivery time in the case of export orders.

16.2 Frost Catering Equipment will advise the buyer of any rejected claim for credit for goods returned in writing electronically, detailing the reason/s for rejection, after which payment in full will be required from the buyer for the value of the rejected claim

17. DURABILITY

The durability of goods may be effected by neglect, misuse, spasmodic and/or irregular use and use of water that is outside the quality and/or temperature specifications of the goods.

18. WARRANTY AND LIABILITY

18.1 With the exception of Consumer Guarantees, Frost Catering Equipment excludes:

(a) any term, condition or warranty that may otherwise be implied into these Terms;

(b) any liability for Loss; and

(c) Frost Catering Equipment Pty Ltd, its representatives, or any associated company will not accept any liability for any loss, consequential or other, in relation to spoilage, damage to product, third party or other, that may be a consequence of the failure of an appliance or component thereof. It is the customers responsibility to hold suitable insurance to cover for this type of event, and is not covered by any warranty provisions or insurance that Frost Catering Equipment Pty Ltd or any associated company may offer or hold in protection of the general operations of its own business.

18.2 Subject to clause 18.3, the liability of Frost Catering Equipment in respect of any breach of or failure to comply with any Consumer Guarantee is limited to the following:

(a) In the case of goods, to:

(i) the replacement of the goods or the supply of equivalent goods;

(ii) the repair of the goods;

(iii) the payment of the cost of replacing the goods or of acquiring equivalent goods; or

(iv) the payment of the cost of having the goods repaired.

(b) In the case of services, to:

(i) the supplying of the services again; or

(ii) the payment of the cost of having the services supplied again.

18.3 The liability of Frost Catering Equipment in respect of a breach of or a failure to comply with a Consumer Guarantee will not be limited in the way set out in clause 18.2 if:

(a) it is not 'fair or reasonable' for Frost Catering Equipment to rely on such limitation in accordance with section 64A(3) of the Australian Consumer Law; or

(b) the relevant Consumer Guarantee is a guarantee pursuant to sections 51, 52 or 53 of the Australian Consumer Law.

18.4 Refrigeration cabinets connected to a remote condensor will have a 12 months parts only warranty from the invoice date.

19. RETURN OF DRAWINGS

19.1 All drawings and specifications obtained by the buyer from Frost Catering Equipment or its employees or agents remain Frost Catering Equipment's property.

19.2 The buyer shall not, without the prior written consent of Frost Catering Equipment, utilise or reproduce such drawings or specifications or communicate them to a third party, except for the purpose for which they are supplied.

19.3 Except for Frost Catering Equipment's standard descriptive specifications, operating instructions, layout and foundation drawings, all drawings and specifications are to be returned to Frost Catering Equipment on completion of the contract or on request.

19.4 Frost Catering Equipment and its partners may at any time review and update specifications and is the customers responsibility to ensure that any information sourced from Frost Catering Equipment is accurate and represents the item as to which this is intended.

20. GOODS AND SERVICES TAX

20.1 If GST is imposed on any taxable supply under these Contract Terms, then Frost Catering Equipment has the right to increase the purchase price payable on that taxable supply by an amount equal to the GST imposed.

20.2 To obtain a valid tax invoice, the buyer must supply Frost Catering Equipment with its ABN.

20.3 Any reference in this clause to "GST", "taxable supply" and "tax invoice" has the meaning given to those expressions in A New Tax System (Goods and Services Tax) Act 1999.

21. NO WAIVER

21.1 Failure by Frost Catering Equipment to enforce any of these Contract Terms shall not be construed as a waiver of any of Frost Catering Equipment's rights hereunder or a waiver of a continuing breach.

22. GOVERNING LAW

22.1 This contract shall be governed by the laws of all the states and territories in Australia, and the buyer submits to the non–exclusive jurisdiction of the courts in NSW.

23. INTERPRETATION

23.1 In these Contract Terms the following words will (unless the context otherwise requires) have the following meanings:

(a) "Australian Consumer Law" means Schedule 2 of the Competition and Consumer Act 2010 (Cth) and the corresponding provisions of the relevant State Fair Trading Acts;

(b) "buyer" means and includes the buyer and any servant, agent, partner, contractor or employee of that person;

(c) "Consumer Guarantee" means a right or guarantee the Customer may have under the Australian Consumer Law or other rights in relation to the supply of goods or services (such as terms implied into a contract) that cannot lawfully be excluded ;

(d) "Consequential Loss" means any loss, damage or costs incurred by a party or any other person that is indirect or consequential, as well as loss of revenue; loss of income; loss of business; loss of profits; loss of production; loss of or damage to goodwill or credit; loss of business reputation, future reputation or publicity; loss of use; loss of interest; losses arising from claims by third parties; loss of or damage to credit rating; loss of anticipated savings and/or loss or denial of opportunity;

(e) "PPS Act" means the Personal Property Securities Act 2009 (Cth);

(f) "Loss" means any damage, loss, liability, expense or cost (including, but not limited to, special, proximate, incidental, direct, indirect or Consequential Loss or damages or loss caused by the negligence of CE);

(g) "Frost Catering Equipment" includes all Frost Catering Equipment's employees and agents;

(h) a reference to "including" means "including without limitation";

(i) any agreement, warranty, representation or obligation which binds or benefits 2 or more persons, binds or benefits those persons jointly and severally; and

(j) "$" or "dollars" is a reference to the lawful currency of Australia.

24. ACCEPTANCE

24.1 Acceptance by the buyer of these Contract Terms, as amended by Frost Catering Equipment from time to time, may be by any one of the following ways:

(a) by signing and returning a copy of these Contract Terms;

(b) by performing an act that is done with the intention of adopting or accepting these conditions, including but not limited to continuing to order Goods; or

(c) by oral acceptance.

24.2 Failure to accept these Contract Terms within seven days of receipt by the buyer of these Contract Terms may result in the immediate withdrawal of Frost Catering Equipment's offer to supply goods or services.

Frost GROUP

Street Address

115 Stenhouse Drive,
Cameron Park, NSW 2285

Postal Address

PO Box 180,
West Wallsend, NSW 2286

Telephone

1300 FROSTS (376 787)

Email

sales@frostcatering.com.au

Facebook

facebook.com/thefrostgroup

Twitter

@frostcatering

Pinterest

pinterest.com/thefrostgroup

Instagram

@thefrostgroup

Linkedin

linkedin.com/company/the-frost-group

Website

www.frostcateringequipment.com.au

Notes