


Skill week-2

CREATING TABLE




```
1 create database sweek2
2
3 use sweek2
4
5 CREATE TABLE orders (
6     ord_no INT PRIMARY KEY,
7     purch_amt DECIMAL(10,2),
8     ord_date DATE,
9     customer_id INT,
10    salesman_id INT
11 );
12
```

Output

#	Time	Action
1	12:08:49	create database sweek2
2	12:09:03	use sweek2
3	12:09:23	CREATE TABLE orders (ord_no INT PRIMARY KEY, purch_amt DECIMAL(10,2), ord_date DATE, custom...

INSERTING DATA



```
13
14 INSERT INTO orders VALUES
15 (70001,150.50,'2012-10-05',3005,5002),
16 (70009,270.65,'2012-09-10',3001,5005),
17 (70002,65.26,'2012-10-05',3002,5001),
18 (70004,110.50,'2012-08-17',3009,5003),
19 (70007,948.50,'2012-09-10',3005,5002),
20 (70005,2400.60,'2012-07-27',3007,5001),
21 (70008,5760.00,'2012-09-10',3002,5001),
22 (70010,1983.43,'2012-10-10',3004,5006),
23 (70003,2480.40,'2012-10-10',3009,5003),
24 (70012,250.45,'2012-06-27',3008,5002);
25
```

Output

#	Time	Action
1	12:08:49	create database sweek2
2	12:09:03	use sweek2
3	12:09:23	CREATE TABLE orders (ord_no INT PRIMARY KEY, purch_amt DECIMAL(10,2), ord_date DATE, custom...
4	12:12:34	INSERT INTO orders VALUES (70001,150.50,'2012-10-05',3005,5002), (70009,270.65,'2012-09-10',3001,5005), (70...

WHERE CLAUSE

25
26
27
28
29
30

```
SELECT *  
FROM orders  
WHERE purch_amt > 2000;
```

Result Grid	Filter Rows:	Edit:	Export/Import:	Wrap Cell Content:
ord_no	purch_amt	ord_date	customer_id	salesman_id
70003	2480.40	2012-10-10	3009	5003
70005	2400.60	2012-07-27	3007	5001
70008	5760.00	2012-09-10	3002	5001
* NULL	NULL	NULL	NULL	NULL

orders 1 x

Output

Action Output

#	Time	Action
✓ 1	12:08:49	create database week2
✓ 2	12:09:03	use week2
✓ 3	12:09:23	CREATE TABLE orders (ord_no INT PRIMARY KEY, purch_amt DECIMAL(10,2), ord_date DATE, custo...
✓ 4	12:12:34	INSERT INTO orders VALUES (70001,150.50,'2012-10-05',3005,5002), (70009,270.65,'2012-09-10',3001,5005), (70...
✓ 5	12:13:53	SELECT * FROM orders WHERE purch_amt > 2000 LIMIT 0, 1000

```
30  
31  
32  
33  
SELECT *  
FROM orders  
WHERE ord_date='2012-09-10';
```

Result Grid	Filter Rows:	Edit:	Export/Import:	Wrap Cell Content:
ord_no	purch_amt	ord_date	customer_id	salesman_id
70007	948.50	2012-09-10	3005	5002
70008	5760.00	2012-09-10	3002	5001
70009	270.65	2012-09-10	3001	5005
* NULL	NULL	NULL	NULL	NULL

orders 2 x

Output

Action Output

#	Time	Action
✓ 1	12:08:49	create database week2
✓ 2	12:09:03	use week2
✓ 3	12:09:23	CREATE TABLE orders (ord_no INT PRIMARY KEY, purch_amt DECIMAL(10,2), ord_date DATE, custo...
✓ 4	12:12:34	INSERT INTO orders VALUES (70001,150.50,'2012-10-05',3005,5002), (70009,270.65,'2012-09-10',3001,5005), (70...
✓ 5	12:13:53	SELECT * FROM orders WHERE purch_amt > 2000 LIMIT 0, 1000
✓ 6	12:14:21	SELECT * FROM orders WHERE ord_date='2012-09-10' LIMIT 0, 1000

```

34 • SELECT *
35 FROM orders
36 WHERE salesman_id=5001;
37

```

Result Grid					
	ord_no	purch_amt	ord_date	customer_id	salesman_id
▶	70002	65.26	2012-10-05	3002	5001
	70005	2400.60	2012-07-27	3007	5001
	70008	5760.00	2012-09-10	3002	5001
*	NULL	NULL	NULL	NULL	NULL

orders 3 x

Output

Action Output

#	Time	Action
✓ 1	12:08:49	create database week2
✓ 2	12:09:03	use week2
✓ 3	12:09:23	CREATE TABLE orders (ord_no INT PRIMARY KEY, purch_amt DECIMAL(10,2), ord_date DATE, custo...
✓ 4	12:12:34	INSERT INTO orders VALUES (70001,150.50,'2012-10-05',3005,5002), (70009,270.65,'2012-09-10',3001,5005), (70...
✓ 5	12:13:53	SELECT * FROM orders WHERE purch_amt > 2000 LIMIT 0, 1000
✓ 6	12:14:21	SELECT * FROM orders WHERE ord_date='2012-09-10' LIMIT 0, 1000
✓ 7	12:14:51	SELECT * FROM orders WHERE salesman_id=5001 LIMIT 0, 1000

ORDER BY

```

38 • SELECT *
39 FROM orders
40 ORDER BY purch_amt DESC;
41

```

Result Grid					
	ord_no	purch_amt	ord_date	customer_id	salesman_id
▶	70008	5760.00	2012-09-10	3002	5001
	70003	2480.40	2012-10-10	3009	5003
	70005	2400.60	2012-07-27	3007	5001
	70010	1983.43	2012-10-10	3004	5006
	70007	948.50	2012-09-10	3005	5002
	70009	270.65	2012-09-10	3001	5005

orders 4 x

Output

Action Output

#	Time	Action
✓ 2	12:09:03	use week2
✓ 3	12:09:23	CREATE TABLE orders (ord_no INT PRIMARY KEY, purch_amt DECIMA
✓ 4	12:12:34	INSERT INTO orders VALUES (70001,150.50,'2012-10-05',3005,5002), (70009
✓ 5	12:13:53	SELECT * FROM orders WHERE purch_amt > 2000 LIMIT 0, 1000
✓ 6	12:14:21	SELECT * FROM orders WHERE ord_date='2012-09-10' LIMIT 0, 1000
✓ 7	12:14:51	SELECT * FROM orders WHERE salesman_id=5001 LIMIT 0, 1000
✓ 8	12:15:39	SELECT * FROM orders ORDER BY purch_amt DESC LIMIT 0, 1000

```

42 • SELECT *
43 FROM orders
44 ORDER BY ord_date;
45

```

Result Grid					
	ord_no	purch_amt	ord_date	customer_id	salesman_id
▶	70012	250.45	2012-06-27	3008	5002
	70005	2400.60	2012-07-27	3007	5001
	70004	110.50	2012-08-17	3009	5003
	70007	948.50	2012-09-10	3005	5002
	70008	5760.00	2012-09-10	3002	5001
	70009	270.65	2012-09-10	3001	5005

orders 5 x

Output

Action Output

#	Time	Action
✓ 3	12:09:23	CREATE TABLE orders (ord_no INT PRIMARY KEY, purch_amt DECIM
✓ 4	12:12:34	INSERT INTO orders VALUES (70001,150.50,'2012-10-05',3005,5002), (700
✓ 5	12:13:53	SELECT * FROM orders WHERE purch_amt > 2000 LIMIT 0, 1000
✓ 6	12:14:21	SELECT * FROM orders WHERE ord_date='2012-09-10' LIMIT 0, 1000
✓ 7	12:14:51	SELECT * FROM orders WHERE salesman_id=5001 LIMIT 0, 1000
✓ 8	12:15:39	SELECT * FROM orders ORDER BY purch_amt DESC LIMIT 0, 1000
✓ 9	12:16:07	SELECT * FROM orders ORDER BY ord_date LIMIT 0, 1000

SUM()

46 •
47
48

```
SELECT SUM(purch_amt) AS total_revenue
FROM orders;
```

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

total_revenue
14420.29

Result 6 ×

Output

Action Output

#	Time	Action
✓ 4	12:12:34	INSERT INTO orders VALUES (70001,150.50,'2012-10-05',3005,5002), (70009,270.65,'2012-10-05',3005,5002);
✓ 5	12:13:53	SELECT * FROM orders WHERE purch_amt > 2000 LIMIT 0, 1000
✓ 6	12:14:21	SELECT * FROM orders WHERE ord_date='2012-09-10' LIMIT 0, 1000
✓ 7	12:14:51	SELECT * FROM orders WHERE salesman_id=5001 LIMIT 0, 1000
✓ 8	12:15:39	SELECT * FROM orders ORDER BY purch_amt DESC LIMIT 0, 1000
✓ 9	12:16:07	SELECT * FROM orders ORDER BY ord_date LIMIT 0, 1000
✓ 10	12:16:40	SELECT SUM(purch_amt) AS total_revenue FROM orders LIMIT 0, 1000

AVG()

49 •
50
51

```
SELECT AVG(purch_amt) AS average_order
FROM orders;
```

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

average_order
1442.029000

Result 7 ×

Output

Action Output

#	Time	Action
✓ 5	12:13:53	SELECT * FROM orders WHERE purch_amt > 2000 LIMIT 0, 1000
✓ 6	12:14:21	SELECT * FROM orders WHERE ord_date='2012-09-10' LIMIT 0, 1000
✓ 7	12:14:51	SELECT * FROM orders WHERE salesman_id=5001 LIMIT 0, 1000
✓ 8	12:15:39	SELECT * FROM orders ORDER BY purch_amt DESC LIMIT 0, 1000
✓ 9	12:16:07	SELECT * FROM orders ORDER BY ord_date LIMIT 0, 1000
✓ 10	12:16:40	SELECT SUM(purch_amt) AS total_revenue FROM orders LIMIT 0, 1000
✓ 11	12:17:19	SELECT AVG(purch_amt) AS average_order FROM orders LIMIT 0, 1000

MAX()

```
49 • SELECT AVG(purch_amt) AS average_order
50 FROM orders;
51
52 • SELECT MAX(purch_amt) AS highest_order
53 FROM orders;
54
```

Result Grid | | Filter Rows: | Export: | Wrap Cell Content:

	highest_order
▶	5760.00

Result 8 x

Output

Action Output

#	Time	Action
✓ 6	12:14:21	SELECT * FROM orders WHERE ord_date='2012-09-10' LIMIT 0, 1000
✓ 7	12:14:51	SELECT * FROM orders WHERE salesman_id=5001 LIMIT 0, 1000
✓ 8	12:15:39	SELECT * FROM orders ORDER BY purch_amt DESC LIMIT 0, 1000
✓ 9	12:16:07	SELECT * FROM orders ORDER BY ord_date LIMIT 0, 1000
✓ 10	12:16:40	SELECT SUM(purch_amt) AS total_revenue FROM orders LIMIT 0, 1000
✓ 11	12:17:19	SELECT AVG(purch_amt) AS average_order FROM orders LIMIT 0, 1000
✓ 12	12:18:04	SELECT MAX(purch_amt) AS highest_order FROM orders LIMIT 0, 1000

MIN()

```
55 • SELECT MIN(purch_amt) AS lowest_order
56 FROM orders;
57
```

Result Grid | | Filter Rows: | Export: | Wrap Cell Content:

	lowest_order
▶	65.26

Result 9 x

Output

Action Output

#	Time	Action
✓ 7	12:14:51	SELECT * FROM orders WHERE salesman_id=5001 LIMIT 0, 1000
✓ 8	12:15:39	SELECT * FROM orders ORDER BY purch_amt DESC LIMIT 0, 1000
✓ 9	12:16:07	SELECT * FROM orders ORDER BY ord_date LIMIT 0, 1000
✓ 10	12:16:40	SELECT SUM(purch_amt) AS total_revenue FROM orders LIMIT 0, 1000
✓ 11	12:17:19	SELECT AVG(purch_amt) AS average_order FROM orders LIMIT 0, 1000
✓ 12	12:18:04	SELECT MAX(purch_amt) AS highest_order FROM orders LIMIT 0, 1000
✓ 13	12:18:45	SELECT MIN(purch_amt) AS lowest_order FROM orders LIMIT 0, 1000

COUNT()

```
58 • SELECT COUNT(*) AS total_orders
59 FROM orders;
60
```

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

	total_orders
▶	10

Result 10

Output

Action Output

#	Time	Action
✓ 8	12:15:39	SELECT * FROM orders ORDER BY purch_amt DESC LIMIT 0, 1000
✓ 9	12:16:07	SELECT * FROM orders ORDER BY ord_date LIMIT 0, 1000
✓ 10	12:16:40	SELECT SUM(purch_amt) AS total_revenue FROM orders LIMIT 0, 1000
✓ 11	12:17:19	SELECT AVG(purch_amt) AS average_order FROM orders LIMIT 0, 1000
✓ 12	12:18:04	SELECT MAX(purch_amt) AS highest_order FROM orders LIMIT 0, 1000
✓ 13	12:18:45	SELECT MIN(purch_amt) AS lowest_order FROM orders LIMIT 0, 1000
✓ 14	12:19:18	SELECT COUNT(*) AS total_orders FROM orders LIMIT 0, 1000

GROUP BY

```
61 • SELECT salesman_id,
62        SUM(purch_amt) AS total_sales
63 FROM orders
64 GROUP BY salesman_id;
65
```

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

	salesman_id	total_sales
▶	5002	1349.45
	5001	8225.86
	5003	2590.90
	5005	270.65
	5006	1983.43

Result 11

Output

Action Output

#	Time	Action
✓ 9	12:16:07	SELECT * FROM orders ORDER BY ord_date LIMIT 0, 1000
✓ 10	12:16:40	SELECT SUM(purch_amt) AS total_revenue FROM orders LIMIT 0, 1000
✓ 11	12:17:19	SELECT AVG(purch_amt) AS average_order FROM orders LIMIT 0, 1000
✓ 12	12:18:04	SELECT MAX(purch_amt) AS highest_order FROM orders LIMIT 0, 1000
✓ 13	12:18:45	SELECT MIN(purch_amt) AS lowest_order FROM orders LIMIT 0, 1000
✓ 14	12:19:18	SELECT COUNT(*) AS total_orders FROM orders LIMIT 0, 1000
✓ 15	12:20:25	SELECT salesman_id, SUM(purch_amt) AS total_sales FROM orders GROUP BY salesman_id LIMIT 0, 1000

```

66 • SELECT customer_id,
67       SUM(purch_amt) AS total_purchase
68 FROM orders
69 GROUP BY customer_id;
70

```

customer_id	total_purchase
3005	1099.00
3002	5825.26
3009	2590.90
3007	2400.60
3001	270.65
3004	1983.43

Result 12 x

Output

Action Output

#	Time	Action
✓ 10	12:16:40	SELECT SUM(purch_amt) AS total_revenue FROM orders LIMIT 0, 1000
✓ 11	12:17:19	SELECT AVG(purch_amt) AS average_order FROM orders LIMIT 0, 1000
✓ 12	12:18:04	SELECT MAX(purch_amt) AS highest_order FROM orders LIMIT 0, 1000
✓ 13	12:18:45	SELECT MIN(purch_amt) AS lowest_order FROM orders LIMIT 0, 1000
✓ 14	12:19:18	SELECT COUNT(*) AS total_orders FROM orders LIMIT 0, 1000
✓ 15	12:20:25	SELECT salesman_id, SUM(purch_amt) AS total_sales FROM orders GROUP BY salesman_id LIMIT 0, 1000
✓ 16	12:21:05	SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY customer_id LIMIT 0, 10...

GROUP BY + MAX()

```

71 • SELECT customer_id,
72       MAX(purch_amt) AS highest_purchase
73 FROM orders
74 GROUP BY customer_id;
75

```

customer_id	highest_purchase
3005	948.50
3002	5760.00
3009	2480.40
3007	2400.60
3001	270.65
3004	1983.43

Result 13 x

Output

Action Output

#	Time	Action
✓ 11	12:17:19	SELECT AVG(purch_amt) AS average_order FROM orders LIMIT 0, 1000
✓ 12	12:18:04	SELECT MAX(purch_amt) AS highest_order FROM orders LIMIT 0, 1000
✓ 13	12:18:45	SELECT MIN(purch_amt) AS lowest_order FROM orders LIMIT 0, 1000
✓ 14	12:19:18	SELECT COUNT(*) AS total_orders FROM orders LIMIT 0, 1000
✓ 15	12:20:25	SELECT salesman_id, SUM(purch_amt) AS total_sales FROM orders GROUP BY salesman_id LIMIT 0, 1000
✓ 16	12:21:05	SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY customer_id LIMIT 0, 10...
✓ 17	12:22:03	SELECT customer_id, MAX(purch_amt) AS highest_purchase FROM orders GROUP BY customer_id LIMIT 0,...

GROUP BY + HAVING

76 • SELECT salesman_id,

77 SUM(purch_amt) AS total_sales

78 FROM orders

79 GROUP BY salesman_id

80 HAVING SUM(purch_amt) > 3000;

81

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

	salesman_id	total_sales
▶	5001	8225.86

Result 14 ×

Output

Action Output

#	Time	Action
✓	12 12:18:04	SELECT MAX(purch_amt) AS highest_order FROM orders LIMIT 0, 1000
✓	13 12:18:45	SELECT MIN(purch_amt) AS lowest_order FROM orders LIMIT 0, 1000
✓	14 12:19:18	SELECT COUNT(*) AS total_orders FROM orders LIMIT 0, 1000
✓	15 12:20:25	SELECT salesman_id, SUM(purch_amt) AS total_sales FROM orders GROUP BY salesm
✓	16 12:21:05	SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY cu
✓	17 12:22:03	SELECT customer_id, MAX(purch_amt) AS highest_purchase FROM orders GROUP BY
✓	18 12:22:47	SELECT salesman_id, SUM(purch_amt) AS total_sales FROM orders GROUP BY salesm

82 • SELECT customer_id,

83 SUM(purch_amt) AS total_purchase

84 FROM orders

85 GROUP BY customer_id

86 HAVING SUM(purch_amt) > 2500;

87

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

	customer_id	total_purchase
▶	3002	5825.26
	3009	2590.90

Result 15 ×

Output

Action Output

#	Time	Action
✓	13 12:18:45	SELECT MIN(purch_amt) AS lowest_order FROM orders LIMIT 0, 1000
✓	14 12:19:18	SELECT COUNT(*) AS total_orders FROM orders LIMIT 0, 1000
✓	15 12:20:25	SELECT salesman_id, SUM(purch_amt) AS total_sales FROM orders GROUP BY salesman_id LIMIT 0, 1000
✓	16 12:21:05	SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY customer_id LIMIT 0, 10...
✓	17 12:22:03	SELECT customer_id, MAX(purch_amt) AS highest_purchase FROM orders GROUP BY customer_id LIMIT 0,...
✓	18 12:22:47	SELECT salesman_id, SUM(purch_amt) AS total_sales FROM orders GROUP BY salesman_id HAVING SUM(...
✓	19 12:23:25	SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY customer_id HAVING S...

GROUP BY + HAVING + ORDER BY

87

88 •

```
SELECT customer_id,
```

89

```
      SUM(purch_amt) AS total_purchase
```

90

```
FROM orders
```

91

```
GROUP BY customer_id
```

92

```
HAVING SUM(purch_amt) > 1000
```

93

```
ORDER BY total_purchase DESC;
```

94 |

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

	customer_id	total_purchase
▶	3002	5825.26
	3009	2590.90
	3007	2400.60
	3004	1983.43
	3005	1099.00

Result 16

×

Output

⋮

Action Output

▼

#	Time	Action
✓ 14	12:19:18	SELECT COUNT(*) AS total_orders FROM orders LIMIT 0, 1000
✓ 15	12:20:25	SELECT salesman_id, SUM(purch_amt) AS total_sales FROM orders GROUP BY salesman_id LIMIT 0, 1000
✓ 16	12:21:05	SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY customer_id LIMIT 0, 10...
✓ 17	12:22:03	SELECT customer_id, MAX(purch_amt) AS highest_purchase FROM orders GROUP BY customer_id LIMIT 0,...
✓ 18	12:22:47	SELECT salesman_id, SUM(purch_amt) AS total_sales FROM orders GROUP BY salesman_id HAVING SUM(...
✓ 19	12:23:25	SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY customer_id HAVING S...
✓ 20	12:24:05	SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY customer_id HAVING S...

BETWEEN + HAVING

95 •

```
SELECT customer_id,
```

96

```
      MAX(purch_amt) AS max_purchase
```

97

```
FROM orders
```

98

```
GROUP BY customer_id
```

99

```
HAVING MAX(purch_amt) BETWEEN 2000 AND 6000;
```

100 |

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

	customer_id	max_purchase
▶	3002	5760.00
	3009	2480.40
	3007	2400.60

Result 17

×

Output

⋮

Action Output

▼

#	Time	Action
✓ 15	12:20:25	SELECT salesman_id, SUM(purch_amt) AS total_sales FROM orders GROUP BY salesman_id LIMIT 0, 1000
✓ 16	12:21:05	SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY customer_id LIMIT 0, 10...
✓ 17	12:22:03	SELECT customer_id, MAX(purch_amt) AS highest_purchase FROM orders GROUP BY customer_id LIMIT 0,...
✓ 18	12:22:47	SELECT salesman_id, SUM(purch_amt) AS total_sales FROM orders GROUP BY salesman_id HAVING SUM(...
✓ 19	12:23:25	SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY customer_id HAVING S...
✓ 20	12:24:05	SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY customer_id HAVING S...
✓ 21	12:24:44	SELECT customer_id, MAX(purch_amt) AS max_purchase FROM orders GROUP BY customer_id HAVING M...

COUNT + HAVING

```
101 • SELECT salesman_id,  
102       COUNT(*) AS total_orders  
103 FROM orders  
104 GROUP BY salesman_id  
105 HAVING COUNT(*) >= 2;  
106
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: [IA](#)

	salesman_id	total_orders
▶	5002	3
	5001	3
	5003	2

Result 18 ×

Output

Action Output

#	Time	Action
✓ 16	12:21:05	SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY customer_id LIMIT 0, 10...
✓ 17	12:22:03	SELECT customer_id, MAX(purch_amt) AS highest_purchase FROM orders GROUP BY customer_id LIMIT 0,...
✓ 18	12:22:47	SELECT salesman_id, SUM(purch_amt) AS total_sales FROM orders GROUP BY salesman_id HAVING SUM(...
✓ 19	12:23:25	SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY customer_id HAVING S...
✓ 20	12:24:05	SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY customer_id HAVING S...
✓ 21	12:24:44	SELECT customer_id, MAX(purch_amt) AS max_purchase FROM orders GROUP BY customer_id HAVING M...
✓ 22	12:25:19	SELECT salesman_id, COUNT(*) AS total_orders FROM orders GROUP BY salesman_id HAVING COUNT(*) ...

MAX + GROUP BY + HAVING

```
107 • SELECT ord_date,  
108       MAX(purch_amt) AS highest_purchase  
109 FROM orders  
110 GROUP BY ord_date  
111 HAVING MAX(purch_amt) > 2000;  
112
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: [IA](#)

	ord_date	highest_purchase
▶	2012-10-10	2480.40
	2012-07-27	2400.60
	2012-09-10	5760.00

Result 19 ×

Output

Action Output

#	Time	Action
✓ 17	12:22:03	SELECT customer_id, MAX(purch_amt) AS highest_purchase FROM orders GROUP BY customer_id LIMIT 0,...
✓ 18	12:22:47	SELECT salesman_id, SUM(purch_amt) AS total_sales FROM orders GROUP BY salesman_id HAVING SUM(...
✓ 19	12:23:25	SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY customer_id HAVING S...
✓ 20	12:24:05	SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY customer_id HAVING S...
✓ 21	12:24:44	SELECT customer_id, MAX(purch_amt) AS max_purchase FROM orders GROUP BY customer_id HAVING M...
✓ 22	12:25:19	SELECT salesman_id, COUNT(*) AS total_orders FROM orders GROUP BY salesman_id HAVING COUNT(*) ...
✓ 23	12:25:54	SELECT ord_date, MAX(purch_amt) AS highest_purchase FROM orders GROUP BY ord_date HAVING MAX(...