


Snow pipe:

```
CREATE OR REPLACE TABLE employees1 (  
  id INT,  
  first_name STRING,  
  last_name STRING,  
  email STRING,  
  location STRING,  
  department STRING  
);
```

Create a IAM ROLE as below



The screenshot displays the AWS IAM console for the role **snowflakenewrolefeb2025**. The role's ARN is `arn:aws:iam::97505034868:role/snowflakenewrolefeb2025`. The role was created on February 14, 2025, at 20:00 (UTC-05:00). The last activity was 21 minutes ago. The role's maximum session duration is 1 hour. The role is associated with the console link <https://signin.aws.amazon.com/switchrole?roleName=snowflakenewrolefeb2025&account=97505034868>.

The **Trust relationships** tab is selected, showing the trusted entities configuration. The configuration is as follows:


```
1- {  
2-   "Version": "2012-10-17",  
3-   "Statement": [  
4-     {  
5-       "Effect": "Allow",  
6-       "Principal": {  
7-         "AWS": "arn:aws:iam::644100000000:role/az0w0000-s"  
8-       },  
9-       "Action": "sts:AssumeRole",  
10-      "Condition": {  
11-        "StringEquals": {  
12-          "sts:ExternalId": "VLB373M-SECRole-Auth1M-Role-007HYUVxLGBm4"  
13-        }  
14-      }  
15-    }  
16-  ]  
17- }
```

And then add s3 full access

```
create or replace storage integration s3_int1345
TYPE = EXTERNAL_STAGE
STORAGE_PROVIDER = S3
ENABLED = TRUE
STORAGE_AWS_ROLE_ARN = 'arn:aws:iam::075555555555:role/snowflakenewrolefeb2025'
STORAGE_ALLOWED_LOCATIONS = ('s3://snowflakess3feb2025/snowpipes/')
COMMENT = 'integration object' ;

desc integration s3_int1345;
```

Results Chart					Query Details
	property	property_type	property_value	property_default	Query duration 98r
1	ENABLED	Boolean	true	false	
2	STORAGE_PROVIDER	String	S3		
3	STORAGE_ALLOWED_LOCATIONS	List	s3://snowflake-s3feb2025/snowpipes/		
4	STORAGE_BLOCKED_LOCATIONS	List			
5	STORAGE_AWS_IAM_USER_ARN	String	arn:aws:iam::047110000000:user/a20w0000-s		
6	STORAGE_AWS_ROLE_ARN	String	arn:aws:iam::975000000000:role/snowflake-newrolefeb2025		
7	STORAGE_AWS_EXTERNAL_ID	String	VLB36724_S3PipesRole-2025-07-20T07N9YUVxLGBm4=		
8	USE_PRIVATELINK_ENDPOINT	Boolean	false	false	
9	COMMENT	String	integration object		



Now integration is completed ,check output

CREATE OR REPLACE stage csv_folder123456
URL = 's3://snowflakess3feb2025/snowpipes/'
STORAGE_INTEGRATION = s3_int1345
FILE_FORMAT = csv_fileformat;

LIST @csv_folder123456 ;

Results

Chart

	name	size	md5	last_modified
1	s3://snowflakess3feb2025/snowpipes/employee_data_2.csv	6398	09841c95996ecd4f55e6ce7e1aacc77d	Fri, 21 Feb 2025 22:16:00 GMT
2	s3://snowflakess3feb2025/snowpipes/employee_data_4.csv	6412	ebba26266b70e810d1c629d3221d615b	Mon, 17 Feb 2025 22:44:50 GMT

next is pipe creation

Create pipe and describe pipe as below:
And then copy notification channel in to aws sns queue under s3 properties

```

28 // Define pipe
29 CREATE OR REPLACE pipe employee_pipes
30 auto_ingest = TRUE
31 AS
32 COPY INTO employees1
33 FROM @csv_folder123456 ;
34
35 DESC pipe employee_pipes;
36
37

```

Results

Chart

definition	owner	notification_channel	comme	integrati
COPY INTO employees1 FROM @csv_folder123456	ACCOUNTADMIN	arn:aws:sqs:us-east-1:047719618228:sf-snowpipe-AIDAQWHCPS22J4ASSBE3R--igwPe		null

Query Details

Query duration

36ms

Rows

1

Query ID

01ba8cc9-030c-7560-0...

Show more

Ask Copilot

S3 bucket :

S3 > Buckets > snowflakes3feb2025

Log requests for access to your bucket. Use [CloudWatch](#) to check the health of your server access logging. [Learn more](#)

Server access logging
Disabled

AWS CloudTrail data events [Info](#)

Configure CloudTrail data events to log Amazon S3 object-level API operations in the CloudTrail console. [Learn more](#)

Name	Access
No data events No data events to display.	

Event notifications (1/1)

Send a notification when specific events occur in your bucket. [Learn more](#)

☒	Name	Event types	Filters	Destination type	Destination
☒	snowflakenotification	All object create events	snowpipes/	SQS queue	arn:aws:sqs:us-east-1:047719618228:sf-snowpipe-AIDAQWHCPS22J4ASSBE3R--igwPeSziF3l6lRj4JlA

Amazon EventBridge

For additional capabilities, use Amazon EventBridge to build event-driven applications at scale using S3 event notifications. [Learn more](#) or [see EventBridge pricing](#)

Send notifications to Amazon EventBridge for all events in this bucket
Off

Transfer acceleration

```

26 truncate employee_pipe;
27
28 // Define pipe
29 CREATE OR REPLACE pipe employee_pipes
30 auto_ingest = TRUE
31 AS
32 COPY INTO employees1
33 FROM @csv_folder123456 ;
34
35 DESC pipe employee_pipes;
36
37
38 truncate table employees1 ;
39
40 SELECT * FROM employees1 ;
41

```

} PIPE

Results
Chart

#	ID	FIRST_NAME	LAST_NAME	EMAIL	LOCATION	DEPARTMENT
	1	Claus	Petruska	cpetruska0@nifty.com	Baru	Marketing
	2	Tyrus	Searchfield	tsearchfield1@opensource.org	Padabeunghar	Marketing
	3	Henrie	Boat	hboat2@digg.com	Laibin	Engineering

Query Details

Query duration

Rows

Query ID

Whenever you add data in t s3 ,it wud automatically add data in target table using snow pipe,

that's the use of snow pipe

