

# Groverize Monotone Local Search. (Short Note)

David Ponarovsky

April 25, 2023

## 1 Todo.

1. Write the table (sage script).
2. Add definitions. Problem description.
3. Complete the 'proof'.
4. Prove lower bound.

## 2 Introduction.

We follow the study of [Fom+15], who relate between the parametrized complexity to the general average case complexity. Crudely put, they shown that for particular wide range of **NP** hard problems, a solution which run exponentially at some complexity parameter, for example the tree-width of a graph, can be used to derive a batter than bruteforce solution for the general problem. We continue their work by plugin the Grover search [Gro96] routine instead the original sampling process.


We will simplify the definitions given at [Fom+15] and use the following definitions instead:

**Definition 1** (extension problems). *Consider a decision problem inside **NP**, in this paper, we will associate two verifiers  $U, V$  with each language.  $U$  stands for input validation, conceptually it uses for checking that the solution 'live' inside the problem world. For example, for the **3-SAT**,  $U$  checks that the input indeed encode an assignment. Formally the role of  $U$  is to restrict the inputs to certain form. And  $V$  responsible to verify that the word indeed in the language, ie check that the assignment satisfies the formula. We will say that a problem is an extension problem if requiring any of the input bits to be 1 could reduced to another instance of the problem. For example, consider **3-SAT**, fixing an arbitrary bit  $x_i$  to be 1 could reduced to another **3-SAT** formula by erase any of the closures contain  $x_i$  and replacing any of the occurrences of  $\bar{x}_i$  by other termianl on the same clouser (i.e  $\bar{x}_i \wedge \bar{y} \wedge z \mapsto \bar{y} \wedge \bar{y} \wedge z$ ). the input any instance of the problem could be representated as the bit-wise union of two strings which pass  $U$  verification. For example, any assignment satisfies a **3-SAT** instance could be write as or-wise of two assignments.*

**Definition 2.** A directed graph  $G$  is a pair  $(V, E)$  where  $V$  is a set of vertices and  $E$  is a set of directed edges.

**Definition 3.** The directed shortest path problem is the problem of finding the directed path with the minimum weight between two given vertices in a directed weighted graph.

$$\begin{aligned}
\sum_{k' \leq k} \frac{1}{\sqrt{p(k')}} \cdot c^{k'-t} N^{\mathcal{O}(1)} &\leq \max_{k' \leq k} \left( \frac{\binom{n-|X|}{t}}{\binom{k'}{t}} \right)^{\frac{1}{2}} \cdot c^{k'-t} N^{\mathcal{O}(1)} = \\
\left( \max_{k' \leq k} \frac{\binom{n-|X|}{t}}{\binom{k'}{t}} \cdot c^{2(k'-t)} \right)^{\frac{1}{2}} N^{\mathcal{O}(1)} &= \left( \max_{k \leq n-|X|} \frac{\binom{n-|X|}{t}}{\binom{k}{t}} \right)^{\frac{1}{2}} \cdot c^{2(k-t)} N^{\mathcal{O}(1)} \leq \\
\Rightarrow \left( 2 - \frac{1}{c^2} \right)^{\frac{n-|X|}{2}} N^{\mathcal{O}(1)}
\end{aligned}$$



| Problem Name                                       | Parameterized                  | Groverize  | New bound                      | Previous Bound   |
|--|--------------------------------|------------|--------------------------------|--|
| FEEDBACK VERTEX SET                                | $3^k$ (r) [Cyg+11]             | $1.3744^k$ | $1.6667^n$ (r)                 |  |
| FEEDBACK VERTEX SET                                | $3.592^k$ [KP14]               | $1.3865^k$ | $1.7217^n$                     | $1.7347^n$ [FTV13]   |
| SUBSET FEEDBACK VERTEX SET                         | $4^k$ [Wahlstrom14]            | $1.3919^k$ | $1.7500^n$                     | $1.8638^n$ [Fom+14]  |
| FEEDBACK VERTEX SET IN TOURNAMENTS                 | $1.6181^k$ [KL16]              | $1.2720^k$ | $1.3820^n$                     | $1.4656^n$ [KL16]  |
| GROUP FEEDBACK VERTEX SET                          | $4^k$ [Wahlstrom14]            | $1.3919^k$ | $1.7500^n$                     | NPR  |
| NODE UNIQUE LABEL COVER                            | $ \Sigma ^{2k}$ [Wahlstrom14]  | $1.3919^k$ | $(2 - \frac{1}{ \Sigma ^2})^n$ | NPR  |
| VERTEX $(r, \ell)$ -PARTIZATION $(r, \ell \leq 2)$ | $3.3146^k$ [KolayP15; Bas+17]  | $1.3817^k$ | $1.6984^n$                     | NPR  |
| INTERVAL VERTEX DELETION                           | $8^k$ [Cao16]                  | $1.3466^k$ | $1.8750^n$                     | $(2 - \varepsilon)^n$ for $\varepsilon < 10^{-20}$ [BFP13] |
| PROPER INTERVAL VERTEX DELETION                    | $6^k$ [tV13; Cao16]            | $1.4087^k$ | $1.8334^n$                     | $(2 - \varepsilon)^n$ for $\varepsilon < 10^{-20}$ [BFP13] |
| BLOCK GRAPH VERTEX DELETION                        | $4^k$ [Agr+16]                 | $1.4044^k$ | $1.7500^n$                     | $(2 - \varepsilon)^n$ for $\varepsilon < 10^{-20}$ [BFP13] |
| CLUSTER VERTEX DELETION                            | $1.9102^k$ [Bor+14]            | $1.3919^k$ | $1.4765^n$                     | $1.6181^n$ [Fom+10]  |
| THREAD GRAPH VERTEX DELETION                       | $8^k$ [Kan+15]                 | $1.3919^k$ | $1.8750^n$                     | NPR  |
| MULTICUT ON TREES                                  | $1.5538^k$ [Kan+14]            | $1.3138^k$ | $1.3565^n$                     | NPR  |
| 3-HITTING SET                                      | $2.0755^k$ [MagnusPhD07]       | $1.4087^k$ | $1.5182^n$                     | $1.6278^n$ [MagnusPhD07]                                   |
| 4-HITTING SET                                      | $3.0755^k$ [Fom+10]            | $1.2593^k$ | $1.6750^n$                     | $1.8704^n$ [Fom+10]  |
| $d$ -HITTING SET $(d \geq 3)$                      | $(d - 0.9245)^k$ [Fom+10]      | $1.1763^k$ | $(2 - \frac{1}{(d-0.9245)})^n$ | [Coc+16; Fom+10]   |
| MIN-ONES 3-SAT                                     | $2.562^k$ [abs-1007-1166]      | $1.3296^k$ | $1.6097^n$                     | NPR  |
| MIN-ONES $d$ -SAT $(d \geq 4)$                     | $d^k$                          | $1.3763^k$ | $(2 - \frac{1}{d})^n$          | NPR  |
| WEIGHTED $d$ -SAT $(d \geq 3)$                     | $d^k$                          | $1.3763^k$ | $(2 - \frac{1}{d})^n$          | NPR  |
| WEIGHTED FEEDBACK VERTEX SET                       | $3.6181^k$ [Agr+16]            | $1.1763^k$ | $1.7237^n$                     | $1.8638^n$ [Fom+08]  |
| WEIGHTED 3-HITTING SET                             | $2.168^k$ [SZ15]               | $1.3593^k$ | $1.5388^n$                     | $1.6755^n$ [Coc+16]  |
| WEIGHTED $d$ -HITTING SET $(d \geq 4)$             | $(d - 0.832)^k$ [Fom+10; SZ15] | $1.3919^k$ | $(2 - \frac{1}{d-0.932})^n$    | [Coc+16]   |

Table 1: Summary of known and new results for different optimization problems. NPR means that we are not aware of any previous algorithms faster than brute-force. All bounds suppress factors polynomial in the input size  $N$ . The algorithms in the first row are randomized (r).

## References

- [Gro96] Lov K. Grover. *A fast quantum mechanical algorithm for database search*. 1996. arXiv: [quant-ph/9605043](#) [quant-ph].
- [Fom+08] Fedor V. Fomin et al. “On the minimum feedback vertex set problem: exact and enumeration algorithms”. In: *Algorithmica* 52.2 (2008), pp. 293–307. ISSN: 0178-4617. DOI: [10.1007/s00453-007-9152-0](#). URL: [https://doi.org/10.1007/s00453-007-9152-0](#).
- [Fom+10] Fedor V. Fomin et al. “Iterative compression and exact algorithms”. In: *Theoret. Comput. Sci.* 411.7-9 (2010), pp. 1045–1053. ISSN: 0304-3975. DOI: [10.1016/j.tcs.2009.11.012](#). URL: [https://doi.org/10.1016/j.tcs.2009.11.012](#).
- [Cyg+11] Marek Cygan et al. “Solving connectivity problems parameterized by treewidth in single exponential time (extended abstract)”. In: *2011 IEEE 52nd Annual Symposium on Foundations of Computer Science—FOCS 2011*. IEEE Computer Soc., Los Alamitos, CA, 2011, pp. 150–159. DOI: [10.1109/FOCS.2011.23](#). URL: [https://doi.org/10.1109/FOCS.2011.23](#).
- [tV13] Pim van ’t Hof and Yngve Villanger. “Proper interval vertex deletion”. In: *Algorithmica* 65.4 (2013), pp. 845–867. ISSN: 0178-4617. DOI: [10.1007/s00453-012-9661-3](#). URL: [https://doi.org/10.1007/s00453-012-9661-3](#).
- [BFP13] Ivan Bliznets, Fedor V. Fomin, and Yngve Pilipczuk Michał and Villanger. “Largest chordal and interval subgraphs faster than  $2^n$ ”. In: *Algorithms—ESA 2013*. Vol. 8125. Lecture Notes in Comput. Sci. Springer, Heidelberg, 2013, pp. 193–204. DOI: [10.1007/978-3-642-40450-4\\_17](#). URL: [https://doi.org/10.1007/978-3-642-40450-4\\_17](#).
- [Bor+14] Anudhyan Boral et al. “A fast branching algorithm for cluster vertex deletion”. In: *Computer science—theory and applications*. Vol. 8476. Lecture Notes in Comput. Sci. Springer, Cham, 2014, pp. 111–124. DOI: [10.1007/978-3-319-06686-8\\_9](#). URL: [https://doi.org/10.1007/978-3-319-06686-8\\_9](#).

- [Fom+14] Fedor V. Fomin et al. “Enumerating minimal subset feedback vertex sets”. In: *Algorithmica* 69.1 (2014), pp. 216–231. ISSN: 0178-4617. DOI: [10.1007/s00453-012-9731-6](https://doi.org/10.1007/s00453-012-9731-6). URL: <https://doi.org/10.1007/s00453-012-9731-6>.
- [Kan+14] Iyad Kanj et al. “Algorithms for cut problems on trees”. In: *Combinatorial optimization and applications*. Vol. 8881. Lecture Notes in Comput. Sci. Springer, Cham, 2014, pp. 283–298. DOI: [10.1007/978-3-319-12691-3\\_22](https://doi.org/10.1007/978-3-319-12691-3_22). URL: [https://doi.org/10.1007/978-3-319-12691-3\\_22](https://doi.org/10.1007/978-3-319-12691-3_22).
- [KP14] Tomasz Kociumaka and Marcin Pilipczuk. “Faster deterministic Feedback Vertex Set”. In: *Inform. Process. Lett.* 114.10 (2014), pp. 556–560. ISSN: 0020-0190. DOI: [10.1016/j.ipl.2014.05.001](https://doi.org/10.1016/j.ipl.2014.05.001). URL: <https://doi.org/10.1016/j.ipl.2014.05.001>.
- [Cao15] Yixin Cao. “Unit interval editing is fixed-parameter tractable”. In: *Automata, languages, and programming. Part I*. Vol. 9134. Lecture Notes in Comput. Sci. Springer, Heidelberg, 2015, pp. 306–317. DOI: [10.1007/978-3-662-47672-7\\_25](https://doi.org/10.1007/978-3-662-47672-7_25). URL: [https://doi.org/10.1007/978-3-662-47672-7\\_25](https://doi.org/10.1007/978-3-662-47672-7_25).
- [FTV15] Fedor V. Fomin, Ioan Todinca, and Yngve Villanger. “Large induced subgraphs via triangulations and CMSO”. In: *SIAM J. Comput.* 44.1 (2015), pp. 54–87. ISSN: 0097-5397. DOI: [10.1137/140964801](https://doi.org/10.1137/140964801). URL: <https://doi.org/10.1137/140964801>.
- [Fom+15] Fedor V. Fomin et al. *Exact Algorithms via Monotone Local Search*. 2015. arXiv: [1512.01621 \[cs.DS\]](https://arxiv.org/abs/1512.01621).
- [Kan+15] Mamadou Moustapha Kanté et al. “An FPT algorithm and a polynomial kernel for linear rankwidth-1 vertex deletion”. In: *10th International Symposium on Parameterized and Exact Computation*. Vol. 43. LIPIcs. Leibniz Int. Proc. Inform. Schloss Dagstuhl. Leibniz-Zent. Inform., Wadern, 2015, pp. 138–150.
- [SZ15] Hadas Shachnai and Meirav Zehavi. “A multivariate approach for weighted FPT algorithms”. In: *Algorithms—ESA 2015*. Vol. 9294. Lecture Notes in Comput. Sci. Springer, Heidelberg, 2015, pp. 965–976. DOI: [10.1007/978-3-662-48350-3\\_80](https://doi.org/10.1007/978-3-662-48350-3_80). URL: [https://doi.org/10.1007/978-3-662-48350-3\\_80](https://doi.org/10.1007/978-3-662-48350-3_80).
- [Agr+16] Akanksha Agrawal et al. “A faster FPT algorithm and a smaller kernel for block graph vertex deletion”. In: *LATIN 2016: theoretical informatics*. Vol. 9644. Lecture Notes in Comput. Sci. Springer, Berlin, 2016, pp. 1–13. DOI: [10.1007/978-3-662-49529-2\\_1](https://doi.org/10.1007/978-3-662-49529-2_1). URL: [https://doi.org/10.1007/978-3-662-49529-2\\_1](https://doi.org/10.1007/978-3-662-49529-2_1).
- [Cao16] Yixin Cao. “Linear recognition of almost interval graphs”. In: *Proceedings of the Twenty-Seventh Annual ACM-SIAM Symposium on Discrete Algorithms*. ACM, New York, 2016, pp. 1096–1115. DOI: [10.1137/1.9781611974331.ch77](https://doi.org/10.1137/1.9781611974331.ch77). URL: <https://doi.org/10.1137/1.9781611974331.ch77>.
- [Coc+16] Manfred Cochefert et al. “Faster algorithms to enumerate hypergraph transversals”. In: *LATIN 2016: theoretical informatics*. Vol. 9644. Lecture Notes in Comput. Sci. Springer, Berlin, 2016, pp. 306–318. DOI: [10.1007/978-3-662-49529-2\\_23](https://doi.org/10.1007/978-3-662-49529-2_23). URL: [https://doi.org/10.1007/978-3-662-49529-2\\_23](https://doi.org/10.1007/978-3-662-49529-2_23).
- [KL16] Mithilesh Kumar and Daniel Lokshtanov. “Faster exact and parameterized algorithm for feedback vertex set in tournaments”. In: *33rd Symposium on Theoretical Aspects of Computer Science*. Vol. 47. LIPIcs. Leibniz Int. Proc. Inform. Schloss Dagstuhl. Leibniz-Zent. Inform., Wadern, 2016, Art. No. 49, 13.
- [Bas+17] Julien Baste et al. “Parameterized complexity dichotomy for  $(r, \ell)$ -vertex deletion”. In: *Theory Comput. Syst.* 61.3 (2017), pp. 777–794. ISSN: 1432-4350. DOI: [10.1007/s00224-016-9716-y](https://doi.org/10.1007/s00224-016-9716-y). URL: <https://doi.org/10.1007/s00224-016-9716-y>.