Bounded Communication Fault Tolerance

David Ponarovsky

November 10, 2025

Introduction

Today:

- Bounded Communication Fault Tolerance
    1. Walktrough the math
    2. Alternative definition to Expander decomposition
    3. (d, k) - Toric
- New experimental results.
- Answering the code teleportation.

Bounded Communication Fault Tolerance

Setting

We allow a non-nosy, strong as we wish, classical computation aside. Yet we would like to limit the communication to a constant number of bits per logical qubit, in each round.

Justification

1. If we don't have a constant overhead in depth, in that model, $\Rightarrow$ we also don't have it in the standard model.

Bounded Communication Fault Tolerance

Setting

We allow a non-nosy, strong as we wish, classical computation aside. Yet we would like to limit the communication to a constant number of bits per logical qubit, in each round.

Justification

1. If we don't have a constant overhead in depth, in that model, $\Rightarrow$ we also don't have it in the standard model.
2. In that model, gate teleportation for a constant dimension code is easy. Namely, for the Topological codes the task is reduced to finding a decoding with a constant-size hint.

Max Color

$$
\begin{tikzcd}
\text{Given - } \rho \arrow[r] \arrow[d] & \text{Decoding} \arrow[r] \arrow[d] & p\text{-depololraized} \arrow[d] \\
E_1 & E_2 & E_3
\end{tikzcd}
$$

Figure: Illustration of the cycle.

v_2 is flipped.



v_2 is not faulty.



If the majority of bits in the local view of v_2 are flipped, then after decoding, v_2 will be also (remain) flipped.

Strategy

Nice To Have Lemma.
There is a function $f : \mathbb{N} \to \mathbb{R}$, such that for any (encoded) ρ which is subjected to q-local stochastic noise and a subset of qubits S we have:

1. With high probability $(1 - e^{-\sqrt{n}})$, after the decoding stage, the probability that the error is (completely) supported on S is bounded by $q^{f(|S|)}$
2. $f(|S|) \geq \alpha |S|$ for some $\alpha > 0$.

SWIFT

What did we learn?

1. Storing time is, likily, not $\Theta(e^n)$, might be $\Theta(L^\alpha)$ for $\alpha \in (0, 1)$.
2. $\Rightarrow$ Implies that the structure of the theorem/key-lemma is different than the known refrigerators.

Future

So What's Next?

1. Moving forward with the experimental work?
   - More experiments, higher statistical standards?
   - Accelerate the decoder? Shifting to $c/c{+}{+}$? Parallelize it with GPUs? Do we have budget?

Future

So What's Next?

1. Moving forward with the experimental work?
   - More experiments, higher statistical standards?
   - Accelerate the decoder? Shifting to $c/c{+}{+}$? Parallelize it with GPUs? Do we have budget?
2. Dividing to colors - Expander Decomposition? What do we know about the expander decomposition of the periodic grid?

Future

So What's Next?

1. Moving forward with the experimental work?
   - More experiments, higher statistical standards?
   - Accelerate the decoder? Shifting to $c/c{+}{+}$? Parallelize it with GPUs? Do we have budget?
2. Dividing to colors - Expander Decomposition? What do we know about the expander decomposition of the periodic grid?
3. How to use the fact our code is a quotient code?