

# Bounded Communication Fault Tolerance

David Ponarovsky

November 10, 2025

# Introduction

## Today:

- ▶ Bounded Communication Fault Tolerance
  1. Walkthrough the math
  2. Alternative definition to Expander decomposition
  3.  $(d, k)$  - Toric
- ▶ New experimental results.
- ▶ Answering the code teleportation.

# Bounded Communication Fault Tolerance

## Setting

We allow a non-nosy, strong as we wish, classical computation aside. Yet we would like to limit the communication to a constant number of bits per logical qubit, in each round.

## Justification

1. If we don't have a constant overhead in depth, in that model,  
 $\Rightarrow$  we also don't have it in the standard model.

# Bounded Communication Fault Tolerance

## Setting

We allow a non-nosy, strong as we wish, classical computation aside. Yet we would like to limit the communication to a constant number of bits per logical qubit, in each round.

## Justification

1. If we don't have a constant overhead in depth, in that model,  $\Rightarrow$  we also don't have it in the standard model.
2. In that model, gate teleportation for a constant dimension code is easy. Namely, for the Topological codes the task is reduced to finding a decoding with a constant-size hint.

# Max Color




Figure: Illustration of the cycle.

# SWIFT

## What did we learn?

1. Storing time is, likely, not  $\Theta(e^n)$ , might be  $\Theta(L^\alpha)$  for  $\alpha \in (0, 1)$ .
2.  $\Rightarrow$  Implies that the structure of the theorem/key-lemma is different than the known refrigerators.

# Future

## So What's Next?

1. Moving forward with the experimental work?
  - ▶ More experiments, higher statistical standards?
  - ▶ Accelerate the decoder? Shifting to *c/c++*? Parallelize it with GPUs? Do we have budget?

# Future

## So What's Next?

1. Moving forward with the experimental work?
  - ▶ More experiments, higher statistical standards?
  - ▶ Accelerate the decoder? Shifting to *c/c++*? Parallelize it with GPUs? Do we have budget?
2. Dividing to colors - Expander Decomposition? What do we know about the expander decomposition of the periodic grid?



# Future

## So What's Next?

1. Moving forward with the experimental work?
  - ▶ More experiments, higher statistical standards?
  - ▶ Accelerate the decoder? Shifting to *c/c++*? Parallelize it with GPUs? Do we have budget?
2. Dividing to colors - Expander Decomposition? What do we know about the expander decomposition of the periodic grid?
3. How to use the fact our code is a quotient code?