Online Computation, Ex 3.

David Ponarovsky

March 11, 2023

ex1. Consider the experts setting with gains: $g_{i,t} \in [0,1]$ is the gain of expert i at step t. Hedge updates:

$$P_{i,t+1} = \frac{e^{\eta G_{i,t}}}{\sum_{j} e^{\eta G_{j,t}}}$$

where $G_{i,t} = \sum_{s \leq t} g_{i,t}$. Prove that the regret of Hedge at time T is $O(\sqrt{T \log n})$, for a good choice of the learning rate n, against the adaptive adversary.

Solution. Define the potential $\psi(t) = \sum_j e^{\eta G_{i,t}}$ and notice that by the fact that e^x is positive function we have that $\psi(t) \geq e^{\eta \max_j G_{i,j}}$. In addition:

$$\psi\left(t+1\right) = \sum_{j} e^{\eta G_{j,t+1}} = \sum_{j} e^{\eta G_{j,t} + \eta g_{j,t+1}}$$

$$\leq \sum_{j} e^{\eta G_{j,t}} \left(1 + c_1 \eta g_{j,t+1}\right) = \psi\left(t\right) + c_1 \psi\left(t\right) \mathbf{E}\left[g_{t+1}\right]$$

$$\leq \prod_{t} \left(1 + c_1 \mathbf{E}\left[g_t\right]\right) \left(\psi\left(0\right)\right) \leq e^{c_2 \mathbf{E}\left[\sum g_t\right]} \psi\left(0\right)$$

$$\leq e^{c_2 \mathbf{E}\left[G_t\right]} \cdot n$$

So after T steps the potential is bounded by $\psi\left(0\right)e^{\eta T}\leq ne^{\eta}e^{\eta T}$.

ex2. Show a lower bound of $\Omega\left(\sqrt{T}\right)$ in the experts setting on the regret of any online algorithm against the oblivious adversary.

Solution. solution.

ex3. Consider a system of linear inequalities $Ax \geq b$, where $A \in [0,\infty]^{m \times n}, b \in [0,\infty]^m$, and unknown $x \in [0,\infty]^n$. (we are seeking a non-negative solution). An ε -approximate solution $x \geq 0$ satisfies $Ax \geq b - \varepsilon 1$. Suppose we have an efficient procedure for following problem: Given $p \in [0,1]^m, \sum_{i \in [m]} p_i = 1$, decide if exists $x \geq 0, p^\top Ax \geq p^\top b$. Show how to find an ε -approximate solution to $Ax \geq b$. Analyze the run-time.

Solution. solution.

ex4. Recall that we showed, for EXP updates, that w.p $1-\delta$

$$RT \leq \beta nT + \gamma T + \left(1 + \beta\right) \eta + \frac{\ln\left(\delta^{-1}n\right)}{\beta} + \frac{\ln n}{\eta}$$

Infer that for the right choice of β, γ, η

$$\mathbf{E}\left[R_T\right] = O\left(\sqrt{Tn\ln n}\right)$$