

### University College Dublin An Coláiste Ollscoile, Baile Átha Cliath

-

### **EXAMINATION 2012**

# Mobile Application Development (Android) COMP30480/COMP30510

Dr. A. Ufimtsev

Time allowed: 2 hours

#### Instructions for candidates

Answer all questions. Each student is requested to read each question carefully and then **WRITE** the letter of the correct answer beside the question number.

Total of 100 marks available on the paper.

<ul> <li>1. Which implementation of Java is Android based on?</li> <li>a) GNU Classpath</li> <li>b) OpenJDK</li> <li>c) Apache Harmony</li> <li>d) Sun Java</li> </ul>
<ul> <li>2. Name a class that serves as a foundation for Android visual interfaces</li> <li>a) Interface</li> <li>b) Forms</li> <li>c) Views</li> <li>d) Windows</li> </ul>
3. The easiest way to load an arbitrary data into a list on screen is to use
<ul><li>a) ArrayAdapter</li><li>b) ListLoader</li><li>c) DataLoader</li><li>d) FormLayout</li></ul>
4. What is the method to get a root of the static files attached to your code?
<ul><li>a) isolatedStorage</li><li>b) getStorage</li><li>c) getResources</li><li>d) getStaticFiles</li></ul>
5. What class is used to save and restore the activity's state?
<ul><li>a) Bunch</li><li>b) Bundle</li><li>c) Tuple</li><li>d) State</li></ul>
6. Pressing buttons is done by implementing class
<ul><li>a) onButtonPress</li><li>b) EventHandler</li><li>c) onClickListener</li><li>d) it is done automatically</li></ul>
7. Android has the following library to help deal with swipe detection
<ul> <li>a) GestureDetector</li> <li>b) SwipeDetect</li> <li>c) GestureService</li> <li>d) it does not, has to be downloaded elsewhere</li> </ul>
8. Static application messages should normally be placed in
<ul><li>a) storage/messages folder</li><li>b) res/values folder</li></ul>

c) res/text folderd) directly in code

#### 9. Application permissions are specified in

- a) Application class
- b) Resource folder
- c) Classpath file
- d) Android manifest file

#### 10. Property that sets background to image in layout is called

- a) android:background
- b) android:backgroundImage
- c) android:bglmage
- d) android:bgColour

### 11. Property that sets the width of a widget to be equal to the view that contains it is called

- a) wrap\_view
- b) match parent
- c) fill view
- d) align\_parent

#### 12. Popup messages in Android are generated with what class?

- a) PopupMessage
- b) AlertDialog
- c) MessageShow
- d) AlertView

#### 13. Android OS is

- a) open and free
- b) open and non-free
- c) closed and free
- d) closed and non-free

#### 14. .dex file extension stands for

- a) dexterity
- b) dalvik executable
- c) dalvik executive
- d) nothing, just a bunch of letters android developers liked

#### 15. Which of the following is NOT a valid activity state?

- a) Active
- b) Passive
- c) Paused
- d) Inactive/Dead

#### 16. SubActivity is a type of activity that

- a) Runs underneath the main activity
- **b)** Returns result to main activity
- c) Disappears without a trace
- d) Such type of activity does not exist

- 17. In Android, what class does its message passing system uses?
  - a) EventHandler
  - **b)** Intent
  - c) Invoke
  - d) MsgControl
- 18. You would like to reuse someone else's code in your proprietary, closed-source application. Code shared under what license you won't be able to use?
  - a) Apache
  - b) BSD
  - c) MIT
  - d) GPL
- 19. Which of the following resources is available to your programme without asking for additional security permissions?
  - a) GPS
  - b) WiFi
  - c) Accelerometer
  - d) Bluetooth
- 20. Which of the following is not a way to create/read/update and delete data in Android?
  - a) Preferences
  - **b)** Network
  - c) Plain files
  - d) All of the above are valid ways to CRUD data
- 21. Access control in Android is enforced by what system component(s)?
  - a) Linux kernel and Dalvik VM
  - b) Dalvik VM
  - c) Hotspot JVM
  - d) Linux kernel
- 22. What is not a type of WakeLock?
  - a) Full wake
  - b) Dim screen
  - c) Bright screen
  - d) Partial CPU
- 23. Which of the following app building blocks Intent cannot invoke?
  - a) Content Providers
  - **b)** Activities
  - c) Services
  - d) Intents can invoke all of the above

#### 24. Which of the following is not a valid type of service?

- a) Intent Service
- b) Started Service
- c) Bound Service
- d) Content Service

## 25. Which of the following describes default Android application security arrangements?

- a) Shared UID, shared GID, shared Dalvik VM instance, shared storage
- b) Unique UID, shared GID, shared Dalvik VM instance, own storage
- c) Unique UID, unique GID, own Dalvik VM instance, shared storage
- d) Unique UID, unique GID, own DalvikVM instance, own storage

### 26. Layout, where position of an element depends on a position of other elements is called?

- a) Dependent Layout
- b) Relative Layout
- c) Element Layout
- d) Related Layout

#### 27. Which of the following is not a protection level for an activity?

- a) Normal
- b) Dangerous
- c) Signature
- **d)** All of the above are valid protection levels

# 28. What is the recommended way of creating a task that should start periodically, but not at specific times?

- a) Running Activity
- **b)** Started Service
- c) Inexact Alarm
- d) Implicit Intent

### 29. Which Creative Commons-licensed material can be used in creation of proprietary, closed source applications?

- a) CC-BY
- b) CC-BY-SA
- c) CC-BY-NC
- d) CC-BY-ND

#### 30. Which of the following is a valid way to access Content Provider data?

- a) File
- b) SD Card
- c) Socket
- d) URL