## Infinite families of elliptic curves with high rank and prescribed torsion

Maintained by Andrej Dujella, University of Zagreb

Let T be an admissible torsion group for an elliptic curve over the rationals. Define

 $G(T) = \sup \{ \operatorname{rank} E(\mathbf{Q}(t)) : \operatorname{torsion} \text{ group of elliptic curve } E \text{ over } \mathbf{Q}(t) \text{ is } T \},$ 

 $C(T) = \limsup \{ \text{rank } E(\mathbf{Q}) : \text{torsion group of elliptic curve E over } \mathbf{Q} \text{ is } T \}.$ 

In the following two tables the best known lower bounds for G(T) and C(T) are given. If C(T) > G(T), it means that the current record for C(T) comes from a parametrization by rational points of some elliptic curves with positive rank.

T	$G\left(  T\right) >=$	Author(s)				
0	18	Elkies (2006)				
<b>z</b> /2 <b>z</b>	11	Elkies (2009)				
<b>z</b> /3 <b>z</b>	7	Elkies (2007)				
<b>Z</b> / 4 <b>Z</b>	5	Kihara (2004), Elkies (2007), Dujella - Peral - Tadic (2014) Khoshnam - Moody (2016)				
<b>z</b> /5 <b>z</b>	3	Lecacheux (2001), Eroshkin (2009), MacLeod (2014)				
<b>z</b> /6 <b>z</b>	3	Lecacheux (2001), Kihara (2006), Eroshkin (2008), Woo (2008), Dujella - Peral (2012), MacLeod (2014,2015)				
<b>z</b> /7 <b>z</b>	1	Kulesz (1998), Lecacheux (2003), Rabarison (2008), Harrache (2009), MacLeod (2014)				
<b>z</b> /8 <b>z</b>	2	Dujella - Peral (2012), MacLeod (2013)				
<b>z</b> /9 <b>z</b>	0	Kubert (1976)				
<b>z</b> /10 <b>z</b>	0	Kubert (1976)				
<b>z</b> /12 <b>z</b>	0	Kubert (1976)				
$2\mathbf{z} \times \mathbf{z}/2\mathbf{z}$	7	Elkies (2007)				
$2\mathbf{z} \times \mathbf{z}/4\mathbf{z}$	4	Dujella - Peral (2012)				
2 <b>z</b> × <b>z</b> /6 <b>z</b>	2	Dujella - Peral (2012,2015), MacLeod (2013)				
2 <b>z</b> × <b>z</b> /8 <b>z</b>	0	Kubert (1976)				

T	$C\left( T\right) >=$	Author(s)				
0	19	Elkies (2006)				
<b>z</b> /2 <b>z</b>	11	Elkies (2007)				
<b>z</b> /3 <b>z</b>	7	Elkies (2007)				
<b>z</b> /4 <b>z</b>	6	Elkies (2007)				
<b>z</b> /5 <b>z</b>	4	Eroshkin (2009)				
<b>z</b> /6 <b>z</b>	5	Eroshkin (2009)				
<b>z</b> /7 <b>z</b>	2	Lecacheux (2003), Elkies (2006), Rabarison (2008), Harrache (2009)				
<b>z</b> /8 <b>z</b>	3	Dujella - Peral (2012)				
<b>z</b> /9 <b>z</b>	1	Atkin - Morain (1993), Kulesz (1998), Rabarison (2008), Gasull - Manosa - Xarles (2010)				
<b>z</b> /10 <b>z</b>	1	Atkin - Morain (1993), Kulesz (1998), Rabarison (2008)				
<b>z</b> /12 <b>z</b>	1	Suyama (1985), Kulesz (1998), Rabarison (2008)				
$\mathbf{z}/2\mathbf{z} \times \mathbf{z}/2\mathbf{z}$	8	Elkies (2007)				
$\mathbf{z}/2\mathbf{z} \times \mathbf{z}/4\mathbf{z}$	5	Eroshkin (2009)				
$\mathbf{z}/2\mathbf{z} \times \mathbf{z}/6\mathbf{z}$	3	Dujella - Peral (2013)				
$\mathbf{z}/2\mathbf{z} \times \mathbf{z}/8\mathbf{z}$	1	Atkin - Morain (1993), Kulesz (1998), Lecacheux (2002),				
		Campbell - Goins (2003), Rabarison (2008)				

## **References:**

- 1. I. Adelstein and E. Christiansen, Personal communication, 2006.
- 2. J. Aguirre, A. Dujella and J. C. Peral, *On the rank of elliptic curves coming from rational Diophantine triples*, Rocky Mountain J. Math. **42** (2012), 1759-1776.
- 3. A. O. L. Atkin and F. Morain, *Finding suitable curves for the elliptic curve method of factorization*, Math. Comp. **60** (1993), 399-405.
- 4. G. Campbell, Finding Elliptic Curves and Families of Elliptic Curves over **Q** of Large Rank, Dissertation, Rutgers University, 1999.

- 5. G. Campbell, On the rank of elliptic curves with a rational point of order 4, preprint.
- 6. G. Campbell and E. H. Goins, Heron triangles, Diophantine problems and elliptic curves, preprint.
- 7. A. Dujella, Diophantine triples and construction of high-rank elliptic curves over **Q** with three non-trivial 2-torsion points, Rocky Mountain J. Math. **30** (2000), 157-164.
- 8. A. Dujella, On Mordell-Weil groups of elliptic curves induced by Diophantine triples, Glas. Mat. Ser. III **42** (2007), 3-18.
- 9. A. Dujella, Diophantine m-tuples. Connections with elliptic curves, http://web.math.hr/~duje/coell.html
- 10. A Dujella, I. Gusic and P. Tadic, *The rank and generators of Kihara's elliptic curve with torsion* **Z**/4**Z** over **Q**(t), Proc. Japan Acad. Ser. A Math. Sci. **91** (2015), 105-109.
- 11. A. Dujella and M. Jukic Bokun, *On the rank of elliptic curves over Q(i) with torsion group Z/4Z × Z/4Z*, Proc. Japan Acad. Ser. A Math. Sci. **86** (2010), 93-96.
- 12. A. Dujella and F. Najman, *Elliptic curves with large torsion and positive rank over number fields of small degree and ECM factorization*, Period. Math. Hungar. **65** (2012), 193-203.
- 13. A. Dujella and J. C. Peral, *High rank elliptic curves with torsion* **Z**/2**Z** × **Z**/4**Z** *induced by Diophantine triples*, LMS J. Comput. Math. **17** (2014), 282-288.
- 14. A. Dujella and J. C. Peral, *Elliptic curves with torsion group* **Z**/8**Z** or **Z**/2**Z** × **Z**/6**Z**, in Trends in Number Theory, Contemp. Math. **649** (2015), 47-62.
- 15. A Dujella, J. C. Peral and P. Tadic, Elliptic curves with torsion group Z/6Z, Glas. Mat. Ser. III 51 (2016), 321-333.
- 16. N. D. Elkies,  $\mathbf{Z}^{28}$  in  $E(\mathbf{Q})$ , etc., Number Theory Listserver, May 2006.
- 17. N. D. Elkies, Personal communication, 2006, 2009.
- 18. N. D. Elkies, *Three lectures on elliptic surfaces and curves of high rank*, Lecture notes, Oberwolfach, 2007, arXiv:0709.2908.
- 19. Y. G. Eroshkin, Personal communication, 2008, 2009.
- 20. S. Fermigier, Exemples de courbes elliptiques de grand rang sur **Q**(t) et sur **Q** possedant des points d'ordre 2, C. R. Acad. Sci. Paris Ser. I **332** (1996), 949-952.
- 21. A. Gasull, V. Manosa and X. Xarles, *Rational periodic sequences for the Lyness recurrence*, Discrete Contin. Dyn. Syst. **32** (2012), 587-604.
- 22. T. Harrache, Etude des firations elliptiques d'une surface K3, These de doctorat, Universite Paris 6, 2009.
- 23. F. Khoshnam and D. Moody, *High rank elliptic curves with torsion* **Z**/4**Z** *induced by Kihara's elliptic curves*, Integers **16** (2016), #A70, 1-12.
- 24. S. Kihara, *On an infinite family of elliptic curves with rank* ≥ 14 over **Q**, Proc. Japan Acad. Ser A Math. Sci. **73** (1997), 32.
- 25. S. Kihara, On the rank of elliptic curves with three rational points of order 2, Proc. Japan Acad. Ser A Math. Sci. 73 (1997), 77-78.
- 26. S. Kihara, On the rank of elliptic curves with three rational points of order 2, II, Proc. Japan Acad. Ser A Math. Sci. 73 (1997), 151.
- 27. S. Kihara, Construction of high-rank elliptic curves with a non-trivial rational point of order 2, Proc. Japan Acad. Ser. A Math. Sci. **73** (1997), 165.
- 28. S. Kihara, On the rank of elliptic curves with a rational point of order 3, Proc. Japan Acad. Ser. A Math. Sci. 76 (2000), 126-127.
- 29. S. Kihara, On an elliptic curve over Q(t) of rank  $\geq 9$  with a non-trivial 2-torsion point, Proc. Japan Acad. Ser. A Math. Sci. 77 (2001), 11-12.
- 30. S. Kihara, On an elliptic curve over Q(t) of rank  $\geq 14$ , Proc. Japan. Acad. Ser. A Math. Sci. 77 (2001), 50-51.
- 31. S. Kihara, On the rank of elliptic curves with three rational points of order 2, III, Proc. Japan Acad. Ser A Math. Sci. **80** (2004), 13-14.

- 32. S. Kihara, On the rank of elliptic curves with a rational point of order 4, Proc. Japan Acad. Ser A Math. Sci. 80 (2004), 26-27.
- 33. S. Kihara, On the rank of elliptic curves with a rational point of order 4, II, Proc. Japan Acad. Ser A Math. Sci. 80 (2004), 158-159.
- 34. S. Kihara, On the rank of the elliptic curves with a rational point of order 6, Proc. Japan Acad. Ser A Math. Sci. 82 (2006), 81-82.
- 35. D. S. Kubert, Universal bounds on the torsion of elliptic curves, Proc. London Math. Soc. 33 (1976), 193-237.
- 36. L. Kulesz, *Arithmetique des courbes algebriques de genre au moins deux*, These de doctorat, Universite Paris 7, 1998.
- 37. L. Kulesz, Courbes elliptiques de rang ≥ 5 sur **Q**(t) avec un groupe de torsion isomorphe a **Z**/2**Z** × **Z**/2**Z**, C. R. Acad. Sci. Paris Ser. I Math. **329** (1999), 503-506.
- 38. L. Kulesz, Families of elliptic curves of high rank with nontrivial torsion group over **Q**, Acta Arith. **108** (2003), 339-356.
- 39. O. Lecacheux, Rang de courbes elliptiques sur **Q** avec un groupe de torsion isomorphe a **Z**/5**Z**, C. R. Acad. Sci. Paris Ser. I Math. **332** (2001), 1-6.
- 40. O. Lecacheux, Rang de familles de courbes elliptiques, Acta Arith. 109 (2003), 131-142.
- 41. O. Lecacheux, Rang de courbes elliptiques avec groupe de torsion non trivial, J. Theor. Nombres Bordeaux 15 (2003), 231-247.
- 42. O. Lecacheux, Rang de courbes elliptiques dont le groupe de torsion est non trivial, Ann. Sci. Math. Quebec 28 (2004), 145-151.
- 43. A. MacLeod, Personal communication, 2013, 2014.
- 44. A. MacLeod, A simple method for high-rank families of elliptic curves with specified torsion, preprint, 2014.
- 45. J.-F. Mestre, Courbes elliptiques de rang  $\geq 11$  sur Q(t), C. R. Acad. Sci. Paris Ser. I 313 (1991), 139-142.
- 46. J.-F. Mestre, Courbes elliptiques de rang  $\geq 12$  sur Q(t), C. R. Acad. Sci. Paris Ser. I 313 (1991), 171-174.
- 47. J.-F. Mestre, *Construction polynomiales et theorie de Galois*, Proc. International Congress Mathematicians, Zurich 1994, Birkhauser, 1995, pp. 318-323.
- 48. K. Nagao, An example of elliptic curve over Q(T) with rank  $\geq 13$ , Proc. Japan Acad. Ser. A Math. Sci. **70** (1994), 152-153.
- 49. K. Nagao, Construction of high-rank elliptic curves, Kobe J. Math. 11 (1994), 211-219.
- 50. K. Nagao, Construction of high-rank elliptic curves with a nontrivial torsion point, Math. Comp. **66** (1997), 411-415.
- 51. A. Néron, *Problèmes arithmétiques et géométriques rattachés à la notion de rang d'une courbe algébrique dans un corps*, Bull. Soc. Math. France **80** (1952), 101-166.
- 52. F. P. Rabarison, *Torsion et rang des courbes elliptiques définies sur les corps de nombres algébriques*, These de doctorat, Université de Caen, 2008.
- 53. F. P. Rabarison, Structure de torsion des courbes elliptiques sur les corps quadratiques, Acta Arith. 144 (2010), 17-52.
- 54. H. Suyama, Informal preliminary report (8), October 1985.
- 55. J. Woo, Personal communication, 2008.

## Old version of this tables (2006)

High rank elliptic curves with prescribed torsion

History of elliptic curves rank records

High rank elliptic curves with prescribed torsion over quadratic fields
