Visoka škola strukovnih studija za informacione i komunikacione tehnologije

Praktikum iz web programiranja PHP Duško Stupar 128/16

Jun 2019, Beograd

Contents

U	vod	4
Te	emplate	5
	Index	5
	Registration	6
	Author	7
	Shop	7
	Admin panel	9
	Insert product	10
	Cart	11
	Dizajn baze	11
	Struktura foldera	12
	Sitemap	13
	6.1 index.php	14
	6.2. views/fixed/header.php	16
	6.3 views/fixed/footer.php	18
	6.4 views/fixed/featured-products.php	21
	6.5 views/content/shop.php	22
	6.6 views/content/insert-product.php	27
	6.7 views/content/author.php	29
	6.8 views/content/admin.php	30
	6.9 models/users/check_email.php	33
	6.10 models/users/insert.php	33
	6.11 models/users/login.php	35
	6.12 models/users/logout.php	36
	6.13 models/users/send-updated-data.php	36
	6.14 models/users/functions.php	38
	6.15 models/admin/users/download-excel-table.php	39
	6.16 models/users/download-word.php	40
	6.17. models/admin/users/delete-user.php	41
	6.18. models/admin/products/sort_products.php	42
	6.19 models/admin/products/insert.php	43
	6.20. models/admin/products/filter-products.php	46

6.21. models/admin/products/get_pagination	47
6.22. models/admin/products/functions.php	47
6.23 js/functions.js	53
6.24. js/cart.js	61
6.25. js/admin.js	63
6.26 js/filter-sort.js	68


Uvod

Ovaj sajt obrađuje temu online prodavnice odeće i obuće.

- a. Iskorišćen je template sa sajta https://colorlib.com
- b. Za izradu sajta su korišćeni sledeći programski jezici i biblioteke:
 - HTML
 - CSS
 - JavaScript
 - JQuery
 - PHP
- c. Funkcionalnosti sajta:
 - Registracija
 - Logovanje
 - Pretraga proizvoda
 - Sortiranje proizvoda
 - Filtriranje proizvoda
 - Popunjavanje korpe proizvodima
 - Admin panel sa mogućnošću brisanja, ažuriranja i unosa proizvoda i korisnika
 - Export stranice "O autoru" kao word dokument
 - Export tabele korisnika kao excel dokument
 - Dinamičko ispisivanje sadržaja
 - Paginacija
 - Upis pristupa sajtu u log fajl

Template

Index



Na početnoj stranici se dinamički učitava slider sa 5 proizvoda.

Registration

Registration

First Name *	Last Name *
Dusko	Stupar
Email *	
E-mail vec postoji.	
Username *	
Korisnicko ime vec postoji.	
Password *	
•	
Repeat Password *	
R	EGISTER


Prilikom registracije korisnika pored regularnih izraza proverava i da li se uneti e-mail već koristi, kao i da li je korisničko ime zauzeto. U slučaju da šifra nije odgovarajuća, Onemogućava se ponovni upis šifre.






Na stranici o autoru se nalazi taster koji omogućava preuzimanje informacija o autoru u vidu word dokumenta.

Shop





Na stranici shop je omogućeno filtriranje i sortiranje proizvoda i njihova pretraga, takođe, proizvodi su dinamički učitani. Na stranici postoji i paginacija.

Admin panel

Home / About

SHOW USERS SHOW PRODUCTS

Users

No.	First name	Last name	Username	E-mail	Role	Activity	Options	
1	Dusko	Stupar	dusko128	dusko.stupar.128.16@ict.edu.rs	administrator	Online	DELETE	UPDATE
2	Jovan	Jovanovic	jovan1234	jovan@gmail.com	customer	Offline	DELETE	UPDATE
3	Stefan	Drobnjak	stefan123	stefan@gmail.com	customer	Offline	DELETE	UPDATE
4	Stojan	Jovanovic	boban1234	boba@gmail.com	customer	Offline	DELETE	UPDATE
				DOWNLOAD EXCEL TABI	LE			


DOWNLOAD EXCEL TABLE

First Name *	Last Name *	
Dusko	Stupar	
Email *		
dusko.stupar.128.16@ict.ec	du.rs	
Username *		
dusko128		
Password *		
•••••		
Repeat Password *		
•••••		
	UPDATE	

U admin panelu se ispisuju korisnici, da li su ulogovani i postoji mogućnost ažuriranja korisnika kao i mogućnost brisanja.


Insert product

Insert Product




Na stranici insert product se nalazi forma koja služi za unos novog proizvoda.

Cart




Na stranici cart se izlistavaju proizvodi koje je korisnik izabrao.

Dizajn baze



Struktura foldera



```
assets
 ▶ css
 ▶ fonts
 images
 ⊿ js
 JS admin.js
 JS aos.js
 JS bootstrap.min.js
 JS cart.js
                                                nome.php
 JS filter-sort.js
                                                m insert-product.php
 JS functions.js
                                                m registration.php
 JS jquery-3.3.1.min.js
                                                shop-single.php
 JS jquery-ui.js
                                                shop.php
 JS jquery.magnific-popup.min.js
                                                nthankyou.php
 JS main.js
                                                JS owl.carousel.min.js
                                                featured-products.php
 JS popper.min.js
                                                footer.php
 JS slick.min.js
                                                nead.php
 ▶ scss
                                                neader.php
 config
                                              .htaccess
 data
                                              ndex.php
 models
                                            OUTLINE

✓ views
```

Sitemap

```
1. <?xml version="1.0" encoding="UTF-8"?>
2. <urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">
3.
       <url>
           <loc>https://shoppers-
   clothing.000webhostapp.com/index.php?page=home</loc>
           <lastmod>2019-06-14</lastmod>
6.
           <changefreq>daily</changefreq>
           <priority>0.9</priority>
8.
           </url>
9.
           <url>
10.
           <loc>https://shoppers-
   clothing.000webhostapp.com/index.php?page=cart</loc>
11.
           <lastmod>2019-06-14</lastmod>
12.
           <changefreq>monthly</changefreq>
13.
           <priority>0.6</priority>
           </url>
14.
```

```
15.
           <url>
16.
           <loc>https://shoppers-
   clothing.000webhostapp.com/index.php?page=shop</loc>
17.
           <lastmod>2019-06-14</lastmod>
18.
           <changefreq>monthly</changefreq>
           <priority>0.6</priority>
19.
20.
           </ur>
21.
           <url>
22.
           <loc>https://shoppers-
   clothing.000webhostapp.com/index.php?page=author</loc>
23.
           <lastmod>2019-06-14</lastmod>
24.
           <changefreq>yearly</changefreq>
25.
           <priority>0.5</priority>
26.
           </url>
27.
           <url>
28.
           <loc>https://shoppers-
   clothing.000webhostapp.com/index.php?page=about</loc>
29.
           <lastmod>2019-06-14</lastmod>
30.
           <changefreq>yearly</changefreq>
31.
           <priority>0.4</priority>
32.
       </url>
33.</urlset>
```

6. Kodovi

6.1 index.php

```
<?php
    session_start();
    require_once "config/connection.php";

include "views/fixed/head.php";
    include "views/fixed/header.php";
    if(!isset($_GET['page'])){
        include "views/content/home.php";
    }else {
        switch($_GET['page']){
            case 'about':
                include "views/content/about.php";
                break;
            case 'shop':
                 include "views/content/shop.php";
                 break:</pre>
```

```
case 'contact':
    include "views/content/contact.php";
   break;
case 'registration':
    include "views/content/registration.php";
   break;
case 'author':
    include "views/content/author.php";
   break;
case 'cart':
   include "views/content/cart.php";
   break;
case 'admin':
if(isset($ SESSION['user'])){
    if($_SESSION['user']->role == "administrator"){
        include "views/content/admin.php";
    }else {
        include "views/content/404.php";
}else {
   include "views/content/404.php";
   break;
case 'insert-product':
if(isset($_SESSION['user'])){
    if($ SESSION['user']->role == "administrator"){
        include "views/content/insert-product.php";
    }else {
        include "views/content/404.php";
}else {
    include "views/content/404.php";
   break;
case 'home':
   include "views/content/home.php";
   break;
case 'single_product':
   if(isset($_GET['id'])){
        include "views/content/shop-single.php";
        break;
    }else {
        include "views/content/404.php";
```

```
case 'checkout':
        include "views/content/checkout.php";
        break;
        default:
            include "views/content/404.php";
            break;
     }
     }
     include "views/fixed/footer.php";
?>
```

6.2. views/fixed/header.php

```
<body>
  <div class="site-wrap">
    <header class="site-navbar" role="banner">
      <div class="site-navbar-top">
        <div class="container">
          <div class="row align-items-center">
            <div class="col-6 col-md-4 order-2 order-md-1 site-search-icon text-</pre>
left">
            <?php
            if(isset($ GET['page'])):
              if($_GET['page'] == 'shop'):
                $limit = isset($ GET['limit']) ? $ GET['limit'] : 0;
              <form action="" class="site-block-top-search">
                 <input type="hidden" id="limit-hidden" name="limit-hidden"</pre>
value="<?=$limit?>"/>
                <span class="icon icon-search2"></span>
                 <input type="text" id="search-box" class="form-control border-0"</pre>
placeholder="Search">
              </form>
               <?php endif;?>
            <?php endif;?>
            </div>
            <div class="col-12 mb-3 mb-md-0 col-md-4 order-1 order-md-2 text-</pre>
center">
              <div class="site-logo">
                 <a href="index.php?page=home" class="js-logo-clone">Shoppers</a>
              </div>
```

```
</div>
        <div class="col-6 col-md-4 order-3 order-md-3 text-right">
          <div class="site-top-icons">
           <l
           <?php if(isset($ SESSION['user'])):?>
            <a href="models/users/logout.php">Logout</a>
           <?php endif;?>
            <a href="#"><span class="icon icon-person"></span></a>
            <a href="#"><span class="icon icon-heart-</li>
o"></span></a>
           <?php if(isset($ SESSION['user'])):?>
              <a href="index.php?page=cart" class="site-cart">
               <span class="icon icon-shopping_cart"></span>
               <span class="count" id="cart-count"></span>
            <?php endif;?>
            <a href="#"</pre>
class="site-menu-toggle js-menu-toggle"><span class="icon-menu"></span></a>
           </div>
        </div>
       </div>
     </div>
    </div>
    <nav class="site-navigation text-right text-md-center" role="navigation">
     <div class="container">
       "><a</pre>
href="index.php?page=home">Home</a>
        "><a</pre>
href="index.php?page=about">About</a>
        "><a</pre>
href="index.php?page=shop">Shop</a>
        "><a</pre>
href="index.php?page=registration">Registration</a>
        "><a</pre>
href="index.php?page=contact">Contact</a>
        "><a</pre>
href="index.php?page=author">Author</a>
        "><a</pre>
href="data/dokumentacija.pdf">Documentation</a>
```

```
<?php if(isset($ SESSION['user'])):?>
           <?php if($ SESSION['user']->role == "administrator"):?>
             "><a</pre>
href="index.php?page=admin">Admin</a>
             "><a</pre>
href="index.php?page=insert-product">Insert product</a>
           <?php endif;?>
         <?php endif;?>
        </div>
    </nav>
   <div class="bg-light py-3">
    <div class="container">
      <div class="row">
        <div class="col-md-12 mb-0"><a href="index.php?page=home">Home</a>
<span class="mx-2 mb-0">/</span> <strong class="text-black">About</strong></div>
      </div>
    </div>
   </div>
```

6.3 views/fixed/footer.php

```
<footer class="site-footer border-top">
    <div class="container">
      <div class="row">
        <div class="col-lg-6 mb-5 mb-lg-0">
         <div class="row">
           <div class="col-md-12">
             <h3 class="footer-heading mb-4">Navigations</h3>
           <div class="col-md-6 col-lg-4">
             <a href="#">Sell online</a>
              <a href="#">Features</a>
              <a href="#">Shopping cart</a>
              <a href="#">Store builder</a>
             </div>
           <div class="col-md-6 col-lg-4">
             <a href="#">Mobile commerce</a>
              <a href="#">Dropshipping</a>
              <a href="#">Website development</a>
```

```
</div>
            <div class="col-md-6 col-lg-4">
              <a href="#">Point of sale</a>
                <a href="#">Hardware</a>
                <a href="#">Software</a>
              </div>
          </div>
         </div>
         <div class="col-md-6 col-lg-3 mb-4 mb-lg-0">
          <h3 class="footer-heading mb-4">Promo</h3>
          <a href="#" class="block-6">
            <img src="assets/images/hero_1.jpg" alt="Image placeholder"</pre>
class="img-fluid rounded mb-4">
            <h3 class="font-weight-light mb-0">Finding Your Perfect Shoes</h3>
            Promo from January 15 — 25, 2019
          </a>
         </div>
         <div class="col-md-6 col-lg-3">
          <div class="block-5 mb-5">
            <h3 class="footer-heading mb-4">Contact Info</h3>
            203 Fake St. Mountain View, San Francisco,
California, USA
              <a href="tel://23923929210">+2 392 3929
210</a>
              emailaddress@domain.com
            </div>
          <?php if(!isset($_SESSION['user'])):?>
          <div class="block-7">
            <form action="#" method="POST">
              <label for="login_username" class="footer-heading">Log in</label>
              <div class="form-group">
                <input type="text" class="form-control py-4"</pre>
id="login_username" placeholder="Username">
              </div>
              <div class="form-group">
                <input type="password" class="form-control py-4"</pre>
id="login_password" placeholder="Password">
                <input type="submit" id="login_submit" class="btn btn-sm btn-</pre>
primary" value="Send">
              </div>
```

```
</form>
              <a href="index.php?page=registration">Create account</a>
            </div>
            <?php endif;?>
          </div>
        </div>
        <div class="row pt-5 mt-5 text-center">
          <div class="col-md-12">
under CC BY 3.0. -->
            Copyright ©<script data-cfasync="false" src="/cdn-
cgi/scripts/5c5dd728/cloudflare-static/email-
decode.min.js"></script><script>document.write(new
Date().getFullYear());</script> All rights reserved | This template is made with
<i class="icon-heart" aria-hidden="true"></i> by <a href="https://colorlib.com"</pre>
target=" blank" class="text-primary">Colorlib</a>
            <!-- Link back to Colorlib can't be removed. Template is licensed
under CC BY 3.0. -->
            </div>
        </div>
      </div>
    </footer>
  </div>
  <script src="assets/js/jquery-3.3.1.min.js"></script>
  <script src="assets/js/jquery-ui.js"></script>
  <script src="assets/js/popper.min.js"></script>
  <script src="assets/js/bootstrap.min.js"></script>
  <script src="assets/js/owl.carousel.min.js"></script>
  <script src="assets/js/jquery.magnific-popup.min.js"></script>
  <script src="assets/js/aos.js"></script>
  <script src="assets/js/main.js"></script>
  <script src="assets/js/functions.js"></script>
  <?php
    if(isset($_SESSION['user'])):
  <script src="assets/js/cart.js"></script>
    <?php endif;?>
  <?php
    if(isset($_GET['page'])){
     switch($ GET['page']){
```

```
case 'admin':
    echo '<script src="assets/js/admin.js"></script>';
    break;
    case 'insert-product':
        echo '<script src="assets/js/admin.js"></script>';
        break;
    case 'shop':
        echo '<script src="assets/js/filter-sort.js"></script>';
        break;
    }
}
}
</body>
</html>
```

6.4 views/fixed/featured-products.php

```
<div class="site-section block-3 site-blocks-2 bg-light">
   <div class="container">
   <div class="row justify-content-center">
       <div class="col-md-7 site-section-heading text-center pt-4">
       <h2>Featured Products</h2>
       </div>
   </div>
   <div class="row">
       <div class="col-md-12">
       <div class="nonloop-block-3 owl-carousel">
       <?php
           include "models/admin/products/functions.php";
           $products = featuredProducts();
           foreach($products as $product):
           <div class="item">
           <div class="block-4 text-center">
               <figure class="block-4-image">
               <img src="<?=$product->large?>" alt="<?=$product->title?>"
class="img-fluid">
               </figure>
               <div class="block-4-text p-4">
               <h3><a href="#"><?=$product->title?></a></h3>
               <?=$product->description?>
               $<?=$product-</pre>
>price?>
               </div>
           </div>
           </div>
```

```
    <?php endforeach;?>
    </div>
    </div>
    </div>
    </div>
    </div>
</div></div>
```

6.5 views/content/shop.php

```
<div class="site-section">
  <div class="container">
  <input type="hidden" id="hdn_products"</pre>
value="<?=isset($_SESSION['user'])?$_SESSION['user']->user_id:""?>"/>
    <div class="row mb-5">
      <div class="col-md-9 order-2">
        <div class="row">
          <div class="col-md-12 mb-5">
            <div class="float-md-left mb-4"><h2 class="text-black h5">Shop
All</h2></div>
            <div class="d-flex">
              <div class="dropdown mr-1 ml-md-auto">
              </div>
                <div class="col-md-6">
                <label for="ddl sort" class="text-black">Color </label>
                <select class="form-control" id="ddl_sort" name="ddl_sort">
                <option value="0">Sort by</option>
                <?php
                  $options = [
                      "value" => 1,
                      "title" => "Name asc"
                      "value" => 2,
                      "title" => "Name desc"
                      "value" => 3,
                      "title" => "Price asc"
                       "title" => "Price desc"
```

```
foreach($options as $option):
                 <option</pre>
value="<?=$option['value']?>"><?=$option['title']?></option>
               <?php endforeach;?>
               </select>
             </div>
           </div>
         </div>
       </div>
        <div class="row mb-5" id="products">
       <?php
         include "models/admin/products/functions.php";
         $limit = isset($_GET['limit']) ? $_GET['limit'] : 0;
         $products = getProducts($limit);
         foreach($products as $product):
         <div class="col-sm-6 col-lg-4 mb-4" data-aos="fade-up">
           <div class="block-4 text-center border">
             <figure class="block-4-image">
               <a href="index.php?page=single_product&id=<?=$product-</pre>
>product id?>"><img src="<?= $product->large?>" alt="<?= $product->title?>"
class="img-fluid"></a>
             </figure>
             <div class="block-4-text p-4">
               <h3><a href="index.php?page=single_product&id=<?=$product-
>product id?>"><?= $product->title?></a></h3>
               <?= $product->description?>
               $<?= $product-</pre>
>price?>
               <?php
                 if(isset($ SESSION['user'])):
                 <a href="index.php?page=shop" class="btn btn-sm btn-primary</pre>
insert-in-cart" data-id="<?= $product->product_id?>">Shop Now</a>
                 <?php endif;?>
             </div>
           </div>
         </div>
         <?php endforeach;?>
```

```
</div>
       <div class="row" data-aos="fade-up">
         <div class="col-md-12 text-center">
           <div class="site-block-27">
             <?php
                $num = paginationCount();
                for($i = 0; $i < $num; $i++):
              <a href="#" class="pagination" data-limit="<?= $i ?>"><?=</pre>
$i+1?></a>
             <?php endfor;?>
             </div>
         </div>
       </div>
     </div>
     <div class="col-md-3 order-1 mb-5 mb-md-0">
       <div class="border p-4 rounded mb-4">
         <h3 class="mb-3 h6 text-uppercase text-black d-block">Categories</h3>
         <?php
           $genders = getGenders();
           foreach($genders as $gender):
             $numOfProducts = genderProductCount($gender->id);
           <a href="#" class="d-flex filter-gender" data-</pre>
gender="<?=$gender->id?>"><span><?=$gender->title?></span> <span class="text-</pre>
black ml-auto">(<?=$numOfProducts->gender count?>)</span></a>
           <?php endforeach; ?>
         </div>
       <div class="border p-4 rounded mb-4">
         <!-- <div class="mb-4">
           <h3 class="mb-3 h6 text-uppercase text-black d-block">Filter by
         <div class="mb-4">
```

```
<h3 class="mb-3 h6 text-uppercase text-black d-block">Size</h3>
            <?php
              $sizes = getSizes();
              foreach($sizes as $size):
                $numOfProducts = sizeProductCount($size->id);
            <label for="s <?=strtolower($size->title)?>" class="d-flex">
              <input type="checkbox" id="s_<?=strtolower($size->title)?>"
class="mr-2 mt-1 filter-sizes" value="<?=$size->id?>"> <span class="text-</pre>
black"><?=$size->title?> (<?=$numOfProducts->size count?>)</span>
            </label>
            <?php endforeach;?>
          </div>
          <div class="mb-4">
            <h3 class="mb-3 h6 text-uppercase text-black d-block">Color</h3>
              $colors = getColors();
              foreach($colors as $color):
                $numOfProducts = colorProductCount($color->id);
            <a href="#" data-color="<?=$color->id?>" class="d-flex color-item"
align-items-center filter-colors" >
              <span class="bg-<?=$color->color code?> color d-inline-block
rounded-circle mr-2"></span> <span class="text-black"><?=$color->title?>
(<?=$numOfProducts->color count?>)</span>
            </a>
              <?php endforeach;?>
          </div>
        </div>
      </div>
    </div>
    <div class="row">
      <div class="col-md-12">
        <div class="site-section site-blocks-2">
            <div class="row justify-content-center text-center mb-5">
              <div class="col-md-7 site-section-heading pt-4">
                <h2>Categories</h2>
              </div>
            </div>
            <div class="row">
              <div class="col-sm-6 col-md-6 col-lg-4 mb-4 mb-lg-0" data-</pre>
aos="fade" data-aos-delay="">
```

```
<a class="block-2-item" href="#">
                  <figure class="image">
                    <img src="assets/images/women.jpg" alt="" class="img-fluid">
                  </figure>
                  <div class="text">
                    <span class="text-uppercase">Collections</span>
                    <h3>Women</h3>
                  </div>
                </a>
              </div>
              <div class="col-sm-6 col-md-6 col-lg-4 mb-5 mb-lg-0" data-</pre>
aos="fade" data-aos-delay="100">
                <a class="block-2-item" href="#">
                  <figure class="image">
                    <img src="assets/images/children.jpg" alt="" class="img-</pre>
fluid">
                  </figure>
                  <div class="text">
                    <span class="text-uppercase">Collections</span>
                    <h3>Children</h3>
                  </div>
                </a>
              </div>
              <div class="col-sm-6 col-md-6 col-lg-4 mb-5 mb-lg-0" data-</pre>
aos="fade" data-aos-delay="200">
                <a class="block-2-item" href="#">
                  <figure class="image">
                    <img src="assets/images/men.jpg" alt="" class="img-fluid">
                  </figure>
                  <div class="text">
                    <span class="text-uppercase">Collections</span>
                    <h3>Men</h3>
                  </div>
                </a>
              </div>
            </div>
        </div>
      </div>
    </div>
  </div>
```

6.6 views/content/insert-product.php

```
<?php
    include "models/admin/products/functions.php";
<div class="site-section">
  <div class="container">
    <div class="row">
      <div class="col-md-12">
        <h2 class="h3 mb-3 text-black">Insert Product</h2>
      </div>
      <div class="col-md-7">
        <form id="form" action="" method="POST" enctype="multipart/form-data">
          <div class="p-3 p-lg-5 border">
            <div class="form-group row">
              <div class="col-md-6">
                <label for="ip title" class="text-black">Title</label>
                <input type="text" class="form-control" id="ip_title"</pre>
name="ip_title">
              </div>
              <div class="col-md-6">
                <label for="ip_description" class="text-black">Description
</label>
                <input type="text" class="form-control" id="ip_description"</pre>
name="ip_description">
              </div>
            </div>
            <div class="form-group row">
              <div class="col-md-12">
                <label for="ip_price" class="text-black">Price </label>
                <input type="text" class="form-control" id="ip_price"</pre>
name="ip_price" placeholder="">
              </div>
            </div>
            <div class="mb-4">
                <h3 class="mb-3 h6 text-uppercase text-black d-block">Gender</h3>
                <?php
                    $genders = getGenders();
                    foreach($genders as $gender):
                <label for="g <?=strtolower($gender->title)?>" class="d-flex">
```

```
<input type="checkbox" id="g_<?=strtolower($gender->title)?>"
class="mr-2 mt-1 genders" value="<?=$gender->id?>" name="chbGenders[]"> <span</pre>
class="text-black"><?=$gender->title?></span>
                </label>
                    <?php endforeach;?>
            </div>
            <div class="form-group row">
              <div class="col-md-6">
                <label for="ip color" class="text-black">Color </label>
                <select class="form-control" id="ip color" name="ip color">
                <option value="0">Select color</option>
                <?php
                        $colors = getColors();
                        foreach($colors as $color):
                    <option value="<?=$color->id?>"><?=$color->title?></option>
                        <?php endforeach;?>
                </select>
              </div>
              <div class="col-md-6">
                <label for="ip category" class="text-black">Category </label>
                <select class="form-control" id="ip_category" name="ip_category">
                <option value="0">Select category</option>
                <?php
                        $categories = getCategories();
                        foreach($categories as $category):
                    <option value="<?=$category->id?>"><?=$category-</pre>
>title?></option>
                        <?php endforeach;?>
                </select>
              </div>
            </div>
            <div class="mb-4">
                <h3 class="mb-3 h6 text-uppercase text-black d-block">Size</h3>
                <?php
                    $sizes = getSizes();
                    foreach($sizes as $size):
                <label for="g <?=strtolower($size->title)?>" class="d-flex">
                    <input type="checkbox" id="g <?=strtolower($size->title)?>"
class="mr-2 mt-1 sizes" name=chbSizes[] value="<?=$size->id?>"> <span</pre>
class="text-black"><?=\size->title?></span>
                </label>
                    <?php endforeach;?>
```

```
</div>
            <div class="form-group row">
              <div class="col-md-12">
                 <label for="ip file" class="text-black">Image</label>
                 <input type="file" class="form-control" id="ip_file"</pre>
name="ip_file">
              </div>
            </div>
            <div class="form-group row">
              <div class="col-lg-12">
                <input type="submit" class="btn btn-primary btn-lg btn-block"</pre>
id="ip_insert" value="Insert product">
              </div>
            </div>
          </div>
        </form>
      </div>
      <div class="col-md-5 ml-auto" id="errors">
      </div>
    </div>
  </div>
</div>
```

6.7 views/content/author.php

```
<div class="site-section border-bottom" data-aos="fade">
      <?php
        $query = $conn->query("SELECT *, i.id AS image_id FROM author a INNER
JOIN images i ON a.id_image = i.id");
        $author = $query->fetch();
      <div class="container">
        <div class="row mb-5">
          <div class="col-md-6">
            <div class="block-16">
              <figure>
                <img src="assets/images/<?=$author->large?>" alt="<?=$author-</pre>
>title?>" class="img-fluid rounded">
              </figure>
            </div>
          </div>
          <div class="col-md-1"></div>
          <div class="col-md-5">
```

6.8 views/content/admin.php

```
<?php if(isset($_SESSION['user'])):?>
 <?php if($_SESSION['user']->role == "administrator"):?>
<div class="site-section">
 <div class="container">
  <div class="col-md-6 mb-3 mb-md-0">
     <a href="#" class="btn btn-primary btn-sm" style="margin-bottom: 20px;</pre>
margin-top: -50px;">Show users</a>
     <a href="#" class="btn btn-primary btn-sm" style="margin-bottom: 20px;</pre>
margin-top: -50px;">Show products</a>
  </div>
  <div class="site-blocks-table">
  <h1>Users</h1>
      <thead>
         No.
          First name
          Last name
           Username
          E-mail
          Role
          Activity
           </thead>
        <?php
         include "models/admin/users/functions.php";
         $users = getUsers();
         br = 1;
```

```
foreach($users as $user):
            >
              <h1><?=$br++;?></h1>
              <h2 class="h5 text-black"><?=$user->first_name;?></h2>
              <h2 class="h5 text-black"><?=$user->last name;?></h2>
              <h2 class="h5 text-black"><?=$user->username;?></h2>
              <?=$user->email;?>
              <?=$user->role;?>
              <a href="#" class="d-flex color-item align-items-center"
filter-colors" >
            <span class="bg-<?=$user->is active?"success":"danger"?> color d-
inline-block rounded-circle mr-2"></span> <span class="text-black"><?=$user-
>is_active?"Online":"Offline"?></span>
          </a>
              <a href="#" data-id="<?=$user->user id;?>" class="btn btn-
primary btn-sm delete">Delete</a>
              <a href="#" data-id="<?=$user->user id;?>" class="btn btn-
primary btn-sm update">Update</a>
            <?php endforeach;?>
            <a class="btn btn-primary btn-sm excel-download"
href="#">Download excel table</a>
          <div class="col-md-7 admin-form" style="display:none;">
       <form action="#" method="POST">
       <span style="float:right;"><a href="#" style="font-size: 36px; padding:</pre>
10px;" class="close-form">×</a></span>
       <input type="hidden" id="usr id hdn" value="">
        <div class="p-3 p-lg-5 border">
          <div class="form-group row">
           <div class="col-md-6">
```

```
<label for="u fname" class="text-black">First Name <span</pre>
class="text-danger">*</span></label>
                 <input type="text" class="form-control" id="u_fname"</pre>
name="u fname">
              </div>
              <div class="col-md-6">
                 <label for="u lname" class="text-black">Last Name <span</pre>
class="text-danger">*</span></label>
                 <input type="text" class="form-control" id="u lname"</pre>
name="u_lname">
              </div>
            </div>
            <div class="form-group row">
               <div class="col-md-12">
                 <label for="u_email" class="text-black">Email <span class="text-</pre>
danger">*</span></label>
                <input type="email" class="form-control" id="u_email"</pre>
name="u_email" placeholder="">
              </div>
            </div>
            <div class="form-group row">
              <div class="col-md-12">
                 <label for="u username" class="text-black">Username <span</pre>
class="text-danger">*</span></label>
                 <input type="text" class="form-control" id="u_username"</pre>
name="u username">
              </div>
            </div>
            <div class="form-group row">
              <div class="col-md-12">
                 <label for="u_password" class="text-black">Password <span</pre>
class="text-danger">*</span></label>
                <input type="password" class="form-control" id="u password"</pre>
name="u password">
              </div>
            </div>
            <div class="form-group row">
              <div class="col-md-12">
                 <label for="u_password_repeat" class="text-black">Repeat Password
<span class="text-danger">*</span></label>
                 <input type="password" disabled="true" class="form-control"</pre>
id="u_password_repeat" name="u_password_repeat">
              </div>
            </div>
            <div class="form-group row">
```

6.9 models/users/check_email.php

```
if(isset($_POST['send'])){
    header("Content-type: application/json");

$email = $_POST['email_value'];
    require "../../config/connection.php";
    require "functions.php";
    $user = checkEmail($email);

    echo json_encode($user);
}
```

6.10 models/users/insert.php

```
    if(isset($_POST['send'])){
        $f_name = $_POST['f_name'];
        $l_name = $_POST['l_name'];
        $email = $_POST['email'];
        $username = $_POST['username'];
        $password = $_POST['password'];

        $reg_fname = "/^[A-Z]\w{2,9}$/";
        $reg_lname = "/^[A-Z]\w{2,9}(\s[A-Z]\w{2,9})?$/";
```

```
ext{$reg email} = "/^([a-z0-9][-a-z0-9 +.]*[a-z0-9]
9])@(ict\.edu|gmail|yahoo)\.(rs|com)$/";
        $reg_username = "/^((?=.*\d)(?=.*[a-z])).{8,}$/";
        $reg password = "/^((?=.*\d)(?=.*[a-z])(?=.*[A-Z])(?=.*[\W])).{8,}$/";
        $errors = false;
        $data = [];
        if(!preg match($reg fname, $f name)){
            $errors = true;
        }else {
            $data[] = $f name;
        if(!preg match($reg lname, $1 name)){
            $errors = true;
        }else {
            $data[] = $1_name;
        if(!preg match($reg email, $email)){
            $errors = true;
        }else {
            $data[] = $email;
        if(!preg match($reg username, $username)){
            $errors = true;
        }else {
            $data[] = $username;
        if(!preg match($reg password, $password)){
            $errors = true;
        }else {
            $data[] = $password;
        header("Content-type: application/json");
        if($errors){
            http_response_code(500);
        }else {
            require "../../config/connection.php";
            require "functions.php";
            try {
                $query =$conn->prepare("INSERT INTO users(id, first name,
last_name, email, username, password, is_active, id_role) VALUES
('null',?,?,?,?,0,2)");
                foreach($data as $d){
```

```
$query->bindValue($br++, $d);
}
$result = $query->execute();
if($result){
    http_response_code(201);
    echo json_encode("Uspesno");
}else {
    http_response_code(400);
}
} catch (PDOException $ex) {
    http_response_code(500);
}
```

6.11 models/users/login.php

```
<?php
   session start();
   if(isset($_POST['send'])){
        header("Content-type: application/json");
        $username = $_POST['username'];
       $password = $_POST['password'];
       if($username == "" || $password == ""){
            http_response_code(401);
        }else {
            http_response_code(204);
            include "../../config/connection.php";
            include "functions.php";
            try {
                $data = getLoginUser($username, $password);
                if($data->rowCount() == 1){
                    $_SESSION['user'] = $data->fetch();
                    $status = online($_SESSION['user']->user_id);
                }else{
                    http_response_code(401);
            } catch (PDOException $ex) {
```

```
$ex->getMessage();
}
}
```

6.12 models/users/logout.php

```
<?php
    session_start();
    include "../../config/connection.php";
    include "functions.php";
    $offline = ofline($_SESSION["user"]->user_id);
    unset($_SESSION["user"]);
    session_destroy();
    header("Location: ../../index.php?page=home");
```

6.13 models/users/send-updated-data.php

```
<?php
                  if(isset($_POST['send'])){
                                     $f_name = $_POST['f_name'];
                                     $1_name = $_POST['1_name'];
                                     $email = $_POST['email'];
                                     $username = $_POST['username'];
                                     $password = $_POST['password'];
                                     $id = $_POST['id'];
                                     propto 
                                     reg_lname = "/^[A-Z] w{2,9}(\s[A-Z] w{2,9})?$/";
                                     reg_email = "/^([a-z0-9][-a-z0-9_\+\.]*[a-z0-9]
9])@(ict\.edu|gmail|yahoo)\.(rs|com)$/";
                                     $reg_username = "/^((?=.*\d)(?=.*[a-z])).{8,}$/";
                                     password = "/^((?=.*d)(?=.*[a-z])(?=.*[A-Z])(?=.*[W])).{8,}$/";
                                     $errors = false;
                                     $data = [];
                                     if(!preg match($reg fname, $f name)){
```

```
$errors = true;
        }else {
            $data[] = $f_name;
        if(!preg_match($reg_lname, $1_name)){
            $errors = true;
        }else {
            $data[] = $1_name;
        if(!preg_match($reg_email, $email)){
            $errors = true;
        }else {
            $data[] = $email;
        if(!preg_match($reg_username, $username)){
            $errors = true;
        }else {
            $data[] = $username;
        if(!preg_match($reg_password, $password)){
            $errors = true;
        }else {
            $data[] = $password;
        header("Content-type: application/json");
        if($errors){
            http_response_code(500);
        }else {
            require "../../config/connection.php";
            require "functions.php";
            try {
                $query = $conn->prepare("UPDATE users SET first_name = :fn,
last_name = :ln, email = :e, username = :u, password = :p WHERE id = :id");
                $query->bindParam(":fn", $f name);
                $query->bindParam(":ln", $1_name);
                $query->bindParam(":e", $email);
                $query->bindParam(":u", $username);
                $query->bindParam(":p", $password);
                $query->bindParam("id", $id);
                $result = $query->execute();
                if($result){
                    http response code(201);
                    echo json_encode("Uspesno");
                }else {
                    http_response_code(400);
```

```
}
}
catch (PDOException $ex) {
   http_response_code(500);
}
```

6.14 models/users/functions.php

```
<?php
        function checkUsername($username){
            global $conn;
            $query = "SELECT * FROM `users` WHERE username LIKE '$username'";
            return $conn->query($query)->rowCount();
        function checkEmail($email){
            global $conn;
            $query = "SELECT * FROM `users` WHERE email LIKE '$email'";
            return $conn->query($query)->rowCount();
        function getLoginUser($username, $password){
            global $conn;
            $query = $conn->prepare("SELECT u.id AS user_id, u.first_name,
u.last_name, r.title AS role FROM users u INNER JOIN roles r ON u.id_role = r.id
WHERE u.username = ? AND u.password= ?");
            $query->execute([$username, $password]);
            return $query;
        function online($id_user){
            global $conn;
            $query = $conn->prepare("UPDATE users SET is_active = 1 WHERE id =
:id");
            $query->bindParam(":id", $id_user, PDO::PARAM_INT);
            $result = $query->execute();
            return $result;
```

```
function ofline($id_user){
      global $conn;
      $query = $conn->prepare("UPDATE users SET is_active = 0 WHERE id =
:id");

$query->bindParam(":id", $id_user, PDO::PARAM_INT);
      $result = $query->execute();
      return $result;
}
```

6.15 models/admin/users/download-excel-table.php

```
<?php
   if(isset($_POST['send'])){
        include "functions.php";
        include "../../config/connection.php";
       $users = getUsers();
       $excel_app = new COM("Excel.Application");
        $excel_app->Visible = true;
       $excel_file = $excel_app->Workbooks->Add();
        $worksheet = $excel_file->Worksheets("Sheet1");
        $worksheet->activate();
       $field_A1 = $worksheet->Range("A1");
       $field A1->activate;
       $field_A1->Value = "No.";
       $field_B1 = $worksheet->Range("B1");
       $field B1->activate;
       $field B1->Value = "First Name";
       $field C1 = $worksheet->Range("C1");
        $field C1->activate;
       $field_C1->Value = "Last Name";
       $field_D1 = $worksheet->Range("D1");
       $field D1->activate;
        $field_D1->Value = "E - mail";
```

```
$field_E1 = $worksheet->Range("E1");
   $field E1->activate;
   $field E1->Value = "Role";
   num = 1;
   br = 2;
   foreach($users as $user){
       $field_A = $worksheet->Range("A".$br);
       $field A->activate;
        $field B = $worksheet->Range("B".$br);
       $field B->activate;
       $field B->Value = $user->first name;
       $field_C = $worksheet->Range("C".$br);
       $field_C->Value = $user->last_name;
       $field_D = $worksheet->Range("D".$br);
       $field D->activate;
       $field_D->Value = $user->email;
       $field E = $worksheet->Range("E".$br);
        $field E->activate;
       $br++;
   $fileName = "users.xlsx";
   $excel_file->SaveAs($fileName);
   $excel_file->Close(false);
   $excel app->Workbooks->Close();
   unset($worksheet);
   $excel app->Quit();
   $excel_app = null;
   http_response_code(204);
}else {
   http response code(400);
```

6.16 models/users/download-word.php

```
if(isset($_POST['send'])){
        include "functions.php";
        include "../../config/connection.php";
       $author = getAuthor();
       $word = new COM("Word.Application");
        $word->Visible = 1;
        $word->Documents->Add();
        foreach($author as $a){
            $word->Selection->InlineShapes-
>AddPicture(ABSOLUTE_PATH."/assets/images/".$a->large);
            $word->Selection->TypeText("\n");
            $word->Selection->TypeText("{$a->first_name}\t");
            $word->Selection->TypeText("{$a->last_name}\n");
            $word->Selection->TypeText("{$a->intro}\n");
            $word->Selection->TypeText($a->description);
       $fileName = "author.doc";
       $word->Documents[1]->SaveAs($fileName);
       $word->Quit();
       $word = null;
       http_response_code(204);
```

6.17. models/admin/users/delete-user.php

```
<?php
  if(isset($_POST['id'])){
    include "functions.php";
    include "../../config/connection.php";
    header("Content-type: application/json");
    $id = $_POST['id'];
    $role = getRole($id);

  if($role->role == "administrator"){
      echo json_encode("Ne mozete izbrisati administratorski nalog.");
    }else{
```

```
$flag = 1;
$result = deleteUser($id);
if($result){
    echo json_encode("Uspesno ste izbrisali korisnika.");
    //http_response_code(204);
}else{
    http_response_code(500);
}
}
```

6.18. models/admin/products/sort products.php

```
<?php
    if(isset($_GET['sort'])){
        header("Content-type: application/json");
        require_once "../../config/connection.php";
        include "functions.php";
        $sort = $ GET['sort'];
        $limit = $_GET['limit'];
        $query = sortQuery();
        switch($sort){
            case 1:
                $query .= " ORDER BY p.title ASC LIMIT $limit, 6";
            case 2:
                $query .= " ORDER BY p.title DESC LIMIT $limit, 6";
            case 3:
                $query .= " ORDER BY p.price ASC LIMIT $limit, 6";
                break;
                $query .= " ORDER BY p.price DESC LIMIT $limit, 6";
                break;
        $products = executeQuery($query);
        $num = paginationCount();
        echo json encode([
            "products" => $products,
```

```
]);
}
```

6.19 models/admin/products/insert.php

```
<?php
    if(isset($_FILES['ip_file'])){
        header("Content-type: application/json");
        $title = $_POST['ip_title'];
        $description = $_POST['ip_description'];
        $price = $_POST['ip_price'];
        $gender = isset($_POST['chbGenders'])?$_POST['chbGenders']:null;
        $color = $_POST['ip_color'];
        $category = $_POST['ip_category'];
        $size = isset($_POST['chbSizes'])?$_POST['chbSizes']:null;
        $errors = [];
        if(empty($title)){
            array_push($errors, "Morate uneti naziv proizvoda");
        if(empty($description)){
            array_push($errors, "Morate uneti opis proizvoda");
        if(empty($price)){
            array_push($errors, "Morate uneti cenu proizvoda");
        if(empty($gender)){
            array_push($errors, "Morate uneti pol");
        if($color == 0){
            array_push($errors, "Morate uneti boju");
        if($category == 0){
            array_push($errors, "Morate uneti kategoriju");
        if(empty($size)){
            array_push($errors, "Morate uneti velicinu");
        if(!empty($errors)){
            http response code(400);
            echo json_encode($errors);
        }else{
```

```
$file_name = $_FILES['ip_file']['name'];
            $tmp_location = $_FILES['ip_file']['tmp_name'];
            $file_size = $_FILES['ip_file']['size'];
            $file type = $ FILES['ip file']['type'];
            $errors = [];
            $allowed_types = ['image/jpg', 'image/png', 'image/jpeg'];
            if(!in_array($file_type, $allowed_types)){
                array_push($errors, "Wrong file type.");
            if($file_size > 3000000){
                array push($errors, "Max file size is 3MB");
            if(count($errors) == 0){
                list($width, $height) = getimagesize($tmp_location);
                $existingImage = null;
                switch($file_type){
                    case 'image/jpeg':
                        $existingImage = imagecreatefromjpeg($tmp_location);
                        break;
                    case 'image/png':
                        $existingImage = imagecreatefrompng($tmp location);
                        break;
                $newHeight = $height/1.3;
                $newWidth = ($height/$newHeight) * $width;
                $newImage = imagecreatetruecolor($newWidth, $newHeight);
                imagecopyresampled($newImage, $existingImage, 0, 0, 0,
$newWidth, $newWidth, $width, $height);
                $name = time().$file_name;
                $pathNewImage = 'assets/images/small/small_'.$small;
                switch($file_type){
                    case 'image/jpeg':
                        imagejpeg($newImage, '../../'.$pathNewImage, 75);
                        break;
                    case 'image/png':
```

```
imagepng($newImage, '../../'.$pathNewImage);
                        break;
                $pathOriginal = 'assets/images/'.$name;
                if(move_uploaded_file($tmp_location, '../../'.$pathOriginal)){
                    echo "Successful upload.";
                    include "../../config/connection.php";
                    include "functions.php";
                    try {
                        $isInserted = insertImage($pathOriginal, $pathNewImage);
                        if($isInserted){
                            $image_id = $conn->lastInsertId();
                            $insertProduct = insertProduct($title, $description,
$price, $color, $category, $image_id);
                            if($insertProduct){
                                $prod id = $conn->lastInsertId();
                                foreach($gender as $key=>$value){
                                    $pg = insertIntoPG($prod_id, $value);
                                foreach($size as $key=>$value){
                                    $ps = insertIntoPS($prod id, $value);
                                http_response_code(204);
                    } catch (PDOException $ex) {
                        echo $ex->getMessage();
                imagedestroy($existingImage);
                imagedestroy($newImage);
            }else {
                var_dump($errors);
```

6.20. models/admin/products/filter-products.php

```
<?php
   if(isset($ GET['send'])){
        header("Content-type: application/json");
       require_once "../../config/connection.php";
        include "functions.php";
       if($_GET['send'] == "search"){
            $input = $_GET['input'];
            if($input == ""){
               http_response_code(400);
            }else {
               $limit = $_GET['limit'];
               $products = searchProducts($input, $limit);
               $num = searchPaginationCount($input);
               echo json_encode([
                    "products" => $products,
               ]);
        }elseif($_GET['send'] == "filter-gender"){
            $gender_id = $_GET['gender_id'];
            $limit = $ GET['limit'];
            $products = filterGender($gender_id, $limit);
            $num = filterPaginationCount($gender id);
            echo json_encode([
                "products" => $products,
            ]);
        }elseif($_GET['send'] == "filter-color"){
            $color_id = $_GET['color_id'];
            $limit = $_GET['limit'];
            $products = filterColor($color_id, $limit);
            $num = filterPaginationCountColor($color id);
```

6.21. models/admin/products/get_pagination

6.22. models/admin/products/functions.php

```
<?php
  function getGenders(){
    global $conn;
    $query = "SELECT * FROM gender";
    return $conn->query($query)->fetchAll();
}

function genderProductCount($gender_id){
```

```
return executeQueryOneRow("SELECT COUNT(*) AS gender count FROM
gender_product WHERE id_gender = '$gender_id'");
    function sizeProductCount($size id){
        return executeQueryOneRow("SELECT COUNT(*) AS size count FROM
sizes products WHERE id size = '$size id'");
    function colorProductCount($color id){
        return executeQueryOneRow("SELECT COUNT(*) AS color count FROM products
WHERE id color = '$color id'");
    function getColors(){
        global $conn;
        $query = "SELECT * FROM color";
        return $conn->query($query)->fetchAll();
    function getCategories(){
        $query = "SELECT * FROM categories";
        return $conn->query($query)->fetchAll();
    function getSizes(){
        global $conn;
        $query = "SELECT * FROM sizes ORDER BY id ASC";
        return $conn->query($query)->fetchAll();
    function insertImage($pathOriginal, $pathNew){
        global $conn;
        $insert = $conn->prepare("INSERT INTO images VALUES('null', ?, ?)");
        $isInserted = $insert->execute([$pathOriginal, $pathNew]);
        return $isInserted;
    function insertProduct($title, $description, $price, $color, $category,
$image_id){
        global $conn;
        $query = "INSERT INTO products(id, title, description, price, date,
id category, id color, id image) VALUES
```

```
('null','$title','$description','$price',CURRENT TIMESTAMP,'$category','$color','
$image id')";
        $insert = $conn->prepare($query);
        // $insert->bindParam(":title", $title);
        // $insert->bindParam(":price", $price);
        // $insert->bindParam(":category", $category);
        // $insert->bindParam(":image", $image id);
        $isInserted = $insert->execute();
        return $isInserted;
    function insertIntoPG($p, $g){
        global $conn;
        $insert = $conn->prepare("INSERT INTO gender product VALUES('null', ?,
?)");
        $query = $insert->execute([$g, $p]);
        return $query;
    function insertIntoPS($p, $s){
        global $conn;
        $insert = $conn->prepare("INSERT INTO sizes products VALUES('null', ?,
?)");
        $query = $insert->execute([$s, $p]);
        return $query;
    define("OFFSET", 6);
    function getProducts($limit = 0){
        try {
            $select = $conn->prepare("SELECT *, p.id AS product id FROM products
p INNER JOIN images i ON p.id_image = i.id LIMIT :limit, :offset");
            $limit = ((int) $limit) * OFFSET;
            $select->bindParam(":limit", $limit, PDO::PARAM_INT);
            $offset = OFFSET;
            $select->bindParam(":offset", $offset, PDO::PARAM INT);
            $select->execute();
            $products = $select->fetchAll();
        }catch(PDOException $ex){
```

```
return null;
    function numberOfProducts(){
        return executeQueryOneRow("SELECT COUNT(*) AS products number FROM
products");
    function paginationCount(){
        $result = numberOfProducts();
        $numberOfProducts = $result->products number;
        return ceil($numberOfProducts / OFFSET);
    function singleProduct($product_id){
        global $conn;
        $select = $conn->prepare("SELECT *, p.id AS product_id FROM products p
INNER JOIN images i ON p.id_image = i.id WHERE p.id = ?");
        $select->execute([$product_id]);
        $products = $select->fetch();
        return $products;
    function featuredProducts(){
        global $conn;
        $select = "SELECT *, p.id AS product_id FROM products p INNER JOIN images
i ON p.id image = i.id LIMIT 5";
        return $conn->query($select)->fetchAll();
    function searchProducts($input, $limit = 0){
        global $conn;
        try {
            $input = "%".strtolower($input)."%";
            $select = $conn->prepare("SELECT *, p.id AS product_id FROM products
p INNER JOIN images i ON p.id image = i.id WHERE p.title LIKE :input LIMIT
:limit, :offset");
            $limit = ((int) $limit) * OFFSET;
           $select->bindParam(":input", $input);
```

```
$select->bindParam(":limit", $limit, PDO::PARAM INT);
            $offset = OFFSET;
            $select->bindParam(":offset", $offset, PDO::PARAM_INT);
            $select->execute();
            $products = $select->fetchAll();
            return $products;
        }catch(PDOException $ex){
            return null;
    function numberOfSearchedProducts($input){
        $input = "%".strtolower($input)."%";
        return executeQueryOneRow("SELECT COUNT(*) AS products number FROM
products WHERE title LIKE '$input'");
    function searchPaginationCount($input){
        $result = numberOfSearchedProducts($input);
        $numberOfProducts = $result->products number;
        return ceil($numberOfProducts / OFFSET);
    function filterGender($gender id, $limit = 0){
        global $conn;
        try{
            $select = $conn->prepare("SELECT *, p.id AS product_id FROM products
            INNER JOIN images i ON p.id image = i.id INNER JOIN gender product gp
ON p.id = gp.id_product WHERE id_gender = :gender_id LIMIT :limit, :offset");
            $limit = ((int) $limit) * OFFSET;
            $select->bindParam(":gender_id", $gender_id, PDO::PARAM_INT);
            $select->bindParam(":limit", $limit, PDO::PARAM INT);
            $offset = OFFSET;
            $select->bindParam(":offset", $offset, PDO::PARAM_INT);
            $select->execute();
            $products = $select->fetchAll();
            return $products;
        }catch(PDOException $ex){
            return null;
```

```
function numberOfFilteredProducts($gender id){
        return executeQueryOneRow("SELECT COUNT(*) AS products number FROM
gender product WHERE id gender = '$gender id'");
    function filterPaginationCount($gender id){
        $result = numberOfFilteredProducts($gender id);
        $numberOfProducts = $result->products number;
        return ceil($numberOfProducts / OFFSET);
    function filterColor($color id, $limit = 0){
        try{
            $select = $conn->prepare("SELECT *, p.id AS product_id FROM products
            INNER JOIN images i ON p.id image = i.id INNER JOIN color c ON
p.id_color = c.id WHERE id_color = :color_id LIMIT :limit, :offset");
            $limit = ((int) $limit) * OFFSET;
            $select->bindParam(":color id", $color id, PDO::PARAM INT);
            $select->bindParam(":limit", $limit, PDO::PARAM_INT);
            $offset = OFFSET;
            $select->bindParam(":offset", $offset, PDO::PARAM_INT);
            $select->execute();
            $products = $select->fetchAll();
            return $products;
        }catch(PDOException $ex){
            return null;
    function numberOfFilteredProductsColor($color id){
        return executeQueryOneRow("SELECT COUNT(*) AS products number FROM
products WHERE id_color = '$color_id'");
    function filterPaginationCountColor($color id){
        $result = numberOfFilteredProductsColor($color id);
        $numberOfProducts = $result->products number;
        return ceil($numberOfProducts / OFFSET);
```

```
function countProductsInCart($user_id){
        return executeQueryOneRow("SELECT COUNT(*) AS products in cart FROM cart
WHERE id_user = '$user_id'");
    function getCart($p_ids){
        $params = [];
        foreach($p_ids as $id){
            $params[] = "?";
        $params_string = implode(", ", $params);
        $select = $conn->prepare("SELECT p.id AS product_id, title, price, large,
small FROM products p INNER JOIN images i ON p.id image = i.id WHERE p.id IN
($params_string)");
        $select->execute($p_ids);
        $products = $select->fetchAll();
        return $products;
    function sortQuery(){
        return "SELECT *, p.id AS product_id FROM products p INNER JOIN images i
ON p.id_image = i.id";
```

6.23 js/functions.js

```
$(document).ready(function(){
    $("body").on("click", ".insert-in-cart", addToCart);
    $("#clear-cart").click(clearCart);
    $("#idRegister").click(sendData);
    $("#c_password").keyup(checkPasswordFields);
    $("#c_username").blur(checkForUsername);
    $("#c_email").blur(checkForEmail);
    $("#login_submit").click(checkLogin);
    $(".word-download").click(downloadWordFile);
});
```

```
function productsInCart(){
    return JSON.parse(localStorage.getItem("products"));
function clearCart() {
    localStorage.removeItem("products");
    window.location.reload();
function addToCart(e){
    e.preventDefault();
    let id = $(this).data("id");
    var products = productsInCart();
    if(products){
        if(alreadyInCart()){
            update();
        }else {
            addToStorage();
    }else{
        firstInStorage();
    function alreadyInCart(){
        return products.filter(product => product.id == id).length;
    function addToStorage() {
        let products = productsInCart();
        products.push({
        });
        localStorage.setItem("products", JSON.stringify(products));
    function update(){
        let products = productsInCart();
        for(let product in products){
            if(products[product].id == id){
                products[product].quantity++;
                break;
        localStorage.setItem("products", JSON.stringify(products));
```

```
function firstInStorage(){
        let products = [];
        products[0] = {
        };
        localStorage.setItem("products", JSON.stringify(products));
    $("#cart-count").html(++products.length);
function displayErrors(errors){
    errors.forEach(function(err){
        html += singleError(err);
    });
    $("#errors").html(html);
function singleError(err){
    return `<div class="p-4 border mb-3">
    <span class="d-block text-primary h6 text-uppercase">New York</span>
    ${err}
  </div>`;
function downloadWordFile(e){
    e.preventDefault(e);
    $.ajax({
        url: 'models/admin/users/download-word.php',
        method: 'POST',
        dataType: 'json',
            send: true
        success: function(data, status, request){
            alert("Uspesno ste preuzeli word dokument.");
        error: ajaxErrors
    });
function checkLogin(e){
    e.preventDefault();
```

```
let username = $("#login_username").val().trim();
    let password = $("#login_password").val().trim();
    if(username != "" || password != ""){
        $.ajax({
            url: 'models/users/login.php',
            method: 'POST',
            dataType: 'json',
            data: {
                send: true
            },
            success: function(data, status, request){
                $(document).scrollTop(0);
                document.location.reload(true);
                alert("Uspesan login");
            error: ajaxErrors
        });
    }else {
        alert("Polja za login ne smeju biti prazna.");
var errors = false;
function checkForUsername(){
    let username = $(this).val().trim();
    if(username != ""){
        $.ajax({
            url: 'models/users/check username.php',
            method: 'POST',
            dataType: 'json',
            data: {
                send: true
            success: function(data, status, request){
                $flag = data;
                if($flag){
                    $("#c username").css("border", "1px solid red");
                    $("#c_username").val("Korisnicko ime vec postoji.");
                    errors = true;
                }else {
```

```
$("#c_username").css("border", "");
                    errors = false;
            },
            error: ajaxErrors
        });
function checkForEmail(){
    let email = $(this).val().trim();
    if(email != ""){
        $.ajax({
            url: 'models/users/check_email.php',
            method: 'POST',
            dataType: 'json',
            data: {
                send: true
            },
            success: function(data, status, request){
                if($flag){
                    $("#c_email").css("border", "1px solid red");
                    $("#c email").val("E-mail vec postoji.");
                    errors = true;
                }else {
                    $("#c_email").css("border", "");
                    errors = false;
            },
            error: ajaxErrors
        });
function checkPasswordFields(){
    let password = $("#c password").val();
    let re_password = $("#c_password_repeat").val();
    let reg_password = /^((?=.*\d)(?=.*[a-z])(?=.*[A-Z])(?=.*[\W])).{8,}$/;
    if(!reg password.test(password)){
        errors = true;
        $("#c_password").css("border", "1px solid red");
        $("#c password repeat").attr("disabled", "true");
```

```
}else {
        $("#c_password").css("border", "");
        $("#c_password_repeat").removeAttr("disabled");
function sendData(e){
   e.preventDefault();
   let f name = $("#c fname").val().trim();
    let l_name = $("#c_lname").val().trim();
    let email = $("#c_email").val().trim();
    let username = $("#c username").val().trim();
    let password = $("#c_password").val().trim();
    let re password = $("#c password repeat").val().trim();
    let data = [];
    let reg_f_name = /^[A-Z]\w{2,9}$/;
    let reg_l_name = /^[A-Z]\w{2,9}(\s[A-Z]\w{2,9})?$/;
    let reg email = /^{(a-z0-9)[-a-z0-9 +.]*[a-z0-9]}
9])@(ict\.edu|gmail|yahoo)\.(rs|com)$/;
    let reg_username = /^((?=.*\d)(?=.*[a-z])).{8,}$/;
    let reg_password = /^((?=.*\d)(?=.*[a-z])(?=.*[A-Z])(?=.*[\W])).{8,}$/;
   //provera imena
   if(f_name == ""){
        errors = true;
       $("#c fname").val("Morate uneti ime.");
        $("#c_fname").css("border", "1px solid red");
   else if(!reg_f_name.test(f_name)){
       errors = true;
        $("#c fname").val("Niste uneli ime kako treba.");
        $("#c_fname").css("border", "1px solid red");
    }else {
       errors = false;
        $("#c_fname").css("border", "");
   //provera prezimena
    if(l_name == ""){
       errors = true;
       $("#c_lname").val("Morate uneti prezime.");
        $("#c_lname").css("border", "1px solid red");
   else if(!reg l name.test(l name)){
```

```
errors = true;
    $("#c lname").val("Niste uneli prezime kako treba.");
    $("#c_lname").css("border", "1px solid red");
}else {
   errors = false;
    $("#c_lname").css("border", "");
//provera e-mail adrese
if(email == ""){
    errors = true;
    $("#c_email").val("Morate uneti e-mail.");
    $("#c_email").css("border", "1px solid red");
else if(!reg email.test(email)){
    errors = true;
    $("#c_email").val("Niste uneli e-mail kako treba.");
    $("#c_email").css("border", "1px solid red");
}else {
   errors = false;
    $("#c email").css("border", "");
if(username == ""){
   errors = true;
    $("#c_username").val("Morate uneti korisnicko ime.");
    $("#c_username").css("border", "1px solid red");
else if(!reg_username.test(username)){
    errors = true;
    $("#c username").val("Niste uneli korisnicko ime kako treba.");
    $("#c_username").css("border", "1px solid red");
}else {
   errors = false;
    $("#c username").css("border", "");
//provera sifre
if(password == ""){
    errors = true;
    alert("Morate uneti sifru.");
    $("#c password").css("border", "1px solid red");
    errors = false;
    $("#c_password").css("border", "");
```

```
if(re password == ""){
        alert("Morate ponoviti sifru.");
    else if(password != re password){
        errors = true;
        alert("Sifre moraju biti iste.");
        $("#c_password_repeat").css("border", "1px solid red");
    }else {
        $("#c password repeat").css("border", "");
    if(!errors){
    $.ajax({
        url: 'models/users/insert.php',
        method: 'POST',
        dataType: 'json',
        data: {
            1 name: 1 name,
            email: email,
            username: username,
            password: password,
            send: true
        success: function(data, status, request){
            let podaci = data;
            alert("Uspesno ste napravili nalog !");
        error: ajaxErrors
    });
    }else {
        alert("Nisu uneti ispravni parametri.");
function ajaxErrors(err, status, statusText){
    console.error("AJAX ERROR: ");
    console.log(status);
    console.log(statusText);
    if(err.status == 500){
        console.log(err.parseJSON);
    }else if(err.status == 400){
        alert("Nisu poslati ispravni parametri !");
```

}

6.24. js/cart.js

```
$(document).ready(function () {
    let products = productsInCart();
    if(products){
        $("#cart-count").html(products.length);
    }else{
        $("#cart-count").html("0");
    if(!products.length)
        emptyCart();
    else{
        cartContent();
});
function emptyCart(){
    $("#container-message").html("<h1>Your cart is empty.</h1>");
function productsInCart() {
    return JSON.parse(localStorage.getItem("products"));
function cartContent() {
    let products = productsInCart();
    let ids = [];
    products.forEach(function(product){
        ids.push(product.id);
    });
    $.ajax({
        url : "models/admin/products/products-cart.php",
        method: "POST",
        type: "json",
        data: {
```

```
if(data){
               let forDisplay = [];
               forDisplay = data.filter(el => {
                  for(let product of products){
                      if(el.product id == product.id){
                          el.quantity = product.quantity;
                          return true;
                  return false;
               });
              displayInCart(data);
   });
function displayInCart(products){
   let html = "";
   products.forEach(function(product){
       html += singleCartProduct(product);
   });
   $("#cart-table tbody").html(html);
   $(".rmv-prdct").click(deleteFromCart);
function singleCartProduct(product){
   return `>
   <img src="${product.small}" alt="${product.title}" class="img-fluid">
   <h2 class="h5 text-black">${product.title}</h2>
   $${product.price}
   <div class="input-group mb-3" style="max-width: 120px;">
       <div class="input-group-prepend">
         <button class="btn btn-outline-primary js-btn-minus"</pre>
type="button">−</button>
       </div>
       <input type="text" class="form-control text-center"</pre>
value="${product.quantity}" placeholder="" aria-label="Example text with button
addon" aria-describedby="button-addon1">
       <div class="input-group-append">
```

```
<button class="btn btn-outline-primary js-btn-plus"</pre>
type="button">+</button>
       </div>
     </div>
   $${product.price * product.quantity} <input type="hidden" class=".total"
value="${product.price * product.quantity}"/>
    <a href="#" data-id="${product.product_id}" class="btn btn-primary btn-sm
rmv-prdct">X</a>
     `;
function deleteFromCart(e){
   e.preventDefault();
   let id = $(this).data("id");
   let products = productsInCart();
   let array = products.filter(p => p.id != id);
   if(array.length == 0){
       window.location.reload();
   localStorage.setItem("products", JSON.stringify(array));
   cartContent();
```

6.25. js/admin.js

```
$(document).ready(function(){
    $(document).on("click", ".delete", deleteUser);
    $(document).on("click", ".update", updateUser);
    $("#idUpdate").click(sendUserData);
    $(".close-form").click(closeForm);
    $(".excel-download").click(downloadExcelFile);
    $("#form").on('submit', insertProduct);
});
function insertProduct(e){
    e.preventDefault(e);

    $.ajax({
        url: 'models/admin/products/insert.php',
        method: 'POST',
        dataType: 'json',
        data: new FormData(this),
```

```
contentType: false,
                cache: false,
                processData:false,
            success: function(data, status, request){
                alert("Uspesno unet proizvod.");
                document.location.reload(true);
            },
            error: ajaxErrors
        });
function downloadExcelFile(e){
    e.preventDefault(e);
    $.ajax({
        url: 'models/admin/users/download-excel-table.php',
        method: 'POST',
        dataType: 'json',
        data: {
            send: true
        success: function(data, status, request){
            alert("Uspesno ste preuzeli spisak korisnika.");
        error: ajaxErrors
    });
function closeForm(e){
    e.preventDefault();
    $(".admin-form").fadeOut();
function updateUser(e){
    e.preventDefault(e);
    let id = $(this).data("id");
    $.ajax({
        url: 'models/admin/users/update-user.php',
        method: 'POST',
        dataType: 'json',
        success: function(data, status, request){
            $(".admin-form").fadeIn();
            fill(data);
```

```
error: ajaxErrors
    });
function fill(user){
    $("#usr_id_hdn").val(user.id);
    $("#u fname").val(user.first name);
    $("#u lname").val(user.last name);
    $("#u_email").val(user.email);
    $("#u username").val(user.username);
    $("#u_password").val(user.password);
    $("#u password repeat").val(user.password);
function sendUserData(e){
    e.preventDefault();
    let id = $("#usr_id_hdn").val().trim();
    let f_name = $("#u_fname").val().trim();
    let l_name = $("#u_lname").val().trim();
    let email = $("#u_email").val().trim();
    let username = $("#u_username").val().trim();
    let password = $("#u_password").val().trim();
    let re password = $("#u password repeat").val().trim();
    let data = [];
    let reg f name = /^[A-Z]\w{2,9}$/;
    let reg_l_name = /^[A-Z]\w{2,9}(\s[A-Z]\w{2,9})?$/;
    let reg_email = /^([a-z0-9][-a-z0-9]+\.]*[a-z0-9]
9])@(ict\.edu|gmail|yahoo)\.(rs|com)$/;
    let reg_username = /^((?=.*\d)(?=.*[a-z])).{8,}$/;
    let reg password = /((?=.*\d)(?=.*[a-z])(?=.*[A-Z])(?=.*[\W])).{8,}$/;
    //provera imena
    if(f name == ""){
        errors = true;
        $("#u fname").val("Morate uneti ime.");
        $("#u_fname").css("border", "1px solid red");
    else if(!reg_f_name.test(f_name)){
        errors = true;
        $("#u fname").val("Niste uneli ime kako treba.");
        $("#u_fname").css("border", "1px solid red");
    }else {
        errors = false;
        $("#u_fname").css("border", "");
```

```
//provera prezimena
if(l_name == ""){
    errors = true;
    $("#u lname").val("Morate uneti prezime.");
    $("#u_lname").css("border", "1px solid red");
else if(!reg l name.test(l name)){
    errors = true;
    $("#u lname").val("Niste uneli prezime kako treba.");
    $("#u_lname").css("border", "1px solid red");
}else {
    errors = false;
   $("#u_lname").css("border", "");
//provera e-mail adrese
if(email == ""){
    errors = true;
   $("#u_email").val("Morate uneti e-mail.");
    $("#u_email").css("border", "1px solid red");
else if(!reg_email.test(email)){
    errors = true;
    $("#u_email").val("Niste uneli e-mail kako treba.");
    $("#u email").css("border", "1px solid red");
}else {
   errors = false;
    $("#u_email").css("border", "");
if(username == ""){
    errors = true;
    $("#u_username").val("Morate uneti korisnicko ime.");
    $("#u_username").css("border", "1px solid red");
else if(!reg_username.test(username)){
   errors = true;
    $("#u_username").val("Niste uneli korisnicko ime kako treba.");
    $("#u_username").css("border", "1px solid red");
}else {
    errors = false;
    $("#u username").css("border", "");
if(password == ""){
   errors = true;
```

```
alert("Morate uneti sifru.");
        $("#u_password").css("border", "1px solid red");
        errors = false;
        $("#u_password").css("border", "");
    if(re_password == ""){
        alert("Morate ponoviti sifru.");
    else if(password != re_password){
        errors = true;
        alert("Sifre moraju biti iste.");
        $("#u_password_repeat").css("border", "1px solid red");
    }else {
        $("#u_password_repeat").css("border", "");
    if(!errors){
        $.ajax({
            url: 'models/users/send-updated-data.php',
            method: 'POST',
            dataType: 'json',
            data: {
                password: password,
                send: true
            success: function(data, status, request){
                let podaci = data;
                alert("Uspesan update !");
            },
            error: ajaxErrors
        });
        }else {
            alert("Nisu uneti ispravni parametri.");
function deleteUser(e){
    e.preventDefault();
    let id = $(this).data("id");
```

```
$.ajax({
    url: 'models/admin/users/delete-user.php',
    method: 'POST',
    dataType: 'json',
    data: {
        id: id
    },
    success: function(data, status, request){
        alert(data);
        document.location.reload(true);
    },
    error: ajaxErrors
});
}
```

6.26 js/filter-sort.js

```
$(document).ready(function(){
    $("#ddl_sort").change(sortProducts);
    $("body").on("click", ".filter-colors", filterColors);
   $("body").on("click", ".filter-sizes", filterSize);
   $("body").on("click", ".filter-gender", filterGender);
   $("body").on("click", ".pagination", pagination);
    $("#search-box").keyup(searchProducts);
});
function filterSize(){
    let sizes = $(".filter-sizes:checked");
    let limit = $("#limit-hidden").val().trim();
    let ids = [];
    for(let size of sizes){
        ids.push(parseInt(size.value));
        $.ajax({
        url: "models/admin/products/filter products.php",
        method: "GET",
        dataType: 'json',
        data: {
            sizes: ids,
            limit: limit,
            send: "filter-sizes"
```

```
success: function(data){
            console.log(data);
            displayProducts(data.products);
            displayPagination(data.num);
        error: function(error){
            console.log(error);
    });
function filterColors(e){
    e.preventDefault();
    let id = $(this).data("color");
    let limit = $("#limit-hidden").val().trim();
        $.ajax({
        url: "models/admin/products/filter_products.php",
        method: "GET",
        dataType: 'json',
        data: {
            limit: limit,
            send: "filter-color"
        success: function(data){
            console.log(data);
            displayProducts(data.products);
            displayPagination(data.num);
        error: function(error){
            console.log(error);
function filterGender(e){
    e.preventDefault();
    let id = $(this).data("gender");
    let limit = $("#limit-hidden").val().trim();
        $.ajax({
        url: "models/admin/products/filter_products.php",
        method: "GET",
        dataType: 'json',
```

```
data: {
            gender_id: id,
            send: "filter-gender"
        success: function(data){
            console.log(data);
            displayProducts(data.products);
            displayPagination(data.num);
        error: function(error){
            console.log(error);
    })
function searchProducts(){
    let input = $(this).val().trim();
    let limit = $("#limit-hidden").val().trim();
    $.ajax({
        url: "models/admin/products/filter_products.php",
        method: "GET",
        dataType: 'json',
        data: {
            input: input,
            limit: limit,
            send: "search"
        success: function(data){
            console.log(data);
            displayProducts(data.products);
            displayPagination(data.num);
        error: function(error){
            console.log(error);
    })
function pagination(){
    let limit = $(this).data("limit");
    $.ajax({
        url: "models/admin/products/get_pagination.php",
```

```
method: "GET",
       data: {
           limit: limit
       success: function(data){
           console.log(data);
           displayProducts(data.products);
           displayPagination(data.num);
       error: function(error){
           console.log(error);
   })
function displayProducts(products){
   let user_id = $("#hdn_products").val();
   let html = "";
   products.forEach(function(product){
       html += singleProduct(product, user id);
    });
   $("#products").html(html);
function singleProduct(product, user_id){
   if(user id){
       return `<div class="col-sm-6 col-lg-4 mb-4" data-aos="fade-up">
       <div class="block-4 text-center border">
         <figure class="block-4-image">
           <a href="index.php?page=single_product&id=${product.product_id}"><img</pre>
src="${product.large}" alt="${product.title}" class="img-fluid"></a>
         </figure>
         <div class="block-4-text p-4">
           <h3><a
href="index.php?page=single_product&id=${product.product_id}">${product.title}</a</pre>
></h3>
           ${product.description}
           $${product.price}
             <a href="index.php?page=shop" class="btn btn-sm btn-primary insert-</pre>
in-cart" data-id="${product.product id}">Shop Now</a>
           </div>
       </div>
     </div>`;
```

```
}else{
       return `<div class="col-sm-6 col-lg-4 mb-4" data-aos="fade-up">
       <div class="block-4 text-center border">
         <figure class="block-4-image">
           <a href="index.php?page=single_product&id=${product.product_id}"><img</pre>
src="${product.large}" alt="${product.title}" class="img-fluid"></a>
         </figure>
         <div class="block-4-text p-4">
           <h3><a
href="index.php?page=single_product&id=${product.product_id}">${product.title}</a</pre>
></h3>
           ${product.description}
           $${product.price}
           </div>
       </div>
     </div>`;
function displayPagination(num){
    let html = "";
    for(let i = 0; i < num; i++){</pre>
       html += `<a href="#" class="pagination" data-</pre>
limit="${i}">${i+1}</a>`;
   $("#pagination").html(html);
function sortProducts(){
    let sort = $(this).val();
    let limit = $("#limit-hidden").val().trim();
    if(sort != 0){
   $.ajax({
       url: "models/admin/products/sort products.php",
       method: "GET",
       dataType: 'json',
           sort: sort,
           limit: limit
       success: function(data){
           console.log(data);
```

```
displayProducts(data.products);
    displayPagination(data.num);
},
    error: function(error){
        console.log(error);
    }
});
}
```