

TRACE

TRACKING, REPORTING, ANALYSIS & COMMUNITY EVIDENCE

TRACE

Tracking, Reporting, Analysis & Community Evidence

Community vehicle tracking platform for neighborhood safety chapters. Reporters submit sightings from their phones. Operators triage, dispatch, and build intelligence from a desktop console. Three-vault database architecture ensures reporter identities stay separate from operational data.

[\[!Deploy with Vercel\]\(https://vercel.com/button\)](https://vercel.com/button)[\[https://vercel.com/new/clone?repository-url=https%3A%2F%2Fgithub.com%2Fduke-of-beans%2FTRACE&env=DATABASE_URL&envDescription=Neon%20PostgreSQL%20connection%20string%20\(pooler%20URL\)&envLink=https%3A%2F%2Fneon.tech&project-name=trace&repository-name=TRACE\]](https://vercel.com/new/clone?repository-url=https%3A%2F%2Fgithub.com%2Fduke-of-beans%2FTRACE&env=DATABASE_URL&envDescription=Neon%20PostgreSQL%20connection%20string%20(pooler%20URL)&envLink=https%3A%2F%2Fneon.tech&project-name=trace&repository-name=TRACE))

You need a computer with a web browser. That's it. Everything runs in the cloud for free.

Step 1: Create your database

The database stores all sighting records, vehicle profiles, dispatch events, and accounts. Neon hosts PostgreSQL databases with encryption at rest and TLS in transit. Free tier covers chapters up to 50 reporters.

1. Go to [\[neon.tech\]\(https://neon.tech\)](https://neon.tech) and sign up (Google account works, or use a separate email/password)
2. Click ****New Project****, name it anything, pick the region closest to your area
3. After creation, copy the ****Connection String**** (the address and credential for your database). Keep it private.

Step 2: Deploy TRACE

Vercel serves the TRACE application to browsers and phones. All traffic is HTTPS-encrypted. Vercel requires a GitHub account (GitHub stores the code, Vercel compiles and serves it). You will not need GitHub after this step.

1. Click the ****Deploy with Vercel**** button above
2. Sign in with GitHub (create a free account if you do not have one)

3. It asks for ``DATABASE_URL``. Paste the connection string from Step 1.
4. Click **Deploy**. Build takes about 2 minutes.

After deployment, Vercel provides a URL like trace-abc123.vercel.app. Bookmark it. This is also the URL reporters use.

Step 3: Create the database tables

The database from Step 1 is empty. This creates the table structure. Paste one file into the Neon SQL editor and run it. One time only.

1. Go back to [Neon](https://console.neon.tech) and click on your project
2. Click **SQL Editor** in the left sidebar
3. Open [`setup.sql`](setup.sql) from this repository (click it, then click the copy button in the top-right)
4. Paste the entire contents into the Neon SQL Editor
5. Click **Run**

You'll see "CREATE TABLE" confirmations. Errors about things "already existing" are fine — it's safe to run multiple times.

Step 4: Create your operator account

TRACE uses callsigns instead of email addresses to protect operator identity. Even if someone gained access to the database, they'd find code names, not real people.

1. Go to ``your-app.vercel.app/operator/``
2. You'll see a **First-Time Setup** screen (only appears once — when no operators exist)
3. Enter your **chapter name** (e.g., "Westside Watch")
4. Choose a **callsign** — your operator code name (like "ALPHA" or "DISPATCH-1")
5. Choose an **access code** — at least 6 characters, keep it safe
6. Click **Create Operator & Start**

You're in. The onboarding walkthrough will show you around.

Step 5: Invite your first reporter

Reporters don't create accounts with email or phone numbers — that would put them at risk if the system were ever compromised. Instead, you generate a one-time invite code and hand it to them directly.

1. In the operator console, click **Admin** in the sidebar
2. Click the **Reporters** tab
3. Type a callsign for the reporter (their code name, not their real name)
4. Click **Generate Invite Code**

5. Send the code to your reporter via Signal, WhatsApp, or in person

The reporter opens your TRACE URL on their phone, enters the code, and they're in.

Step 6: Install the app on phones

TRACE installs from the browser — no App Store or Google Play needed. This means no review process, faster updates, and no trail in anyone's app purchase history.

iPhone (must use Safari): Tap the Share button → Add to Home Screen → Add

Android (use Chrome): Tap the three-dot menu → Add to Home Screen → Add

The app icon appears on their home screen and runs full-screen like a native app.

> **Visual guide with mockups of every screen:** Once deployed, visit your-app.vercel.app/guide.html

For reporters

Open the app. Enter your invite code. You see a plate input and a map.

Report mode. Type a plate, describe the activity, drop the location, submit. Takes 15 seconds. The operator sees it immediately in their triage queue.

Check Plate mode. Type a plate to see if it is already in the database. If it matches, you can escalate to a full report with one tap.

Map tab. See active dispatch pins dropped by the operator. Tap a pin to respond. The operator sees your status (responding, on scene).

For operators

The operator console is a desktop application at [/operator/](#).

Triage. Incoming sightings appear in a queue. Each one shows whether the plate matches a known vehicle (MATCH badge) or is new (NEW PLATE). Confirm and dispatch, dismiss with feedback to the reporter, or add the vehicle to tracking.

Intel Map. All sightings on a satellite map. Right-click to drop a dispatch pin. Click any sighting marker to see details. Time playback shows sighting patterns hour by hour. Corridor overlays trace vehicle movement paths.

Vehicles and Actors. Dossier pages for tracked vehicles and persons of interest. Photos, suspicion levels, sighting history, identifier records.

Admin. Configure vehicle types, suspicion ladders, dispatch event types, actor identifiers. Generate reporter invite codes.

Three-vault database

TRACE separates data into three PostgreSQL schemas. If someone gains access to the operational data (vehicles, sightings, actors), they cannot determine who submitted any report. Reporter real identities live in a separate schema with a separate encryption key.

Schema	Contains	Access
`ops`	Vehicles, sightings, actors, dispatches, chapters	Full CRUD
`ident`	Reporter identities, auth tokens, sessions	Auth service only
`evidence`	Write-once evidence locker, hash chain	INSERT + SELECT only

A full dump of the [ops](#) schema reveals zero real identities. By architecture, not policy.

Stack

- **API:** Hono (TypeScript) on Vercel Serverless Functions
- **Database:** Neon PostgreSQL + Drizzle ORM
- **Reporter app:** Preact PWA (mobile-first, installable)
- **Operator console:** React SPA (desktop-first)
- **Maps:** Leaflet.js with Esri/CARTO/OSM tile layers
- **Auth:** Invite codes (no email required), TOTP for operators

Project structure

```
src/
  api/
    auth/      Invite-code and dev-login auth
    sightings/ Sighting intake + plate matching
    vehicles/  Vehicle dossier CRUD
    actors/    Actor profile management
    dispatch/  Dispatch event lifecycle
    geo/       Heatmap, corridors, co-occurrence, temporal
    admin/     Chapter configuration + reporter invites
  db/
    schema/    Drizzle schema (three vaults)
    connection.ts Three connection pools
    seed.ts    Demo data
```

```

services/      Plate lookup, geospatial, notifications

pwa/           Reporter PWA (Preact)
src/pages/     Report, Map, History, Settings tabs
src/components/ Onboarding, panic button, pin lock

operator/      Operator console (React)
src/pages/     Dashboard, Triage, Intel, Vehicles, Actors, Admin, Security
src/components/ Map, time slider, UX primitives

api/index.ts   Vercel serverless entry point
shared/design/ Design tokens and theme

```

Authentication model

Reporters authenticate with a one-time invite code generated by an operator. No email, no phone number, no password. The invite code is given in person or via an encrypted channel (Signal). Once used, the code is invalidated.

Operators authenticate with a callsign and access code. The first operator is created during initial setup (see Quick Deploy step 5).

Production hardening checklist

Before giving anyone access to your TRACE instance:

- Set `TRACE\_DISABLE\_DEV\_LOGIN=true` in Vercel env vars
- Set `TRACE\_DISABLE\_TEST\_CODE=true` in Vercel env vars
- Change the default operator callsign from `OPERATOR` to something unique
- Verify the operator console rejects non-operator logins (it does by default)
- All access is logged to the audit table

Who can see what

Role	Sees	Does not see
Reporter	Their own submissions, active dispatch pins, plate check results	Other reporters, operator actions, vehicle dossiers, actor profiles
Operator	All sightings (by callsign, not real name), vehicles, actors, dispatches	Reporter real identities, Vault B data
Database admin	All three schemas	Nothing is hidden from the database admin

Reporter safety

The reporter app includes a panic button (configurable in Settings) and a PIN lock. The operator can remotely suspend a reporter's device via the Security page, which sends a kill signal on the next status check.

Prerequisites

- Node.js 22+
- PostgreSQL 15+ (local, Docker, or WSL)

Setup

```
git clone <your-fork-url>
cd TRACE
npm install
cd pwa && npm install && cd ..
cd operator && npm install && cd ..
cp .env.example .env
# Edit .env with your local PostgreSQL credentials
```

Database setup

```
# Create the database
psql -U postgres -c "CREATE DATABASE trace;"

# Run migrations
npx drizzle-kit migrate

# Seed demo data
npx tsx src/db/seed.ts
```

Run

```
# API server (port 3100)
npm run dev

# Reporter PWA (port 5173)
cd pwa && npm run dev

# Operator console (port 5174)
cd operator && npm run dev
```

Demo credentials: operator callsign **OPERATOR**, reporter invite code **TEST-CODE**.

TRACE is a Progressive Web App. No app store needed.

iPhone (Safari only)

1. Open your TRACE URL in Safari
2. Tap the Share button (square with arrow)
3. Scroll down, tap "Add to Home Screen"
4. Tap "Add"

The app appears on the home screen with a standalone icon. It runs full-screen without Safari's address bar.

Android (Chrome)

1. Open your TRACE URL in Chrome
2. Tap the three-dot menu
3. Tap "Add to Home Screen" or "Install App"
4. Tap "Add"

Desktop (Chrome/Edge)

1. Open your TRACE URL
2. Click the install icon in the address bar (or three-dot menu > Install)

- [\[Visual Setup Guide\]\(guide.html\)](#) — interactive walkthrough with mockups (available at `/guide.html` on any deployed instance)
- [\[Chapter Setup Guide\]\(docs/CHAPTER_SETUP.md\)](#) — detailed deployment walkthrough
- [\[Dispatch System Design\]\(DISPATCH_DESIGN.md\)](#)
- [\[Voice Guide\]\(VOICE_GUIDE.md\)](#)
- [\[Design System\]\(DESIGN_SYSTEM.md\)](#)
- [\[Security Architecture\]\(docs/SECURITY_ARCHITECTURE.md\)](#)
- [\[Security Edge Cases\]\(docs/SECURITY_EDGE_CASES.md\)](#)
- [\[Requirements Synthesis\]\(docs/REQUIREMENTS_SYNTHESIS.md\)](#)

Source-available for community safety use. See repository for terms.