

# SWTES0707-T233 (1.0) - [TG-4] [Dulowa] [version 1.0.4] Login form - empty fields

## Details

Key	SWTES0707-T233
Name	[TG-4] [Dulowa] [version 1.0.4] Login form - empty fields
Objective	This is a test case for the user when he does not fill in the fields and presses the login button.
Precondition	We use the following address <a href="http://poll-app7-20200409.softacad.bg">http://poll-app7-20200409.softacad.bg</a>
Folder	TestGroup-4
Status	Draft
Priority	Normal
Component	-
Owner	JIRAUSER12216
Estimated Time	-
Labels	
Traceability	
Attachments	
Dates	Created on 08/09/2020 20:30:39 by Radoslava Dulowa Updated on 08/09/2020 21:19:57 by Radoslava Dulowa

## Test Script

1	<b>Step</b> Navigate to the Login form
	<b>Test Data</b> <a href="http://poll-app7-20200409.softacad.bg/login">http://poll-app7-20200409.softacad.bg/login</a>
	<b>Expected Result</b> Redirected to Login form.
2	<b>Step</b> The user clicks on the login button.
	<b>Test Data</b>

	<b>Expected Result</b>
--	------------------------

	The user receives a message that the fields are empty / invalid.
--	--

