The LaTeX report

Generated by mdias on 07 September 2026, 22:34:35

This report has been generated automatically by MadAnalysis 5.

Please cite:

> **E. Conte, B. Fuks and G. Serret**,
> *MadAnalysis 5, A User-Friendly Framework for Collider Phenomenology*,
> Comput. Phys. Commun. **184** (2013) 222-256,
> arXiv:1206.1599 [hep-ph].

To contact us:

> **http://madanalysis.irmp.ucl.ac.be**
> **ma5team@iphc.cnrs.fr**

Contents

1 Setup **2**
1.1 Command history 2
1.2 Configuration 2

2 Datasets **3**
2.1 mysample 3

3 Histos and cuts **4**
3.1 Histogram 1 4

1 Setup

1.1 Command history

```
ma5>import ../mg_drell_yan/Events/run_01/unweighted_events.lhe as mysample
ma5>define mu=mu+ mu-
ma5>plot M(mu+ mu-)
ma5>submit
```

1.2 Configuration

- MadAnalysis version 1.11.0 (2025/04/23).
- Histograms given for an integrated luminosity of 10fb^{-1}.

2 Datasets

2.1 mysample

- Samples stored in the directory: /home/mdias/posdoc/unicamp/F056/git/Exemplos/GeradorEventos/-Example_2_MadGraph/MG5_aMC_v2_9_27/bin .
- Sample consisting of: signal events.
- Generated events: 10000 events.
- Normalization to the luminosity: 8410400+/- 18348 events.
- Ratio (event weight): 841 - warning: please generate more events (weight larger than 1)!

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/home/mdias/posdoc/-unicamp/F056/git/-Exemplos/GeradorEventos/-Example_2_MadGraph/-MG5_aMC_v2_9_27/-mg_drell_yan/Events/run_01/-unweighted_events.lhe	10000	841 @ 0.22%	0.0

3 Histos and cuts

3.1 Histogram 1

*** Plot: M (mu+ mu-)**

Dataset	Integral	Entries per event	Mean	RMS	% underflow	% overflow
mysample	8410400	1.0	77.8731	26.79	0.0	0.0




Figure 1.