


Requirements Table

Requirement	Description	Group member
0.1	Site Map	Maxime Caux
0.2	Wireframes	Eve Smura
1	Sign up	Maxime Caux
1	Log in	Eve Smura
2	Goal creation	Eve Smura
3	See list of goals	Maxime Caux
4	Create subgoals	Maxime Caux

Sitemap



style.css

```
body {
  margin: 0px;
  padding: 0px;
  font-family: 'Signika', sans-serif;
}

/* Header style */
.header, .header-single {
  display: flex;
  position: sticky;
  width: 100%;
  top: 0px;
  border-bottom: 2px solid #06D6A0;
  background-color: #048A81;
  z-index: 99;
}

.header {
  justify-content: space-between;
}

.header-single {
  justify-content: center;
}

.header-left, .header-right {
  display: flex;
  flex-wrap: wrap;
  justify-content: center;
  align-items: center;
  gap: 20px;
  list-style-type: none;
}

.header-left {
  font-family: 'Sofia', cursive;
  padding-left: 10px;
  padding-right: 0px;
}

.header-left h1 {
  padding: 3px 3px 3px 20px;
  margin: 7px;
  color: #F3ECED;
}

.header-left h1 a {
  text-decoration: none;
  font-size: 30pt;
  color: inherit;
}

.header-left h1:hover {
  cursor: pointer;
  color: #DCD6F7;
}

.header-right {
  padding-left: 15px;
  padding-right: 20px;
}

.header-center {
  font-family: 'Sofia', cursive;
  color: #F3ECED;
}
```

style.css

```
.header li {
    display: inline;
    padding: 10px;
    margin: 0px;
    background-color: #F3ECED;
    /* border: 1.5px dashed yellow; */
    border-radius: 7px;
}

.header li a {
    color: black;
    text-decoration: none;
}

.header li:hover {
    cursor: pointer;
    background-color: #DCD6F7;
}

/* Footer style */
.footer {
    display: flex;
    gap: 20px;
    justify-content: center;

    width: 100vw;
    position: fixed;

    bottom: 0px;
    border-top: 1px solid;
    border-bottom: 1px solid #60495A;

    background-color: #F3ECED;
    margin-top: 70px;
    padding: 10px 14px 16px 14px;
}

.footer a {
    color: #60495A;
}

/* Form styles */

.form-flex {
    /* display: flex; */
    background-color: #F3ECED;
    margin-top: 40px;
    padding: 20px 20px;
}

.form {
    text-align: left;
    line-height: 19px;
    width: 60%;
    max-width: 300px;
}

.form input {
    display: block;
    width: 100%;
    max-width: 300px;
    flex-grow: 1;
    margin-bottom: 10px;
    box-sizing: border-box;
}

.generic-button, .generic-button-gray {
```

```
margin-top: 30px;  
padding: 10px 20px;  
background-color: #06D6A0;  
border-radius: 7px;  
border: 0px;
```

style.css

```
.generic-button:hover, .generic-button-gray:hover {  
  cursor: pointer;  
  background-color: #048A81;  
}
```

```
.generic-button-gray {  
  background-color: lightgray;  
}
```

```
.generic-button-gray:hover {  
  background-color: gray;  
}
```

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>

  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
  <link href="https://fonts.googleapis.com/css2?family=Signika&family=Sofia&display=swap"
rel="stylesheet">

  <link rel="stylesheet" href="style.css">
  <link rel="stylesheet" href="signed_out.css">
</head>
<body>
  <!-- Header -->
  <div class="header">
    <div class="header-left">
      <h1><a href="./signed_out.html">Liszy</a></h1>
    </div>

    <ul class="header-right">
      <li><a href="./sign_up.html">Sign up</a></li>
      <li><a href="./log_in.html">Log in</a></li>
    </ul>
  </div>

  <center>
    <h2 class="welcome">Welcome to Liszy!</h2>
  </center>

  <div class="home-flex">
    <div class="home-flex-left">
      Are you feeling somewhat like the picture?
      Do you struggle with setting goals and holding yourself accountable?
      Use this website to quickly and easily set goals
      based on the internationally renowned SMART guideline. Save money, keep up with
chores,
      create that list of books to read or keep track of a school project with Liszy,
the new
      and innovative goal-setting website!
    </div>
    
  </div>

  <!-- Padding for footer -->
  <div style="height:90px;"></div>

  <div class="footer">
    <a href="#">About</a>
    <a href="#">Contact</a>
  </div>
</body>
</html>
```

```
.welcome {  
  margin-top: 60px;  
}
```

signed_out.css

```
.home-flex {  
  display: flex;  
  flex-wrap: wrap;  
  justify-content: center;  
  margin-top: 23px;  
  gap: 40px;  
  background-color: #F3ECED;  
  padding: 30px 60px;  
}
```

```
.home-flex-left {  
  max-width: 295px;  
  text-align: justify;  
}
```

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>

  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
  <link href="https://fonts.googleapis.com/css2?family=Signika&family=Sofia&display=swap"
rel="stylesheet">

  <link rel="stylesheet" href="style.css">
  <link rel="stylesheet" href="sign_up.css">
</head>
<body>
  <!-- Header -->
  <div class="header-single">
    <div class="header-left">
      <h1><a href="./signed_out.html">Lisztty</a></h1>
    </div>
  </div>

  <center>
    <div class="form-flex">
      <h2>Sign up for a Lisztty account</h2>

      <form action="user_page.html" class="form">

        <hr>

        <label for="">
          Username (ID)
          <input type="text" name="" id="">
        </label>

        <label for="">
          Real Name
          <input type="text" name="" id="">
        </label>

        <label for="" class="dropdown">
          Sex
          <select name="" id="" value="test">
            <option value="none">----</option>
            <option value="yes">yes</option>
            <option value="no">no</option>
          </select>
        </label>

        <hr>

        <label for="">
          Email
          <input type="email" name="" id="">
        </label>

        <label for="">
          Password
          <input type="password" name="" id="">
        </label>

        <label for="">
          Retype password
          <input type="password" name="" id="">
        </label>

      </form>
    </div>
  </center>
</body>
</html>
```

```

<hr>

<label for="">
    Country / zipcode / address
</label>
<div class="address-flex">
    <input type="text" name="" id="country">
    <input type="text" name="" id="zipcode">
    <input type="text" name="" id="address">
</div>

<label for="" class="dropdown">
    Interface language
    <select name="" id="" value="test">
        <option value="none">----</option>
        <option value="en">English</option>
        <option value="nl">Dutch</option>
        <option value="..">...</option>
    </select>
</label>

<hr>

<h4>Please provide a short bio of yourself!</h5>

<textarea name="" id="bio" rows="10"></textarea>

<input class="generic-button" id="signup-submit" type="submit" value="Sign
up">
    </form>
</div>
</center>

<!-- Padding for footer -->
<div style="height:90px;"></div>

<div class="footer">
    <a href="#">About</a>
    <a href="#">Contact</a>
</div>
</body>
</html>

```


sign_up.css

```
.signup-flex {
    /* display: flex; */
    background-color: #F3ECED;
    margin-top: 40px;
    padding: 20px 20px;
}

.signup-flex hr {
    margin: 20px 0px;
    width: 114%;
    position: relative;
    left: -7%;
}

.signup-form {
    text-align: left;
    line-height: 19px;
    width: 60%;
    max-width: 350px;
}

.signup-form input {
    display: block;
    width: 100%;
    max-width: 350px;
    flex-grow: 1;
    margin-bottom: 10px;
    box-sizing: border-box;
}

.address-flex {
    display: flex;
    gap: 10px;
    flex-wrap: wrap;
}

.dropdown {
    display: block;
    margin-bottom: 12px;
}

.dropdown select {
    margin-left: 10px;
}

#country {
    flex-grow: 1;
    flex-shrink: 1;
    flex-basis: 100px;
}

#address {
    flex-grow: 3;
    flex-basis: 100px;
    flex-shrink: 1;
}

#zipcode {
    flex-grow: 1;
    flex-shrink: 1;
    flex-basis: 60px;
}

#bio {
    width: 100%;
    box-sizing: border-box;
    resize: vertical;
}
```



```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>

  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
  <link href="https://fonts.googleapis.com/css2?family=Signika&family=Sofia&display=swap"
rel="stylesheet">

  <link rel="stylesheet" href="style.css">
  <link rel="stylesheet" href="log_in.css">
</head>
<body>
  <!-- Header -->
  <div class="header-single">
    <div class="header-left">
      <h1><a href="./signed_out.html">Lisztty</a></h1>
    </div>
  </div>

  <center>
    <div class="form-flex">
      <h2>Log into your Lisztty account</h2>

      <form action="user_page.html" class="form">
        <label for="">
          Username (ID)
          <input type="text" name="" id="">
        </label>

        <label for="">
          Password
          <input type="password" name="" id="">
        </label>

        <input class="generic-button" id="login-submit" type="submit" value="Log in">
      </form>
    </div>
  </center>

  <!-- Padding for footer -->
  <div style="height:90px;"></div>

  <div class="footer">
    <a href="#">About</a>
    <a href="#">Contact</a>
  </div>
</body>
</html>
```

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>

  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
  <link href="https://fonts.googleapis.com/css2?family=Signika&family=Sofia&display=swap"
rel="stylesheet">

  <link rel="stylesheet" href="style.css">
  <link rel="stylesheet" href="user_page.css">
</head>
<body>
  <!-- Header -->
  <div class="header">
    <div class="header-left">
      <h1><a href="./user_page.html">Liszty</a></h1>
    </div>

    <ul class="header-right">
      <li><a href="./signed_out.html">Log out</a></li>
    </ul>
  </div>

  <div class="main-layout">
    <div class="main-left">
      <h1>Welcome, [username]!</h1>
      <hr>

      <p>You can do this! Make sure to drink lots of water and take breaks, and go
conquer the world! </p>
      <a href="./create_goal.html"><input type="button" value="Create new task"
class="generic-button" id="newtask"></a>
      <input type="button" style="margin-top:10px;" value="View all tasks"
class="generic-button-gray" id="newtask">
    </div>
    <div class="main-right">
      <h3>Your tasks for today:</h3>
      <div class="task-box">
        <div class="task">
          <input type="checkbox" class="task-checkbox" name="" id="">
          <input type="number" class="task-number" name="" id="" min="0" max="4"
value="3"><span class="completed">/4</span>
          Do chores
          <span class="subtask-button">+</span>
        </div>
        <div class="subtask">
          <input type="checkbox" class="task-checkbox" checked name="" id="">
          Make dinner
          <span class="subtask-button">+</span>
        </div>
        <div class="subtask">
          <input type="checkbox" class="task-checkbox" checked name="" id="">
          Do dishes
          <span class="subtask-button">+</span>
        </div>
        <div class="subtask">
          <input type="checkbox" class="task-checkbox" checked name="" id="">
          File taxes...
          <span class="subtask-button">+</span>
        </div>
        <div class="subtask">
          <input type="checkbox" class="task-checkbox" name="" id="">

```

user_page.html

```
        Take class action
        <span class="subtask-button">+</span>
    </div>
    <div class="task">
        <input type="checkbox" class="task-checkbox" checked name="" id="">
        Hang out with a friend
        <span class="subtask-button">+</span>
    </div>
    <div class="task">
        <input type="checkbox" class="task-checkbox" name="" id="">
        <input type="number" class="task-money" name="" id="" min="0" max="500"
value="455"><span class="completed">/500$</span>
        Save money!
        <span class="subtask-button">+</span>
    </div>
</div>

    You've completed <span class="completed">3/5</span> of your daily goal!
</div>

<!-- Padding for footer -->
<div style="height:90px;"></div>

<div class="footer">
    <a href="#">About</a>
    <a href="#">Contact</a>
</div>
</body>
</html>
```

```
body {
  background-color: #F3ECED;
}

.main-layout {
  padding: 40px 50px;
  display: flex;
  gap: 40px;
  align-items: flex-start;
  flex-wrap: wrap;
}

.main-left, .main-right {
  border-radius: 20px;
  padding: 0px 20px 20px;
  border: 1px solid lightgrey;
  background: white;
}

.main-left {
  flex-basis: 200px;
  flex-grow: 1;
}

.main-right {
  flex-basis: 300px;
  flex-grow: 6;
}

#newtask {
  margin-top: 0px;
}

.task-box {
  /* border: 1px solid red; */
  display: flex;
  flex-direction: column;
  gap: 5px;
  margin-bottom: 20px;
}

.task-number {
  width: 28px;
}

.task-money {
  width: 44px;
}

.task {
  border: 1px solid lightgray;
  padding: 10px;
  border-radius: 5px;
  display: flex;
  gap: 10px;
}

.completed {
  color: #06D6A0;
}

.subtask {
  margin-left: 40px;
  border: 1px solid lightgray;
  padding: 10px;
  border-radius: 5px;
  display: flex;
```

user_page.css

```
        gap: 10px;
    }

    .subtask-button {
        margin-left: auto;
        color: gray;
        text-align: 0px;
    }

    .subtask-button:hover {
        cursor: pointer;
    }
}
```

create_goal.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>

  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
  <link href="https://fonts.googleapis.com/css2?family=Signika&family=Sofia&display=swap"
rel="stylesheet">

  <link rel="stylesheet" href="style.css">
  <link rel="stylesheet" href="create_goal.css">
</head>
<body>
  <!-- Header -->
  <div class="header-single">
    <div class="header-left">
      <h1><a href="./user_page.html">Liszty</a></h1>
    </div>
  </div>

  <center>
    <div class="create-goal">
      <h2>Create your goal!</h2>

      <div class="text">
        Create your goals using the SMART framework:
        <ol>
          <li>specific - make sure you describe exactly what you're hoping to
achieve!</li>

          <li>measurable - how will you know when you're done?</li>
          <li>assignable - specify who will do the task</li>
          <li>realistic - we think this one speaks for itself!</li>
          <li>time-related - make sure to set a deadline!</li>
        </ol>
      </div>

      <form action="user_page.html" class="create-goal-form">
        <label for="">
          Goal name
          <input type="text" name="" id="">
        </label>

        <label for="">
          Description
          <textarea name="" id="task-description" cols="30" rows="10"></textarea>
        </label>

        <label for="" id="duedate">
          Due date
          <input type="datetime-local" id="Test_DatetimeLocal">
        </label>

        <input class="generic-button" id="signup-submit" type="submit" value="Create
goal">
      </form>
    </div>
  </center>

  <!-- Padding for footer -->
  <div style="height:90px;"></div>

  <div class="footer">
    <a href="#">About</a>
  </div>
</body>
</html>
```



```
      <a href="#">Contact</a>
    </div>
</body>
</html>
```

```
.create-goal {  
  /* display: flex; */  
  background-color: #F3ECED;  
  margin-top: 40px;  
  padding: 20px 20px;  
}
```

create_goal.css

```
.create-goal-form {  
  text-align: left;  
  line-height: 19px;  
  width: 60%;  
  max-width: 300px;  
}
```

```
.create-goal-form input {  
  display: block;  
  width: 100%;  
  max-width: 300px;  
  flex-grow: 1;  
  margin-bottom: 10px;  
  box-sizing: border-box;  
}
```

```
.text {  
  text-align: left;  
  line-height: 19px;  
  width: 80%;  
  max-width: 300px;  
}
```

```
.text li {  
  margin-top: 10px;  
}
```

```
.text li:nth-child(odd) {  
  color: #6F5769;  
}
```

```
#task-description {  
  width: 100%;  
  box-sizing: border-box;  
  resize: vertical;  
  margin-bottom: 9px;  
}
```