Google Cloud | ai-lab-16-gcp-2a202600100 | Search (/) for resources, docs, products, and more | Search

Compute Engine

- Overview
- Security risk overview
- Virtual machines
  - VM instances
  - Instance templates
  - Sole-tenant nodes
  - Machine images
  - TPUs
  - Committed use discou...
  - Reservations
  - Migrate to Virtual Mac...
- Storage
  - Disks
  - Storage Pools
  - Snapshots
  - Images
  - Async Replication
- Marketplace

ai-cpu-node | Edit | Reset | Create machine image | Create similar | Start / Resume | Equivalent code | Learn

Details | Observability | OS Info | Screenshot

SSH | Connect to serial console

Connecting to serial ports is disabled

Logs

Logging | Serial port 1 (console) | Serial port 2 | Serial port 3 | Serial port 4

Basic information

Name	ai-cpu-node
Instance Id	2641559942729300750
Description	None
Type	Instance
Status	Running
Creation time	Apr 23, 2026, 11:16:34 PM UTC+07:00
Location	us-east1-b
Boot disk source image	debian-11-bullseye-v20260417
Boot disk architecture	X86_64
Boot disk license type	Free
Instance template	None
In use by	ai-cpu-group
Physical host	None
Maintenance status	—
Labels	None
Tags	—
Deletion protection	Disabled
Confidential VM service	Disabled
Preserved state size	0 GB
Reservation affinity	Automatically choose (default)
Consumed reservation	—

Machine configuration

Machine type	n2-standard-8 (8 vCPUs, 32 GB Memory)
CPU platform	Intel Cascade Lake
Minimum CPU platform	None
Architecture	x86/64
vCPUs to core ratio	—
Custom visible cores	—
All-core turbo-only mode	—
Display device	Disabled Enable to use screen capturing and recording tools
GPUs	None
Resource policies	

Networking

Public DNS PTR Record	None
Total egress bandwidth tier	—

View in Network Topology

Firewalls

HTTP traffic	Off

HTTPS traffic	Off
Allow Load Balancer Health checks	Off

Network tags

cpu-node

Network interfaces

Filter Enter property name or value

Name	Network	Subnetwork	NIC type	Primary internal IP address	Alias IP ranges	IP stack type
nic0	ai-vpc	ai-private-subnet		10.0.0.3		IPv4

Storage

Filter Enter property name or value

Name	Size (GB)	Type	Data protection	Mode	When deleting instance
ai-cpu-node (Boot Disk)	100	SSD persistent disk		Read/write	Delete disk

Backup plan

Managed by Backup and DR Service.

CREATE ON-DEMAND BACKUP

Backup schedule state	Not configured
Backup plan	—

Security and access

Shielded VM

Secure Boot	Off
vTPM	On
Integrity Monitoring	On

SSH Keys

SSH keys	None
Block project-wide SSH keys	Off

API and identity management

Service account	cpu-node-sa@ai-lab-16-gcp-2a202600100.iam.gserviceaccount.com
Cloud API access scopes	Allow full access to all Cloud APIs

Management

Data Encryption

Key ID	—
Key name	—

Availability policies

VM provisioning model	Standard
Max duration	None
Preemptibility	Off (Recommended)
On VM termination	—
Graceful shutdown maximum duration	—
On host maintenance	Migrate VM instance (Recommended)
Host error timeout	—
Automatic restart	On (Recommended)
Customer Managed Encryption Key (CMEK) revocation policy	Do nothing

Sole-tenancy

Affinity labels	None

CPU Overcommit	Disabled

Custom metadata

Key	Value
enable-oslogin	TRUE
startup-script	#!/bin/bash

Release Notes

Equivalent code