Table of Contents

XAM 2 MATLAB APPENDIX]
roblem 1	!
roblem 2	1
roblem 3	
oblem 4	
oblem 5	2
unctions	

EXAM 2 MATLAB APPENDIX

Author: Thomas Dunnington

close all; clear; clc;

Problem 1

```
A = [1,0;0,2];
```

Problem 2

```
A = [1,1,1; 0,1,1;1,0,0];
[vec, vals] = eig(A);

syms a b c
B = [a;b;c];
B = [1;0;0];

C = [B A*B A^2*B];

B = [1;0;1];
K = [-2,3,5];

closedA = A - B*K;
[vec, vals] = eig(closedA);
```

Problem 3

```
 A = [-5,3,5,2,-4,-1; 0.7,-1.55,0.65,8.6,-6.1,0.1; -0.7,0.55, -1.65, -0.6, 0.1, -0.1; ... \\ 1.70,-1.05,-4.85,2.6,-1.1,1.1; 0, 0.5, 0.5, 4, -5, 0; -1.8, 1.2, 6.4, -4.4, 0.4, -3.4];   B = [1;1;1;2;2;0];
```

```
C = [1,2,0,0,0,0];
D = 0;

[T, vals] = eig(A);

diag = inv(T)*A*T;
Btild = inv(T)*B;
Ctild = C*T;
```

Problem 4

```
A = [0,2,1; -1,0,1;3,-2,1;0,4,1;1,2,1];
LN = null(A');
y = LN(:,1);

W = [A y];

A = [1,1,1,1,; 2,4,6,3; 0,2,4,1; 1,-1,-3,0];
y = [5;25;15;-10];

Aug = [A y];
Ared = A(1:2, :);
yred = y(1:2);

xln = Ared'*inv(Ared*Ared')*yred;

RN = null(A);

x1 = xln + RN(:,1);
x2 = xln + RN(:,2);
```

Problem 5

```
A = [0,1,0,0,0,0; 0,0,0,0,0,0; 0,0,0,1,0,0; 0,0,-1,-2,0,0; 0,0,0,0,0,1;
0,0,1,2,-3,-4];
B = [0;1;0;1;0;0];

[vec, vals] = eig(A);

Ctild = ctrb(A,B);
P = [-1 -1.5 -1.75 -2 -2.1 -3];
K = place(A,B,P);

Aclosed = A - B*K;

[vec2, val2] = eig(Aclosed);
```

Functions

```
function out = controllMat(A,B)
    [n,~] = size(B);
    out = B;
    for i = 1:n-1
        out = [out A^i*B];
    end
end
```

Published with MATLAB® R2023b