
8.1) Unconstrained ultrametric Bayesian time tree branch length and topology inference in RevBayes (node labels are bayesian posteriors). Arbitrary rooting. Newick tree file underneath.




```
[&index=62,posterior=0.833555,age 95% HPD={0.065936,0.217688}]:0.058012,(Agalma_okenii[&index=19]:
0.130204, Athorybia rosacea [&index=18]: 0.130204)
[&index=63,posterior=0.993342,age_95%_HPD={0.050125,0.221838}]:0.064299)
[&index=64,posterior=1.000000,age 95% HPD={0.113623,0.279255}]:0.123016,Halistemma rubrum[&index=20]:
0.317519][&index=65,posterior=1.000000,age_95%_HPD={0.181973,0.481102}]:0.172599,
(Frillagalma vityazi[&index=15]:0.079137, Nanomia bijuga[&index=14]:0.079137)
[&index=66,posterior=1.000000,age_95%_HPD={0.018991,0.192787}]:0.410981)
[&index=67,posterior=1.000000,age_95%_HPD={0.341514,0.672032}]:0.233374,Resomia_ornicephala[&index=13]:
0.723492)[&index=68,posterior=0.933422,age_95%_HPD={0.5049,0.928478}]:0.222808,
((((Forskalia_edwardsii[&index=26]:0.170594,Forskalia_tholoides[&index=25]:0.170594)
[&index=69,posterior=1.000000,age_95%_HPD={0.065877,0.303887}]:0.143970,Forskalia_formosa[&index=27]:
0.314564)[&index=70,posterior=0.994674,age 95% HPD={0.148742,0.520531}]:
0.146640.Forskalia asymmetrica[&index=24]:0.461204)
[&index=71,posterior=1.000000,age 95% HPD={0.240311,0.679394}]:0.356407,((Physophora gilmeri[&index=22]:
0.495783, Physophora hydrostatica [&index=23]: 0.495783)
[&index=72,posterior=1.000000,age_95%_HPD={0.215226,0.781338}]:
0.161785,Lychnagalma_utricularia[&index=21]:0.657568)
```

```
[&index=73,posterior=1.000000,age_95%_HPD={0.380976,0.948744}]:0.160043)
[&index=74,posterior=0.503329,age_95%_HPD={0.610487,0.994624}]:0.128689)
[&index=75,posterior=1.000000,age_95%_HPD={0.763075,1.13394}]:0.080633,(((Clytia_hemisphaerica[&index=33]:
0.524401, Hydra_circumcincta[&index=31]:0.524401)
[&index=76,posterior=0.758988,age_95%_HPD={0.277106,0.752388}]:0.158127,Ectopleura_dumortieri[&index=32]:
0.682528)[&index=77,posterior=0.603196,age_95%_HPD={0.505994,0.949314}]:0.127116,
((Porpita_porpita[&index=29]:0.250658, Velella_velella[&index=28]:0.250658)
[&index=78,posterior=1.000000,age_95%_HPD={0.148432,0.378081}]:
0.302557, Staurocladia_wellingtoni[&index=30]:0.553216)
[&index=79,posterior=1.000000,age_95%_HPD={0.363111,0.753122}]:0.256428)
[&index=80,posterior=1.000000,age 95% HPD={0.648244,1.03405}]:0.144281,
((Rhizophysa_eysenhardtii[&index=35]:0.341078,Rhizophysa_filiformis[&index=34]:0.341078)
[&index=81,posterior=1.000000,age_95%_HPD={0.073875,0.578532}]:0.267689,Physalia_physalis[&index=36]:
0.608767)[&index=82,posterior=1.000000,age_95%_HPD={0.329224,0.854765}]:0.345157)
[&index=83,posterior=1.000000,age_95%_HPD={0.784189,1.15186}]:0.073008)
[&index=84,posterior=0.438083,age 95%_HPD={0.927538,1.13807}]:0.123228,((((Erenna richardi[&index=7]:
0.055102, Erenna_sirena[&index=8]:0.055102) [&index=85, posterior=0.998668, age_95%_HPD={0.013602, 0.114792}]:
0.032270, Erenna_laciniata [&index=6]:0.087372)
[&index=86,posterior=1.000000,age_95%_HPD={0.033102,0.170015}]:
0.187192, Stephanomia_amphytridis[&index=5]:0.274564)
[&index=87,posterior=1.000000,age_95%_HPD={0.100485,0.515635}]:0.261076,((Marrus_claudanielis[&index=9]:
0.225364, Physonect_sp[&index=10]:0.225364)
[&index=88,posterior=1.000000,age_95%_HPD={0.070883,0.372318}]:0.170020,(Stephalia_dilata[&index=12]:
0.118679, Thermopalia_sp[&index=11]:0.118679)
[&index=89,posterior=1.000000,age_95%_HPD={0.034154,0.234605}]:0.276705)
[&index=90,posterior=1.000000,age_95%_HPD={0.245144,0.598548}]:0.140256)
[&index=91,posterior=1.000000,age_95%_HPD={0.317504,0.720465}]:0.309097,((Apolemia_lanosa[&index=4]:
0.095636, Apolemia_rubriversa [&index=3]:0.095636)
[&index=92,posterior=1.000000,age_95%_HPD={0.029689,0.178489}]:0.546215,(Bargmannia_amoena[&index=1]:
0.196712,Bargmannia_elongata[&index=2]:0.196712)
[&index=93,posterior=1.000000,age_95%_HPD={0.062916,0.396918}]:0.445139)
[&index=94,posterior=1.000000,age_95%_HPD={0.287919,0.928763}]:0.202886)
[&index=95,posterior=0.986684,age_95%_HPD={0.557312,1.08738}]:0.305425)
[&index=96,posterior=1.000000,age 95% HPD={1.00665,1.31782}]:0.102547,(Nectadamas diomedeae[&index=42]:
0.741280, Nectopyramis natans [&index=43]: 0.741280)
[&index=97,posterior=1.000000,age_95%_HPD={0.270785,1.18176}]:0.511428)
[&index=98,posterior=0.994674,age_95%_HPD={1.10399,1.41905}]:0.066075,((((Hippopodius_hippopus[&index=39]:
0.352169, Vogtia_pentacantha[&index=40]:0.352169)
[&index=99,posterior=1.000000,age_95%_HPD={0.176497,0.538951}]:0.208697,Vogtia_glabra[&index=41]:
0.560866)[&index=100,posterior=1.000000,age 95% HPD={0.359047,0.756489}]:
0.300789, Cordagalma ordinatum [&index=38]: 0.861656)
[&index=101,posterior=1.000000,age_95%_HPD={0.644202,1.04814}]:0.255230,Praya_dubia[&index=37]:1.116886)
[&index=102,posterior=1.000000,age_95%_HPD={0.946268,1.38703}]:0.201897)
[&index=103,posterior=0.934754,age_95%_HPD={1.18455,1.4953}]:0.067914,Craseoa_lathetica[&index=44]:
1.386698)[&index=104,posterior=0.609854,age_95%_HPD={1.28079,1.5001}]:0.113290,
((((((((Lensia_conoidea[&index=54]:0.299387,Sulculeolaria_quadrivalvis[&index=53]:0.299387)
[&index=105,posterior=1.000000,age_95%_HPD={0.15729,0.473692}]:0.186753,Muggiaea_atlantica[&index=52]:
0.486140)[&index=106,posterior=0.854860,age_95%_HPD={0.329449,0.638834}]:
0.141170, Chelophyes_appendiculata [&index=55]: 0.627310)
[&index=107,posterior=0.917443,age_95%_HPD={0.466817,0.760953}]:0.120441,Abylopsis_tetragona[&index=51]:
0.747751)[&index=108,posterior=0.520639,age_95%_HPD={0.608205,0.900299}]:
0.087150, Diphyes_dispar[&index=50]:0.834901)
[&index=109,posterior=1.000000,age_95%_HPD={0.661868,0.987107}]:0.159585,
(Sphaeronectes_christiansonae[&index=56]:0.083872,Sphaeronectes_koellikeri[&index=57]:0.083872)
[&index=110,posterior=1.000000,age_95%_HPD={0.021875,0.174288}]:0.910613)
[&index=111,posterior=1.000000,age_95%_HPD={0.828068,1.16892}]:0.160037,
(((Chuniphyes_moserae[&index=49]:0.341933, Chuniphyes_multidentata[&index=48]:0.341933)
[&index=112,posterior=1.000000,age_95% HPD={0.124008,0.622217}]:0.304510,Kephyes_ovata[&index=47]:
```

```
 0.646443) [\&index=113,posterior=1.000000,age\_95\%\_HPD=\{0.387905,0.963532\}] : 0.248108, Crystallophyes\_amygdalina[\&index=46]:0.894551) \\ [\&index=114,posterior=1.000000,age\_95\%\_HPD=\{0.71352,1.10992\}]:0.259971) \\ [\&index=115,posterior=1.000000,age\_95\%\_HPD=\{0.953354,1.30324\}] : 0.112438, Tottonophyes\_enigmatica[\&index=45]:1.266960) \\ [\&index=116,posterior=0.994674,age\_95\%\_HPD=\{1.08562,1.44416\}]:0.093839, \\ ((Desmophyes\_haematogaster[&index=60]:0.542072, Lilyopsis\_fluoracantha[&index=61]:0.542072) \\ [\&index=117,posterior=1.000000,age\_95\%\_HPD=\{0.259188,0.878659\}]:0.539298, \\ (Gymnopraia\_lapislazula[&index=58]:0.744611, Rosacea\_flaccida[&index=59]:0.744611) \\ [\&index=118,posterior=0.986684,age\_95\%\_HPD=\{0.394869,1.0137\}]:0.336760) \\ [\&index=119,posterior=1.000000,age\_95\%\_HPD=\{1.18968,1.49805\}]:0.139188) \\ [\&index=121,posterior=1.000000,age\_95\%\_HPD=\{1.18968,1.49805\}]:0.000000; \\ \\ \end{tabular}
```

8.2) Ultrametric Bayesian time tree branch length inference in RevBayes (node labels are bayesian posteriors). Topology clamped to the Bayesian constrained topology inference in SM7. Tree rooted using outgroup constraint. Newick tree file underneath.



```
0.428627)[&index=63,posterior=1.000000,age_95%_HPD={0.388813,0.465234}]:
0.073450, Chelophyes_appendiculata [&index=44]: 0.502077)
[&index=64,posterior=1.000000,age_95%_HPD={0.464556,0.537631}]:0.063253,(Abylopsis_tetragona[&index=42]:
0.413478, Diphyes_dispar[&index=43]:0.413478)
[&index=65,posterior=1.000000,age_95%_HPD={0.368896,0.473875}]:0.151852)
[&index=66,posterior=1.000000,age_95%_HPD={0.530972,0.603199}]:0.098858,
(Sphaeronectes_christiansonae[&index=41]:0.052277,Sphaeronectes_koellikeri[&index=40]:0.052277)
[&index=67,posterior=1.000000,age_95%_HPD={0.029184,0.071637}]:0.611911)
[&index=68,posterior=1.000000,age_95%_HPD={0.633457,0.699096}]:0.066389,
(((Chuniphyes moserae[&index=50]:0.242742, Chuniphyes multidentata[&index=51]:0.242742)
[&index=69,posterior=1.000000,age_95%_HPD={0.202191,0.283849}]:0.172728,Kephyes_ovata[&index=49]:
0.415470)[&index=70,posterior=1.000000,age_95%_HPD={0.366124,0.465571}]:
0.170904, Crystallophyes_amygdalina [&index=48]: 0.586374)
[&index=71,posterior=1.000000,age_95%_HPD={0.53881,0.631883}]:0.144202)
[&index=72,posterior=1.000000,age_95%_HPD={0.699614,0.762914}]:
0.030810, Tottonophyes_enigmatica[&index=39]:0.761386)
[&index=73,posterior=1.000000,age_95%_HPD={0.730458,0.795008}]:0.042828,
(((((Hippopodius_hippopus[&index=58]:0.271871, Vogtia_pentacantha[&index=57]:0.271871)
[&index=74,posterior=1.000000,age_95%_HPD={0.227508,0.315139}]:0.113312,Vogtia_glabra[&index=56]:
0.385183)[&index=75,posterior=1.000000,age_95%_HPD={0.346144,0.429449}]:
0.270332, Gymnopraia_lapislazula [&index=55]: 0.655515)
[&index=76,posterior=1.000000,age 95% HPD={0.609742,0.694077}]:0.042010,Rosacea flaccida[&index=54]:
0.697525)[&index=77,posterior=1.000000,age_95%_HPD={0.652373,0.73615}]:0.044807,
(Desmophyes_haematogaster[&index=52]:0.323454,Lilyopsis_fluoracantha[&index=53]:0.323454)
[&index=78,posterior=1.000000,age_95%_HPD={0.272225,0.373523}]:0.418878)
[&index=79,posterior=1.000000,age_95%_HPD={0.708122,0.784062}]:0.061883)
[&index=80,posterior=1.000000,age_95%_HPD={0.770597,0.830632}]:0.021675,Craseoa_lathetica[&index=38]:
0.825889)[&index=81,posterior=1.000000,age 95% HPD={0.794168,0.857662}]:0.028184,
((Nectadamas_diomedeae[&index=60]:0.281031,Nectopyramis_natans[&index=61]:0.281031)
[&index=82,posterior=1.000000,age_95%_HPD={0.224303,0.329264}]:0.171094,Praya_dubia[&index=59]:0.452125)
[&index=83,posterior=1.000000,age_95%_HPD={0.378128,0.517556}]:0.401947)
0.075323, Athorybia_rosacea [&index=25]:0.075323)
[&index=85,posterior=1.000000,age 95% HPD={0.055491,0.095955}]:0.022176,Agalma elegans[&index=24]:
0.097500)[&index=86,posterior=1.000000,age_95%_HPD={0.076292,0.118116}]:
0.014808, Agalma clausi [&index=27]:0.112307)
[&index=87,posterior=1.000000,age_95%_HPD={0.089114,0.136687}]:0.067075,Halistemma_rubrum[&index=23]:
0.179383)[&index=88,posterior=1.000000,age_95%_HPD={0.143896,0.214021}]:
0.133033, Nanomia_bijuga[&index=22]:0.312416)
[&index=89,posterior=1.000000,age 95% HPD={0.257523,0.365434}]:0.184848,((Physophora gilmeri[&index=29]:
0.275750, Physophora_hydrostatica[&index=30]:0.275750)
[&index=90,posterior=1.000000,age_95%_HPD={0.225574,0.339549}]:
0.050970,Lychnagalma_utricularia[&index=28]:0.326720)
[&index=91,posterior=1.000000,age_95%_HPD={0.271887,0.381591}]:0.170545)
[&index=92,posterior=1.000000,age_95%_HPD={0.441594,0.558556}]:0.049013,((((Forskalia_edwardsii[&index=32]:
0.103065,Forskalia_tholoides[&index=33]:0.103065)
[&index=93,posterior=1.000000,age_95%_HPD={0.079956,0.130011}]:0.067212,Forskalia_formosa[&index=34]:
0.170276)[&index=94,posterior=1.000000,age_95%_HPD={0.14113,0.203422}]:
0.071351,Forskalia_asymmetrica[&index=31]:0.241628)
[&index=95,posterior=1.000000,age_95%_HPD={0.202614,0.280223}]:
0.204464, Cordagalma_ordinatum[&index=35]:0.446092)
[&index=96,posterior=1.000000,age_95%_HPD={0.400238,0.493962}]:0.100186)
[&index=97,posterior=1.000000,age_95%_HPD={0.507452,0.597718}]:0.007801,(Frillagalma_vityazi[&index=36]:
0.484913, Resomia_ornicephala [&index=37]: 0.484913)
[&index=98,posterior=1.000000,age_95%_HPD={0.429571,0.53891}]:0.069166)
[&index=99,posterior=1.000000,age_95%_HPD={0.513991,0.59932}]:0.159966,((((Erenna_richardi[&index=16]:
0.033472, Erenna_sirena[&index=15]:0.033472)
[&index=100,posterior=1.000000,age 95% HPD={0.018897,0.050147}]:0.014764,Erenna laciniata[&index=14]:
```

```
0.048236)[&index=101,posterior=1.000000,age_95%_HPD={0.029937,0.066898}]:
0.088412, Stephanomia_amphytridis [&index=17]: 0.136648)
[&index=102,posterior=1.000000,age_95%_HPD={0.101393,0.177289}]:0.119175,((Marrus_claudanielis[&index=21]:
0.119899, Physonect_sp[&index=20]:0.119899)
[&index=103,posterior=1.000000,age_95%_HPD={0.088168,0.153072}]:0.076593,(Stephalia_dilata[&index=18]:
0.063481,Thermopalia_sp[&index=19]:0.063481)
[&index=104,posterior=1.000000,age_95%_HPD={0.038764,0.096046}]:0.133012)
[&index=105,posterior=1.000000,age_95%_HPD={0.158451,0.23898}]:0.059330)
[&index=106,posterior=1.000000,age_95%_HPD={0.204796,0.305585}]:0.458222)
[&index=107,posterior=1.000000,age 95% HPD={0.655514,0.770082}]:0.160859)
[&index=108,posterior=1.000000,age_95%_HPD={0.836674,0.904831}]:0.007175,(Bargmannia_amoena[&index=12]:
0.143318,Bargmannia_elongata[&index=13]:0.143318)
[&index=109,posterior=1.000000,age_95%_HPD={0.099958,0.187042}]:0.738760)
[&index=110,posterior=1.000000,age_95%_HPD={0.843873,0.912856}]:0.017328,(Apolemia_lanosa[&index=10]:
0.072665, Apolemia_rubriversa [&index=11]: 0.072665)
[&index=111,posterior=1.000000,age 95% HPD={0.042241,0.102293}]:0.826741)
[&index=112,posterior=1.000000,age_95%_HPD={0.863613,0.934491}]:0.079891,
((Rhizophysa_eysenhardtii[&index=9]:0.247419,Rhizophysa_filiformis[&index=8]:0.247419)
[&index=113,posterior=1.000000,age_95%_HPD={0.189604,0.305318}]:0.271084,Physalia_physalis[&index=7]:
0.518503)[&index=114,posterior=1.000000,age_95%_HPD={0.449205,0.596834}]:0.460795)
[&index=115,posterior=1.000000,age_95%_HPD={0.948564,1}]:0.020704,(((Clytia_hemisphaerica[&index=2]:
0.682772, Hydra_circumcincta[&index=3]:0.682772)
[&index=116,posterior=1.000000,age 95% HPD={0.621748,0.741109}]:0.132465,Ectopleura dumortieri[&index=1]:
0.815237)[&index=117,posterior=1.000000,age_95%_HPD={0.75859,0.868878}]:0.062908,
((Porpita_porpita[&index=4]:0.241116, Velella_velella[&index=5]:0.241116)
[&index=118,posterior=1.000000,age_95%_HPD={0.198807,0.285079}]:
0.380380, Staurocladia_wellingtoni[&index=6]:0.621496)
[&index=119,posterior=1.000000,age 95% HPD={0.557402,0.686964}]:0.256649)
[&index=120,posterior=1.000000,age_95%_HPD={0.824274,0.926813}]:0.121856)
[&index=121,posterior=1.000000,age_95%_HPD={1,1}]:0.000000;
```