

Đáp Án Bài Tập Cuối Chương

src/App.jsx

```
import { BrowserRouter, Routes, Route, Navigate } from "react-router-dom";
import { JobProvider } from "../context/JobContext";
import Header from "../components/Header/Header";
import Home from "../screens/Home/Home";
import JobList from "../screens/JobList/JobList";
import JobDetail from "../screens/JobDetail/JobDetail";
import Admin from "../screens/Admin/Admin";
import JobManager from "../screens/Admin/JobManager/JobManager";
import AddJob from "../screens/Admin/AddJob/AddJob";
import NotFound from "../screens/NotFound/NotFound";

function App() {
  return (
    <JobProvider>
      <BrowserRouter>
        <Header />
        <Routes>
          <Route path="/" element=<Home /> />
          <Route path="/jobs" element=<JobList /> />
          <Route path="/jobs/:id" element=<JobDetail /> />
          <Route path="/careers" element=<Navigate to="/jobs" /> />
          <Route path="/admin" element=<Admin />>
            <Route path="jobs" element=<JobManager /> />
            <Route path="add" element=<AddJob /> />
          </Route>
          <Route path="*" element=<NotFound /> />
        </Routes>
      </BrowserRouter>
    </JobProvider>
  );
}

export default App;
```

src/context/JobContext.jsx

```
import { createContext, useState } from "react";

export const JobContext = createContext();

export function JobProvider({ children }) {
  const [jobs, setJobs] = useState([
    { id: 1, title: "Frontend Developer", company: "Tech Co", description: "Build responsive UIs with React." },
    { id: 2, title: "Backend Developer", company: "Data Inc", description: "Develop APIs with Node.js." },
  ]);
  const [applications, setApplications] = useState([]);

  return (
    <JobContext.Provider value={{ jobs, setJobs, applications, setApplications }}>
      {children}
    </JobContext.Provider>
  );
}
```

src/components/Header/Header.jsx

```
import { NavLink } from "react-router-dom";
import "./Header.css";

function Header() {
  return (
    <header>
      <nav>
        <NavLink to="/" className={{ isActive }} => (isActive ? "active" : "")>
          Home
        </NavLink>{" "}
        | {" "}
        <NavLink to="/jobs" className={{ isActive }} => (isActive ? "active" : "")>
          Jobs
        </NavLink>{" "}
        | {" "}
        <NavLink to="/admin" className={{ isActive }} => (isActive ? "active" : "")>
          Admin
        </NavLink>
      </nav>
    </header>
  );
}

export default Header;
```

src/components/Header/Header.css

```
header {
  padding: 10px;
  background-color: #007bff;
}

header a {
  margin-right: 15px;
  color: white;
  text-decoration: none;
}

.active {
  font-weight: bold;
  border-bottom: 2px solid white;
}
```

src/components/JobApplicationForm/JobApplicationForm.jsx

```
import { useState, useContext } from "react";
import { JobContext } from "../../context/JobContext";
import { useParams, useNavigate } from "react-router-dom";
import "./JobApplicationForm.css";

function JobApplicationForm() {
  const [name, setName] = useState("");
  const [email, setEmail] = useState("");
  const { applications, setApplications } = useContext(JobContext);
  const { id } = useParams();
  const navigate = useNavigate();
```

```

const handleSubmit = (e) => {
  e.preventDefault();
  const newApplication = { jobId: Number(id), name, email };
  setApplications([...applications, newApplication]);
  alert("Application submitted successfully!");
  navigate("/jobs");
};

return (
  <form onSubmit={handleSubmit}>
    <div>
      <label>Name:</label>
      <input
        type="text"
        value={name}
        onChange={(e) => setName(e.target.value)}
        required
      />
    </div>
    <div>
      <label>Email:</label>
      <input
        type="email"
        value={email}
        onChange={(e) => setEmail(e.target.value)}
        required
      />
    </div>
    <button type="submit">Apply</button>
  </form>
);
}

export default JobApplicationForm;

```

src/components/JobApplicationForm/JobApplicationForm.css

```

form {
  display: flex;
  flex-direction: column;
  gap: 15px;
  max-width: 300px;
  margin: 20px 0;
}

input {
  padding: 5px;
  width: 100%;
}

button {
  padding: 8px;
  background-color: #28a745;
  color: white;
  border: none;
  cursor: pointer;
}

```

src/screens/Home/Home.jsx

```
function Home() {  
  return <h1>Welcome to Job Board</h1>;  
}  
  
export default Home;
```

src/screens/JobList/JobList.jsx

```
import { useContext } from "react";  
import { JobContext } from "../../context/JobContext";  
import { Link } from "react-router-dom";  
  
function JobList() {  
  const { jobs } = useContext(JobContext);  
  return (  
    <div>  
      <h1>Job Listings</h1>  
      <ul>  
        {jobs.map((job) => (  
          <li key={job.id}>  
            <Link to={`/jobs/${job.id}`}>{job.title} - {job.company}</Link>  
          </li>  
        ))}  
      </ul>  
    </div>  
  );  
}  
  
export default JobList;
```

src/screens/JobDetail/JobDetail.jsx

```
import { useContext } from "react";  
import { JobContext } from "../../context/JobContext";  
import { useParams } from "react-router-dom";  
import JobApplicationForm from "../../components/JobApplicationForm/JobApplicationForm";  
  
function JobDetail() {  
  const { id } = useParams();  
  const { jobs } = useContext(JobContext);  
  const job = jobs.find((j) => j.id === Number(id));  
  
  if (!job) return <h1>Job not found</h1>;  
  return (  
    <div>  
      <h1>{job.title}</h1>  
      <p><strong>Company:</strong> {job.company}</p>  
      <p>{job.description}</p>  
      <h3>Apply Now</h3>  
      <JobApplicationForm />  
    </div>  
  );  
}  
  
export default JobDetail;
```

src/screens/Admin/Admin.jsx

```
import { Link, Outlet } from "react-router-dom";

function Admin() {
  return (
    <div>
      <h1>Admin Panel</h1>
      <nav>
        <Link to="jobs">Manage Jobs</Link> | <Link to="add">Add Job</Link>
      </nav>
      <Outlet />
    </div>
  );
}

export default Admin;
```

src/screens/Admin/JobManager/JobManager.jsx

```
import { useContext } from "react";
import { JobContext } from "../../context/JobContext";

function JobManager() {
  const { jobs } = useContext(JobContext);
  return (
    <div>
      <h2>Manage Jobs</h2>
      <ul>
        {jobs.map((job) => (
          <li key={job.id}>{job.title} - {job.company}</li>
        ))}
      </ul>
    </div>
  );
}

export default JobManager;
```

src/screens/Admin/AddJob/AddJob.jsx

```
import { useState, useContext } from "react";
import { JobContext } from "../../context/JobContext";
import { useNavigate } from "react-router-dom";

function AddJob() {
  const [title, setTitle] = useState("");
  const [company, setCompany] = useState("");
  const [description, setDescription] = useState("");
  const { jobs, setJobs } = useContext(JobContext);
  const navigate = useNavigate();

  const handleSubmit = (e) => {
    e.preventDefault();
    const newJob = { id: jobs.length + 1, title, company, description };
    setJobs([...jobs, newJob]);
    alert("Job added successfully!");
    navigate("/admin/jobs");
  };
}
```

```

return (
  <div>
    <h2>Add New Job</h2>
    <form onSubmit={handleSubmit}>
      <div>
        <label>Title:</label>
        <input
          type="text"
          value={title}
          onChange={(e) => setTitle(e.target.value)}
          required
        />
      </div>
      <div>
        <label>Company:</label>
        <input
          type="text"
          value={company}
          onChange={(e) => setCompany(e.target.value)}
          required
        />
      </div>
      <div>
        <label>Description:</label>
        <textarea
          value={description}
          onChange={(e) => setDescription(e.target.value)}
          required
        />
      </div>
      <button type="submit">Add Job</button>
    </form>
  </div>
);
}

export default AddJob;

```

src/screens/NotFound/NotFound.jsx

```

import { Link, useLocation } from "react-router-dom";

function NotFound() {
  const location = useLocation();
  return (
    <div>
      <h1>404 - Page Not Found</h1>
      <p>Oops! The page "{location.pathname}" doesn't exist.</p>
      <Link to="/">Return to Home</Link>
    </div>
  );
}

export default NotFound;

```

src/index.css

```

body {
  font-family: Arial, sans-serif;

```



```
margin: 0;
padding: 20px;
}

h1 {
  color: #333;
}

ul {
  list-style-type: none;
  padding: 0;
}
```