

8. Create Statistic function


+ Add model: SumSaleQuantity.cs

```
public class SumSaleQuantity
{
    public string bookName { get; set; }
    public int? sumQuantity { get; set; }
}
```

+ Add controller: StatisticController.cs

```
public class StatisticController : Controller
{
    dbBookStoreDataContext db = new dbBookStoreDataContext();
    public ActionResult StatisticBook()
    {
        List<SumSaleQuantity> lst = (from a in db.books join b in db.orderdetails on
        a.book_id equals b.book_id group b by b.book_id into g select new
        SumSaleQuantity {bookName = g.First().book.book_name, sumQuantity = g.Sum(x =>
        x.quantity) }).ToList();
        return View(lst);
    }
}
```

+ Add view: StatisticBook.cshtml



+ Layout code: StatisticBook.cshtml

```
@model IEnumerable<Lab04.Models.SumSaleQuantity>
@{
    ViewBag.Title = "StatisticBook";
    Layout = "~/Views/Shared/_Layout.cshtml";
}
<h2>Statistic of Sale Book Quantity</h2>
<table class="table">
    <tr>
        <th><strong>Book Name</strong></th>
        <th><strong>Sale Quantity</strong></th>
    </tr>
    @foreach (var item in Model)
    {
        <tr>
            <td>@Html.DisplayFor(modelItem => item.bookName)</td>
            <td>
                @if (item.sumQuantity == null)
                {
                    <label style="font-weight:normal">0</label>
                }
                else
                {
                    @item.sumQuantity
                }
            </td>
        </tr>
    }
</table>
```

9. Create Order page

+ Add model: Order.cs

```
public class Order
{
    public int orderID { get; set; }
    public string customerID { get; set; }
    public bool isShip { get; set; }
    public bool isPayment { get; set; }
    public DateTime deliveryDate { get; set; }
    public DateTime orderDate { get; set; }
    public decimal? total { get; set; }
}
```

+ Add controller: OrderController.cs

```
public class OrderController : Controller
{
    dbBookStoreDataContext db = new dbBookStoreDataContext();
    // GET: Order
    public ActionResult Orders()
    {
        //var items = db.orders.OrderByDescending(x => x.order_date).ToList();
        List<Order> lst = (from a in db.orders join b in db.orderdetails
                           on a.order_id equals b.order_id
                           group b by b.order_id into g
                           select new Order
                           {
                               orderID = g.First().order.order_id,
                               customerID = g.First().order.customer_id.ToString(),
                               isShip = g.First().order.isship.Value,
                               isPayment = g.First().order.ispayment.Value,
                               deliveryDate = g.First().order.delivery_date.Value,
                               orderDate = g.First().order.order_date.Value,
                               total = g.Sum(x => x.price)
                           }).ToList();

        return View(lst);
    }
}
```

+ Result of Order.cshtml view:

Hutech Library Home About Contact Register Login Cart () Statistic Orders									
Order									
#	Order ID	Customer ID	Order Date	Delivery Date	Is Ship	Is Payment	Total		
1	1	1	03/10/2023 12:00:00 AM	12/10/2023 12:00:00 AM	False	False	3		<button>Detail</button>
2	2	1	04/10/2023 12:00:00 AM	11/10/2023 12:00:00 AM	False	False	3		<button>Detail</button>
3	3	1	08/10/2023 12:00:00 AM	11/10/2023 12:00:00 AM	False	False	9		<button>Detail</button>
© 2023 - My ASP.NET Application									

+ Layout of Order.cshtml

```
@model IEnumerable<Lab04.Models.Order>
@{
    ViewBag.Title = "Orders";
    Layout = "~/Views/Shared/_Layout.cshtml";
}
<h2>Order</h2>
<table class="table">
    <tr>
        <th>#</th>
        <th>Order ID</th>
        <th>Customer ID</th>
        <th>Order Date</th>
        <th>Delivery Date</th>
        <th>Is Ship</th>
        <th>Is Payment</th>
        <th>Total</th>
        <th></th>
    </tr>
    <tbody>
        @if (Model != null && Model.Any())
        {
            var i = 1;
            foreach (var item in Model)
            {
                <tr>
                    <td>@i</td>
                    <td>@item.orderID</td>
                    <td>@item.customerID</td>
                    <td>@item.orderDate</td>
                    <td>@item.deliveryDate</td>
                    <td>@(item.isShip==true?"True":"False")</td>
                    <td>@(item.isPayment==true?"True":"False")</td>
                    <td>@item.total.ToString()</td>
                    <td>
                        @Html.ActionLink("Detail", "Detail", "Order", new {id=item.orderID}, new { @class="
btn btn-default"})
                    </td>
                </tr>
                i++;
            }
        }
    </tbody>
</table>
```

10. Create OrderDetail page

+ Click Detail from Order page.

Hutech Library

Home

About

Contact

Register

Login

Cart ()

Statistic

Orders

Order Detail

#	Order ID	Book ID	Quantity	Price
1	3	1	1	3
2	3	2	1	3
3	3	3	1	3

© 2023 - My ASP.NET Application

+ ~~Change Customer ID to Customer Name in Order page.~~

+ Change Book ID to Book Name in OrderDetail page.

+ Add total column of every book after Price column in OrderDetail page.

11. Customer Profile: Create a page for users to edit their info (username, password, shipping address, ...).

12. Purchase History: Display previous orders, invoices, and bought products.

11. Send email to customers to notify order information.

(*)Layout: Free style (up to each student).