

# **Styling of Form Elements**

With the impact that forms have on our day-to-day Internet commerce and lifestyle, forms are always in the foreground of website design.

Web designers want to control the look and feel of form elements in their web page design so that they are more appealing to their audience and also fit in with the rest of the design.

The problem is that browsers manipulate the visual display of form elements from one browser to the next. Even the same browser version can display a form element differently on separate operating systems.

This appendix covers how browsers don't render form controls consistently. Since there are about 10 browsers and 20 CSS properties reviewed, as well as 8 HTML form elements, the entire appendix is too large to print. So, we took it to the Internet and made it available online for free. If you're viewing this appendix as a standalone piece online, you can access the full book here: <http://oreilly.com/catalog/9780596155933/>.

## **Anatomy of the Appendix**

The first part of this appendix lists the properties and their respective values that were tested (as shown in [Table E-1](#)).

The second part examines eight form elements and how they can be modified using 20 CSS properties (listed in [Table E-1](#)) in 10 different browsers:

- Checkboxes, as shown in [Table E-2](#) and [Figure E-1](#) to [Figure E-20](#)
- File upload, as shown in [Table E-3](#) and [Figure E-21](#) to [Figure E-40](#)
- Radio buttons, as shown in [Table E-4](#) and [Figure E-41](#) to [Figure E-60](#)
- Input text, as shown in [Table E-5](#) and [Figure E-61](#) to [Figure E-80](#)
- Select with multiple items, as shown in [Table E-6](#) and [Figure E-81](#) to [Figure E-100](#)
- Select with an individual item, as shown in [Table E-7](#) and [Figure E-101](#) to [Figure E-120](#)

- Submit button, as shown in [Table E-8](#) and [Figure E-121](#) to [Figure E-140](#)
- **Textarea**, as shown in [Table E-9](#) and [Figure E-141](#) to [Figure E-160](#)

The values used in Tables [E-2](#) to [E-9](#) include NA, Y, N, and S.

NA stands for *Not Available* (meaning that the CSS property does not apply to the form element), Y for *Yes* (meaning that the CSS property's value is properly applied), N for *No* (meaning that the CSS property's value was not applied), and S for *Somewhat* (meaning that some part of the CSS property's value is being applied).



The *Somewhat* value marks unusual situations. There are points within the HTML and CSS specifications that do not define a certain behavior, and therefore determination of a CSS rule's successful application becomes difficult.

For example, Firefox expands the width of the input field as well as the space between letters when using the `letter-spacing` property.

In this instance, the discrepancy could be due to Firefox calculating the default width of the input field on a certain number of characters, whereas the other browsers could be basing the width on a predetermined value or an unadjusted number of characters at the font size of the input field.

## Tested CSS Properties

*Table E-1. The properties and their values used in testing form elements*

Property	Value
<code>background-color</code>	<code>#ccff00;</code>
<code>background-image</code>	<code>url(checkerboard_bkgd.gif);</code>
<code>border</code>	<code>0;</code>
<code>border-color</code>	<code>1px solid red;</code>
<code>border-style</code>	<code>groove;</code>
<code>border-width</code>	<code>24px;</code>
<code>color</code>	<code>#00ccff;</code>
<code>font-family</code>	<code>Georgia, Times, 'Times New Roman', serif;</code>
<code>font-size</code>	<code>24px;</code>
<code>font-weight</code>	<code>bold;</code>
<code>height</code>	<code>100px;</code>
<code>letter-spacing</code>	<code>24px;</code>
<code>line-height</code>	<code>1.5;</code>
<code>margin</code>	<code>24px;</code>

Property	Value
padding	24px;
text-align	right;
text-decoration	underline;
text-indent	24px;
width	100px;
word-spacing	24px;

## Input Element for Checkboxes

A checkbox element is a form element, which allows on/off selections for one or multiple items for a grouping. An example of a checkbox is one that lets you select which ingredients you would like on a pizza.

*Table E-2. A review of the CSS properties on checkboxes*

	WinIE6	WinIE7	WinIE8b2	Chrome	MacFF3	WinFF3	Mac099	Win099	MacSF3	WinSF3	MacSF4b	WinSF4b
background-color	S	S	S	N	N	N	Y	Y	N	N	N	N
background-image	S	S	S	N	N	N	Y	Y	N	N	N	N
border	N	N	N	N	N	N	N	N	N	N	N	N
border-color	S	S	S	N	N	N	S	S	N	N	N	N
border-style	S	S	S	N	N	N	Y	Y	N	N	N	N
border-width	N	N	N	N	N	N	N	N	N	N	N	N
color	N	N	N	N	N	N	N	N	N	N	N	N
font-family	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
font-size	N	N	N	N	N	N	N	N	N	N	N	N
font-weight	N	N	N	N	N	N	N	N	N	N	N	N
height	S	S	S	N	S	S	S	S	S	S	S	S
letter-spacing	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
line-height	N	N	N	N	N	N	N	N	N	N	N	N
margin	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
padding	N	N	Y	N	N	Y	Y	Y	N	N	N	N
text-align	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
text-decoration	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
text-indent	Y	S	S	N	N	N	S	S	S	S	S	S
width	S	S	S	N	S	N	S	S	N	N	N	N
word-spacing	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

## background-color

Input - Checkboxes	
IE 6 for Windows:	<input type="checkbox"/> <input checked="" type="checkbox"/>
Opera 9 for Macintosh:	<input checked="" type="checkbox"/>
IE 7 for Windows:	<input type="checkbox"/> <input checked="" type="checkbox"/>
Opera 9 for Windows:	<input checked="" type="checkbox"/>
IE 8 Beta 2 for Windows:	<input type="checkbox"/> <input checked="" type="checkbox"/>
Safari 3 for Macintosh:	<input type="checkbox"/> <input checked="" type="checkbox"/>
Chrome for Windows:	<input type="checkbox"/> <input checked="" type="checkbox"/>
Safari 3 for Windows:	<input type="checkbox"/> <input checked="" type="checkbox"/>
FF 3 for Macintosh:	<input type="checkbox"/> <input checked="" type="checkbox"/>
Safari 4 Beta for Macintosh:	<input type="checkbox"/> <input checked="" type="checkbox"/>
FF 3 for Windows:	<input type="checkbox"/> <input checked="" type="checkbox"/>
Safari 4 Beta for Windows:	<input type="checkbox"/> <input checked="" type="checkbox"/>

Figure E-1. Testing the background color of checkboxes

## background-image

Input - Checkboxes	
IE 6 for Windows:	
IE 7 for Windows:	
IE 8 Beta 2 for Windows:	
Chrome for Windows:	
FF 3 for Macintosh:	
FF 3 for Windows:	
Opera 9 for Macintosh:	
Opera 9 for Windows:	
Safari 3 for Macintosh:	
Safari 3 for Windows:	
Safari 4 Beta for Macintosh:	
Safari 4 Beta for Windows:	

Figure E-2. Testing background images in checkboxes

**border: 0;**

Input - Checkboxes	
IE 6 for Windows: <input type="checkbox"/> <input checked="" type="checkbox"/>	Opera 9 for Macintosh: <input type="checkbox"/> <input checked="" type="checkbox"/>
IE 7 for Windows: <input type="checkbox"/> <input checked="" type="checkbox"/>	Opera 9 for Windows: <input type="checkbox"/> <input checked="" type="checkbox"/>
IE 8 Beta 2 for Windows: <input type="checkbox"/> <input checked="" type="checkbox"/>	Safari 3 for Macintosh: <input type="checkbox"/> <input checked="" type="checkbox"/>
Chrome for Windows: <input type="checkbox"/> <input checked="" type="checkbox"/>	Safari 3 for Windows: <input type="checkbox"/> <input checked="" type="checkbox"/>
FF 3 for Macintosh: <input type="checkbox"/> <input checked="" type="checkbox"/>	Safari 4 Beta for Macintosh: <input type="checkbox"/> <input checked="" type="checkbox"/>
FF 3 for Windows: <input type="checkbox"/> <input checked="" type="checkbox"/>	Safari 4 Beta for Windows: <input type="checkbox"/> <input checked="" type="checkbox"/>

Figure E-3. Testing the removal of borders from checkboxes

## border-color

Input - Checkboxes	
IE 6 for Windows:	<input type="checkbox"/> <input checked="" type="checkbox"/>
Opera 9 for Macintosh:	<input type="checkbox"/> <input checked="" type="checkbox"/>
IE 7 for Windows:	<input type="checkbox"/> <input checked="" type="checkbox"/>
Opera 9 for Windows:	<input type="checkbox"/> <input checked="" type="checkbox"/>
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
<input type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> <input checked="" type="checkbox"/>
Chrome for Windows:	Safari 3 for Windows:
<input type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> <input checked="" type="checkbox"/>
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
<input type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> <input checked="" type="checkbox"/>
FF 3 for Windows:	Safari 4 Beta for Windows:
<input type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> <input checked="" type="checkbox"/>

Figure E-4. Testing colors on the checkbox borders

## border-style



Input - Checkboxes	
IE 6 for Windows:	
Opera 9 for Macintosh:	
IE 7 for Windows:	
Opera 9 for Windows:	
IE 8 Beta 2 for Windows:	
Safari 3 for Macintosh:	
Chrome for Windows:	
Safari 3 for Windows:	
FF 3 for Macintosh:	
Safari 4 Beta for Macintosh:	
FF 3 for Windows:	
Safari 4 Beta for Windows:	

Figure E-5. Testing the styles of borders on checkboxes

## border-width

Input - Checkboxes	
IE 6 for Windows:	Opera 9 for Macintosh:
<input type="checkbox"/> <input checked="" type="checkbox"/> border-width	<input type="checkbox"/> <input checked="" type="checkbox"/> border-width
IE 7 for Windows:	Opera 9 for Windows:
<input type="checkbox"/> <input checked="" type="checkbox"/> border-width	<input type="checkbox"/> <input checked="" type="checkbox"/> border-width
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
<input type="checkbox"/> <input checked="" type="checkbox"/> border-width	<input type="checkbox"/> <input checked="" type="checkbox"/> border-width
Chrome for Windows:	Safari 3 for Windows:
<input type="checkbox"/> <input checked="" type="checkbox"/> border-width	<input type="checkbox"/> <input checked="" type="checkbox"/> border-width
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
<input type="checkbox"/> <input checked="" type="checkbox"/> border-width	<input type="checkbox"/> <input checked="" type="checkbox"/> border-width
FF 3 for Windows:	Safari 4 Beta for Windows:
<input type="checkbox"/> <input checked="" type="checkbox"/> border-width	<input type="checkbox"/> <input checked="" type="checkbox"/> border-width

Figure E-6. Testing the widths of borders on checkboxes

## color



Input - Checkboxes	
IE 6 for Windows:	Opera 9 for Macintosh:
	
IE 7 for Windows:	Opera 9 for Windows:
	
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
	
Chrome for Windows:	Safari 3 for Windows:
	
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
	
FF 3 for Windows:	Safari 4 Beta for Windows:
	

Figure E-7. Testing the color of checkboxes

## font-family

Input - Checkboxes	
IE 6 for Windows:	Opera 9 for Macintosh:
<input type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> <input checked="" type="checkbox"/>
IE 7 for Windows:	Opera 9 for Windows:
<input type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> <input checked="" type="checkbox"/>
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
<input type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> <input checked="" type="checkbox"/>
Chrome for Windows:	Safari 3 for Windows:
<input type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> <input checked="" type="checkbox"/>
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
<input type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> <input checked="" type="checkbox"/>
FF 3 for Windows:	Safari 4 Beta for Windows:
<input type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> <input checked="" type="checkbox"/>

Figure E-8. Testing setting a different font on checkboxes

## font-size







Input - Checkboxes	
IE 6 for Windows:	Opera 9 for Macintosh:
	
IE 7 for Windows:	Opera 9 for Windows:
	
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
	
Chrome for Windows:	Safari 3 for Windows:
	
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
	
FF 3 for Windows:	Safari 4 Beta for Windows:
	

Figure E-9. Testing a different size of font on checkboxes

## font-weight

Input - Checkboxes	
IE 6 for Windows:	Opera 9 for Macintosh:
<input type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> <input checked="" type="checkbox"/>
IE 7 for Windows:	Opera 9 for Windows:
<input type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> <input checked="" type="checkbox"/>
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
<input type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> <input checked="" type="checkbox"/>
Chrome for Windows:	Safari 3 for Windows:
<input type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> <input checked="" type="checkbox"/>
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
<input type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> <input checked="" type="checkbox"/>
FF 3 for Windows:	Safari 4 Beta for Windows:
<input type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> <input checked="" type="checkbox"/>

Figure E-10. Testing a bold font on checkboxes

## height

Input - Checkboxes	
IE 6 for Windows:	Opera 9 for Macintosh:
	
IE 7 for Windows:	Opera 9 for Windows:
	
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
	
Chrome for Windows:	Safari 3 for Windows:
	
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
	
FF 3 for Windows:	Safari 4 Beta for Windows:
	

Figure E-11. Testing setting a height on checkboxes

## letter-spacing

Input - Checkboxes	
IE 6 for Windows:	Opera 9 for Macintosh:
<input type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> <input checked="" type="checkbox"/>
IE 7 for Windows:	Opera 9 for Windows:
<input type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> <input checked="" type="checkbox"/>
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
<input type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> <input checked="" type="checkbox"/>
Chrome for Windows:	Safari 3 for Windows:
<input type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> <input checked="" type="checkbox"/>
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
<input type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> <input checked="" type="checkbox"/>
FF 3 for Windows:	Safari 4 Beta for Windows:
<input type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> <input checked="" type="checkbox"/>

Figure E-12. Testing the letter spacing on checkboxes

## line-height

Input - Checkboxes	
IE 6 for Windows:	Opera 9 for Macintosh:
IE 7 for Windows:	Opera 9 for Windows:
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
Chrome for Windows:	Safari 3 for Windows:
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
FF 3 for Windows:	Safari 4 Beta for Windows:

Figure E-13. Testing setting the spacing between lines of text on checkboxes

## margin



Figure E-14. Testing margins on checkboxes

## padding





Input - Checkboxes	
IE 6 for Windows:	Opera 9 for Macintosh:
	
IE 7 for Windows:	Opera 9 for Windows:
	
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
	
Chrome for Windows:	Safari 3 for Windows:
	
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
	
FF 3 for Windows:	Safari 4 Beta for Windows:
	

Figure E-15. Testing padding on checkboxes

## text-align

Input - Checkboxes	
IE 6 for Windows:	Opera 9 for Macintosh:
<input type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> <input checked="" type="checkbox"/>
IE 7 for Windows:	Opera 9 for Windows:
<input type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> <input checked="" type="checkbox"/>
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
<input type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> <input checked="" type="checkbox"/>
Chrome for Windows:	Safari 3 for Windows:
<input type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> <input checked="" type="checkbox"/>
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
<input type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> <input checked="" type="checkbox"/>
FF 3 for Windows:	Safari 4 Beta for Windows:
<input type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> <input checked="" type="checkbox"/>

Figure E-16. Testing the alignment of text on checkboxes

## text-decoration

Input - Checkboxes	
IE 6 for Windows:	Opera 9 for Macintosh:
<input type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> <input checked="" type="checkbox"/>
IE 7 for Windows:	Opera 9 for Windows:
<input type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> <input checked="" type="checkbox"/>
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
<input type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> <input checked="" type="checkbox"/>
Chrome for Windows:	Safari 3 for Windows:
<input type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> <input checked="" type="checkbox"/>
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
<input type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> <input checked="" type="checkbox"/>
FF 3 for Windows:	Safari 4 Beta for Windows:
<input type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> <input checked="" type="checkbox"/>

Figure E-17. Testing setting a different font on checkboxes

## text-indent






Input - Checkboxes	
IE 6 for Windows:	Opera 9 for Macintosh:
	
IE 7 for Windows:	Opera 9 for Windows:
	
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
	
Chrome for Windows:	Safari 3 for Windows:
	
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
	
FF 3 for Windows:	Safari 4 Beta for Windows:
	

Figure E-18. Testing indenting the text on checkboxes

## width

Input - Checkboxes	
IE 6 for Windows:	Opera 9 for Macintosh:
<input type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> <input checked="" type="checkbox"/>
IE 7 for Windows:	Opera 9 for Windows:
<input type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> <input checked="" type="checkbox"/>
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
<input type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> <input checked="" type="checkbox"/>
Chrome for Windows:	Safari 3 for Windows:
<input type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> <input checked="" type="checkbox"/>
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
<input type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> <input checked="" type="checkbox"/>
FF 3 for Windows:	Safari 4 Beta for Windows:
<input type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> <input checked="" type="checkbox"/>

Figure E-19. Testing the width of checkboxes

## word-spacing












Input - Checkboxes	
IE 6 for Windows:	Opera 9 for Macintosh:
	
IE 7 for Windows:	Opera 9 for Windows:
	
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
	
Chrome for Windows:	Safari 3 for Windows:
	
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
	
FF 3 for Windows:	Safari 4 Beta for Windows:
	

Figure E-20. Testing the spacing between words on checkboxes

## Input Element for File Uploads

Also known as file select, this form element allows users to pick a file from their computer for submission along with a form.

*Table E-3. A review of the CSS properties on file upload*

	WinIE6	WinIE7	WinIE8b2	Chrome	MacFF3	WinFF3	Mac099	Win099	MacSF3	WinSF3	MacSF4b	WinSF4b
background-color	Y	Y	Y	Y	N	N	Y	Y	Y	Y	Y	Y
background-image	Y	Y	Y	Y	N	N	Y	Y	Y	Y	Y	Y
border	Y	Y	Y	N	N	Y	Y	N	N	N	N	N
border-color	Y	Y	Y	S	N	N	S	S	S	S	S	S
border-style	Y	Y	Y	N	N	Y	Y	N	N	N	N	N
border-width	Y	Y	Y	N	N	S	S	N	N	N	N	N
color	N	N	N	Y	N	N	Y	N	Y	Y	Y	Y
font-family	N	N	Y	Y	N	Y	Y	N	N	Y	Y	Y
font-size	Y	Y	Y	Y	N	Y	Y	Y	Y	Y	Y	Y
font-weight	N	N	N	Y	N	N	Y	Y	Y	S	S	S
height	Y	Y	Y	S	S	S	Y	Y	Y	S	S	S
letter-spacing	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
line-height	N	N	N	N	N	N	Y	Y	Y	N	N	N
margin	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
padding	Y	Y	N	N	N	N	Y	Y	N	N	N	N
text-align	N	N	N	N	N	N	N	N	N	N	N	N
text-decoration	N	N	N	Y	N	N	N	N	N	Y	Y	Y
text-indent	Y	Y	Y	Y	Y	Y	Y	Y	N	Y	Y	Y
width	Y	N	N	Y	S	S	Y	Y	Y	Y	Y	Y
word-spacing	N	N	N	Y	N	N	N	N	Y	Y	S	S

## background-color




Figure E-21. Testing the background color of file input

## background-image




Figure E-22. Testing background images in file input

**border: 0;**

Input - File	
IE 6 for Windows:	Opera 9 for Macintosh:
<input style="border: 0;" type="file"/> <input type="button" value="Browse..."/>	<input style="border: 0;" type="file"/> <input type="button" value="Choose..."/>
IE 7 for Windows:	Opera 9 for Windows:
<input style="border: 0;" type="file"/> <input type="button" value="Browse..."/>	<input style="border: 0;" type="file"/> <input type="button" value="Choose..."/>
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
<input style="border: 0;" type="file"/> <input type="button" value="Browse..."/>	<input style="border: 0;" type="file"/> <input type="button" value="Choose File"/> no file selected
Chrome for Windows:	Safari 3 for Windows:
<input style="border: 0;" type="file"/> <input type="button" value="Choose File"/> No file chosen	<input style="border: 0;" type="file"/> <input type="button" value="Choose File"/> no file selected
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
<input style="border: 0;" type="file"/> <input type="button" value="Browse..."/>	<input style="border: 0;" type="file"/> <input type="button" value="Choose File"/> no file selected
FF 3 for Windows:	Safari 4 Beta for Windows:
<input style="border: 0;" type="file"/> <input type="button" value="Browse..."/>	<input style="border: 0;" type="file"/> <input type="button" value="Choose File"/> no file selected

Figure E-23. Testing the removal of borders on file input

## border-color




Figure E-24. Testing colors on the file input borders

## border-style



Figure E-25. Testing the styles of borders of file input

## border-width




Figure E-26. Testing the widths of borders on file input

## color




Figure E-27. Testing the color on file input

## font-family

Input - File	
IE 6 for Windows:	Opera 9 for Macintosh:
<input type="text" value="font-family"/> <input type="button" value="Browse..."/>	<input type="text" value="font-family"/> <input type="button" value="Choose..."/>
IE 7 for Windows:	Opera 9 for Windows:
<input type="text" value="font-family"/> <input type="button" value="Browse..."/>	<input type="text" value="font-family"/> <input type="button" value="Choose..."/>
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
<input type="text" value="font-family"/> <input type="button" value="Browse..."/>	<input type="text" value="font-family"/> <small>(Choose File) no file selected</small>
Chrome for Windows:	Safari 3 for Windows:
<input type="text" value="font-family"/> <small>Choose File No file chosen</small>	<input type="text" value="font-family"/> <small>(Choose File) no file selected</small>
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
<input type="text" value="font-family"/> <input type="button" value="Browse..."/>	<input type="text" value="font-family"/> <small>(Choose File) no file selected</small>
FF 3 for Windows:	Safari 4 Beta for Windows:
<input type="text" value="font-family"/> <input type="button" value="Browse..."/>	<input type="text" value="font-family"/> <small>(Choose File) no file selected</small>

Figure E-28. Testing setting a different font on file input

## font-size



Figure E-29. Testing a different size of font on file input

## font-weight

Input - File	
IE 6 for Windows:	Opera 9 for Macintosh:
<input type="file" value="font-weight"/> <input type="button" value="Browse..."/>	<input type="file" value="font-weight"/> <input type="button" value="Choose..."/>
IE 7 for Windows:	Opera 9 for Windows:
<input type="file" value="font-weight"/> <input type="button" value="Browse..."/>	<input type="file" value="font-weight"/> <input type="button" value="Choose..."/>
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
<input type="file" value="font-weight"/> <input type="button" value="Browse..."/>	<input type="file" value="font-weight"/> <small>(Choose File) no file selected</small>
Chrome for Windows:	Safari 3 for Windows:
<input type="file" value="font-weight"/> <b>Choose File</b> No file chosen	<input type="file" value="font-weight"/> <small>(Choose File) no file selected</small>
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
<input type="file" value="font-weight"/> <input type="button" value="Browse..."/>	<input type="file" value="font-weight"/> <b>Choose File</b> no file selected
FF 3 for Windows:	Safari 4 Beta for Windows:
<input type="file" value="font-weight"/> <input type="button" value="Browse..."/>	<input type="file" value="font-weight"/> <b>Choose File</b> no file selected

Figure E-30. Testing a bold font on file input

## height



Figure E-31. Testing setting a height for file input

## letter-spacing




Figure E-32. Testing the letter spacing of file input

## line-height




Figure E-33. Testing setting the spacing between lines of text on file input

## margin




Figure E-34. Testing margins on file input

## padding




Figure E-35. Testing padding on file input

## text-align

Input - File	
IE 6 for Windows:	Opera 9 for Macintosh:
<input type="file" value="text-align"/> <input type="button" value="Browse..."/>	<input type="file" value="text-align"/> <input type="button" value="Choose..."/>
IE 7 for Windows:	Opera 9 for Windows:
<input type="file" value="text-align"/> <input type="button" value="Browse..."/>	<input type="file" value="text-align"/> <input type="button" value="Choose..."/>
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
<input type="file" value="text-align"/> <input type="button" value="Browse..."/>	<input type="file" value="text-align"/> <input type="button" value="Choose File"/> no file selected
Chrome for Windows:	Safari 3 for Windows:
<input type="file" value="text-align"/> <input type="button" value="Choose File"/> No file chosen	<input type="file" value="text-align"/> <input type="button" value="Choose File"/> no file selected
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
<input type="file" value="text-align"/> <input type="button" value="Browse..."/>	<input type="file" value="text-align"/> <input type="button" value="Choose File"/> no file selected
FF 3 for Windows:	Safari 4 Beta for Windows:
<input type="file" value="text-align"/> <input type="button" value="Browse..."/>	<input type="file" value="text-align"/> <input type="button" value="Choose File"/> no file selected

Figure E-36. Testing the alignment of text on file input

## text-decoration

Input - File	
IE 6 for Windows:	Opera 9 for Macintosh:
<input type="text" value="text-decoration"/> <input type="button" value="Browse..."/>	<input type="text" value="text-decoration"/> <input type="button" value="Choose..."/>
IE 7 for Windows:	Opera 9 for Windows:
<input type="text" value="text-decoration"/> <input type="button" value="Browse..."/>	<input type="text" value="text-decoration"/> <input type="button" value="Choose..."/>
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
<input type="text" value="text-decoration"/> <input type="button" value="Browse..."/>	<input type="text" value="text-decoration"/> <input type="button" value="Choose File"/> no file selected
Chrome for Windows:	Safari 3 for Windows:
<input type="text" value="text-decoration"/> <input type="button" value="Choose File"/> No file chosen	<input type="text" value="text-decoration"/> <input type="button" value="Choose File"/> no file selected
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
<input type="text" value="text-decoration"/> <input type="button" value="Browse..."/>	<input type="text" value="text-decoration"/> <input type="button" value="Choose File"/> no file selected
FF 3 for Windows:	Safari 4 Beta for Windows:
<input type="text" value="text-decoration"/> <input type="button" value="Browse..."/>	<input type="text" value="text-decoration"/> <input type="button" value="Choose File"/> no file selected

Figure E-37. Testing setting a different font on file input

## text-indent




Figure E-38. Testing indenting the text on file input

## width




Figure E-39. Testing the width of file input

## word-spacing




Figure E-40. Testing the spacing between words on file input

## Input Element for Radio Buttons

Like checkboxes, radio buttons provide on/off options for a grouping. However, unlike checkboxes, which can take more than one value, a radio button is used when only one option out of a group is allowed to be submitted.

Table E-4. A review of the CSS properties on radio buttons

	WinIE6	WinIE7	WinIE8b2	Chrome	MacFF3	WinFF3	Mac099	Win099	MacSF3	WinSF3	MacSF4b	WinSF4b
background-color	S	S	S	N	N	N	Y	Y	N	N	N	N
background-image	S	S	S	N	N	S	S	N	N	N	N	N
border	N	N	N	N	N	N	N	N	N	N	N	N
border-color	S	S	S	N	N	S	S	N	N	N	N	N
border-style	S	S	S	N	N	N	Y	Y	N	N	N	N
border-width	N	N	N	N	N	N	N	N	N	N	N	N
color	N	N	N	N	N	N	N	N	N	N	N	N
font-family	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
font-size	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
font-weight	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
height	S	S	S	N	S	S	S	S	S	S	S	S
letter-spacing	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
line-height	N	N	N	N	N	N	N	N	N	N	N	N
margin	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
padding	N	N	Y	N	N	Y	Y	Y	N	N	N	S
text-align	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
text-decoration	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
text-indent	Y	Y	N	N	N	N	N	N	N	N	N	N
width	S	S	S	N	S	S	S	S	S	S	S	S
word-spacing	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

## background-color






Input - Radio	
IE 6 for Windows:	Opera 9 for Macintosh:
	
IE 7 for Windows:	Opera 9 for Windows:
	
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
	
Chrome for Windows:	Safari 3 for Windows:
	
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
	
FF 3 for Windows:	Safari 4 Beta for Windows:
	

Figure E-41. Testing the background color of radio buttons

## background-image

Input - Radio	
IE 6 for Windows:	Opera 9 for Macintosh:
IE 7 for Windows:	Opera 9 for Windows:
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
Chrome for Windows:	Safari 3 for Windows:
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
FF 3 for Windows:	Safari 4 Beta for Windows:

Figure E-42. Testing background images in radio buttons

**border: 0;**







Input - Radio	
IE 6 for Windows: 	Opera 9 for Macintosh: 
IE 7 for Windows: 	Opera 9 for Windows: 
IE 8 Beta 2 for Windows: 	Safari 3 for Macintosh: 
Chrome for Windows: 	Safari 3 for Windows: 
FF 3 for Macintosh: 	Safari 4 Beta for Macintosh: 
FF 3 for Windows: 	Safari 4 Beta for Windows: 

Figure E-43. Testing the removal of borders on radio buttons

## border-color








Input - Radio	
IE 6 for Windows:	Opera 9 for Macintosh:
	
IE 7 for Windows:	Opera 9 for Windows:
	
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
	
Chrome for Windows:	Safari 3 for Windows:
	
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
	
FF 3 for Windows:	Safari 4 Beta for Windows:
	

Figure E-44. Testing colors on the radio button borders

## border-style

Input - Radio	
IE 6 for Windows:	Opera 9 for Macintosh:
IE 7 for Windows:	Opera 9 for Windows:
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
Chrome for Windows:	Safari 3 for Windows:
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
FF 3 for Windows:	Safari 4 Beta for Windows:

Figure E-45. Testing the styles of borders on radio buttons

## border-width

Input - Radio	
IE 6 for Windows:	Opera 9 for Macintosh:
IE 7 for Windows:	Opera 9 for Windows:
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
Chrome for Windows:	Safari 3 for Windows:
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
FF 3 for Windows:	Safari 4 Beta for Windows:

Figure E-46. Testing the widths of borders on radio buttons

## color

Input - Radio	
IE 6 for Windows:	Opera 9 for Macintosh:
A radio button labeled "color" with two options, one checked.	A radio button labeled "color" with two options, both checked.
IE 7 for Windows:	Opera 9 for Windows:
A radio button labeled "color" with two options, one checked.	A radio button labeled "color" with two options, both checked.
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
A radio button labeled "color" with two options, both checked.	A radio button labeled "color" with two options, one checked.
Chrome for Windows:	Safari 3 for Windows:
A radio button labeled "color" with two options, both checked.	A radio button labeled "color" with two options, one checked.
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
A radio button labeled "color" with two options, both checked.	A radio button labeled "color" with two options, one checked.
FF 3 for Windows:	Safari 4 Beta for Windows:
A radio button labeled "color" with two options, both checked.	A radio button labeled "color" with two options, one checked.

Figure E-47. Testing the color on radio buttons

## font-family

Input - Radio	
IE 6 for Windows:	Opera 9 for Macintosh:
<input type="radio"/> <input checked="" type="radio"/>	<input checked="" type="radio"/> <input type="radio"/>
IE 7 for Windows:	Opera 9 for Windows:
<input type="radio"/> <input checked="" type="radio"/>	<input checked="" type="radio"/> <input type="radio"/>
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
<input checked="" type="radio"/> <input type="radio"/>	<input checked="" type="radio"/> <input type="radio"/>
Chrome for Windows:	Safari 3 for Windows:
<input checked="" type="radio"/> <input type="radio"/>	<input checked="" type="radio"/> <input type="radio"/>
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
<input checked="" type="radio"/> <input type="radio"/>	<input checked="" type="radio"/> <input type="radio"/>
FF 3 for Windows:	Safari 4 Beta for Windows:
<input checked="" type="radio"/> <input type="radio"/>	<input checked="" type="radio"/> <input type="radio"/>

Figure E-48. Testing setting a different font on radio buttons

## font-size

Input - Radio	
IE 6 for Windows:	Opera 9 for Macintosh:
IE 7 for Windows:	Opera 9 for Windows:
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
Chrome for Windows:	Safari 3 for Windows:
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
FF 3 for Windows:	Safari 4 Beta for Windows:

Figure E-49. Testing a different size of font on radio buttons

## font-weight

Input - Radio	
IE 6 for Windows:	Opera 9 for Macintosh:
<input type="radio"/> <input checked="" type="radio"/>	<input checked="" type="radio"/> <input type="radio"/>
IE 7 for Windows:	Opera 9 for Windows:
<input type="radio"/> <input checked="" type="radio"/>	<input checked="" type="radio"/> <input type="radio"/>
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
<input checked="" type="radio"/> <input type="radio"/>	<input checked="" type="radio"/>
Chrome for Windows:	Safari 3 for Windows:
<input checked="" type="radio"/> <input type="radio"/>	<input checked="" type="radio"/>
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
<input checked="" type="radio"/> <input type="radio"/>	<input type="radio"/> <input checked="" type="radio"/>
FF 3 for Windows:	Safari 4 Beta for Windows:
<input checked="" type="radio"/> <input type="radio"/>	<input type="radio"/> <input checked="" type="radio"/>

Figure E-50. Testing a bold font on radio buttons

## height



Input - Radio	
IE 6 for Windows:	Opera 9 for Macintosh:
	
IE 7 for Windows:	Opera 9 for Windows:
	
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
	
Chrome for Windows:	Safari 3 for Windows:
	
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
	
FF 3 for Windows:	Safari 4 Beta for Windows:
	

Figure E-51. Testing setting a height for radio buttons

## letter-spacing

Input - Radio	
IE 6 for Windows:	Opera 9 for Macintosh:
letter-spacing <input type="radio"/> <input checked="" type="radio"/>	letter-spacing <input checked="" type="radio"/> <input type="radio"/>
IE 7 for Windows:	Opera 9 for Windows:
letter-spacing <input type="radio"/> <input checked="" type="radio"/>	letter-spacing <input checked="" type="radio"/> <input type="radio"/>
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
letter-spacing <input checked="" type="radio"/> <input type="radio"/>	letter-spacing <input checked="" type="radio"/>
Chrome for Windows:	Safari 3 for Windows:
letter-spacing <input checked="" type="radio"/> <input type="radio"/>	letter-spacing <input checked="" type="radio"/>
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
letter-spacing <input checked="" type="radio"/> <input type="radio"/>	letter-spacing <input type="radio"/> <input checked="" type="radio"/>
FF 3 for Windows:	Safari 4 Beta for Windows:
letter-spacing <input checked="" type="radio"/> <input type="radio"/>	letter-spacing <input type="radio"/> <input checked="" type="radio"/>

Figure E-52. Testing the letter spacing of radio buttons

## line-height










Input - Radio	
IE 6 for Windows:	Opera 9 for Macintosh:
	
IE 7 for Windows:	Opera 9 for Windows:
	
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
	
Chrome for Windows:	Safari 3 for Windows:
	
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
	
FF 3 for Windows:	Safari 4 Beta for Windows:
	

Figure E-53. Testing setting the spacing between lines of text on radio buttons

## margin






Input - Radio	
IE 6 for Windows:	Opera 9 for Macintosh:
	
IE 7 for Windows:	Opera 9 for Windows:
	
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
	
Chrome for Windows:	Safari 3 for Windows:
	
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
	
FF 3 for Windows:	Safari 4 Beta for Windows:
	

Figure E-54. Testing margins on radio buttons

## padding

Input - Radio	
IE 6 for Windows:	Opera 9 for Macintosh:
	
IE 7 for Windows:	Opera 9 for Windows:
	
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
	
Chrome for Windows:	Safari 3 for Windows:
	
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
	
FF 3 for Windows:	Safari 4 Beta for Windows:
	

Figure E-55. Testing padding on radio buttons

## text-align









Input - Radio	
IE 6 for Windows:	Opera 9 for Macintosh:
	
IE 7 for Windows:	Opera 9 for Windows:
	
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
	
Chrome for Windows:	Safari 3 for Windows:
	
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
	
FF 3 for Windows:	Safari 4 Beta for Windows:
	

Figure E-56. Testing the alignment of text on radio buttons

## text-decoration

Input - Radio	
IE 6 for Windows:	Opera 9 for Macintosh:
<input type="radio"/> <input checked="" type="radio"/>	<input checked="" type="radio"/> <input type="radio"/>
IE 7 for Windows:	Opera 9 for Windows:
<input type="radio"/> <input checked="" type="radio"/>	<input checked="" type="radio"/> <input type="radio"/>
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
<input checked="" type="radio"/> <input type="radio"/>	<input checked="" type="radio"/> <input type="radio"/>
Chrome for Windows:	Safari 3 for Windows:
<input checked="" type="radio"/> <input type="radio"/>	<input checked="" type="radio"/> <input type="radio"/>
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
<input checked="" type="radio"/> <input type="radio"/>	<input checked="" type="radio"/> <input type="radio"/>
FF 3 for Windows:	Safari 4 Beta for Windows:
<input checked="" type="radio"/> <input type="radio"/>	<input type="radio"/> <input checked="" type="radio"/>

Figure E-57. Testing setting a different font on radio buttons

## text-indent







Input - Radio	
IE 6 for Windows:	Opera 9 for Macintosh:
	
IE 7 for Windows:	Opera 9 for Windows:
	
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
	
Chrome for Windows:	Safari 3 for Windows:
	
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
	
FF 3 for Windows:	Safari 4 Beta for Windows:
	

Figure E-58. Testing indenting the text on radio buttons

## width

Input - Radio	
IE 6 for Windows:	Opera 9 for Macintosh:
<input type="radio"/> width <input checked="" type="radio"/>	<input checked="" type="radio"/> width <input type="radio"/>
IE 7 for Windows:	Opera 9 for Windows:
<input type="radio"/> width <input checked="" type="radio"/>	<input checked="" type="radio"/> width <input type="radio"/>
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
<input type="radio"/> width <input checked="" type="radio"/>	<input checked="" type="radio"/> width <input type="radio"/>
Chrome for Windows:	Safari 3 for Windows:
<input type="radio"/> width <input checked="" type="radio"/>	<input checked="" type="radio"/> width <input type="radio"/>
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
<input checked="" type="radio"/> width <input type="radio"/>	<input checked="" type="radio"/> width <input type="radio"/>
FF 3 for Windows:	Safari 4 Beta for Windows:
<input type="radio"/> width <input checked="" type="radio"/>	<input checked="" type="radio"/> width <input type="radio"/>

Figure E-59. Testing the width of radio buttons

## word-spacing

Input - Radio	
IE 6 for Windows:	Opera 9 for Macintosh:
IE 7 for Windows:	Opera 9 for Windows:
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
Chrome for Windows:	Safari 3 for Windows:
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
FF 3 for Windows:	Safari 4 Beta for Windows:

Figure E-60. Testing the spacing between words on radio buttons

## Input Element for Text

The input element allows users to submit a single line of text.

*Table E-5. A review of the CSS properties on text fields*

	WinIE6	WinIE7	WinIE8b2	Chrome	MacFF3	WinFF3	Mac099	Win099	MacSF3	WinSF3	MacSF4b	WinSF4b
background-color	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
background-image	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
border	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
border-color	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
border-style	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
border-width	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
color	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
font-family	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
font-size	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
font-weight	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
height	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
letter-spacing	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
line-height	N	N	N	N	N	N	N	N	N	N	N	N
margin	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
padding	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
text-align	N	N	N	N	N	N	N	N	N	N	N	N
text-decoration	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
text-indent	S	S	S	S	S	S	S	S	S	S	S	S
width	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
word-spacing	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y

## background-color

Input - Text	
IE 6 for Windows:	Opera 9 for Macintosh:
<input type="text" value="background-color&lt;br/&gt;Lorem ipsum dolor sit amet"/>	<input type="text" value="background-color&lt;br/&gt;Lorem ipsum dolor sit amet"/>
IE 7 for Windows:	Opera 9 for Windows:
<input type="text" value="background-color&lt;br/&gt;Lorem ipsum dolor sit amet"/>	<input type="text" value="background-color&lt;br/&gt;Lorem ipsum dolor sit amet"/>
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
<input type="text" value="background-color&lt;br/&gt;Lorem ipsum dolor sit amet"/>	<input type="text" value="background-color&lt;br/&gt;Lorem ipsum dolor sit amet"/>
Chrome for Windows:	Safari 3 for Windows:
<input type="text" value="background-color&lt;br/&gt;Lorem ipsum dolor sit amet"/>	<input type="text" value="background-color&lt;br/&gt;Lorem ipsum dolor sit amet"/>
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
<input type="text" value="background-color&lt;br/&gt;Lorem ipsum dolor sit amet"/>	<input type="text" value="background-color&lt;br/&gt;Lorem ipsum dolor sit amet"/>
FF 3 for Windows:	Safari 4 Beta for Windows:
<input type="text" value="background-color&lt;br/&gt;Lorem ipsum dolor sit amet"/>	<input type="text" value="background-color&lt;br/&gt;Lorem ipsum dolor sit amet"/>

Figure E-61. Testing the background color of text fields

## background-image




Figure E-62. Testing background images in text fields

**border: 0;**

Input - Text	
IE 6 for Windows:	Opera 9 for Macintosh:
<input 136="" 492="" 513"="" 557="" data-label="Caption" text"="" type="text" value="border: 0; \nLorem ipsum dolor sit \n&amp;t;&lt;/td&gt;&lt;/tr&gt;&lt;/tbody&gt;&lt;/table&gt;&lt;/div&gt;&lt;div data-bbox="/> <p>Figure E-63. Testing the removal of borders on text fields</p>	

## border-color

Input - Text	
IE 6 for Windows:	Opera 9 for Macintosh:
<input type="text" value="border-color&lt;br/&gt;Lorem ipsum dolor sit a "/>	<input type="text" value="border-color&lt;br/&gt;Lorem ipsum dolor sit a "/>
IE 7 for Windows:	Opera 9 for Windows:
<input type="text" value="border-color&lt;br/&gt;Lorem ipsum dolor sit a "/>	<input type="text" value="border-color&lt;br/&gt;Lorem ipsum dolor sit a "/>
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
<input type="text" value="border-color&lt;br/&gt;Lorem ipsum dolor sit a "/>	<input type="text" value="border-color&lt;br/&gt;Lorem ipsum dolor sit am "/>
Chrome for Windows:	Safari 3 for Windows:
<input type="text" value="border-color&lt;br/&gt;Lorem ipsum dolor sit am "/>	<input type="text" value="border-color&lt;br/&gt;Lorem ipsum dolor sit am "/>
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
<input type="text" value="border-color&lt;br/&gt;Lorem ipsum dolor sit amet "/>	<input type="text" value="border-color&lt;br/&gt;Lorem ipsum dolor sit am "/>
FF 3 for Windows:	Safari 4 Beta for Windows:
<input type="text" value="border-color&lt;br/&gt;Lorem ipsum dolor sit a "/>	<input type="text" value="border-color&lt;br/&gt;Lorem ipsum dolor sit a "/>

Figure E-64. Testing colors on the text field borders

## border-style



Figure E-65. Testing the styles of borders on text fields

## border-width



Figure E-66. Testing the widths of borders on text fields

## color

Input - Text	
IE 6 for Windows:	Opera 9 for Macintosh:
<input type="text" value="color"/> [Lorem ipsum dolor sit a]	<input type="text" value="color"/> [Lorem ipsum dolor sit a]
IE 7 for Windows:	Opera 9 for Windows:
<input type="text" value="color"/> [Lorem ipsum dolor sit a]	<input type="text" value="color"/> [Lorem ipsum dolor sit a]
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
<input type="text" value="color"/> [Lorem ipsum dolor sit a]	<input type="text" value="color"/> [Lorem ipsum dolor sit ame]
Chrome for Windows:	Safari 3 for Windows:
<input type="text" value="color"/> [Lorem ipsum dolor sit ame]	<input type="text" value="color"/> [Lorem ipsum dolor sit ame]
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
<input type="text" value="color"/> [Lorem ipsum dolor sit amet]	<input type="text" value="color"/> [Lorem ipsum dolor sit ame]
FF 3 for Windows:	Safari 4 Beta for Windows:
<input type="text" value="color"/> [Lorem ipsum dolor sit a]	<input type="text" value="color"/> [Lorem ipsum dolor sit a]

Figure E-67. Testing the color on text fields

## font-family

Input - Text	
IE 6 for Windows:	Opera 9 for Macintosh:
<code>font-family</code> [Lorem ipsum dolor si]	<code>font-family</code> [Lorem ipsum dolor sit ari]
IE 7 for Windows:	Opera 9 for Windows:
<code>font-family</code> [Lorem ipsum dolor si]	<code>font-family</code> [Lorem ipsum dolor si]
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
<code>font-family</code> [Lorem ipsum dolor si]	<code>font-family</code> [Lorem ipsum dolor sit amet]
Chrome for Windows:	Safari 3 for Windows:
<code>font-family</code> [Lorem ipsum dolor si]	<code>font-family</code> [Lorem ipsum dolor sit amet]
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
<code>font-family</code> [Lorem ipsum dolor sit ai]	<code>font-family</code> [Lorem ipsum dolor sit amet]
FF 3 for Windows:	Safari 4 Beta for Windows:
<code>font-family</code> [Lorem ipsum dolor si]	<code>font-family</code> [Lorem ipsum dolor sit amet]

Figure E-68. Testing setting a different font on text fields

## font-size

Input - Text	
IE 6 for Windows:	Opera 9 for Macintosh:
<code>font-size</code> Lorem ipsum dolor sit ar	<code>font-size</code> Lorem ipsum dolor sit am
IE 7 for Windows:	Opera 9 for Windows:
<code>font-size</code> Lorem ipsum dolor sit ar	<code>font-size</code> Lorem ipsum dolor sit a
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
<code>font-size</code> Lorem ipsum dolor sit ar	<code>font-size</code> Lorem ipsum dolor sit am
Chrome for Windows:	Safari 3 for Windows:
<code>font-size</code> Lorem ipsum dolor sit am	<code>font-size</code> Lorem ipsum dolor sit am
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
<code>font-size</code> Lorem ipsum dolor sit amet	<code>font-size</code> Lorem ipsum dolor sit am
FF 3 for Windows:	Safari 4 Beta for Windows:
<code>font-size</code> Lorem ipsum dolor sit ar	<code>font-size</code> Lorem ipsum dolor sit an

Figure E-69. Testing a different size of font on text fields

## font-weight

Input - Text	
IE 6 for Windows:	Opera 9 for Macintosh:
<input type="text" value="font-weight"/> <input type="text" value="Lorem ipsum dolor sit a"/>	<input type="text" value="font-weight"/> <input type="text" value="Lorem ipsum dolor sit ai"/>
IE 7 for Windows:	Opera 9 for Windows:
<input type="text" value="font-weight"/> <input type="text" value="Lorem ipsum dolor sit a"/>	<input type="text" value="font-weight"/> <input type="text" value="Lorem ipsum dolor si"/>
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
<input type="text" value="font-weight"/> <input type="text" value="Lorem ipsum dolor sit a"/>	<input type="text" value="font-weight"/> <input type="text" value="Lorem ipsum dolor sit am"/>
Chrome for Windows:	Safari 3 for Windows:
<input type="text" value="font-weight"/> <input type="text" value="Lorem ipsum dolor sit a"/>	<input type="text" value="font-weight"/> <input type="text" value="Lorem ipsum dolor sit am"/>
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
<input type="text" value="font-weight"/> <input type="text" value="Lorem ipsum dolor sit am"/>	<input type="text" value="font-weight"/> <input type="text" value="Lorem ipsum dolor sit am"/>
FF 3 for Windows:	Safari 4 Beta for Windows:
<input type="text" value="font-weight"/> <input type="text" value="Lorem ipsum dolor sit a"/>	<input type="text" value="font-weight"/> <input type="text" value="Lorem ipsum dolor sit a"/>

Figure E-70. Testing a bold font on text fields

## height




Figure E-71. Testing setting a height for text fields

## letter-spacing




Figure E-72. Testing the letter spacing of text fields

## line-height




Figure E-73. Testing setting the spacing between lines of text on text fields

## margin




Figure E-74. Testing margins on text fields

## padding




Figure E-75. Testing padding on text fields

## text-align

Input - Text	
IE 6 for Windows:	Opera 9 for Macintosh:
<code>text-align</code> Lorem ipsum dolor sit a	<code>text-align</code> Lorem ipsum dolor sit i
IE 7 for Windows:	Opera 9 for Windows:
<code>text-align</code> Lorem ipsum dolor sit a	<code>text-align</code> Lorem ipsum dolor sit a
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
<code>text-align</code> Lorem ipsum dolor sit ar	<code>text-align</code> Lorem ipsum dolor sit ame
Chrome for Windows:	Safari 3 for Windows:
<code>text-align</code> Lorem ipsum dolor sit ame	<code>text-align</code>  Lorem ipsum dolor sit ame
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
<code>text-align</code> Lorem ipsum dolor sit amet	<code>text-align</code>  Lorem ipsum dolor sit ame
FF 3 for Windows:	Safari 4 Beta for Windows:
<code>text-align</code> Lorem ipsum dolor sit ar	<code>text-align</code>  Lorem ipsum dolor sit ar

Figure E-76. Testing the alignment of text on text fields

## text-decoration

Input - Text	
IE 6 for Windows:	Opera 9 for Macintosh:
<input type="text" value="text-decoration"/> Lorem ipsum dolor sit a	<input type="text" value="text-decoration"/> Lorem ipsum dolor sit a
IE 7 for Windows:	Opera 9 for Windows:
<input type="text" value="text-decoration"/> Lorem ipsum dolor sit a	<input type="text" value="text-decoration"/> Lorem ipsum dolor sit a
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
<input type="text" value="text-decoration"/> Lorem ipsum dolor sit a	<input type="text" value="text-decoration"/> Lorem ipsum dolor sit a
Chrome for Windows:	Safari 3 for Windows:
<input type="text" value="text-decoration"/> Lorem ipsum dolor sit a	<input type="text" value="text-decoration"/> Lorem ipsum dolor sit a
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
<input type="text" value="text-decoration"/> Lorem ipsum dolor sit amet	<input type="text" value="text-decoration"/> Lorem ipsum dolor sit amet
FF 3 for Windows:	Safari 4 Beta for Windows:
<input type="text" value="text-decoration"/> Lorem ipsum dolor sit a	<input type="text" value="text-decoration"/> Lorem ipsum dolor sit a

Figure E-77. Testing setting a different font on text fields

## text-indent












Input - Text	
IE 6 for Windows:	Opera 9 for Macintosh:
	
IE 7 for Windows:	Opera 9 for Windows:
	
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
	
Chrome for Windows:	Safari 3 for Windows:
	
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
	
FF 3 for Windows:	Safari 4 Beta for Windows:
	

Figure E-78. Testing indenting the text on text fields

## width

Input - Text	
IE 6 for Windows:	Opera 9 for Macintosh:
<input type="text" value="width&lt;br/&gt;Lorem ipsum dolor"/>	<input type="text" value="width&lt;br/&gt;Lorem ipsum dolor s"/>
IE 7 for Windows:	Opera 9 for Windows:
<input type="text" value="width&lt;br/&gt;Lorem ipsum dol"/>	<input type="text" value="width&lt;br/&gt;Lorem ipsum dolc"/>
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
<input type="text" value="width&lt;br/&gt;Lorem ipsum dol"/>	<input type="text" value="width&lt;br/&gt;Lorem ipsum dolor"/>
Chrome for Windows:	Safari 3 for Windows:
<input type="text" value="width&lt;br/&gt;Lorem ipsum dol"/>	<input type="text" value="width&lt;br/&gt;Lorem ipsum dolor"/>
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
<input type="text" value="width&lt;br/&gt;Lorem ipsum dolor"/>	<input type="text" value="width&lt;br/&gt;Lorem ipsum dolor"/>
FF 3 for Windows:	Safari 4 Beta for Windows:
<input type="text" value="width&lt;br/&gt;Lorem ipsum dol"/>	<input type="text" value="width&lt;br/&gt;Lorem ipsum dol"/>

Figure E-79. Testing the width of text fields

## word-spacing




Figure E-80. Testing the spacing between words on text fields

## Select Element for Multiple Options

The select element allows users to select multiple options presented in a scrollable, vertical listing.

*Table E-6. A review of the CSS properties on the select element with multiple options showing*

	WinIE6	WinIE7	WinIE8b2	Chrome	MacFF3	WinOP9	Mac099	MacSF3	WinSF3	MacSF4b	WinSF4b
background-color	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
background-image	N	N	Y	Y	Y	N	N	Y	Y	Y	Y
border	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y
border-color	N	N	N	Y	Y	Y	Y	Y	Y	Y	Y
border-style	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y
border-width	N	N	Y	Y	Y	N	N	Y	Y	Y	Y
color	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
font-family	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
font-size	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
font-weight	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
height	S	S	Y	Y	Y	Y	Y	Y	Y	Y	Y
letter-spacing	N	N	N	Y	Y	Y	Y	Y	Y	Y	Y
line-height	N	N	N	N	N	S	S	N	N	N	N
margin	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
padding	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y
text-align	N	N	N	N	Y	Y	Y	Y	N	N	N
text-decoration	Y	Y	Y	N	N	N	N	N	N	N	N
text-indent	S	S	N	N	N	N	N	N	N	N	N
width	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
word-spacing	N	N	Y	Y	Y	N	N	Y	Y	Y	Y

## background-color




Figure E-81. Testing the background color of a select element with multiple options

## background-image




Figure E-82. Testing background images in a select element with multiple options

**border: 0;**




Figure E-83. Testing the removal of borders on a select element with multiple options

## border-color




Figure E-84. Testing of border colors on a select element with multiple options

## border-style



Figure E-85. Testing the styles of borders on a select element with multiple options

## border-width




Figure E-86. Testing the widths of borders on a select element with multiple options

## color




Figure E-87. Testing the color on a select element with multiple options

## font-family




Figure E-88. Testing setting a different font on a select element with multiple options

## font-size




Figure E-89. Testing a different size of font on a select element with multiple options

## font-weight




Figure E-90. Testing a bold font on a select element with multiple options

## height










Select - Multiple Items	
IE 6 for Windows:	Opera 9 for Macintosh:
	
IE 7 for Windows:	Opera 9 for Windows:
	
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
	
Chrome for Windows:	Safari 3 for Windows:
	
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
	
FF 3 for Windows:	Safari 4 Beta for Windows:
	

Figure E-91. Testing setting a height for a select element with multiple options

## letter-spacing



Figure E-92. Testing the letter spacing of a select element with multiple options

## line-height




Figure E-93. Testing setting the spacing between lines of text on a select element with multiple options

## margin




Figure E-94. Testing margins on a select element with multiple options

## padding




Figure E-95. Testing padding on a select element with multiple options

## text-align




Figure E-96. Testing the alignment of text on a select element with multiple options

## text-decoration




Figure E-97. Testing setting a different font on a select element with multiple options

## text-indent




Figure E-98. Testing indenting the text on a select element with multiple options

## width













Select - Multiple Items	
IE 6 for Windows:	Opera 9 for Macintosh:
	
IE 7 for Windows:	Opera 9 for Windows:
	
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
	
Chrome for Windows:	Safari 3 for Windows:
	
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
	
FF 3 for Windows:	Safari 4 Beta for Windows:
	

Figure E-99. Testing the width of a select element with multiple options

## word-spacing




Figure E-100. Testing the spacing between words on a select element with multiple options

## Select Element for Single Options

A select element is a form element that shows only one available option at a time. When a user interacts with the element, multiple options are available for selecting, but only one option may be submitted.

*Table E-7. A review of the CSS properties on select elements with one option showing*

	WinIE6	WinIE7	WinIE8b2	Chrome	MacFF3	WinFF3	Mac099	Win099	MacSF3	WinSF3	MacSF4b	WinSF4b
background-color	Y	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y
background-image	N	N	Y	N	N	Y	N	Y	Y	Y	Y	Y
border	N	N	Y	Y	Y	Y	Y	S	S	S	Y	Y
border-color	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
border-style	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
border-width	N	N	Y	Y	Y	Y	N	Y	Y	Y	Y	Y
color	Y	Y	Y	Y	Y	Y	Y	N	N	N	Y	Y
font-family	Y	Y	Y	Y	Y	Y	Y	N	N	N	Y	Y
font-size	Y	Y	Y	Y	Y	Y	Y	N	N	N	Y	Y
font-weight	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
height	N	N	Y	Y	Y	Y	Y	N	N	N	N	N
letter-spacing	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
line-height	N	N	N	N	N	N	N	N	N	N	N	N
margin	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
padding	N	N	Y	Y	Y	Y	Y	N	N	N	N	N
text-align	N	N	N	N	N	N	N	N	N	N	N	N
text-decoration	Y	Y	Y	Y	Y	Y	N	N	N	Y	Y	Y
text-indent	S	S	N	Y	Y	Y	Y	Y	Y	Y	Y	Y
width	Y	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y
word-spacing	N	N	N	Y	Y	Y	Y	N	N	Y	Y	Y

## background-color

Select - Single Item	
IE 6 for Windows:	Opera 9 for Macintosh:
IE 7 for Windows:	Opera 9 for Windows:
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
Chrome for Windows:	Safari 3 for Windows:
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
FF 3 for Windows:	Safari 4 Beta for Windows:

Figure E-101. Testing the background color of a select element

## background-image




Figure E-102. Testing background images in a select element

**border: 0;**



Figure E-103. Testing the removal of borders on a select element

## border-color












Select - Single Item	
IE 6 for Windows:	Opera 9 for Macintosh:
	
IE 7 for Windows:	Opera 9 for Windows:
	
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
	
Chrome for Windows:	Safari 3 for Windows:
	
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
	
FF 3 for Windows:	Safari 4 Beta for Windows:
	

Figure E-104. Testing colors on the select element borders

## border-style




Figure E-105. Testing the styles of borders on a select element

## border-width




Figure E-106. Testing the widths of borders on a select element

## color




Figure E-107. Testing the color on a select element

## font-family

Select - Single Item	
IE 6 for Windows:	Opera 9 for Macintosh:
<code>font-family select (1 visible item) ▾</code>	<code>font-family select (1 visible item) ▾</code>
IE 7 for Windows:	Opera 9 for Windows:
<code>font-family select (1 visible item) ▾</code>	<code>font-family select (1 visible item) ▾</code>
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
<code>font-family select (1 visible item) ▾</code>	<code>font-family select (1 visible item) ▾</code>
Chrome for Windows:	Safari 3 for Windows:
<code>font-family select (1 visible item) ▾</code>	<code>font-family select (1 visible item) ▾</code>
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
<code>font-family select (1 visible item) ▾</code>	<code>font-family select (1 visible item) ▾</code>
FF 3 for Windows:	Safari 4 Beta for Windows:
<code>font-family select (1 visible item) ▾</code>	<code>font-family select (1 visible item) ▾</code>

Figure E-108. Testing setting a different font on a select element

## font-size





Select - Single Item	
IE 6 for Windows:	Opera 9 for Macintosh:
	
IE 7 for Windows:	Opera 9 for Windows:
	
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
	
Chrome for Windows:	Safari 3 for Windows:
	
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
	
FF 3 for Windows:	Safari 4 Beta for Windows:
	

Figure E-109. Testing a different size of font on a select element

## font-weight











Select - Single Item	
IE 6 for Windows:	Opera 9 for Macintosh:
	
IE 7 for Windows:	Opera 9 for Windows:
	
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
	
Chrome for Windows:	Safari 3 for Windows:
	
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
	
FF 3 for Windows:	Safari 4 Beta for Windows:
	

Figure E-110. Testing a bold font on a select element

## height




Figure E-111. Testing setting a height for a select element

## letter-spacing




Figure E-112. Testing the letter spacing of a select element

## line-height



Figure E-113. Testing setting the spacing between lines of text on a select element

## margin



Figure E-114. Testing margins on a select element

## padding



Figure E-115. Testing padding on a select element

## text-align







Select - Single Item	
IE 6 for Windows:	Opera 9 for Macintosh:
	
IE 7 for Windows:	Opera 9 for Windows:
	
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
	
Chrome for Windows:	Safari 3 for Windows:
	
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
	
FF 3 for Windows:	Safari 4 Beta for Windows:
	

Figure E-116. Testing the alignment of text on a select element

## text-decoration









Select - Single Item	
IE 6 for Windows:	Opera 9 for Macintosh:
	
IE 7 for Windows:	Opera 9 for Windows:
	
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
	
Chrome for Windows:	Safari 3 for Windows:
	
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
	
FF 3 for Windows:	Safari 4 Beta for Windows:
	

Figure E-117. Testing setting a different font on a select element

## text-indent




Figure E-118. Testing indenting the text on a select element

## width

Select - Single Item	
IE 6 for Windows:	Opera 9 for Macintosh:
IE 7 for Windows:	Opera 9 for Windows:
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
Chrome for Windows:	Safari 3 for Windows:
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
FF 3 for Windows:	Safari 4 Beta for Windows:

Figure E-119. Testing the width of a select element

## word-spacing




Figure E-120. Testing the spacing between words on a select element

## Submit Element

When activated, the Submit button simply submits the form.

*Table E-8. A review of the CSS properties on the Submit button*

	WinIE6	WinIE7	WinIE8b2	Chrome	MacFF3	WinFF3	Mac099	Win099	MacSF3	WinSF3	MacSF4b	WinSF4b
background-color	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
background-image	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
border	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
border-color	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
border-style	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
border-width	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
color	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
font-family	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
font-size	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
font-weight	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
height	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
letter-spacing	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
line-height	N	N	N	N	N	N	N	N	N	N	N	N
margin	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
padding	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
text-align	Y	Y	N	N	N	N	N	N	N	N	N	N
text-decoration	Y	Y	Y	N	N	N	N	N	N	Y	Y	Y
text-indent	S	S	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
width	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
word-spacing	Y	Y	Y	Y	Y	Y	Y	Y	N	Y	Y	Y

## background-color

Select - Submit Button	
IE 6 for Windows:	Opera 9 for Macintosh:
A submit button with a cyan background and black text, containing the placeholder text "Lorem ipsum dolor".	A submit button with a cyan background and black text, containing the placeholder text "Lorem ipsum dolor".
IE 7 for Windows:	Opera 9 for Windows:
A submit button with a cyan background and black text, containing the placeholder text "Lorem ipsum dolor".	A submit button with a cyan background and black text, containing the placeholder text "Lorem ipsum dolor".
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
A submit button with a cyan background and black text, containing the placeholder text "Lorem ipsum dolor".	A submit button with a cyan background and black text, containing the placeholder text "Lorem ipsum dolor".
Chrome for Windows:	Safari 3 for Windows:
A submit button with a cyan background and black text, containing the placeholder text "Lorem ipsum dolor".	A submit button with a cyan background and black text, containing the placeholder text "Lorem ipsum dolor".
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
A submit button with a cyan background and black text, containing the placeholder text "Lorem ipsum dolor".	A submit button with a cyan background and black text, containing the placeholder text "Lorem ipsum dolor".
FF 3 for Windows:	Safari 4 Beta for Windows:
A submit button with a cyan background and black text, containing the placeholder text "Lorem ipsum dolor".	A submit button with a cyan background and black text, containing the placeholder text "Lorem ipsum dolor".

Figure E-121. Testing the background color of the Submit button

## background-image

Select - Submit Button	
IE 6 for Windows:	Opera 9 for Macintosh:
background-image Lorem ipsum dolor	background-image
IE 7 for Windows:	Opera 9 for Windows:
background-image Lorem ipsum dolor	background-image
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
background-image Submit	background-image
Chrome for Windows:	Safari 3 for Windows:
background-image Submit	background-image
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
background-image Submit	background-image
FF 3 for Windows:	Safari 4 Beta for Windows:
background-image Submit	background-image

Figure E-122. Testing background images in the Submit button

**border: 0;**













Select - Submit Button	
IE 6 for Windows:	Opera 9 for Macintosh:
	
IE 7 for Windows:	Opera 9 for Windows:
	
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
	
Chrome for Windows:	Safari 3 for Windows:
	
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
	
FF 3 for Windows:	Safari 4 Beta for Windows:
	

Figure E-123. Testing the removal of borders on the Submit button

## border-color










Select - Submit Button	
IE 6 for Windows:	Opera 9 for Macintosh:
	
IE 7 for Windows:	Opera 9 for Windows:
	
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
	
Chrome for Windows:	Safari 3 for Windows:
	
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
	
FF 3 for Windows:	Safari 4 Beta for Windows:
	

Figure E-124. Testing colors on the Submit button borders

## border-style




Figure E-125. Testing the styles of borders on the Submit button

## border-width




Figure E-126. Testing the widths of borders on the Submit button

## color



Select - Submit Button	
IE 6 for Windows:	Opera 9 for Macintosh:
	
IE 7 for Windows:	Opera 9 for Windows:
	
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
	
Chrome for Windows:	Safari 3 for Windows:
	
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
	
FF 3 for Windows:	Safari 4 Beta for Windows:
	

Figure E-127. Testing the color on the Submit button

## font-family













Select - Submit Button	
IE 6 for Windows:	Opera 9 for Macintosh:
	
IE 7 for Windows:	Opera 9 for Windows:
	
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
	
Chrome for Windows:	Safari 3 for Windows:
	
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
	
FF 3 for Windows:	Safari 4 Beta for Windows:
	

Figure E-128. Testing setting a different font on the Submit button

## font-size




Figure E-129. Testing a different size of font on the Submit button

## font-weight









Select - Submit Button	
IE 6 for Windows:	Opera 9 for Macintosh:
	
IE 7 for Windows:	Opera 9 for Windows:
	
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
	
Chrome for Windows:	Safari 3 for Windows:
	
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
	
FF 3 for Windows:	Safari 4 Beta for Windows:
	

Figure E-130. Testing a bold font on the Submit button

## height






Select - Submit Button	
IE 6 for Windows:	Opera 9 for Macintosh:
	
IE 7 for Windows:	Opera 9 for Windows:
	
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
	
Chrome for Windows:	Safari 3 for Windows:
	
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
	
FF 3 for Windows:	Safari 4 Beta for Windows:
	

Figure E-131. Testing setting a height for the Submit button

## letter-spacing




Figure E-132. Testing the letter spacing of the Submit button

## line-height












Select - Submit Button	
IE 6 for Windows:	Opera 9 for Macintosh:
	
IE 7 for Windows:	Opera 9 for Windows:
	
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
	
Chrome for Windows:	Safari 3 for Windows:
	
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
	
FF 3 for Windows:	Safari 4 Beta for Windows:
	

Figure E-133. Testing setting the spacing between lines of text on the Submit button

## margin




Figure E-134. Testing margins on the Submit button

## padding

Select - Submit Button	
IE 6 for Windows:	Opera 9 for Macintosh:
A submit button labeled "padding" with the placeholder "Lorem ipsum dolor" inside. The button has a blue border and a white background.	A submit button labeled "padding" with the placeholder "Lorem ipsum dolor" inside. The button has a thin gray border and a light gray background.
IE 7 for Windows:	Opera 9 for Windows:
A submit button labeled "padding" with the placeholder "Lorem ipsum dolor" inside. The button has a blue border and a white background.	A submit button labeled "padding" with the placeholder "Lorem ipsum dolor" inside. The button has a thin gray border and a light gray background.
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
A submit button labeled "padding" with the placeholder "Lorem ipsum dolor" inside. The button has a thin gray border and a light gray background.	A submit button labeled "padding" with the placeholder "Lorem ipsum dolor" inside. The button has a thin gray border and a light gray background.
Chrome for Windows:	Safari 3 for Windows:
A submit button labeled "padding" with the placeholder "Lorem ipsum dolor" inside. The button has a thin gray border and a light gray background.	A submit button labeled "padding" with the placeholder "Lorem ipsum dolor" inside. The button has a thin gray border and a light gray background.
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
A submit button labeled "padding" with the placeholder "Lorem ipsum dolor" inside. The button has a thin gray border and a light gray background.	A submit button labeled "padding" with the placeholder "Lorem ipsum dolor" inside. The button has a thin gray border and a light gray background.
FF 3 for Windows:	Safari 4 Beta for Windows:
A submit button labeled "padding" with the placeholder "Lorem ipsum dolor" inside. The button has a thin gray border and a light gray background.	A submit button labeled "padding" with the placeholder "Lorem ipsum dolor" inside. The button has a thin gray border and a light gray background.

Figure E-135. Testing padding on the Submit button

## text-align









Select - Submit Button	
IE 6 for Windows:	Opera 9 for Macintosh:
	
IE 7 for Windows:	Opera 9 for Windows:
	
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
	
Chrome for Windows:	Safari 3 for Windows:
	
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
	
FF 3 for Windows:	Safari 4 Beta for Windows:
	

Figure E-136. Testing the alignment of text on the Submit button

## text-decoration











Select - Submit Button	
IE 6 for Windows:	Opera 9 for Macintosh:
	
IE 7 for Windows:	Opera 9 for Windows:
	
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
	
Chrome for Windows:	Safari 3 for Windows:
	
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
	
FF 3 for Windows:	Safari 4 Beta for Windows:
	

Figure E-137. Testing setting a different font on the Submit button

## text-indent











Select - Submit Button	
IE 6 for Windows:	Opera 9 for Macintosh:
	
IE 7 for Windows:	Opera 9 for Windows:
	
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
	
Chrome for Windows:	Safari 3 for Windows:
	
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
	
FF 3 for Windows:	Safari 4 Beta for Windows:
	

Figure E-138. Testing indenting the text on the Submit button

## width










Select - Submit Button	
IE 6 for Windows:	Opera 9 for Macintosh:
	
IE 7 for Windows:	Opera 9 for Windows:
	
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
	
Chrome for Windows:	Safari 3 for Windows:
	
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
	
FF 3 for Windows:	Safari 4 Beta for Windows:
	

Figure E-139. Testing the width of the Submit button

## word-spacing




Figure E-140. Testing the spacing between words on the Submit button

## Textarea Element

A **textarea** element is an HTML form element that allows for multiline text input by the user.

*Table E-9. A review of the CSS properties on text area*

	WinIE6	WinIE7	WinIE8b2	Chrome	MacFF3	WinFF3	Mac099	Win099	MacSF3	WinSF3	MacSF4b	WinSF4b
background-color	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
background-image	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
border	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
border-color	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
border-style	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
border-width	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
color	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
font-family	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
font-size	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
font-weight	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
height	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
letter-spacing	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
line-height	Y	Y	Y	Y	Y	Y	Y	Y	Y	N	N	Y
margin	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
padding	S	S	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
text-align	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
text-decoration	Y	Y	Y	Y	Y	Y	Y	Y	N	Y	Y	Y
text-indent	S	S	Y	Y	Y	Y	Y	Y	N	Y	Y	Y
width	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
word-spacing	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y

## background-color




Figure E-141. Testing the background color of the textarea element

## background-image




Figure E-142. Testing background images in the textarea element

**border: 0;**




Figure E-143. Testing the removal of borders on the textarea element

## border-color




Figure E-144. Testing colors on the textarea element borders

## border-style




Figure E-145. Testing the styles of borders on the textarea element

## border-width



Figure E-146. Testing the widths of borders on the textarea element

## color




Figure E-147. Testing the color on the textarea element

## font-family













Select - Text Area	
IE 6 for Windows:	Opera 9 for Macintosh:
	
IE 7 for Windows:	Opera 9 for Windows:
	
IE 8 Beta 2 for Windows:	Safari 3 for Macintosh:
	
Chrome for Windows:	Safari 3 for Windows:
	
FF 3 for Macintosh:	Safari 4 Beta for Macintosh:
	
FF 3 for Windows:	Safari 4 Beta for Windows:
	

Figure E-148. Testing setting a different font on the textarea element

## font-size



Figure E-149. Testing a different size of font on the textarea element

## font-weight




Figure E-150. Testing a bold font on the textarea element

## height



Figure E-151. Testing setting a height for the textarea element

## letter-spacing




Figure E-152. Testing the letter spacing of the textarea element

## line-height




Figure E-153. Testing setting the spacing between lines of text on the textarea element

## margin




Figure E-154. Testing margins on the textarea element

## padding




Figure E-155. Testing padding on the textarea element

## text-align




Figure E-156. Testing the alignment of text on the textarea element

## text-decoration




Figure E-157. Testing setting a different font on the textarea element

## text-indent




Figure E-158. Testing indenting the text on the textarea element

## width




Figure E-159. Testing the width of the textarea element

## word-spacing




Figure E-160. Testing the spacing between words on the textarea element