Radius SEO

User manual

Duppins Technology

Version 1.7.0

This manual explains how to build local landing pages from one template and a place library. The same file is linked from every Radius screen in wp-admin.

1. What the plugin does

Radius SEO keeps a blueprint (a template) and a library of places. Deploy writes one page per place that falls inside a service-area circle. Tokens such as {{city}} and {{company-name}} are replaced when the page is written. Spintax such as {fast|quick|reliable} picks one phrase and stores it. Visitors then see that stored page until you deploy again or turn on scheduled rotation.

Landing pages live at the site root, for example /tire-repair-springfield/. Service-area hubs use the prefix from Settings, for example /service-area/springfield/. Deploy updates an existing page for the same template and place. It does not add a second copy.

2. First-time setup

License

Open Radius, then Settings, then License. Paste a signed license from Duppins Technology and click Save. Check only reports whether the key is signed. It does not store the key. A key already saved on the site keeps working until you replace it or remove it. Purchase links open Stripe. After checkout, paste the key you receive. Cancelling Stripe does not yet turn a saved key off.

Places and service areas

Open Location library and add places, or import a CSV. Each place needs a name plus latitude and longitude. Rows without coordinates are skipped at deploy. Rows already in the library are skipped unless Update existing places is checked. Only an administrator can upload the CSV.

Open Settings, then Service areas. Add a center place and a radius in miles, then save. Deploy includes library places inside those circles.

Template and deploy

Open Templates and add a blueprint. Use tokens in the title and body. Open Deploy, choose that template, and run Deploy and update all places. If a batch stops, use Continue deployment. If the screen reports a server error, open Logs.

If the template was built in Elementor or Beaver Builder, open Settings, then Integrations, turn that editor on, save, and deploy again.

3. Screens

Dashboard

Shortcuts into the rest of Radius. The cards do not change pages by themselves. The usual order is License, Location library, a template, then Deploy.

Analytics

Visit and outbound click counts for published landings. The counts stay on this site. Use the tables when a chart is hard to read.

Templates

One template is usually one service line or page design. Edit the blueprint, then deploy, to update the pages that came from it. Preview is for people who can edit the template.

Landings and service areas

Landings are the city pages. Service areas are the hub pages. A one-off edit on a single page lasts until the next deploy of that template and place, which rewrites the page from the template. Leave the stored template and place in place so later deploys find the same page.

Location library

Add, import, and export places. The danger zone deletes places. That delete cannot be undone from this screen.

Deploy

Choose a template and write one current page per place inside the service-area circles. Health check reports duplicates and pages that lost their template or place link. It does not publish new pages by itself.

Import / export

Spintax and template slots fill variation blocks. The locations tab is the same library as Location library. Use the migration tab only when you are moving an older Magic Page library.

Settings

License stores the key. General holds the service-area URL prefix and the deploy batch size. Lower the batch size when a host times out. Service areas holds the circles. Site replacers are tokens such as company-name and phone-number. An area override wins when a place falls inside that circle. Content and rotation should stay off unless you want spintax rewritten on a timer. Database is for leftover Magic Page options. Integrations turns on Elementor or Beaver Builder and copies matching meta fields onto each landing.

Logs

Open Logs after a deploy or import reports a server error. The processing log is the run. The error log is the failure. Logs stay on the site until a confirmed delete at deactivation.

Support

An administrator opens Radius, then Support, describes what they were trying to do and what happened, and clicks Email support. The message goes to support@duppinstech.com. It includes the name, email, screen, subject, what they were trying to do, what happened, the site address, the WordPress version, and the Radius version. Radius does not keep a copy. Wait a minute before sending another message. If the site cannot send mail, email that address directly.

4. Tokens

Write a token as {{token}} or [token]. Keys are lowercase. Hyphens are allowed, so {{company-name}} is valid. Place tokens come from the library (city, state, and similar fields). Site replacers come from Settings. Spintax is {one|two|three} and is resolved when the page is deployed.

5. Deactivate

Plugins, then Deactivate, asks whether to keep Radius data or delete it. Cancel, Close, Escape, or a click outside leaves the plugin active and deletes nothing. Keep all data and deactivate turns the plugin off and leaves pages, places, templates, and settings stored. Delete all Radius data shows the counts. Confirm delete removes them, then deactivates. If a delete stops, the plugin stays active. Pages already removed stay removed. Deleting the plugin files later does not remove data that was kept.

6. Plans

Single site is $9.99 per month. Unlimited sites is $99 per month. Both links are on Settings, then License. Priority email for the unlimited plan is handled in the Duppins Technology account. The plugin does not store or check that flag.

Copyright Duppins Technology. Radius SEO is licensed under the GNU General Public License, version 2 or later. This manual describes the product. It is not a warranty.