



Cofense PhishMe® API V1 Reference

July 25, 2025

Table of Contents

About the Cofense PhishMe API	3
End of Support for Cofense PhishMe API V1	3
Who Can Use this Feature?	3
API Access	3
Generating an API Token.....	3
Viewing Your API Token Status.....	5
Using Your Token in the API.....	5
Bash (using curl) Example	5
Ruby Example	5
Python Example	5
Revoking an Existing Token	5
API URL	6
Automatic Download of Full CSV Reports Using a Script.....	6
API Endpoints.....	7
Sample Output for /users.csv	7
Sample Output for /scenarios.json, /all_scenarios.json, and /test_scenarios.json	8
Sample Output for /scenario/SCENARIO_ID/full_csv	8
Rate Limits.....	9
About Cofense.....	10



About the Cofense PhishMe API

You can access information about your Cofense PhishMe® program within the PhishMe interface to determine how resilient your organization is to phishing attacks. Alternatively, you can use the Cofense PhishMe API to extract information about your scenarios and operators programmatically, outside of the PhishMe interface.

End of Support for Cofense PhishMe API V1

Cofense has announced end of support and end of life for Cofense PhishMe API V1 as of August 31, 2025. Plan to transition all scripts and automation tools to Cofense PhishMe API V2 before that date to avoid disruption of services and workflows.

Who Can Use this Feature?

All Cofense PhishMe operators, except operators with the anonymous permission role, can generate the API token needed to access the Cofense PhishMe API. Tokens are available on a per-operator basis.

API Access


The Cofense PhishMe API requires that an HTTP Authorization token be sent in the header of every API request.

Generating an API Token

NOTE: This procedure assumes that you are generating a token for the first time. If you already have a token, generating a new one will deactivate your current token and cause any scripts that use your current token to fail. Be sure to update those scripts with the new token.

To generate your token in the new Cofense PhishMe user interface:

1. Click your profile in the upper right corner of any PhishMe page.



2. Click **Account**.
3. On the Company Settings tab, scroll down to the Access and Security section. In the API Token subsection, click **Generate Token**.

API Token


Generate a Cofense PhishMe API token to access PhishMe data programmatically. For details, see the [API Documentation](#).

 **Generate Token...**




- (Optional) Set the API token expiration date. By default, the token is set to never expire.

NOTE: You can only set an expiration date when you generate a token.



The modal window is titled "Generate API Token" and has a close button (X) in the top right corner. It contains a warning icon and text: "You can have only one API token. If you already have a token and you generate a new one, all access associated with your current token will be disabled. This action cannot be undone." Below this is a section labeled "Optional Expiration Date" with a date picker icon and the text "Expiration Date". At the bottom are two buttons: "Cancel" and "Generate".

- Click **Generate**. The following window displays.



The modal window is titled "Generate API Token" and has a close button (X) in the top right corner. It contains a warning icon and text: "Copy your new token now. You won't be able to view, copy, or retrieve this token after you close this modal. Treat it like a password and keep it secure." Below this is a section labeled "API Key" with a "Copy" button. The API Key is displayed in a dark box: "9ff6b2498edc438713d779feca299135". At the bottom is a "Close" button.

- Click **Copy** to copy the value from the token field to your clipboard.


IMPORTANT: Before you close the window, verify that you captured the token in a safe place. You cannot retrieve this token in Cofense PhishMe after you close the window. If you lose this token, you must generate a new one and then update the Authorization headers of any active requests that use the old token.

Viewing Your API Token Status

If you have an existing API token, you can see the token generation date and, if applicable, the expiration date. In the new Cofense PhishMe user interface, it appears like the example that follows.

API Token
Generate a Cofense PhishMe API token to access PhishMe data programmatically. For details, see the [API Documentation](#).
Your API token was created Dec 1, 2020, 9:18 a.m. and does not expire.

 You can have only one API token at a time. If you generate a new one, your current one will no longer be able to access the API. Be sure you need a new token before you generate a new one.

Using Your Token in the API

After you generate a token, you insert the token into the Authorization request header of each API request. Setting the token correctly in the header depends on the programming language or tool you are using to access the API. A few examples follow.

Bash (using curl) Example

```
$ curl -s https://login.phishme.com/api/v1/scenarios.json -H 'Authorization: Token token="3eb1c6dac4fd1778f76cc87bfe0181ff"'
```

Ruby Example

```
require 'open-uri'

url = "https://login.phishme.com/api/v1/scenarios.json"

response = open(url, 'Authorization' => %{"Token token="3eb1c6dac4fd1778f76cc87bfe0181ff"})
```

Python Example

```
import urllib2

url = "https://login.phishme.com/api/v1/scenarios.json"

request = urllib2.Request(url)

request.add_header('Authorization', 'Token token="3eb1c6dac4fd1778f76cc87bfe0181ff"')

response = urllib2.urlopen(request)
```

Revoking an Existing Token

If you have an existing token, you can revoke it. To do so, click **Revoke Token** in the API Token section of your company profile. This action removes and deactivates the token tied to your user account.

IMPORTANT: If you want to continue using scripts that contain the revoked token, be sure to generate a new token and update the scripts with the new token.



API URL

In each API request, you must pass the API URL. The following table identifies the correct API URL to include in your requests based on the URL you use to log in to Cofense PhishMe.

Cofense PhishMe Login URL	API URL
https://login.phishme.com	https://login.phishme.com/api/v1
https://login.phishme.co.uk	https://login.phishme.co.uk/api/v1

Automatic Download of Full CSV Reports Using a Script

Cofense® provides a Ruby script that handles the automatic download of your full CSV reports via an API. The script is compatible with Ruby versions 1.9.3-2.3.1-112p and is configured to contact the Cofense PhishMe API, find your completed scenarios, and download their full CSV reports to a directory you specify. The script will not re-download a full CSV report that it already downloaded to the output directory.

An excerpt from this script follows.

```
Usage: ruby phishme_download_full_csvs.rb API_TOKEN [options]
      --phishme-server SERVER      NA if you use https://login.phishme.com
                                   EU if you use https://login.phishme.co.uk
      --test-scenarios             Download Full CSVs for test scenarios instead of
                                   production scenarios.
  -o, --output DIRECTORY          Output directory for Full CSVs.
                                   Default: current directory.
  -h, --help                     Display this screen
```

NOTE: In the new Cofense PhishMe user interface, “test scenarios” are called “archived scenarios.”

To use the script, edit the script to specify any desired options, add the API token that you generated earlier in this guide, and run the script with Ruby.

Example:

```
ruby phishme_download_full_csvs.rb 3eb1c6dac4fd1778f76cc87bfe0181ff --phishme-server NA --output
~/phishme/full_csvs
```

To obtain this script, contact the Cofense Technical Operations Center here: <https://support.cofense.com>



API Endpoints

This version of the API contains five endpoints. Details about each endpoint follow.

Endpoint	Description
<code>/users.csv</code>	Returns a CSV file with information about each of your company's operators.
<code>/scenarios.json</code>	Returns JSON data for each of your company's completed scenarios. The output lists scenarios in descending order by completion date. This endpoint does not return data for announcements or test scenarios.
<code>/all_scenarios.json</code>	Returns JSON data for each of your company's scenarios, including those that have not started. This endpoint does not return data for announcements or test scenarios.
<code>/test_scenarios.json</code>	Returns JSON data for each of your company's completed test scenarios. The output lists test scenarios in descending order by completion date. This endpoint does not return data for announcements.
<code>/scenario/SCENARIO_ID/full_csv</code>	Returns the full CSV report for the scenario identified by SCENARIO_ID. For completed scenarios, the output contains the same details found in the full CSV report generated in the PhishMe interface. For unlaunched scenarios, the output contains a list of recipients but no interactions.

NOTE: In the new Cofense PhishMe user interface, "announcements" are called "awareness newsletters." "Test scenarios" are called "archived scenarios."

Sample Output for `/users.csv`

Sample URL: <https://login.phishme.com/api/v1/users.csv>

Returned Data:

- Email Address
- Name
- Title
- Phone
- Time Zone
- Roles

Optional Parameters: filename=<your filename here>

(for example, <https://login.phishme.com/api/v1/users.csv?filename=users.csv>)

You can use this endpoint to download a CSV file that contains information about the operators in your company. You can provide an optional filename to be used for the download by passing a filename parameter in the URL.



Sample Output for /scenarios.json, /all_scenarios.json, and /test_scenarios.json

Returned Data (sample):

```
[{
  "id": "fecb269b-5aae-4806-b20b-9938f69ec3c2",
  "title": "Scenario 2/2020",
  "full_csv_url": "https://login.phishme.com/api/v1/scenario/fecb269b-5aae-4806-b20b-9938f69ec3c2/full_csv",
  "recipients": 5000,
  "responses": 897,
  "date_finished": "2/10/2020 17:24:05",
  "date_started": "2/10/2020 17:24:05",
  "scenario_type": "Click Only"
},
{
  "id": "3efddb72-62c5-4bed-8ab9-9f1f2af2df49",
  "title": "Scenario 01/2020",
  "full_csv_url": "https://login.phishme.com/api/v1/scenario/3efddb72-62c5-4bed-8ab9-9f1f2af2df49/full_csv",
  "recipients": 5000,
  "responses": 221,
  "date_finished": "01/10/2020 17:12:59",
  "date_started": "01/05/2020 17:12:59",
  "scenario_type": "Click Only"
}]
```

Sample Output for /scenario/SCENARIO_ID/full_csv

Sample URL: https://login.phishme.com/api/v1/scenario/3efddb72-62c5-4bed-8ab9-9f1f2af2df49/full_csv

Returned Data: The full CSV report for the scenario

The generation of data for this report is resource intensive so it is subject to a rate limit. Accessing a Full CSV endpoint sets a cooldown timer with a minimum of 10 minutes. When you request a full CSV report for a scenario with more than 100 recipients, your API access to download additional full CSV reports is restricted for 1 second per 100 recipients. For example, if you download a report for a scenario with 50,000 recipients, due to the rate limit, you cannot download another report for 500 seconds.

During the time your API access is limited, any additional full CSV download requests associated with your token will result in an HTTP 403 response with the message: "API Token Busy: N seconds remaining," where N is the number of seconds that remain before subsequent full CSV download requests can resume. For example, "API Token Busy: 37 seconds remaining."

The sample scripts take this limitation into account and automatically wait for the API access to become available again. If you code your own full CSV download scripts, you should take this limitation into account.



Rate Limits

The only endpoint that has a rate limit is the `/scenario/SCENARIO_ID/full_csv` endpoint. Read that section for more detail about the rate limit.



About Cofense

Cofense®, formerly known as PhishMe®, is the leading provider of human-driven phishing defense solutions for organizations concerned with their susceptibility to sophisticated cyber attacks. Cofense delivers a collaborative, cooperative approach to cybersecurity by enabling organization-wide response to the most used attack vector—phishing. Cofense serves customers of all sizes across multiple industries including financial services, energy, government, healthcare, technology and manufacturing, as well as other Global 1000 entities that understand how engaging user behavior will improve security, aid incident response and reduce the risk of compromise. For additional information, please visit: <http://www.cofense.com/>.

