





Schematic	Schematic1			Create at	2026-03-29
				Update at	2026-04-20
Board	Board1			Page	P1
Drawn		radiator			
Reviewed					
		Version	Size	Page 1 Total 1	
		V1.0	A4	EasyEDA.com	




Schematic	HV_GEN			Create at	2026-04-16
				Update at	2026-04-20
Board	HV_GEN			Page	P1
Drawn		radiator			
Reviewed					
		Version	Size	Page 1 Total 1	
		V1.0	A4	EasyEDA.com	



Schematic	HV_SNS			Create at	2026-04-16
				Update at	2026-04-16
Board	HV_SNS			Page	P1
Drawn		radiator			
Reviewed					
		Version	Size	Page 1 Total 1	
EasyEDA		V1.0	A4	EasyEDA.com	


UI



Schematic	UI			Create at	2026-04-16
				Update at	2026-04-20
Board	UI			Page	P1
Drawn		radiator			
Reviewed					
		Version	Size	Page 1 Total 1	
EasyEDA		V1.0	A4	EasyEDA.com	

GMAMP

Anode feed 4.5M for J305
($\approx 133\text{ V}$ / resistor @ $\text{HV}=400\text{V}$, within 0805 derating).
Signal tap at TUBE_PLUS for C6.



Schematic	GM_AMP			Create at	2026-04-16
				Update at	2026-04-16
Board	GM_AMP			Page	P1
Drawn		radiator			
Reviewed					
		Version	Size	Page 1 Total 1	
EasyEDA		V1.0	A4	EasyEDA.com	