DOCUMENT 5

SECURITY ACCESS & ACL CONFIGURATION

Information Security in ServiceNow

Information Security is a critical component within the ServiceNow platform. For ABC Corporation's 'Operations related' table, it is essential that data is not accessible to all users. Only individuals with the appropriate 'Role' should have the authorization to Read or Write (modify) data. This framework protects the system from potential 'Data Breaches' and unauthorized data alterations.

Access Control List (ACL) Introduction

An ACL is a Security Rule in ServiceNow. It operates based on three primary criteria:

1. Roles: Which specific role has access?
2. Conditions: Under what circumstances (Condition) is access granted?
3. Script: Used for advanced or complex logic scenarios. Through ACLs, security can be implemented at both the 'Table level' (entire table) and the 'Field level' (individual columns).

Security Admin Role Elevation Steps

To create or modify ACLs, the standard 'admin' role is insufficient; you must elevate your privileges to 'security_admin':

1. User Menu: Click on the user icon located in the banner.
2. Elevate Role: Select the 'Elevate Roles' option.
3. Checkpoint: Check the 'security_admin' box and click OK.
4. Verification: A 'Red border' will appear around your profile, indicating that you are now authorized to manage security settings.

Table-level Read ACL Creation

This rule determines who is allowed to view the 'Operations related' table:

1. Module: Navigate to System Security >> Access Control (ACL).
2. New: Click 'New' to create a new ACL.
3. Type: Record.
4. Operation: Read.
5. Name: u_operations_related | None ('None' signifies the entire table).
6. Role: Add the 'itil' and 'admin' roles. Now, only users with these roles can view the records in this table.

Table-level Write ACL for Platform Roles

To allow editing of platform-related tickets:

- Operation: Write.
- Name: u_operations_related | None.
- Role: Platform_role.
- Purpose: This ensures that users like 'Manne Niranjan' can modify records specifically related to platform operations.

Table-level Write ACL for Certificate Roles

To allow editing of certificate-related tickets:

- Operation: Write.
- Name: u_operations_related | None.
- Role: Certification_role.
- Purpose: This rule allows 'Katherine Pierce' and her team to resolve certificate tickets while preventing other teams from modifying their data.

Field-level ACL - 'Priority'

Specific security for individual fields:

- Name: u_operations_related | Priority.
- Operation: Write.
- Role: admin.
- Logic: By restricting Write access to the 'admin' role, we prevent support agents from incorrectly changing a ticket's priority to 'Critical'.

Field-level ACL - 'Name'

- Name: u_operations_related | u_name.
- Operation: Read.
- Role: itil.
- Logic: This field remains visible to all internal agents (itil role), but editing requires 'admin' privileges.

Field-level ACL - 'Issue'

- Name: u_operations_related | u_issue.
- Operation: Write.
- Role: Platform_role, Certification_role.
- Logic: Since this field is the primary driver for automation, only the relevant team roles are permitted to update it.

Field-level ACL - 'Ticket Raised Date'

- Name: u_operations_related | u_ticket_raised_date.
- Operation: Write.
- Constraint: None.
- Logic: The date a ticket was raised is set to Read-only for everyone. This preserves data integrity for audit purposes.

Debugging ACLs - Security Rules Testing

To verify if ACLs are functioning correctly:

1. Session Debug: Enable the 'Debug Security' option.
2. Visual Feedback: When viewing the table, a 'Check' (Pass) or 'X' (Fail) icon will appear next to each field indicating the security result.

3. Impersonate: Log in as another user (e.g., Katherine) to confirm they can only see and edit the fields intended for their role.

Data Privacy & Governance Compliance

- Data Privacy: Ensuring that Private Identity Information (PII) is masked or hidden via ACLs.
- Audit Trail: Every change made to an ACL is captured in the 'Audit log' for compliance tracking.
- Best Practice: Always create the 'Table level' ACL first, followed by specific 'Field level' ACLs.
- Conclusion: The ABC Corporation ticket management system is now secured according to ServiceNow industry standards.