

Phase 5: Project Development Phase

5.1 Introduction

The **Project Development Phase** focuses on implementing and configuring the required UI Policy, UI Policy Action, and Client Scripts in the ServiceNow **Incident** table. The purpose is to automate Incident handling, enforce required fields, control field behavior, and prevent invalid updates.

5.2 UI Policy Configuration

A UI Policy named **High Impact Control** is created for the Incident table.

Property	Configuration
Name	High Impact Control
Table	Incident
Active	True
Condition	Impact = 1 – High
Reverse if False	True

When **Impact** = **High**, the policy makes **Assignment Group** mandatory and **Urgency** read-only. When the condition becomes false, normal field behavior is restored.

5.3 UI Policy Action

A UI Policy Action is created under **High Impact Control** to control the Urgency field.

Property	Configuration
UI Policy	High Impact Control
Field	Urgency
Read-only	True
Visible	Unchanged

Mandatory	Unchanged
-----------	-----------

This allows users to view Urgency while preventing manual changes when Impact is High. The automatic Urgency value is handled by the onChange Client Script.

5.4 Client Script Development

Three Client Scripts are created for the Incident table.

Client Script	Type	Purpose
Auto set urgency for high impact	onChange	Sets Urgency to High
Prevent save if Assigned To missing	onSubmit	Prevents invalid submission
Prevent state change via list edit	onCellEdit	Prevents State list editing

onChange: When Impact is changed to High, Urgency is automatically set to High and an informational message is displayed.

```
function onChange(control, oldValue, newValue, isLoading) {
    if (isLoading || newValue == "") {
        return;
    }

    if (newValue == '1') {
        g_form.setValue('urgency', '1');
        g_form.addInfoMessage(
            'Urgency set to High for High impact incident.'
        );
    }
}
```

onSubmit: A High-impact Incident cannot be saved if Assigned To is empty.

```
function onSubmit() {
    if (g_form.getValue('impact') == '1' &&
        g_form.getValue('assigned_to') == "") {

        g_form.showErrorBox(
```

```

        'assigned_to',
        'Assigned To is mandatory for High impact incidents.'
    );
    return false;
}

return true;
}

```

onCellEdit: State changes made directly from the Incident list are prevented.

```

function onCellEdit(sysIDs, table, oldValues, newValue, callback) {
    alert(
        'State cannot be updated using list editing. Please open the Incident.'
    );
    callback(false);
}

```

5.5 Validation and Automation

The implemented configuration is tested to ensure that:

- Impact = High makes **Assignment Group** mandatory.
- Impact = High makes **Urgency** read-only.
- Urgency is automatically set to High.
- A High-impact Incident cannot be saved without **Assigned To**.
- State cannot be changed through direct list editing.
- Normal State changes through the Incident form remain available.
- Changing Impact from High restores normal field behavior.
- Informational, error, and alert messages provide clear user feedback.

5.6 Configuration Verification

The complete configuration is reviewed to confirm that all components are correctly associated with the **Incident** table.

Component	Verification
UI Policy	High Impact Control, Active, Impact = High
UI Policy Action	Urgency read-only

onChange Script	Automatically sets Urgency
onSubmit Script	Validates Assigned To
onCellEdit Script	Prevents State list editing

The Incident form and list are both tested to ensure that the configured behavior works correctly.

5.7 Expected Outcome

The completed project provides a controlled and automated Incident management process. High-impact Incidents are identified automatically, required information is enforced, Urgency is automatically managed, and unauthorized list-based State changes are prevented.

This phase completes the main **Project Development, Automation, Validation, and Configuration Verification** activities and prepares the project for the final **Testing & Demonstration Phase**.