

Description of Automation Testing:

Project Description: This project aims to automate testing of the <https://www.demoblaze.com/> website using Java programming language and Selenium WebDriver.

1. Create a page Object model for this application and write an automation script for a complete process where the user can register to log in and then search for the product add it to the cart and complete the checkout process.
2. Add an Extent report for the project.
3. Add Screenshots for all modules.
4. Push the project script on GitHub and share the link along with a PDF for the complete Project

Work.

BaseClass.java:

```
package com.TestCases;

import org.testng.annotations.BeforeMethod;
import java.time.Duration;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.chrome.ChromeDriver;
import org.testng.annotations.BeforeTest;
import com.Pages.*;

public class BaseClass
{
    public WebDriver driver;
    public HomePage hp;
    public IndexPage ip;
    public String un="DurgaLakshmiTest"+System.currentTimeMillis();
    public CartPage cp;
```

```

@BeforeTest
public void setUp()
{
    driver=new ChromeDriver();
    driver.manage().timeouts().implicitlyWait(Duration.ofSeconds(10));
    driver.get("https://www.demoblaze.com/");
    hp=new HomePage(driver);
    ip=new IndexPage(driver);
    cp=new CartPage(driver);
}
}

```

HomePageTest.java:

```

package com.TestCases;

import org.testng.annotations.Test;
import org.testng.AssertJUnit;
import org.testng.Assert;
import org.testng.annotations.Test;

public class HomePageTest extends BaseClass{

    @Test(priority=1)
    public void validateListOfOptions()
    {
        int total=hp.getTotalOptions();
        Assert.assertEquals(total, 8);
        System.out.println("Total Options are: "+total);
    }

    @Test(priority=2)
    public void validateOptions()
    {
        hp.getOptionsText();
    }
}

```

```

} @Test(priority=3)
public void validateSignIn()
{
    hp.doSignUp(un,"Pass1245");
}
@Test(priority=4)
public void validateLogin()
{
    hp.doLogin("DurgaLakshmi","Pass1245");
}
}

```

IndexPageTest.java:

```

package com.TestCases;
import org.testng.annotations.Test;
import com.Pages.CartPage;
import org.testng.annotations.BeforeClass;
import org.testng.annotations.BeforeClass;
import org.testng.annotations.Test;

public class IndexPageTest extends BaseClass
{
    @BeforeClass
    public void pageSetup()
    {
        ip=hp.doLogin("DurgaLakshmi","Pass1245");
    }

    @Test(priority=1)
    public void validateCategories()

```

```
{    ip.getAllCategories();
}

@Test(priority=2)
public void validateAllProducts()
{
    ip.getAllOptions();
}

@Test(priority=3)
public void addProductToCart()
{
    ip.addProductToCart("Phones","Samsung galaxy s7");
}

@Test(priority=4)
public void validateLaunchOfCartPage()
{
    ip.launchCartPage();
}
}
```

CartPageTest.java:

```
package com.TestCases;

import org.testng.annotations.BeforeClass;
import org.testng.annotations.Test;

public class CartPageTest extends BaseClass
{
    @BeforeClass
    public void pageSetup()
```

```
{  
    ip=hp.doLogin("DurgaLakshmi","Pass1245");  
    ip.addProductToCart("Phones","Samsung galaxy s7");  
    cp=ip.launchCartPage();  
}  
  
@Test(priority=1)  
public void getProductDetails()  
{  
    cp.getProductDetails();  
}  
  
@Test(priority=2)  
public void validateOrder()  
{  
    cp.placeOrder("DurgaLakshmi","India","Pune","card123","Dec","2025");  
}  
}
```

HomePage.java:

```
package com.Pages;  
  
import java.util.List;  
  
import org.openqa.selenium.Alert;  
import org.openqa.selenium.WebDriver;  
import org.openqa.selenium.WebElement;  
import org.openqa.selenium.support.FindBy;  
import org.openqa.selenium.support.PageFactory;  
import com.Generic.Utility;  
  
public class HomePage
```

```

{

    private WebDriver driver;

    public HomePage(WebDriver driver)
    {

        this.driver=driver;

        PageFactory.initElements(driver,this);

    }

    @FindBy(xpath="//ul[@class='navbar-nav ml-auto']/li//a")
    List<WebElement> menu;

    @FindBy(id="signin2")
    WebElement signIn;

    @FindBy(id="sign-username")
    WebElement signUn;

    @FindBy(id="sign-password")
    WebElement signPass;

    @FindBy(xpath="//button[normalize-space()='Sign up']")
    WebElement signBtn;

    @FindBy(id="login2")
    WebElement loginLink;

    @FindBy(id="loginusername")
    WebElement loginUn;

    @FindBy(id="loginpassword")
    WebElement loginPass;

    @FindBy(xpath="//button[normalize-space()='Log in']")
    WebElement loginBtn;

    @FindBy(id="cartur")
    WebElement cartLink;

    @FindBy(id="nameofuser")
    WebElement nameofUser;

```

```
public int getTotalOptions()
{
    return menu.size();
}

public void getOptionsText()
{
    for(WebElement i:menu)
    {
        System.out.println(i.getText());
    }
}

public String getAppUrl()
{
    return driver.getCurrentUrl();
}

public void doSignUp(String un,String psw)
{
    signIn.click();
    signUn.sendKeys(un);
    signPass.sendKeys(psw);
    Utility.getScreenshot(driver,"SignUp");
    signBtn.click();
    try {
        Thread.sleep(2000);
    } catch (InterruptedException e) {
        // TODO Auto-generated catch block
        e.printStackTrace();
    }
    Utility.getScreenshot(driver,"SignUpAlert");
}
```

```
        Alert alt=driver.switchTo().alert();

        System.out.println("Alert text is: "+alt.getText());

        alt.accept();
    }

    public IndexPage doLogin(String un,String psw)
    {

        loginLink.click();

        loginUn.sendKeys(un);

        loginPass.sendKeys(psw);

        Utility.getScreenshot(driver,"login");

        loginBtn.click();

        System.out.println("User logged In: "+nameofUser.getText());

        return new IndexPage(driver);
    }

    public void launchCartPage()
    {

        cartLink.click();

    }

}
```

IndexPage.java:

```
package com.Pages;

import java.util.List;

import org.openqa.selenium.Alert;

import org.openqa.selenium.StaleElementReferenceException;

import org.openqa.selenium.WebDriver;

import org.openqa.selenium.WebElement;

import org.openqa.selenium.support.FindBy;
```

```
import org.openqa.selenium.support.PageFactory;
import com.Generic.Utility;

public class IndexPage
{
    WebDriver driver;

    public IndexPage(WebDriver driver)
    {
        this.driver=driver;

        PageFactory.initElements(driver,this);
    }

    @FindBy(xpath="//div[@class='list-group']//a")
    List<WebElement> allCategory;

    @FindBy(xpath="//div[@id='tbodyid']//h4//a")
    List<WebElement> allOptions;

    @FindBy(linkText="Add to cart")
    WebElement addtoCart;

    @FindBy(id="cartur")
    WebElement cartBtn;

    public void getAllCategories()
    {
        for(WebElement i: allCategory)
        {
            System.out.println(i.getText());
        }
    }

    public void getAllOptions()
    {
        try {
```

```
for(WebElement i: allCategory)
{
    System.out.println("Category: "+i.getText());
    System.out.println("Options for the same");
    for(WebElement j:allOptions)
    {
        System.out.println(j.getText());
    }
}
}catch(StaleElementReferenceException s)
{
    System.out.println("Page refresh....");
}
}

public String getAppUrl()
{
    return driver.getCurrentUrl();
}

public void addProductToCart(String category,String pname)
{
    try {
        for(WebElement i: allCategory)
        {
            if(i.getText().contains(category))
            {
                i.click();
                break;
            }
        }
    }
```

```

Utility.getScreenshot(driver,"productcategoary");
for(WebElement i: allOptions)
{
    if(i.getText().contains(pname))
    {
        i.click();
        break;
    }
}
Utility.getScreenshot(driver,"productadded");
addToCart.click();
Thread.sleep(2000);
Utility.getScreenshot(driver,"productaddedalert");
Alert alt=driver.switchTo().alert();
System.out.println("Alert Text is: "+alt.getText());
alt.accept();
}catch(StaleElementReferenceException s)
{
} catch (InterruptedException e) {
    // TODO Auto-generated catch block
    e.printStackTrace();
}
}
public CartPage launchCartPage()
{
    cartBtn.click();
    Utility.getScreenshot(driver,"cartpage");
    return new CartPage(driver);
}

```

```
}
```

CartPage.java:

```
package com.Pages;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.support.FindBy;
import org.openqa.selenium.support.PageFactory;
import com.Generic.Utility;

public class CartPage
{
    private WebDriver driver;

    public CartPage(WebDriver driver)
    {
        this.driver=driver;
        PageFactory.initElements(driver,this);
    }

    @FindBy(xpath="//tbody[@id='tbodyid']/tr/td[2]")
    WebElement productName;

    @FindBy(xpath="//tbody[@id='tbodyid']/tr/td[3]")
    WebElement productPrice;

    @FindBy(xpath="//button[text()='Place Order']")
    WebElement placeButton;

    @FindBy(id="name")
    WebElement name;

    @FindBy(id="country")
    WebElement country;
```

```
@FindBy(id="city")
```

```
WebElement city;
```

```
@FindBy(id="card")
```

```
WebElement card;
```

```
@FindBy(id="month")
```

```
WebElement month;
```

```
@FindBy(id="year")
```

```
WebElement year;
```

```
@FindBy(xpath="//div[contains(@class,'sweet-alert')]")
```

```
WebElement message;
```

```
@FindBy(xpath="//button[text()='Purchase']")
```

```
WebElement purchasesButton;
```

```
public void getProductDetails()
```

```
{
```

```
    System.out.println("Product name is: "+productName.getText());
```

```
    System.out.println("Product price is: "+productPrice.getText());
```

```
    Utility.getScreenshot(driver,"productdetails");
```

```
}
```

```
public void placeOrder(String n,String coun,String ci,String ca,String mon,String ye)
```

```
{
```

```
    placeButton.click();
```

```
    name.sendKeys(n);
```

```
    country.sendKeys(coun);
```

```
    city.sendKeys(ci);
```

```
    card.sendKeys(ca);
```

```
    month.sendKeys(mon);
```

```
    year.sendKeys(ye);
```

```
    Utility.getScreenshot(driver,"purchasesdetails");
```

```

        purchasesButton.click();

        System.out.println("Message: "+message.getText());

        Utility.getScreenshot(driver,"finalmessage");
    }
}

```

ExtentITestNGListeners.java:

```

package com.listeners;

import java.text.SimpleDateFormat;
import java.util.Date;
import org.testng.ITestContext;
import org.testng.ITestListener;
import org.testng.ITestResult;
import com.aventstack.extentreports.ExtentReports;
import com.aventstack.extentreports.ExtentTest;
import com.aventstack.extentreports.Status;

public class ExtentITestNGListeners implements ITestListener
{
    ExtentReports extent=ExtentManager.getInstance();
    ThreadLocal<ExtentTest> parentTest=new ThreadLocal<ExtentTest>();

    public void onTestStart(ITestResult result)
    {
        ExtentTest
extentTest=extent.createTest(result.getMethod().getMethodName());
        parentTest.set(extentTest);
    }

    public void onTestSuccess(ITestResult result) {
        parentTest.get().log(Status.PASS,result.getName()+"Got Successfully Pass!");
    }
}

```

```

    }

    public void onTestFailure(ITestResult result)
    {
        parentTest.get().fail("Test Failed "+result.getThrowable().getMessage());
        System.out.println("Test Failure : "+result.getMethod().getMethodName());

        parentTest.get().log(Status.FAIL,result.getName()+"Test Fail");
    }

    public void onTestSkipped(ITestResult result) {
        parentTest.get().skip("Test Skipped "+result.getThrowable().getMessage());
    }

    public void onFinish(ITestContext context) {
        extent.flush();
    }
}

```

ExtentReports.java:

```

package com.listeners;

import java.text.SimpleDateFormat;
import java.util.Date;
import com.aventstack.extentreports.ExtentReports;
import com.aventstack.extentreports.reporter.ExtentSparkReporter;
import com.aventstack.extentreports.reporter.configuration.Theme;

public class ExtentManager
{
    public static ExtentReports extent;

    public static ExtentReports getInstance()
    {
        if(extent==null)

```

```

        {
            extent=createInstance();
            return extent;
        }
        else
        {
            return extent;
        }
    }

    static String rname;

    public static ExtentReports createInstance()
    {
        String timestamp=new
SimpleDateFormat("yyyy.MM.dd.HH.mm.ss").format(new Date());
        rname="DemoBlazeTestReport"+timestamp+".html";

        ExtentSparkReporter sparkReporter=new
ExtentSparkReporter(System.getProperty("user.dir")+"/TestReports/"+rname);
        sparkReporter.config().setTheme(Theme.DARK);
        sparkReporter.config().setReportName("TestAutomationReport");
        sparkReporter.config().setDocumentTitle("Automation_Report");
        ExtentReports extent=new ExtentReports();
        extent.attachReporter(sparkReporter);
        return extent;
    }
}

```

Utility.java:

```


package com.Generic;

```


```
import java.io.File;
import java.io.IOException;
import org.openqa.selenium.OutputType;
import org.openqa.selenium.TakesScreenshot;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.io.FileHandler;
public class Utility
{
    public static void getScreenshot(WebDriver driver,String name)
    {
        TakesScreenshot ts=(TakesScreenshot) driver;
        File temp=ts.getScreenshotAs(OutputType.FILE);
        File dest=new
File(System.getProperty("user.dir")+"//Screenshots//"+name+System.currentTimeMillis()
+".png");
        try {
            FileHandler.copy(temp,dest);
        } catch (IOException e) {
            // TODO Auto-generated catch block
            e.printStackTrace();
        }
    }
}
```

DEMOBLAZE PROJECT

1. Create a page Object model for this application and write an automation script for a complete process where the user can register to log in and then search for the product add it to the cart and complete the checkout process.




```
1 package com.TestCases;
2
3 import org.testng.annotations.BeforeMethod;
4
5 public class BaseClass
6 {
7     public WebDriver driver;
8     public HomePage hp;
9     public IndexPage ip;
10    public String un="DurgalakshmiTest"+System.currentTimeMillis();
11    public CartPage cp;
12
13    @BeforeTest
14    public void setUp()
15    {
16        driver=new ChromeDriver();
17        driver.manage().timeouts().implicitlyWait(Duration.ofSeconds(10));
18        driver.get("https://www.demoblaze.com/");
19        hp=new HomePage(driver);
20        ip=new IndexPage(driver);
21        cp=new CartPage(driver);
22    }
23
24 }
```




```
1 package com.TestCases;
2
3 import org.testng.annotations.Test;
4
5 public class HomePageTest extends BaseClass{
6     @Test(priority=1)
7     public void validateListOfOptions()
8     {
9         int total=hp.getTotalOptions();
10        Assert.assertEquals(total, 8);
11        System.out.println("Total Options are: "+total);
12    }
13
14    @Test(priority=2)
15    public void validateOptions()
16    {
17        hp.getOptionsText();
18    }
19
20    @Test(priority=3)
21    public void validateSignIn()
22    {
23        hp.doSignUp(un, "Pass1245");
24    }
25
26    @Test(priority=4)
27    public void validateLogin()
28    {
29        hp.doLogin("Durgalakshmi", "Pass1245");
30    }
31
32 }
```

DEMOBLAZE PROJECT




```
1 package com.TestCases;
2
3 import org.testng.annotations.Test;
4
5
6
7
8
9
10
11 public class IndexPageTest extends BaseClass
12 {
13     @BeforeClass
14     public void pageSetup()
15     {
16         ip=hp.doLogin("Durgalakshmi","Pass1245");
17     }
18
19
20 @Test(priority=1)
21 Run | Debug
22 public void validateCategories()
23 {
24     ip.getAllCategories();
25 }
26
27 @Test(priority=2)
28 Run | Debug
29 public void validateAllProducts()
30 {
31     ip.getAllOptions();
32 }
33
34 @Test(priority=3)
35 Run | Debug
36 public void addProductToCart()
37 {
38     ip.addProductToCart("Phones","Samsung galaxy s7");
39 }
40
41 @Test(priority=4)
42 Run | Debug
43 public void validateLaunchOfCartPage()
44 {
45     ip.launchCartPage();
46 }
47 }
```




```
1 package com.TestCases;
2
3 import org.testng.annotations.BeforeClass;
4
5
6
7
8
9
10
11 public class CartPageTest extends BaseClass
12 {
13     @BeforeClass
14     public void pageSetup()
15     {
16         ip=hp.doLogin("Durgalakshmi","Pass1245");
17         ip.addProductToCart("Phones","Samsung galaxy s7");
18         cp=ip.launchCartPage();
19     }
20
21
22 @Test(priority=1)
23 Run | Debug
24 public void getProductDetails()
25 {
26     cp.getProductDetails();
27 }
28
29 @Test(priority=2)
30 Run | Debug
31 public void validateOrder()
32 {
33     cp.placeOrder("Durgalakshmi","India","Pune","card123","Dec","2025");
34 }
35 }
```

DEMOBLAZE PROJECT



The screenshot shows the Eclipse IDE interface. The Project Explorer on the left displays the project structure for 'DemoblazeAssignment'. The main editor window shows the 'IndexPage.java' file. The code defines a Selenium WebDriver page object model for an e-commerce site.


```
1 package com.Pages;
2
3 import java.util.List;
4
5 public class IndexPage
6 {
7     WebDriver driver;
8
9     public IndexPage(WebDriver driver)
10     {
11         this.driver=driver;
12         PageFactory.initElements(driver,this);
13     }
14
15     @FindBy(xpath="//div[@class='list-group']/a")
16     List<WebElement> allCategory;
17
18     @FindBy(xpath="//div[@id='tbodyid']/h4/a")
19     List<WebElement> allOptions;
20
21     @FindBy(linkText="Add to cart")
22     WebElement addToCart;
23
24     @FindBy(id="cartur")
25     WebElement cartBtn;
26
27     public void getAllCategories()
28     {
29         for(WebElement i: allCategory)
30         {
31             System.out.println(i.getText());
32         }
33     }
34
35     public void getAllOptions()
36     {
37         try {
38             for(WebElement i: allOptions)
39             {
40                 System.out.println("Category: "+i.getText());
41             }
42         }
43     }
44 }
```




This screenshot shows the continuation of the 'IndexPage.java' file in the Eclipse IDE. The code includes methods for printing category and option details, a method to get the current URL, and a method to add a product to the cart.

```
49     {
50         System.out.println("Category: "+i.getText());
51         System.out.println("Options for the same");
52         for(WebElement j:allOptions)
53         {
54             System.out.println(j.getText());
55         }
56     }catch(StaleElementReferenceException s)
57     {
58         System.out.println("Page refresh...");
59     }
60
61     public String getApplUrl()
62     {
63         return driver.getCurrentUrl();
64     }
65
66     public void addProductToCart(String category,String pname)
67     {
68         try {
69             for(WebElement i: allCategory)
70             {
71                 if(i.getText().contains(category))
72                 {
73                     i.click();
74                     break;
75                 }
76             }
77             Utility.getScreenshot(driver,"productcategory");
78
79             for(WebElement i: allOptions)
80             {
81                 if(i.getText().contains(pname))
82                 {
83                     i.click();
84                     break;
85                 }
86             }
87         }
88     }
89 }
```

DEMOBLAZE PROJECT




```
79  
80  
81  
82 Utility.getScreenshot(driver, "productcategory");  
83  
84 for(WebElement i: allOptions)  
85 {  
86     if(i.getText().contains(pname))  
87     {  
88         i.click();  
89         break;  
90     }  
91  
92  
93 Utility.getScreenshot(driver, "productadded");  
94 addToCart.click();  
95 Thread.sleep(2000);  
96 Utility.getScreenshot(driver, "productaddedaalert");  
97  
98 Alert alt=driver.switchTo().alert();  
99 System.out.println("Alert Text is: "+alt.getText());  
100 alt.accept();  
101 }catch(StaleElementReferenceException s)  
102 {  
103  
104 } catch (InterruptedException e) {  
105     // TODO Auto-generated catch block  
106     e.printStackTrace();  
107 }  
108  
109 }  
110  
111 public CartPage launchCartPage()  
112 {  
113     cartBtn.click();  
114     Utility.getScreenshot(driver, "cartpage");  
115  
116     return new CartPage(driver);  
117 }  
118  
119 }  
120
```




```
1 package com.Pages;  
2  
3 import java.util.List;  
4  
5  
6 public class HomePage  
7 {  
8  
9     private WebDriver driver;  
10    public HomePage(WebDriver driver)  
11    {  
12        this.driver=driver;  
13        PageFactory.initElements(driver, this);  
14    }  
15  
16  
17    @FindBy(xpath="//ul[@class='navbar-nav ml-auto']/li//a")  
18    List<WebElement> menu;  
19  
20    @FindBy(id="signin2")  
21    WebElement signIn;  
22  
23    @FindBy(id="sign-username")  
24    WebElement signIn;  
25  
26    @FindBy(id="sign-password")  
27    WebElement signIn;  
28  
29    @FindBy(xpath="//button[normalize-space()='Sign up']")  
30    WebElement signBtn;  
31  
32    @FindBy(id="login2")  
33    WebElement loginLink;  
34  
35    @FindBy(id="loginusername")  
36    WebElement loginUn;  
37  
38    @FindBy(id="loginpassword")  
39    WebElement loginPass;  
40  
41    @FindBy(xpath="//button[normalize-space()='Log in']")  
42    WebElement loginBtn;  
43  
44  
45  
46  
47  
48  
49  
50
```

DEMOBLAZE PROJECT



The screenshot shows the Eclipse IDE with the DemoblazeAssignment project open. The Project Explorer on the left shows the project structure, including the src/test/java/com/Pages directory. The main editor displays the HomePage.java file, which contains the following code:


```
48 @FindBy(xpath="//button[normalize-space()='Log in']")
49 WebElement loginBtn;
50
51 @FindBy(id="cartur")
52 WebElement cartLink;
53
54 @FindBy(id="nameofuser")
55 WebElement nameofUser;
56
57 public int getTotalOptions()
58 {
59     return menu.size();
60 }
61
62 public void getOptionsText()
63 {
64     for(WebElement i:menu)
65     {
66         System.out.println(i.getText());
67     }
68 }
69
70 public String getAppUrl()
71 {
72     return driver.getCurrentUrl();
73 }
74
75 public void doSignUp(String un,String psw)
76 {
77     signIn.click();
78     signIn.sendKeys(un);
79     signIn.sendKeys(psw);
80     Utility.getScreenshot(driver,"SignUp");
81     signIn.click();
82     try {
83         Thread.sleep(2000);
84     } catch (InterruptedException e) {
85         // TODO Auto-generated catch block
86         e.printStackTrace();
87     }
88     Utility.getScreenshot(driver,"SignUpAlert");
89     Alert alt=driver.switchTo().alert();
```




The screenshot shows the Eclipse IDE with the DemoblazeAssignment project open. The Project Explorer on the left shows the project structure, including the src/test/java/com/Pages directory. The main editor displays the HomePage.java file, which contains the following code:

```
75 public void doSignUp(String un,String psw)
76 {
77     signIn.click();
78     signIn.sendKeys(un);
79     signIn.sendKeys(psw);
80     Utility.getScreenshot(driver,"SignUp");
81     signIn.click();
82     try {
83         Thread.sleep(2000);
84     } catch (InterruptedException e) {
85         // TODO Auto-generated catch block
86         e.printStackTrace();
87     }
88     Utility.getScreenshot(driver,"SignUpAlert");
89     Alert alt=driver.switchTo().alert();
90     System.out.println("Alert text is: "+alt.getText());
91     alt.accept();
92 }
93
94 public IndexPage doLogin(String un,String psw)
95 {
96     loginLink.click();
97     loginUn.sendKeys(un);
98     loginPass.sendKeys(psw);
99     Utility.getScreenshot(driver,"login");
100     loginBtn.click();
101     System.out.println("User logged In: "+nameofUser.getText());
102     return new IndexPage(driver);
103 }
104
105 public void launchCartPage()
106 {
107     cartLink.click();
108 }
109
110 }
111
112 }
```

DEMOBLAZE PROJECT




```
1 package com.Pages;
2
3 import org.openqa.selenium.WebDriver;
4
5 public class CartPage
6 {
7     private WebDriver driver;
8
9     public CartPage(WebDriver driver)
10    {
11        this.driver=driver;
12        PageFactory.initElements(driver,this);
13    }
14
15    @FindBy(xpath="//tbody[@id='tbodyid']/tr/td[2]")
16    WebElement productName;
17
18    @FindBy(xpath="//tbody[@id='tbodyid']/tr/td[3]")
19    WebElement productPrice;
20
21    @FindBy(xpath="//button[text()='Place Order']")
22    WebElement placeButton;
23
24    @FindBy(id="name")
25    WebElement name;
26
27    @FindBy(id="country")
28    WebElement country;
29
30    @FindBy(id="city")
31    WebElement city;
32
33    @FindBy(id="card")
34    WebElement card;
35
36    @FindBy(id="month")
37    WebElement month;
38
39    @FindBy(id="year")
40    WebElement year;
41
42    }
```



```
41
42    @FindBy(id="card")
43    WebElement card;
44
45    @FindBy(id="month")
46    WebElement month;
47
48    @FindBy(id="year")
49    WebElement year;
50
51    @FindBy(xpath="//div[contains(@class,'sweet-alert')]")
52    WebElement message;
53
54    @FindBy(xpath="//button[text()='Purchase']")
55    WebElement purchaseButton;
56
57    public void getProductDetails()
58    {
59        System.out.println("Product name is: "+productName.getText());
60        System.out.println("Product price is: "+productPrice.getText());
61        Utility.getScreenshot(driver,"productdetails");
62    }
63
64    public void placeOrder(String n,String coun,String ci,String ca,String mon,String ye)
65    {
66        placeButton.click();
67        name.sendKeys(n);
68        country.sendKeys(coun);
69        city.sendKeys(ci);
70        card.sendKeys(ca);
71        month.sendKeys(mon);
72        year.sendKeys(ye);
73        Utility.getScreenshot(driver,"purchasesdetails");
74
75        purchaseButton.click();
76        System.out.println("Message: "+message.getText());
77        Utility.getScreenshot(driver,"finalmessage");
78    }
79
80    }
```


DEMOBLAZE PROJECT

2. Add an Extent report for the project.



This screenshot shows the Eclipse IDE with the file `ExtentTestNGListeners.java` open. The Project Explorer on the left shows the project structure, including `src/test/java/com/listeners`. The main editor displays the following Java code:

```
1 package com.listeners;
2
3
4 import java.text.SimpleDateFormat;
5
6 public class ExtentTestNGListeners implements ITestListener
7 {
8     ExtentReports extent=ExtentManager.getInstance();
9     ThreadLocal<ExtentTest> parentTest=new ThreadLocal<ExtentTest>();
10
11     public void onTestStart(ITestResult result)
12     {
13         ExtentTest extentTest=extent.createTest(result.getMethod().getMethodName());
14         parentTest.set(extentTest);
15     }
16
17     public void onTestSuccess(ITestResult result) {
18         parentTest.get().log(Status.PASS,result.getName()+"Got Successfully Pass!");
19     }
20
21     public void onTestFailure(ITestResult result)
22     {
23         parentTest.get().fail("Test Failed "+result.getThrowable().getMessage());
24         System.out.println("Test Failure : "+result.getMethod().getMethodName());
25         parentTest.get().log(Status.FAIL,result.getName()+"Test Fail");
26     }
27
28     public void onTestSkipped(ITestResult result) {
29         parentTest.get().skip("Test Skipped "+result.getThrowable().getMessage());
30     }
31
32     public void onFinish(ITestContext context) {}
33     extent.flush();
34 }
```





This screenshot shows the Eclipse IDE with the file `ExtentManager.java` open. The Project Explorer on the left shows the project structure. The main editor displays the following Java code:



```
1 package com.listeners;
2 import java.text.SimpleDateFormat;
3
4 public class ExtentManager
5 {
6     public static ExtentReports extent;
7
8     public static ExtentReports getInstance()
9     {
10         if(extent==null)
11         {
12             extent=createInstance();
13             return extent;
14         }
15         else
16         {
17             return extent;
18         }
19     }
20
21     static String rname;
22     public static ExtentReports createInstance()
23     {
24         String timestamp=new SimpleDateFormat("yyyy.MM.dd.HH.mm.ss").format(new Date());
25         rname="DemoBlazeTestReport"+timestamp+".html";
26
27         ExtentSparkReporter sparkReporter=new ExtentSparkReporter(System.getProperty("user.dir")+"/TestReports/"+rname);
28         sparkReporter.config().setTheme(Theme.DARK);
29         sparkReporter.config().setReportName("TestAutomationReport");
30         sparkReporter.config().setDocumentTitle("Automation_Report");
31
32         ExtentReports extent=new ExtentReports();
33         extent.attachReporter(sparkReporter);
34
35         return extent;
36     }
37 }
```

DEMOBLAZE PROJECT


3. Add Screenshots for all modules.




DEMOBLAZE PROJECT



DEMOBLAZE PROJECT



Console:



DEMOBLAZE PROJECT

