HTML Notes: Chapter 3 – Lists

Ordered, unordered, definition and nested lists

Basics: 3 types of list

- **Ordered lists**: each item is numbered. Use for steps that must be done in order (recipe) or legal points with section numbers.
- **Unordered lists**: items start with a bullet point instead of characters showing order.
- **Definition lists**: a set of terms, each with a definition.

Ordered lists `<ol>` `<li>`

- `<ol>` creates the ordered (numbered) list.
- `<li>` = list item. Each item goes between an opening `<li>` and closing `</li>`.
- Browsers indent lists by default.
- A `type` attribute on `<ol>` can set numbering style (numbers, letters, roman numerals), but it's better to use the CSS `list-style-type` property.

HTML

```
<ol>
  <li>Chop potatoes into quarters</li>
  <li>Simmer in salted water
    for 15-20 minutes</li>
  <li>Heat milk, butter, nutmeg</li>
  <li>Drain potatoes and mash</li>
  <li>Mix in the milk mixture</li>
</ol>
```

RESULT

1. Chop potatoes into quarters
2. Simmer in salted water for 15-20 minutes
3. Heat milk, butter, nutmeg
4. Drain potatoes and mash
5. Mix in the milk mixture

Unordered lists `<ul>` `<li>`

- `<ul>` creates the unordered (bulleted) list.
- `<li>` = list item, same as in ordered lists.
- Browsers indent lists by default.
- A `type` attribute on `<ul>` can set the bullet (circle, square, diamond), but it's better to use the CSS `list-style-type` property.

HTML

```
<ul>
  <li>1kg King Edward potatoes</li>
  <li>100ml milk</li>
  <li>50g salted butter</li>
  <li>Freshly grated nutmeg</li>
  <li>Salt and pepper to taste</li>
</ul>
```

RESULT

- 1kg King Edward potatoes
- 100ml milk
- 50g salted butter
- Freshly grated nutmeg
- Salt and pepper to taste

Definition lists `<dl>` `<dt>` `<dd>`

- `<dl>` creates the definition list: a series of terms and their definitions.
- Inside it you usually see pairs of `<dt>` and `<dd>`.
- `<dt>` = definition **term** (the thing being defined).
- `<dd>` = the **definition**.
- You may see two terms sharing one definition, or two definitions for the same term.

HTML

```
<dl>
  <dt>Sashimi</dt>
  <dd>Sliced raw fish served
    with condiments</dd>
  <dt>Scale</dt>
  <dd>A device to measure
    weight</dd>
  <dd>A technique to remove
    scales from a fish</dd>
  <dt>Scamorze</dt>
  <dt>Scamorzo</dt>
  <dd>An Italian cheese</dd>
</dl>
```

RESULT

Sashimi
: Sliced raw fish served with condiments

Scale
: A device to measure weight
: A technique to remove scales from a fish

Scamorze

Scamorzo
: An Italian cheese

Nested lists

- Put a second list inside an `<li>` element to make a sub-list (nested list).
- Browsers indent nested lists further than the parent list.
- In nested unordered lists, the browser usually changes the bullet style too (e.g. filled to hollow).

HTML

```
<ul>
  <li>Mousses</li>
  <li>Pastries
    <ul>
      <li>Croissant</li>
      <li>Mille-feuille</li>
      <li>Palmier</li>
      <li>Profiterole</li>
    </ul>
  </li>
  <li>Tarts</li>
</ul>
```

RESULT

- Mousses
- Pastries
  - Croissant
  - Mille-feuille
  - Palmier
  - Profiterole
- Tarts

Quick cheat sheet

Tag	Use
`<ol>`	Ordered (numbered) list
`<ul>`	Unordered (bulleted) list
`<li>`	List item (inside ol or ul)
`<dl>`	Definition list
`<dt>`	Definition term
`<dd>`	Definition (description)
`<ul> inside <li>`	Nested list