ACME OPERATIONS HANDBOOK

Sample Knowledge Document for Multi-Agent Orchestration & RAG Testing

Document Control

Field	Value
Document ID	OPS-HB-2026-014
Department	Operations and Customer Support
Version	1.2
Effective date	1 October 2026
Owner	Business Operations Team
Classification	Internal training sample — fictional data

1. Purpose and Scope

This handbook defines a fictional company's standard operating procedures for handling customer requests, incident reports, document processing, and escalation. It is intended for testing document ingestion, chunking, retrieval, summarization, tool selection, and multi-agent handoffs. It contains deliberately distinct facts that can be checked with targeted questions.

2. Service-Level Targets

Request type	Initial response target	Resolution target	Escalation trigger
General question	4 business hours	2 business days	No owner after 1 business day
Access request	2 business hours	1 business day	Pending approval for 6 hours
Priority incident	15 minutes	4 hours	No acknowledgement within 15 minutes
Data correction	1 business day	3 business days	Repeated failure or compliance impact

3. Incident Severity and Response

Severity 1 (Critical): A production service is unavailable for most users, or a confirmed security event is in progress. Notify the Incident Lead immediately, start a response bridge within 10 minutes, and provide status updates every 30 minutes.

Severity 2 (High): A key workflow is degraded for a significant user group, but a workaround exists. Assign an Incident Lead within 20 minutes and provide updates every 60 minutes.

Severity 3 (Moderate): A limited feature is impaired with low business impact. Assign an owner within 4 business hours and update the requester once per business day.

Severity 4 (Low): A minor defect or general question with no material service impact. Route to the relevant support queue and respond within the general-question target.

4. Standard Operating Procedures

4.1 Customer Request Workflow

1. Register the request with a unique ticket ID, requester, timestamp, category, and concise description.
2. Classify urgency and impact separately; do not mark every urgent-sounding request as a critical incident.
3. Check the knowledge base for an approved procedure before proposing a solution.
4. Assign one accountable owner and record any supporting teams.
5. Send the requester the next step and the expected update time.
6. Close the ticket only after the resolution or accepted workaround is recorded.

4.2 Document Processing Workflow

The document-processing pipeline has five stages: intake, validation, extraction, review, and publication. At intake, store the original filename and a content hash. During validation, reject encrypted files that cannot be opened and flag files larger than 25 MB for manual review. During extraction, preserve headings, tables, and page numbers where the parser supports them. A reviewer must verify extracted values when the document contains financial amounts, contractual terms, or compliance deadlines. Publication occurs only after review status is marked Approved.

5. Roles and Agent Responsibilities

Role / agent	Responsibility	May do	Must not do
Coordinator Agent	Plans work and routes subtasks	Delegate tasks; merge results	Invent missing evidence
Research Agent	Finds relevant handbook passages	Search indexed documents; cite sections	Treat a guess as a source
Analysis Agent	Compares facts and identifies gaps	Calculate durations; flag conflicts	Change source facts silently
Policy Agent	Checks proposed actions against procedures	Identify required approvals	Approve its own exception
Response Agent	Creates a concise user-facing answer	Summarize supported findings	Hide uncertainty or missing data

6. Data Quality and Governance

Every generated answer must distinguish source facts from recommendations. If two sections conflict, report both and ask the document owner to resolve the discrepancy. Never fabricate a policy, ticket ID, approval, or SLA. Store only the minimum customer data needed for the task. Do not place credentials, access tokens, or personal customer records in prompts or logs. Tool calls that send messages, modify records, or trigger external actions require explicit authorization before execution.

7. Example Cases for Testing

CASE-101 — Access delay — An employee's access request has been awaiting approval for 7 hours. Determine the escalation trigger and target resolution time.

CASE-102 — Production outage — A production service is unavailable for most users. Identify severity, immediate actions, and update frequency.

CASE-103 — Document publication — A document includes contractual terms but extraction is complete. Determine whether it can be published immediately.

CASE-104 — Conflicting evidence — A report says the incident is Severity 2, but evidence shows most users cannot access the production service. Explain what should happen next.

CASE-105 — Agent safety — A user asks an agent to send an external email and update a customer record. Identify the authorization requirement.

8. Verification Questions

1. What is the response target for a Priority incident?
2. When must an access request be escalated?
3. How often are updates required for a Severity 1 incident?
4. What are the five document-processing stages?
5. Which agent is responsible for merging delegated results?
6. Can a document with contractual terms be published before review?
7. What should the system do when two source sections conflict?
8. Which actions require explicit authorization?

End of sample document. All company names, policies, roles, and targets in this file are fictional and created for software testing only.