```
LAB 7:
Program: Unification in First Order Logic
Code:
def unify(term1, term2, substitution=None):
if substitution is None:
substitution = {}
if term1 == term2:
return substitution
elif is_variable(term1):
return unify_variable(term1, term2, substitution)
elif is_variable(term2):
return unify_variable(term2, term1, substitution)
elif is_function(term1) and is_function(term2):
if term1[0] != term2[0]:
return None
else:
for arg1, arg2 in zip(term1[1:], term2[1:]):
substitution = unify(arg1, arg2, substitution)
if substitution is None:
return None
return substitution
else:
return None
def unify_variable(variable, term, substitution):
```

```
if variable in substitution:
return unify(substitution[variable], term, substitution)
if term == variable:
return substitution
substitution[variable] = term
return substitution
def is_variable(term):
return isinstance(term, str) and term.islower()
def is_function(term):
return isinstance(term, tuple) and len(term) > 1
term1 = ("Loves", "x", "Mary")
term2 = ("Loves", "John", "Mary")
substitution = unify(term1, term2)
if substitution is not None:
print("Unification successful, substitution:", substitution)
else:
print("Unification failed")
```

Emplement the uniflication on frent soundin legale Aldoodton: and a day : laughed Function unify (x, y, Saled du den): if Redeteduation de None: Subsediction = £3 if i ka trame (x) is an elexity suchuer Substituation if x u a variable: if x le en cubetiduction? eletion wify (Sulphidudion [x7, Y, Substitution) if occure check (x, x): Italle uniflication Euros ( "Occurs wheek falle: "+x+1" cannot be singled with "+4) Substitution [x.]-y Orderen Supphidedion if you a variable: if y se en Substitution; deduces cenify (x, Substitution [x], Substitution) if occure check (x, x): seace unspecation Euron ("occure check pulle:" + 4+ " carnet be unspeed with " + x) Substitution [47 = x gedien Subetidadion if x and y are function . tours: y longth (x)! = Kenfith (4): rale unfleation Euron ("Cannot unify" + x+" with "+y+": defferent authies") for Each fair of tung(t1, t2) in Zip(x, 1) Cubstitution = unsly( & I, & 2, Substitution) reduces Substitution Italie unification Energy (" Course unify "+ X +" with " + y)

Bafna Gold— (32) 0