```
QCPLayerable
# mVisible
# mParentPlot
# mParentLayerable
# mLayer
# mAntialiased
+ QCPLayerable()
+ ~QCPLayerable()
+ visible()
+ parentPlot()
+ parentLayerable()
+ layer()
+ antialiased()
+ setVisible()
+ setLayer()
+ setLayer()
+ setAntialiased()
+ selectTest()
+ realVisibility()
# parentPlotInitialized()
# selectionCategory()
# clipRect()
# applyDefaultAntialiasing
  Hint()
# draw()
# selectEvent()
# deselectEvent()
# mousePressEvent()
# mouseMoveEvent()
# mouseReleaseEvent()
  and 6 more...
   QCPLayoutElement
# mParentLayout
# mMinimumSize
# mMaximumSize
# mSizeConstraintRect
# mRect
# mOuterRect
# mMargins
# mMinimumMargins
# mAutoMargins
# mMarginGroups
+ QCPLayoutElement()
+ ~QCPLayoutElement()
+ layout()
+ rect()
+ outerRect()
+ margins()
+ minimumMargins()
+ autoMargins()
+ minimumSize()
+ maximumSize()
  and 18 more...
# calculateAutoMargin()
# layoutChanged()
```

**QObject** 

# mSelectedFont # mSelectedTextColor # mSelectable # mSelected + QCPAbstractLegendItem() + parentLegend() + font() + textColor() + selectedFont() + selectedTextColor() + selectable() + selected() + setFont() + setTextColor() + setSelectedFont() + setSelectedTextColor() + setSelectable() + setSelected() + selectTest()

# selectionCategory()
# applyDefaultAntialiasing

Hint()
# clipRect()
# draw()

# selectEvent()
# deselectEvent()

# applyDefaultAntialiasing

# parentPlotInitialized()

QCPAbstractLegendItem

# mParentLegend

# mFont # mTextColor

Hint() # draw()

# mPolarGraph
+ QCPPolarLegendItem()
+ polarGraph()
# draw()

Δ

# draw()
# minimumOuterSizeHint()
# getIconBorderPen()
# getTextColor()
# getFont()