St. Francis Institute of Technology
(An Autonomous Institution)
AICTE Approved | Affiliated to University of Mumbai

A+ Grade by NAAC: CMPN, EXTC, INFT NBA Accredited: ISO 9001:2015 Certified

Department of Information Technology

A.Y. 2025-2026
Class: BE-IT A/B, Semester: VIII
Subject: Cloud Computing Lab

Student Name: Sanika Ambrale Student Roll No: 10

Experiment – 2: Bare-metal Virtualization

Aim: To study and Implement Bare-metal Virtualization using Xen (Open Source tool), HyperV or VMware Esxi.

Objective: After performing the experiment, the students will be able to learn –
- Understand functionalities of OS and Hypervisor
- Working of Hypervisor
- Getting familiar with key concepts of virtualization
- Types of virtualization
- Usefulness of virtualization

Lab objective mapped : ITDO8024.1: To get familiar and implement different types of virtualization techniques.

Prerequisite: An AWS account

Requirements:
- XenServer ISO

Pre-Experiment Theory:
1. **Hypervisor** (description-To be written in hand))
2. **Bare-metal hypervisor Architecture-**(To be drawn in hand)
3. **Xen Architecture-**(To be drawn in hand)

Procedure (Soft Copy form)
- **Install Xen Server**

1. Download the Citrix Hypervisor (XenServer) .iso file Download
2. Create an account to complete the download
3. Launch Virtualbox
4. Create a New VM by selecting Machine > New
   i. Name: XenServer
   ii. Machine Folder: C:\VMs
   iii. Type: Linux
   iv. Version: Other (64-bit)
   v. Memory Size: 8192 MB

   vi. Hard disk: Create a virtual hard disk now
5. Click Create
6. On the Create Virtual Hard Disk dialog
   i. Name the virtual disk image XenServer.vdi
   ii. File size: 500 GB
   iii. Hard disk file type: VDI
   iv. Storage on physical hard disk: Dynamically Allocated
7. Click Create
8. Select the VM and Click Settings
9. Select System > Processor
10. Give the VM at least 2 processors
11. Check the Enable Nested VT-x/AMD-V
12. Select Display
13. Slide the Video Memory to 128 MB
14. Select Network
15. Set the attached to dropdown to Bridged Adapter
16. Select Storage
17. Click on the CD-ROM drive
18. Select the disc dropdown to the right > Choose a virtual optical disc file...
19. Browse to and select the downloaded Citrix Hypervisor (XenServer) .iso file
20. Click OK
21. Select the hard disk dropdown to the right
22. Click the Create button at the top
23. Change the size to 500 GB > Click Create
24. Click OK to accept the settings
25. Make sure the XenServer VM is selected and click Start > Normal
26. Select a keyboard mapping > Ok
27. Select Ok to begin the installation
28. Select Accept EULA
29. Press Spacebar to select the 500GB VBOX HARDDISK
30. Arrow down and check the Enable thin provisioning box
31. Select Ok
32. Select Local Media > Ok
33. Enter and confirm a root password
34. Configure the network > Ok
35. Specify a hostname > Ok
36. Set the time zone > Ok
37. Select Using NTP > Ok
38. Select Ok at the NTP server setup
39. Select Install Citrix Hypervisor
40. Select No at the supplemental packs installation screen
41. After the installation completes, select Devices > Optical Drives > Remove disk from virtual drive
42. Select Ok to reboot
43. Welcome to Citrix Hypervisor (XenServer) inside VirtualBox

- **Installing Citrix XenCenter**
  1. Go back to the download page and download XenCenter Download
  2. Install the downloaded .msi
  3. Launch Citrix XenCenter
  4. Click the Add a Server option in the main window
  5. Enter the IP address and root password to the Citrix Hypervisor VM

- **To connect XenCenter to the Citrix Hypervisor server:**
  a. Launch XenCenter. The program opens to the Home tab.
  b. Click the Add New Server icon.
  c. Enter the IP address of the Citrix Hypervisor server in the Server field. Type the root user name and password that you set during Citrix Hypervisor installation. Click Add.
  d. The first time you add a host, the Save and Restore Connection State dialog box appears.
  e. This dialog enables setting preferences for storing host connection information and automatically restoring host connections.

Post-Experiments Exercise

Attach Following Screen Shots-

1. Creation of VM inside Oracle Box
2. Any two screen shots of Xen hypervisor installation
3. final working screen of xen hypervisor
4. Enter the IP address and root password to the Citrix Hypervisor VM from xen center

Extended Theory:

1. Difference between bare-metal and hosted hypervisors?(to be written in hand)
2. Bare-metal hypervisor use cases(to be written in hand)
3. Benefits and drawbacks of bare-metal hypervisors(soft copy)
4. Top bare-metal hypervisor vendors and products(soft copy)

Conclusion:

1. Write what was performed in the experiment
2. Mention a few applications of what was studied.
3. Write the significance of the studied topic

References:

[1]Linux foundation: ”Xen tools”. Information available at: http://wiki.xen.org/wiki/Xen_tools
Last review: 16-03-2014: 13.51

[2] Bill HILL “Intro to Virtualization: Hardware, Software, Memory, Storage, Data and Network Virtualization Defined”. Information available at: http://www.petri.co.il/intro-tovirtualization.htm
Last review: 16-03-2014: 12.55

[3] [Online]https://docs.citrix.com/en-us/citrix-hypervisor/install.html

[4] [Online]https://i12bretro.github.io/tutorials/0372. Html

Screenshots:










Oracle VM VirtualBox Manager
File Machine Help
Tools
New Add Settings Discard Start
arin_xenserver
Saved
Priyansh42
Powered Off
PriyanshXenServer
Powered Off
Sanika
Powered Off
General
Name: Sanika
Operating System: Other Linux (64-bit)
System
Base Memory: 8192 MB
Processors: 2
Boot Order: Floppy, Optical, Hard Disk
Acceleration: Nested Paging, PAE/NX, KVM Paravirtualization
Preview
Sanika
Display
Video Memory: 16 MB
Graphics Controller: VMSVGA
Remote Desktop Server: Disabled
Recording: Disabled
Storage
Controller: IDE
IDE Secondary Device 0: [Optical Drive] XenServer8_2024-01-09.iso (568.00 MB)
Controller: SATA
SATA Port 0: Sanika.vdi (Normal, 1.57 TB)
Audio
Host Driver: Default
Controller: ICH AC97
Network
Adapter 1: Intel PRO/1000 MT Desktop (NAT)
USB
USB Controller: OHCI, EHCI
Device Filters: 0 (0 active)
Shared folders
None
Description
None


General
System
Display
Storage
Audio
Network
Serial Ports
USB
Shared Folders
User Interface
Display
Screen
Remote Display
Recording
Video Memory:
128 MB
0 MB
128 MB
Monitor Count:
1
1
8
Scale Factor:
All Monitors
100%
100%
200%
Graphics Controller:
VMSVGA
Extended Features:
Enable 3D Acceleration


General
System
Display
Storage
Audio
Network
Serial Ports
Network
Adapter 1
Adapter 2
Adapter 3
Adapter 4
Enable Network Adapter
Attached to:
Bridged Adapter
Name:
Intel(R) Ethernet Connection (11) I219-V
Advanced


General
System
Display
Storage
Audio
Network
Serial Ports
Storage
Storage Devices
Controller: IDE
XenServer8_2024-01-09.iso
Controller: SATA
Sanika.vdi
Attributes
Optical Drive:
IDE Secondary Device 0
Live CD/DVD
Information
Type: Image
Size: 568.00 MB
Location: C:\Users\Student\Downloads\XenServer8_...
Attached to: Sanika



POST- EXPERIMENT EXERCISE:












File Machine View Input Devices Help
Welcome to XenServer - Version 8
Copyright (c) 2009-2
Select Time Zone
Please select the geographical area that your XenServer Host is in:
Africa
America
Antarctica
Arctic
Asia
Atlantic
Australia
Etc
Ok
Back
<Tab>/<Alt-Tab> between elements
<F1> Help screen
Right Ctrl


File Machine View Input Devices Help
Welcome to XenServer - Version 8
Copyright (c) 2009
Select Time Zone
Please select the city or area that the managed host is in (press a letter to jump to that place in the list):
Karachi
Kathmandu
Khandyga
Kolkata
Krasnoyarsk
Kuala Lumpur
Kuching
Kuwait
Ok
Back


Input Devices Help
enServer - Version 8
) 2009-2023 Cloud Software Group, Inc.
System Time
How should the local time be determined?
Use default NTP servers
Provide NTP servers manually
No NTP (not recommended)
Ok
Back
-Tab> between elements
<F1> He


View Input Devices Help
XenServer - Version 8
(c) 2009-2023 Cloud Software Group, Inc.
Confirm Installation
We have collected all the information required to install XenServer.
Please confirm you wish to proceed: all data on disk sda will be destroyed!
Install XenServer
Back


File Machine View Input Devices Help
Welcome to XenServer - Version 8
Copyright (c) 2009-2023 Cloud Software Group, Inc.
Installation Complete
The XenServer installation has completed.
Please remove any local media from the drive, and press Enter to reboot.
Ok
<Tab>/<Alt-Tab> between elements
<F1> Help screen
Right Ctrl


File Machine View Input Devices Help
XenServer 8 15:42:32 root@xenserver-kruti
Configuration
Network and Management Interface
Configure Management Interface
DNS Servers
Network Time (NTP)
Test Network
Display NICs
Emergency Network Reset
Configure Management Interface
Device eth0
MAC Address 08:00:27:99:af:cc
DHCP/Static IP Static
IP address 192.168.1.117
Netmask 255.255.248.0
Gateway 192.168.1.1
Hostname xenserver-kruti
NIC Vendor
Intel Corporation
NIC Model
82540EM Gigabit Ethernet Controller
<Esc/Left> Back <Up/Down> Select
<Enter> Reconfigure <F5> Refresh


XenCenter
File View Pool Server VM Storage Templates Tools Help
Back Forward Add New Server New Pool New Storage New VM Shut Down Suspend
XenCenter
xenserver
XenCenter
Home Search
XenServer
Add New Server
Enter the host name or IP address of the server you want to add and your user login credentials for that server.
Server: 192.168.1.117
User login credentials
Username: root
Password: ••••••
Add Cancel
Infrastructure
Objects
Organization Views
Saved Searches
Notifications
Add a Server
Citrix on XenServer
Contact Support


XenCenter
File View Pool Server VM Storage Templates Tools Help
Back Forward Add New Server New Pool New Storage New VM Shut Down Reboot
xenserver-sanika (Licensed with XenServer Trial Edition)
General Memory Storage Networking NICs GPU Console Performance Users PVS
Server General Properties
Properties
General
Name: xenserver-sanika
Description: Default install of XenServer
Tags: <None>
Folder: <None>
Status: Enabled
System manufacturer: innotek GmbH
System model: VirtualBox
Certificate Verification: Enabled
iSCSI IQN: iqn.2026-01.com.example:309485a8
Log destination: Local
Server uptime: 27 minutes
Toolstack uptime: 25 minutes
UUID: 561cbcda-a0c4-4972-9a5a-aa2f84cc9744
Certificates
License Details
XenCenter
xenserver-sanika
localhost.localdomain
xenserver
xenserver-ktwcklff
xenserver-nmadlwwi
xenserver-wsyuxzeq
Infrastructure
Objects
Organization Views
Saved Searches
Notifications 2


Add New Server
Enter the host name or IP address of the server you want to add and your user login credentials for that server.
Server: 192.168.1.117
User login credentials
Username: root
Password: ••••••
Add Cancel