St. Francis Institute of Technology, Mumbai-400 103
Department Of Information Technology

A.Y. 2025-2026
Class: BE-ITA/B, Semester: VIII
Subject: BlockChain Lab

Experiment – 5

1. Aim: To implement smart contract using truffle framework

2. Objective: To …

- explore working of truffle framework.
- explore working of Ganache local ethernet network.
- explore deployment scripts.

3. Lab outcome: After performing the experiment, the students will be able to **implement** smart contracts in Ethereum using different development frameworks (PO3, PSO2, BL3)

4. Prerequisite:

- Fundamental knowledge of blockchain
- Knowledge of the Ethereum platform
- Familiarity with the Solidity programming language and JavaScript

5. Requirements: The following are the requirements –
Truffle Framework, Ganache Provider, Visual Studio Code etc.

6. Pre-Experiment Theory:

What is Truffle Framework?

We have various setup options for deploying, migrating, and accessing smart contracts. Depending on the level of control and visibility we want into the EVM (Ethereum Virtual Machine), we can choose from using an online IDE like Remix, to running a full Ethereum mining node via Geth. Truffle is a world-class development environment, testing framework and asset pipeline for blockchains using the EVM. Truffle is widely considered the most popular tool for blockchain application development.

Some of the features of Truffle suite are

- Built-in smart contract compilation, linking, deployment and binary management.
- Automated contract testing for rapid development.
- Scriptable, extensible deployment & migrations framework.
- Network management for deploying to any number of public & private networks.
- Package management with EthPM & NPM, using the ERC190 standard.
- Interactive console for direct contract communication.
- Configurable build pipeline with support for tight integration.
- External script runner that executes scripts within a Truffle environment.

7. Laboratory Exercise

A. Steps to be implemented.

To Follow the procedure given below to build smart contract in Remix IDE

1. Download and install Nodejs from command-prompt terminal, if it is not installed.
2. Create a new directory using command mkdir, with name Ethereum (or any other name).
3. Change directory to new directory using cd Ethereum
4. Set up truffle using command npm install -g truffle
5. Open folder/directory Ethereum using Visual Studio, observe empty folder.

6. From terminal type command, truffle init and observe the directory Ethereum with new subfolders
7. In Visual Studio, under contract folder create a new file HelloWorld.sol and write a smart contract (as done in exp-1).
8. Under migration folder create a new js file with name 2_helloWorld_migration.js and paste the following js code in the file

```
var HelloWorld = artifacts.require("./HelloWorld.sol");
module.exports = function(deployer) {
   deployer.deploy(HelloWorld);
 };
```

9. Open truffle-config.js, delete all its contents and paste the following code

```
module.exports = {
  networks: {
     development: {
        // from: "", // Defaults to first address from Ganache
        host: "127.0.0.1",
        port: 7545,
        network_id: "*"
     }
  }
};
```

10. Now from terminal run command truffle compile
11. Open Ganache provider and from terminal run command truffle migrate
12. Now to see the output of smart contract run command truffle console

G. Program Code

1. Write a smart contract HelloWorld.sol and deploy it using Ganache and Truffle.
2. Write a program DonateEther.sol, create uint public variable 'balance' and initialize it to 0 using constructor() which is public, write a function contribute(), make it public and payable. Inside the function body write balance+=msg.Value; then create migration.js file for this contract as done in HelloWorld program. Deploy the contract on Ganche local Ethereum network using truffle.

8. Post Experimental Exercise-

H. Questions:

1. List down the details of components of Truffle suite.
2. Deploy all smart contracts studied in expt-1 and expt-2 using Truffle and Ganache.

I. Results/Observations/Program output:

Present the program input/output results if any and comment on the same.

J. Conclusion:

1. Write what was performed in the experiment.
2. Write which tools you used to perform the experiment
3. Write what you inferred from the output obtained.

K. References:

[1] https://trufflesuite.com/docs/truffle/quickstart/

[2] Mastering Ethereum, Building Smart Contract and Dapps, Andreas M. Antonopoulos Dr. Gavin Wood, O'reilly

G. Program Code

1. Write a smart contract HelloWorld.sol and deploy it using Ganache and Truffle.

```
Command Prompt
Microsoft Windows [Version 10.0.22621.3007]
(c) Microsoft Corporation. All rights reserved.

C:\Users\Student>cd C:\Users\Student\Desktop\sachi\Ethereum

C:\Users\Student\Desktop\sachi\Ethereum>node --version
v20.11.1

C:\Users\Student\Desktop\sachi\Ethereum>npm install -g truffle
npm WARN deprecated testrpc@0.0.1: testrpc has been renamed to ganache-cli, please use this package from now on.
npm WARN deprecated inflight@1.0.6: This module is not supported, and leaks memory. Do not use it. Check out lru-cache if
 you want a good and tested way to coalesce async requests by a key value, which is much more comprehensive and powerful.
npm WARN deprecated @truffle/source-map-utils@1.3.119: Package no longer supported. Contact Support at https://www.npmjs.
com/support for more info.
npm WARN deprecated mkdirp-promise@5.0.1: This package is broken and no longer maintained. 'mkdirp' itself supports promi
ses now, please switch to that.
npm WARN deprecated rimraf@2.7.1: Rimraf versions prior to v4 are no longer supported
npm WARN deprecated level-concat-iterator@3.1.0: Superseded by abstract-level (https://github.com/Level/community#faq)
npm WARN deprecated @truffle/db-loader@0.2.36: Package no longer supported. Contact Support at https://www.npmjs.com/supp
ort for more info.
npm WARN deprecated @truffle/promise-tracker@0.1.7: Package no longer supported. Contact Support at https://www.npmjs.com
/support for more info.
npm WARN deprecated har-validator@5.1.5: this library is no longer supported
npm WARN deprecated @truffle/error@0.2.2: Package no longer supported. Contact Support at https://www.npmjs.com/support f
or more info.
npm WARN deprecated glob@7.2.0: Old versions of glob are not supported, and contain widely publicized security vulnerabil
ities, which have been fixed in the current version. Please update. Support for old versions may be purchased (at exorbit
```

Start Truffle using truffle init command:

```
C:\Users\Student\Desktop\sachi\Ethereum>truffle init

Starting init...
================

> Copying project files to C:\Users\Student\Desktop\sachi\Ethereum

Init successful, sweet!

Try our scaffold commands to get started:
  $ truffle create contract YourContractName # scaffold a contract
  $ truffle create test YourTestName         # scaffold a test

http://trufflesuite.com/docs
```

Folder structure:



helloworld.sol



Migration code



configuration



Compile truffle

```
C:\Users\Student\Desktop\sachi\Ethereum>truffle compile

Compiling your contracts...
===========================
✓ Fetching solc version list from solc-bin. Attempt #1
✓ Downloading compiler. Attempt #1.
> Compiling .\contracts\helloworld.sol
> Artifacts written to C:\Users\Student\Desktop\sachi\Ethereum\build\contracts
> Compiled successfully using:
   - solc: 0.8.2+commit.661d1103.Emscripten.clang
```

Migrate

```
C:\Users\Student\Desktop\sachi\Ethereum>truffle migrate

Compiling your contracts...
===========================
> Compiling .\contracts\helloworld.sol
> Artifacts written to C:\Users\Student\Desktop\sachi\Ethereum\build\contracts
> Compiled successfully using:
   - solc: 0.8.2+commit.661d1103.Emscripten.clang


Starting migrations...
======================
> Network name:    'development'
> Network id:      5777
> Block gas limit: 6721975 (0x6691b7)
```

```
2_hw_migration.js
=================

   Deploying 'HelloWorld'
   ----------------------
   > transaction hash:    0x524a3a9ee440aeb14378157f4ab6a490dfd7a78ad04c6b56d51a70d0991a24a9
   > Blocks: 0            Seconds: 0
   > contract address:    0x82306C846ef8E875Def6a77d31380E3610b0893E
   > block number:        1
   > block timestamp:     1770783782
   > account:             0xa79E1Bf6b68E927ec54b3754f622FCB7Ba7d4cc7
   > balance:             99.999543541375
   > gas used:            135247 (0x2104f)
   > gas price:           3.375 gwei
   > value sent:          0 ETH
   > total cost:          0.000456458625 ETH

   > Saving artifacts
   -------------------------------------
   > Total cost:      0.000456458625 ETH

Summary
=======
> Total deployments:   1
> Final cost:          0.000456458625 ETH
```

Open truffle console for taking user input

```
C:\Users\Student\Desktop\sachi\Ethereum>truffle console
truffle(development)> let instance = await HelloWorld.deployed()
undefined
truffle(development)> instance.greet()
'Hello Everyone, I am Robot'
truffle(development)>
```

Blocks



Transactions



2. Write a program DonateEther.sol, create uint public variable 'balance' and initialize it to 0 using constructor() which is public, write a function contribute(), make it public and payable. Inside the function body write balance+=msg.Value; then create migration.js file for this contract as done in the HelloWorld program. Deploy the contract on Ganche local Ethereum network using truffle.





Truffle compile

```
C:\Users\Student\Desktop\sachi\Ethereum>truffle compile

Compiling your contracts...
===========================
> Compiling .\contracts\donateEther.sol
> Compiling .\contracts\helloworld.sol
> Artifacts written to C:\Users\Student\Desktop\sachi\Ethereum\build\contracts
> Compiled successfully using:
   - solc: 0.8.2+commit.661d1103.Emscripten.clang
```

Migration

```
C:\Users\Student\Desktop\sachi\Ethereum>truffle migrate --reset

Compiling your contracts...
===========================
> Compiling .\contracts\donateEther.sol
> Compiling .\contracts\helloworld.sol
> Artifacts written to C:\Users\Student\Desktop\sachi\Ethereum\build\contracts
> Compiled successfully using:
   - solc: 0.8.2+commit.661d1103.Emscripten.clang


Starting migrations...
======================
> Network name:    'development'
> Network id:      5777
> Block gas limit: 6721975 (0x6691b7)
```

```
2_deploy_donateether.js
=======================

   Deploying 'DonateEther'
   -----------------------
   > transaction hash:    0x302ab41f79bdadc9ecc05aea62bdd2ac22ecf425f5fc67f13317575755cda6ba
   > Blocks: 0            Seconds: 0
   > contract address:    0x33762c45b29860ce7Ddef21da9baeBcB099090Af
   > block number:        2
   > block timestamp:     1770785045
   > account:             0xa79E1Bf6b68E927ec54b3754f622FCB7Ba7d4cc7
   > balance:             99.99910183603531 1517
   > gas used:            135077 (0x20fa5)
   > gas price:           3.270026279 gwei
   > value sent:          0 ETH
   > total cost:          0.000441705339688483 ETH

   > Saving artifacts
   -------------------------------------
   > Total cost:     0.000441705339688483 ETH
```

Check current balance

```
C:\Users\Student\Desktop\sachi\Ethereum>truffle console
truffle(development)> let instance = await DonateEther.deployed()
undefined
truffle(development)> (await instance.balance()).toString()
'0'
```

Send Ether and check balance

```
truffle(development)> await instance.contribute({from: accounts[0], value: web3.utils.toWei("1", "ether")})
{
  tx: '0xeb7eaff9488484ab76d6435d70dc8c2aca432d2bbcdbeb2af10f40193ba15df7',
  receipt: {
    transactionHash: '0xeb7eaff9488484ab76d6435d70dc8c2aca432d2bbcdbeb2af10f40193ba15df7',
    transactionIndex: 0,
    blockNumber: 4,
    blockHash: '0xdb709471d844dc1435af536b345baeb86c506010140de5f5e3705791acef58b8',
    from: '0xa79e1bf6b68e927ec54b3754f622fcb7ba7d4cc7',
    to: '0x33762c45b29860ce7ddef21da9baebcb099090af',
    cumulativeGasUsed: 43504,
    gasUsed: 43504,
    contractAddress: null,
    logs: [],
    logsBloom: '0x000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000
00000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000
00000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000
0000000000000000000000000000000000000000000000000000000000000000000000000000000000000000',
    status: true,
    effectiveGasPrice: 3096344770,
    type: '0x2',
    rawLogs: []
  },
  logs: []
}
truffle(development)> (await instance.balance()).toString()
'1000000000000000000'
truffle(development)> |
```

Blocks





Transactions