

Cucumber Report

30 Sept 2024, 19:22:52

Start : Sept 30, 7:13:52.681 pm

End : Sept 30, 7:22:51.352 pm

Duration : 8 m 58.671 s

Features






PASSED - 4
FAILED - 0
SKIPPED - 0

Scenarios

PASSED - 21
FAILED - 0
SKIPPED - 0


Steps

PASSED - 129
FAILED - 0
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Pharmacist Login</u>	1 m 28.635 s	3	3	0	0	15	15	0	0
<u>Validating Patients Data, using DataTables and examples</u>	1 m 32.828 s	3	3	0	0	12	12	0	0
<u>Patient Search Functionality</u>	27.303 s	1	1	0	0	6	6	0	0
<u>Pharmacist Portal Advance Search Feature</u>	5 m 29.889 s	14	14	0	0	96	96	0	0

TAG	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
@testNG		1	1	0	0	1	1	0	0
@aut_durvesh		1	1	0	0	1	1	0	0
@dev_windows		1	1	0	0	1	1	0	0
@login		1	1	0	0	1	1	0	0
@loginFeature		3	3	0	0	1	1	0	0
@PatientValScenario		3	3	0	0	1	1	0	0
@PatientValidationFeature		3	3	0	0	1	1	0	0
@patientSearch		1	1	0	0	1	1	0	0
@patientSearchDate		1	1	0	0	1	1	0	0
@advanceSearch		14	14	0	0	1	1	0	0




#	Feature Name	T	P	F	S	Duration
1	<u>Pharmacist Login</u>	3	3	0	0	1 m 28.635 s
2	<u>Validating Patients Data, using DataTables and examples</u>	3	3	0	0	1 m 32.828 s
3	<u>Patient Search Functionality</u>	1	1	0	0	27.303 s
4	<u>Pharmacist Portal Advance Search Feature</u>	14	14	0	0	5 m 29.889 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Pharmacist Login</u>	<u>Successful login with valid credentials</u>	5	5	0	0	33.189 s
2		<u>Login with invalid password and verify error message</u>	5	5	0	0	28.401 s
3		<u>Login with invalid email and verify error message</u>	5	5	0	0	27.015 s
4	<u>Validating Patients Data, using DataTables and examples</u>	<u>Search for a patient by ID and validate the information</u>	4	4	0	0	43.336 s
5		<u>Search for a patient by ID and validate the information</u>	4	4	0	0	24.728 s
6		<u>Search for a patient by ID and validate the information</u>	4	4	0	0	24.764 s
7	<u>Patient Search Functionality</u>	<u>Search for a patient by ID and set a review date</u>	6	6	0	0	27.303 s
8	<u>Pharmacist Portal Advance Search Feature</u>	<u>Verify that the Advanced Search popup opens successfully.</u>	4	4	0	0	22.043 s
9		<u>Verify if the results are displayed when user enters First Name</u>	7	7	0	0	21.138 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
10		<i>Verify if the results are displayed when user enters Last Name</i>	7	7	0	0	23.213 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Pharmacist Portal Advance Search Feature</u>	<u>Verify if the results are displayed when user enters FirstName and City</u>	9	9	0	0	22.957 s
12		<u>Error Validation - Verify if the results are displayed when user enters City</u>	6	6	0	0	30.231 s
13		<u>Verify if the results are displayed when user enters FirstName and Selects State</u>	9	9	0	0	20.026 s
14		<u>Error Validation - Verify if the results are displayed when user Selects State</u>	6	6	0	0	18.477 s
15		<u>Verify if the results are displayed when user enters Zip Code</u>	9	9	0	0	19.932 s
16		<u>Negative test scenario - Verify if the results are displayed when user enters Zip Code in invalid format</u>	6	6	0	0	16.146 s
17		<u>Verify if the results are displayed when user enters Phone Number</u>	7	7	0	0	18.755 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
18		<u>Negative test scenario - Verify if the results are displayed when user enters Phone Number in invalid format</u>	6	6	0	0	47.354 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
19	<u>Pharmacist Portal Advance Search Feature</u>	<u>Verify if the results are displayed when user enters Birth Date</u>	7	7	0	0	33.142 s
20		<u>Negative test scenario - Verify if the results are displayed when user enters Birth Date in invalid format</u>	6	6	0	0	18.723 s
21		<u>Enter HPID and verify results</u>	7	7	0	0	17.752 s

Pharmacist Login




Successful login with valid credentials




#	Step / Hook Details	Status	Duration
1	Given the user is on the login page	PASSED	23.033 s
2	When the user enters the valid email "hardstop-pharmacist6@mailinator.com"	PASSED	1.822 s
3	And valid password "Password1#"	PASSED	0.111 s
4	And user clicks on Login button	PASSED	0.081 s
5	Then the user should be logged in	PASSED	6.167 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Successful_login_with_valid_credentials	PASSED	0.246 s
			

Login with invalid password and verify error message

PASSED	DURATION - 28.401 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 7:14:25.886 pm // 7:14:54.287 pm /				
Pharmacist Login				
@loginFeature				

#	Step / Hook Details	Status	Duration
1	Given the user is on the login page	PASSED	20.708 s
2	When the user enters the valid email "hardstop-pharmacist6@mailinator.com"	PASSED	1.747 s
3	And the user enters invalid password "InvalidPassword"	PASSED	0.084 s
4	And user clicks on Login button	PASSED	0.052 s
5	Then an error message should be displayed "Wrong username/password"	PASSED	2.810 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Login_with_invalid_password_and_verify_error_message	PASSED	0.285 s
			

Login with invalid email and verify error message

PASSED	DURATION - 27.015 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 7:14:54.301 pm // 7:15:21.316 pm /				
Pharmacist Login				
@loginFeature				

#	Step / Hook Details	Status	Duration
1	Given the user is on the login page	PASSED	22.568 s
2	When the user enters an invalid email "hardstop-pharmacist6@mailinator.co"	PASSED	1.731 s

#	Step / Hook Details	Status	Duration
3	And valid password "Password1#"	PASSED	0.069 s
4	And user clicks on Login button	PASSED	0.054 s
5	Then I should see an error message "User not found"	PASSED	1.312 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Login_with_invalid_email_and_verify_error_message	PASSED	0.166 s


Validating Patients Data, using DataTables and examples

PASSED	DURATION - 1 m 32.828 s	Scenarios	Steps
/ 7:15:21.332 pm // 7:16:54.160 pm /		Total - 3 Pass - 3 Fail - 0 Skip - 0	Total - 12 Pass - 12 Fail - 0 Skip - 0


Search for a patient by ID and validate the information

PASSED	DURATION - 43.336 s	Steps	
/ 7:15:21.332 pm // 7:16:04.668 pm /		Total - 4 Pass - 4 Fail - 0 Skip - 0	
Validating Patients Data, using DataTables and examples			
@PatientValScenario @PatientValidationFeature			


#	Step / Hook Details	Status	Duration
1	Given user has already logged in to application and is on patient page	PASSED	35.095 s
2	And user has entered credentials	PASSED	0.794 s
	userId 4059581a-e693-455a-8d6b-4fc5a1ea3cc6		
3	And User tries to validate the information	PASSED	5.912 s

#	Step / Hook Details	Status	Duration																		
4	<p>Then User verifies the data</p> <table border="1"> <tr><td>FirstName</td><td>Hardstop</td></tr> <tr><td>LastName</td><td>Select health test patient 3</td></tr> <tr><td>Hosp 30d</td><td>No</td></tr> <tr><td>DOB</td><td>01/01/1965</td></tr> <tr><td>Sex</td><td>female</td></tr> <tr><td>Age</td><td>59</td></tr> <tr><td>Pt. Lang.</td><td>English</td></tr> <tr><td>Insurance #</td><td>XD723643612345</td></tr> <tr><td>Insurance Co.</td><td>Hardstop SelectHealth</td></tr> </table>	FirstName	Hardstop	LastName	Select health test patient 3	Hosp 30d	No	DOB	01/01/1965	Sex	female	Age	59	Pt. Lang.	English	Insurance #	XD723643612345	Insurance Co.	Hardstop SelectHealth	PASSED	0.123 s
FirstName	Hardstop																				
LastName	Select health test patient 3																				
Hosp 30d	No																				
DOB	01/01/1965																				
Sex	female																				
Age	59																				
Pt. Lang.	English																				
Insurance #	XD723643612345																				
Insurance Co.	Hardstop SelectHealth																				
	<p>AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</p> <p>Search_for_a_patient_by_ID_and_validate_the_information</p> 	PASSED	0.127 s																		


Search for a patient by ID and validate the information

PASSED	DURATION - 24.728 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 7:16:04.668 pm // 7:16:29.396 pm /				
Validating Patients Data, using DataTables and examples				
@PatientValScenario @PatientValidationFeature				


#	Step / Hook Details	Status	Duration		
1	Given user has already logged in to application and is on patient page	PASSED	12.845 s		
2	And user has entered credentials	PASSED	0.664 s		
	<table border="1"> <tr><td>userId</td><td>8db898eb-bd30-4635-aaa2-bd42abd99eff</td></tr> </table>	userId	8db898eb-bd30-4635-aaa2-bd42abd99eff		
userId	8db898eb-bd30-4635-aaa2-bd42abd99eff				
3	And User tries to validate the information	PASSED	9.839 s		
4	Then User verifies the data	PASSED	0.116 s		
	<table border="1"> <tr><td>FirstName</td><td>Hardstop</td></tr> </table>	FirstName	Hardstop		
FirstName	Hardstop				

#	Step / Hook Details	Status	Duration																
	<table border="1"> <tr><td>LastName</td><td>Select health test patient 5</td></tr> <tr><td>Hosp 30d</td><td>No</td></tr> <tr><td>DOB</td><td>01/01/1965</td></tr> <tr><td>Sex</td><td>female</td></tr> <tr><td>Age</td><td>59</td></tr> <tr><td>Pt. Lang.</td><td>English</td></tr> <tr><td>Insurance #</td><td>XD723643612345</td></tr> <tr><td>Insurance Co.</td><td>Hardstop SelectHealth</td></tr> </table>	LastName	Select health test patient 5	Hosp 30d	No	DOB	01/01/1965	Sex	female	Age	59	Pt. Lang.	English	Insurance #	XD723643612345	Insurance Co.	Hardstop SelectHealth		
LastName	Select health test patient 5																		
Hosp 30d	No																		
DOB	01/01/1965																		
Sex	female																		
Age	59																		
Pt. Lang.	English																		
Insurance #	XD723643612345																		
Insurance Co.	Hardstop SelectHealth																		
	<p>AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</p> <p>Search_for_a_patient_by_ID_and_validate_the_information</p> 	PASSED	0.113 s																


Search for a patient by ID and validate the information

PASSED	DURATION - 24.764 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 7:16:29.396 pm // 7:16:54.160 pm /				
Validating Patients Data, using DataTables and examples				
@PatientValScenario @PatientValidationFeature				


#	Step / Hook Details	Status	Duration						
1	Given user has already logged in to application and is on patient page	PASSED	19.054 s						
2	And user has entered credentials	PASSED	0.968 s						
	userId a89a0a0c-4202-4b64-949a-5e48c16d1aea								
3	And User tries to validate the information	PASSED	3.382 s						
4	Then User verifies the data	PASSED	0.146 s						
	<table border="1"> <tr><td>FirstName</td><td>Select concierge test patient 8</td></tr> <tr><td>LastName</td><td>Hardstop</td></tr> <tr><td>Hosp 30d</td><td>No</td></tr> </table>	FirstName	Select concierge test patient 8	LastName	Hardstop	Hosp 30d	No		
FirstName	Select concierge test patient 8								
LastName	Hardstop								
Hosp 30d	No								

#	Step / Hook Details	Status	Duration												
	<table border="1"> <tr><td>DOB</td><td>01/01/1965</td></tr> <tr><td>Sex</td><td>female</td></tr> <tr><td>Age</td><td>59</td></tr> <tr><td>Pt. Lang.</td><td>English</td></tr> <tr><td>Insurance #</td><td>XD723643612345</td></tr> <tr><td>Insurance Co.</td><td>Hardstop SelectHealth Concierge</td></tr> </table>	DOB	01/01/1965	Sex	female	Age	59	Pt. Lang.	English	Insurance #	XD723643612345	Insurance Co.	Hardstop SelectHealth Concierge		
DOB	01/01/1965														
Sex	female														
Age	59														
Pt. Lang.	English														
Insurance #	XD723643612345														
Insurance Co.	Hardstop SelectHealth Concierge														
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Search_for_a_patient_by_ID_and_validate_the_information 	PASSED	0.113 s												


Patient Search Functionality




Search for a patient by ID and set a review date




#	Step / Hook Details	Status	Duration
1	Given User is logged in successfully for patient search	PASSED	18.572 s
2	When User clicks on the Patient button for patient search	PASSED	0.128 s

#	Step / Hook Details	Status	Duration
3	And User enters the patient ID "da7e9e65-a268-4ea2-adc6-a2d8cd1b64d9"	PASSED	0.972 s
4	And User clicks on the Reports button	PASSED	5.918 s
5	And User selects the date 10 days back	PASSED	0.296 s
6	Then User clicks on the Date Conversation button	PASSED	0.233 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.142 s
	Search_for_a_patient_by_ID_and_set_a_review_date		
			


Pharmacist Portal Advance Search Feature




Verify that the Advanced Search popup opens successfully.




#	Step / Hook Details	Status	Duration
1	Given user has already logged in to application username: hardstop-pharmacist6@mailinator.com password: Password1#	PASSED	15.093 s

#	Step / Hook Details	Status	Duration
2	Given the user should be logged in	PASSED	4.760 s
3	When the user clicks on Patient button and ADVANCED text button	PASSED	0.357 s
4	Then the Advanced Patient Search popup should open	PASSED	0.614 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Verify_that_the_Advanced_Search_popup_opens_successfully.	PASSED	0.182 s
			


Verify if the results are displayed when user enters First Name


PASSED	DURATION - 21.138 s / 7:17:43.506 pm // 7:18:04.644 pm /		Steps Total - 7 Pass - 7 Fail - 0 Skip - 0	
	Pharmacist Portal Advance Search Feature @advanceSearch			

#	Step / Hook Details	Status	Duration
1	Given user has already logged in to application username password hardstop-pharmacist6@mailinator.com Password1#	PASSED	10.553 s
2	Given the user should be logged in	PASSED	5.192 s
3	When the user clicks on Patient button and ADVANCED text button	PASSED	0.232 s
4	And user enters First Name "Hardstop"	PASSED	0.605 s
5	And user clicks on Search button	PASSED	0.069 s
6	Then the result should get displayed	PASSED	3.240 s
7	And the First Name "Hardstop" should get displayed	PASSED	0.017 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Verify_if_the_results_are_displayed_when_user_enters_First_Name	PASSED	0.103 s


#	Step / Hook Details	Status	Duration
			


Verify if the results are displayed when user enters Last Name

PASSED	DURATION - 23.213 s		Steps Total - 7 Pass - 7 Fail - 0 Skip - 0	
/ 7:18:04.644 pm // 7:18:27.857 pm /				
Pharmacist Portal Advance Search Feature				
@advanceSearch				


#	Step / Hook Details	Status	Duration				
1	Given user has already logged in to application <table border="1"><tr><td>username</td><td>password</td></tr><tr><td>hardstop-pharmacist6@mailinator.com</td><td>Password1#</td></tr></table>	username	password	hardstop-pharmacist6@mailinator.com	Password1#	PASSED	13.917 s
username	password						
hardstop-pharmacist6@mailinator.com	Password1#						
2	Given the user should be logged in	PASSED	5.370 s				
3	When the user clicks on Patient button and ADVANCED text button	PASSED	0.307 s				
4	And user enters Last Name "Select health test patient 1"	PASSED	0.640 s				
5	And user clicks on Search button	PASSED	0.077 s				
6	Then the result should get displayed	PASSED	1.614 s				
7	And the Last Name "Select health test patient 1" should get displayed	PASSED	0.025 s				
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Verify_if_the_results_are_displayed_when_user_enters_Last_Name 	PASSED	0.136 s				

Verify if the results are displayed when user enters FirstName and City




#	Step / Hook Details	Status	Duration
1	Given user has already logged in to application username password hardstop-pharmacist6@mailinator.com Password1#	PASSED	13.495 s
2	Given the user should be logged in	PASSED	6.009 s
3	When the user clicks on Patient button and ADVANCED text button	PASSED	0.230 s
4	And user enters First Name "Hardstop"	PASSED	0.635 s
5	And user enters City "Test City"	PASSED	0.089 s
6	And user clicks on Search button	PASSED	0.076 s
7	Then the result should get displayed	PASSED	1.071 s
8	And the First Name "Hardstop" should get displayed	PASSED	0.017 s
9	And the City Name "Test City" should get displayed	PASSED	0.018 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Verify_if_the_results_are_displayed_when_user_enters_FirstName_and_City 	PASSED	0.114 s


Error Validation - Verify if the results are displayed when user enters City




#	Step / Hook Details	Status	Duration				
1	Given user has already logged in to application <table border="1"> <tr> <td>username</td> <td>password</td> </tr> <tr> <td>hardstop-pharmacist6@mailinator.com</td> <td>Password1#</td> </tr> </table>	username	password	hardstop-pharmacist6@mailinator.com	Password1#	PASSED	22.923 s
username	password						
hardstop-pharmacist6@mailinator.com	Password1#						
2	Given the user should be logged in	PASSED	4.910 s				
3	When the user clicks on Patient button and ADVANCED text button	PASSED	0.227 s				
4	And user enters City "Test City"	PASSED	0.649 s				
5	And user clicks on Search button	PASSED	0.083 s				
6	Then the error pop up should appear "You must provide first or last name."	PASSED	0.031 s				
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Error_Validation_-_Verify_if_the_results_are_displayed_when_user_enters_City 	PASSED	0.246 s				

Verify if the results are displayed when user enters FirstName and Selects State



#	Step / Hook Details	Status	Duration
1	Given user has already logged in to application username password hardstop-pharmacist6@mailinator.com Password1#	PASSED	11.377 s
2	Given the user should be logged in	PASSED	4.565 s
3	When the user clicks on Patient button and ADVANCED text button	PASSED	0.328 s
4	And user enters First Name "Hardstop"	PASSED	0.748 s
5	And user selects State "California"	PASSED	0.084 s
6	And user clicks on Search button	PASSED	0.114 s
7	Then the result should get displayed	PASSED	1.625 s
8	And the First Name "Hardstop" should get displayed	PASSED	0.038 s
9	And the State "California" should get displayed	PASSED	0.016 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Verify_if_the_results_are_displayed_when_user_enters_FirstName_and_Selects_State 	PASSED	0.132 s


Error Validation - Verify if the results are displayed when user Selects State




#	Step / Hook Details	Status	Duration
1	Given user has already logged in to application username password hardstop-pharmacist6@mailinator.com Password1#	PASSED	10.961 s
2	Given the user should be logged in	PASSED	5.087 s

#	Step / Hook Details	Status	Duration
3	When the user clicks on Patient button and ADVANCED text button	PASSED	0.271 s
4	And user selects State "California"	PASSED	0.798 s
5	And user clicks on Search button	PASSED	0.082 s
6	Then the error pop up should appear "You must provide first or last name."	PASSED	0.026 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Error_Validation_- Verify_if_the_results_are_displayed_when_user_Selects_State	PASSED	0.204 s



Verify if the results are displayed when user enters Zip Code




#	Step / Hook Details	Status	Duration
1	Given user has already logged in to application username password hardstop-pharmacist6@mailinator.com Password1#	PASSED	10.953 s
2	Given the user should be logged in	PASSED	5.627 s
3	When the user clicks on Patient button and ADVANCED text button	PASSED	0.237 s
4	And user enters First Name "Hardstop"	PASSED	0.643 s
5	And User enters "99999" as Zip Code	PASSED	0.086 s
6	And user clicks on Search button	PASSED	0.068 s
7	Then the result should get displayed	PASSED	1.074 s
8	And the First Name "Hardstop" should get displayed	PASSED	0.031 s
9	And the ZipCode "99999" should get displayed	PASSED	0.016 s


#	Step / Hook Details	Status	Duration
	<p>AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</p> <p>Verify_if_the_results_are_displayed_when_user_enters_Zip_Code</p> 	PASSED	0.130 s


Negative test scenario - Verify if the results are displayed when user enters Zip Code in invalid format

PASSED	DURATION - 16.146 s		<p>Steps</p> <p>Total - 6</p> <p>Pass - 6</p> <p>Fail - 0</p> <p>Skip - 0</p> 
/ 7:20:19.480 pm // 7:20:35.626 pm /			
Pharmacist Portal Advance Search Feature			
@advanceSearch			


#	Step / Hook Details	Status	Duration				
1	<p>Given user has already logged in to application</p> <table border="1"> <tr> <td>username</td> <td>password</td> </tr> <tr> <td>hardstop-pharmacist6@mailinator.com</td> <td>Password1#</td> </tr> </table>	username	password	hardstop-pharmacist6@mailinator.com	Password1#	PASSED	6.853 s
username	password						
hardstop-pharmacist6@mailinator.com	Password1#						
2	Given the user should be logged in	PASSED	6.905 s				
3	When the user clicks on Patient button and ADVANCED text button	PASSED	0.252 s				
4	And User enters "123" as Zip Code	PASSED	0.717 s				
5	And user clicks on Search button	PASSED	0.064 s				
6	Then Tooltip error message: "Please match the format requested." should display for Zip Code	PASSED	0.038 s				
	<p>AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</p> <p>Negative_test_scenario_-_Verify_if_the_results_are_displayed_when_user_enters_Zip_Code_in_invalid_format</p> 	PASSED	0.208 s				


Verify if the results are displayed when user enters Phone Number




#	Step / Hook Details	Status	Duration				
1	Given user has already logged in to application <table border="1" data-bbox="181 589 759 647"> <tr> <td>username</td> <td>password</td> </tr> <tr> <td>hardstop-pharmacist6@mailinator.com</td> <td>Password1#</td> </tr> </table>	username	password	hardstop-pharmacist6@mailinator.com	Password1#	PASSED	10.543 s
username	password						
hardstop-pharmacist6@mailinator.com	Password1#						
2	Given the user should be logged in	PASSED	5.037 s				
3	When the user clicks on Patient button and ADVANCED text button	PASSED	0.311 s				
4	And User enters "111-111-1111" as Phone	PASSED	0.616 s				
5	And user clicks on Search button	PASSED	0.077 s				
6	Then the result should get displayed	PASSED	1.056 s				
7	And the Phone "111-111-1111" should get displayed	PASSED	0.017 s				
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Verify_if_the_results_are_displayed_when_user_enters_Phone_Number 	PASSED	0.122 s				


Negative test scenario - Verify if the results are displayed when user enters Phone Number in invalid format




#	Step / Hook Details	Status	Duration				
1	Given user has already logged in to application <table border="1" data-bbox="179 531 752 595"> <tr> <td>username</td> <td>password</td> </tr> <tr> <td>hardstop-pharmacist6@mailinator.com</td> <td>Password1#</td> </tr> </table>	username	password	hardstop-pharmacist6@mailinator.com	Password1#	PASSED	25.476 s
username	password						
hardstop-pharmacist6@mailinator.com	Password1#						
2	Given the user should be logged in	PASSED	19.615 s				
3	When the user clicks on Patient button and ADVANCED text button	PASSED	0.228 s				
4	And User enters "111-111-111" as Phone	PASSED	0.656 s				
5	And user clicks on Search button	PASSED	0.047 s				
6	Then Tooltip error message: "Please match the format requested." should display for Phone Number	PASSED	0.036 s				
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Negative_test_scenario_- Verify_if_the_results_are_displayed_when_user_enters_Phone_Number_in_invalid_format 	PASSED	0.203 s				

Verify if the results are displayed when user enters Birth Date



#	Step / Hook Details	Status	Duration
1	Given user has already logged in to application username password hardstop-pharmacist6@mailinator.com Password1#	PASSED	23.931 s
2	Given the user should be logged in	PASSED	4.958 s
3	When the user clicks on Patient button and ADVANCED text button	PASSED	0.249 s
4	And User enters "01/01/1965" as Birth Date	PASSED	0.661 s
5	And user clicks on Search button	PASSED	0.099 s
6	Then the result should get displayed	PASSED	2.121 s
7	And the date "01/01/1965" should get displayed	PASSED	0.015 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Verify_if_the_results_are_displayed_when_user_enters_Birth_Date 	PASSED	0.117 s


Negative test scenario - Verify if the results are displayed when user enters Birth Date in invalid format

PASSED	DURATION - 18.723 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 7:22:14.877 pm // 7:22:33.600 pm /				
Pharmacist Portal Advance Search Feature				
@advanceSearch				


#	Step / Hook Details	Status	Duration
1	Given user has already logged in to application username password hardstop-pharmacist6@mailinator.com Password1#	PASSED	10.831 s
2	Given the user should be logged in	PASSED	5.654 s
3	When the user clicks on Patient button and ADVANCED text button	PASSED	0.230 s
4	And User enters "32/01/19" as Birth Date	PASSED	0.619 s

#	Step / Hook Details	Status	Duration
5	And user clicks on Search button	PASSED	0.085 s
6	Then Tooltip error message: "Please match the format requested." should display for Birth Date	PASSED	0.028 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Negative_test_scenario_- Verify_if_the_results_are_displayed_when_user_enters_Birth_Date_in_invalid_format	PASSED	0.224 s

Enter HPID and verify results

PASSED	DURATION - 17.752 s		Steps Total - 7 Pass - 7 Fail - 0 Skip - 0	
/ 7:22:33.600 pm // 7:22:51.352 pm /				
Pharmacist Portal Advance Search Feature				
@advanceSearch				

#	Step / Hook Details	Status	Duration
1	Given user has already logged in to application username password hardstop-pharmacist6@mailinator.com Password1#	PASSED	8.527 s
2	Given the user should be logged in	PASSED	5.029 s
3	When the user clicks on Patient button and ADVANCED text button	PASSED	0.233 s
4	And User enters "XD723643612345" as HPID	PASSED	0.613 s
5	And user clicks on Search button	PASSED	0.088 s
6	Then the result should get displayed	PASSED	2.069 s
7	And the HPID "XD723643612345" should get displayed	PASSED	0.031 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.110 s
	Enter_HPID_and_verify_results		

#	Step / Hook Details	Status	Duration
	 A screenshot of a web-based "Advanced Police Search" interface. The page has a dark header with the title and a search bar. Below the header is a table with several columns, likely for filtering search results. The main area contains a large list of search results, each with multiple lines of text and small checkboxes or buttons. The overall layout is typical of a police or law enforcement data entry or search application.		