Cucumber Report

4 Oct 2024, 19:38:49

Start : Oct 04, 7:32:15.286 pm	End : Oct 04, 7:38:49.064 pm	Duration : 6 m 33.778 s
Features	Scenarios	Steps
PASSED - 4 FAILED - 0 SKIPPED - 0	PASSED - 21 FAILED - 0 SKIPPED - 0	PASSED - 145 FAILED - 0 SKIPPED - 0

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Pharmacist Login	41.029 s	3	3	0	0	12	12	0	0
Validating Patients Data, using DataTables and examples	56.704 s	3	3	0	0	21	21	0	0
Patient Search Functionality	19.681 s	1	1	0	0	8	8	0	0
Pharmacist Portal Advance Search Feature	4 m 36.318 s	14	14	0	0	104	104	0	0

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@login	1	1	0	0	1	1	0	0
@loginFeature	3	3	0	0	1	1	0	0
@Setup	1	1	0	0	1	1	0	0
@PatientValScenario	3	3	0	0	1	1	0	0
@PatientValidationFeature	3	3	0	0	1	1	0	0
@patientSearch	1	1	0	0	1	1	0	0
@patientSearchDate	1	1	0	0	1	1	0	0
@testScenario4	1	1	0	0	1	1	0	0
@advanceSearch	14	14	0	0	1	1	0	0
@testScenario1	8	8	0	0	1	1	0	0
@testScenario2	2	2	0	0	1	1	0	0
@testScenario3	3	3	0	0	1	1	0	0

#	Feature Name	T	P	F	S	Duration
1	Pharmacist Login	3	3	0	0	41.029 s
2	Validating Patients Data, using DataTables and examples	3	3	0	0	56.704 s
3	Patient Search Functionality	1	1	0	0	19.681 s
4	Pharmacist Portal Advance Search Feature	14	14	0	0	4 m 36.318 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Pharmacist Login	SETUP: Open Application And Login to the System	4	4	0	0	16.512 s
2		SETUP: Open Application And Login to the System	4	4	0	0	12.959 s
3		SETUP: Open Application And Login to the System	4	4	0	0	11.522 s
4	Validating Patients Data, using DataTables and examples	Search for a patient by ID and validate the information	7	7	0	0	19.926 s
5		Search for a patient by ID and validate the information	7	7	0	0	19.189 s
6		Search for a patient by ID and validate the information	7	7	0	0	17.589 s
7	Patient Search Functionality	Search for a patient by ID and set a review date	8	8	0	0	19.681 s
8	Pharmacist Portal Advance Search Feature	Verify that the Advanced Search popup opens successfully.	5	5	0	0	38.691 s
9		Verify if the results are displayed when user enters specific Field	8	8	0	0	16.533 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
10		Verify if the results are displayed when user enters specific Field	8	8	0	0	15.048 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
11	Pharmacist Portal Advance Search Feature	Verify if the results are displayed when user enters specific Field	8	8	0	0	15.896 s
12		Verify if the results are displayed when user enters specific Field	8	8	0	0	16.527 s
13		Verify if the results are displayed when user enters specific Field	8	8	0	0	16.559 s
14		Verify if the results are displayed when user enters specific Field	8	8	0	0	15.732 s
15		Verify if the results are displayed when user enters specific Field	8	8	0	0	14.752 s
16		Verify if the results are displayed when user enters specific Field	8	8	0	0	16.220 s
17		Error Validation - Verify if the results are displayed when user enters specific fields	7	7	0	0	29.993 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
18	Pharmacist Portal Advance Search Feature	Error Validation - Verify if the results are displayed when user enters specific fields	7	7	0	0	14.822 s
19		Verify if the results are displayed when user enters specific Field	7	7	0	0	34.743 s
20		Verify if the results are displayed when user enters specific Field	7	7	0	0	15.776 s
21		Verify if the results are displayed when user enters specific Field	7	7	0	0	15.011 s

Pharmacist Login

PASSED	DURATION - 41.029 s
/ 7:32:15.286 pm // 7:32:56.315 pm /	

Scenarios
Total - 3
Pass - 3
Fail - 0
Skip - 0

Steps
Total - 12
Pass - 12
Fail - 0
Skip - 0

SETUP: Open Application And Login to the System

PASSED	DURATION - 16.512 s
/ 7:32:15.291 pm // 7:32:31.803 pm /	
Pharmacist Login	
@login @loginFeature @Setup	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given the user is on the login page "https://pharmacist-dev.arine.io/"	PASSED	6.711 s
2	When User login with "hardstop-pharmacist6@mailinator.com" and "Password1#"	PASSED	1.880 s
3	And user clicks on Login button	PASSED	0.050 s
4	Then the user should be logged in	PASSED	5.911 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.142 s
	SETUP:_Open_Application_And_Login_to_the_System		

SETUP: Open Application And Login to the System

PASSED	DURATION - 12.959 s
/ 7:32:31.834 pm // 7:32:44.793 pm /	
Pharmacist Login	
@loginFeature	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given the user is on the login page "https://pharmacist-dev.arine.io/"	PASSED	7.832 s
2	When User login with "hardstop-pharmacist6@mailinator.com" and "InvalidPassword"	PASSED	1.827 s
3	And user clicks on Login button	PASSED	0.047 s
4	Then the user should see an error message "Wrong username/password"	PASSED	1.965 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.301 s
	SETUP:_Open_Application_And_Login_to_the_System		

SETUP: Open Application And Login to the System

PASSED	DURATION - 11.522 s
/ 7:32:44.793 pm // 7:32:56.315 pm /	
Pharmacist Login	
@loginFeature	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given the user is on the login page "https://pharmacist-dev.arine.io/"	PASSED	7.279 s
2	When User login with "hardstop-pharmacist6@mailinator.co" and "Password1#"	PASSED	1.813 s
3	And user clicks on Login button	PASSED	0.059 s

#	Step / Hook Details	Status	Duration
4	Then the user should see an error message "User not found"	PASSED	1.053 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.351 s
	SETUP:_Open_Application_And_Login_to_the_System		

Validating Patients Data, using DataTables and examples

PASSED	DURATION - 56.704 s	Scenarios		Steps	
/ 7:32:56.346 pm // 7:33:53.050 pm /		Total - 3 Pass - 3 Fail - 0 Skip - 0		Total - 21 Pass - 21 Fail - 0 Skip - 0	

Search for a patient by ID and validate the information

PASSED	DURATION - 19.926 s			
/ 7:32:56.346 pm // 7:33:16.272 pm /			Steps Total - 7 Pass - 7 Fail - 0 Skip - 0	
Validating Patients Data, using DataTables and examples				
@PatientValScenario @PatientValidationFeature				

#	Step / Hook Details	Status	Duration
1	Given the user is on the login page "https://pharmacist-dev.arine.io/"	PASSED	6.332 s
2	When User login with "hardstop-pharmacist6@mailinator.com" and "Password1#"	PASSED	1.870 s
3	And user clicks on Login button	PASSED	0.054 s
4	And User clicks on the Patient button for patient search	PASSED	3.825 s
5	And user has entered credentials "da7e9e65-a268-4ea2-adc6-a2d8cd1b64d9"	PASSED	0.712 s
6	And User tries to validate the information	PASSED	5.786 s

#	Step / Hook Details	Status	Duration
7	Then User verifies the data	PASSED	0.189 s

FirstName	Hardstop
LastName	Select health test patient 1
Hosp 30d	No
DOB	01/01/1965
Sex	female
Age	59
Pt. Lang.	English
Insurance #	XD723643612345
Insurance Co.	Hardstop SelectHealth

	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.131 s
	Search_for_a_patient_by_ID_and_validate_the_information		

Search for a patient by ID and validate the information

PASSED	*DURATION - 19.189 s*
/ 7:33:16.272 pm // 7:33:35.461 pm /	
Validating Patients Data, using DataTables and examples	
@PatientValScenario @PatientValidationFeature	

Steps
Total - 7
Pass - 7
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given the user is on the login page "https://pharmacist-dev.arine.io/"	PASSED	5.904 s
2	When User login with "hardstop-pharmacist6@mailinator.com" and "Password1#"	PASSED	1.777 s
3	And user clicks on Login button	PASSED	0.053 s
4	And User clicks on the Patient button for patient search	PASSED	4.407 s
5	And user has entered credentials "6c3f2efb-c0fa-464d-a7fc-a0065407b9e5"	PASSED	0.762 s
6	And User tries to validate the information	PASSED	4.934 s

#	Step / Hook Details	Status	Duration
7	Then User verifies the data	PASSED	0.134 s

FirstName	Hardstop
LastName	Select health test patient 4
Hosp 30d	No
DOB	01/01/1965
Sex	female
Age	59
Pt. Lang.	English
Insurance #	XD723643612345
Insurance Co.	Hardstop SelectHealth

	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.129 s
	Search_for_a_patient_by_ID_and_validate_the_information		

Search for a patient by ID and validate the information

PASSED	*DURATION - 17.589 s*
/ 7:33:35.461 pm // 7:33:53.050 pm /	
Validating Patients Data, using DataTables and examples	
@PatientValScenario @PatientValidationFeature	

Steps
Total - 7
Pass - 7
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given the user is on the login page "https://pharmacist-dev.arine.io/"	PASSED	6.391 s
2	When User login with "hardstop-pharmacist6@mailinator.com" and "Password1#"	PASSED	1.329 s
3	And user clicks on Login button	PASSED	0.059 s
4	And User clicks on the Patient button for patient search	PASSED	4.319 s
5	And user has entered credentials "a89a0a0c-4202-4b64-949a-5e48c16d1aea"	PASSED	0.756 s
6	And User tries to validate the information	PASSED	3.386 s

#	Step / Hook Details	Status	Duration
7	Then User verifies the data	PASSED	0.111 s
	FirstName: Select concierge test patient 8 LastName: Hardstop Hosp 30d: No DOB: 01/01/1965 Sex: female Age: 59 Pt. Lang.: English Insurance #: XD723643612345 Insurance Co.: Hardstop SelectHealth Concierge		
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.165 s
	Search_for_a_patient_by_ID_and_validate_the_information		

Patient Search Functionality

PASSED	DURATION - 19.681 s	Scenarios		Steps	
/ 7:33:53.050 pm // 7:34:12.731 pm /		Total - 1 Pass - 1 Fail - 0 Skip - 0		Total - 8 Pass - 8 Fail - 0 Skip - 0	

Search for a patient by ID and set a review date

PASSED	DURATION - 19.681 s		Steps	
/ 7:33:53.050 pm // 7:34:12.731 pm /			Total - 8 Pass - 8 Fail - 0 Skip - 0	
Patient Search Functionality				
@patientSearch @patientSearchDate				

#	Step / Hook Details	Status	Duration
1	Given the user is on the login page "https://pharmacist-dev.arine.io/"	PASSED	7.330 s
2	When User login with "hardstop-pharmacist6@mailinator.com" and "Password1#"	PASSED	1.816 s
3	And user clicks on Login button	PASSED	0.047 s
4	And User clicks on the Patient button for patient search	PASSED	3.903 s
5	And User enters the patient ID "da7e9e65-a268-4ea2-adc6-a2d8cd1b64d9"	PASSED	0.678 s
6	And User clicks Reports button, MTM Reports button and selects CMR review type	PASSED	4.344 s
7	And User selects the date 10 days back	PASSED	0.275 s
8	Then User clicks on the Date Conversation button	PASSED	0.120 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.163 s
	Search_for_a_patient_by_ID_and_set_a_review_date		

Pharmacist Portal Advance Search Feature

PASSED	*DURATION - 4 m 36.318 s*	Scenarios Total - 14 Pass - 14 Fail - 0 Skip - 0	
/ 7:34:12.746 pm // 7:38:49.064 pm /		Steps Total - 104 Pass - 104 Fail - 0 Skip - 0	

Verify that the Advanced Search popup opens successfully.

PASSED	*DURATION - 38.691 s*		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0
/ 7:34:12.746 pm // 7:34:51.437 pm /			
Pharmacist Portal Advance Search Feature			
@testScenario4 @advanceSearch			

#	Step / Hook Details	Status	Duration
1	Given the user is on the login page "https://pharmacist-dev.arine.io/"	PASSED	31.094 s
2	When User login with "hardstop-pharmacist6@mailinator.com" and "Password1#"	PASSED	1.787 s
3	And user clicks on Login button	PASSED	0.045 s
4	When the user clicks on Patient button and ADVANCED text button	PASSED	3.949 s
5	Then the Advanced Patient Search popup should open	PASSED	0.550 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.174 s
	Verify_that_the_Advanced_Search_popup_opens_successfully.		

Verify if the results are displayed when user enters specific Field

PASSED	*DURATION - 16.533 s*
/ 7:34:51.437 pm // 7:35:07.970 pm /	
Pharmacist Portal Advance Search Feature	
@testScenario1 @advanceSearch	

Steps
Total - 8
Pass - 8
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given the user is on the login page "https://pharmacist-dev.arine.io/"	PASSED	6.775 s
2	When User login with "hardstop-pharmacist6@mailinator.com" and "Password1#"	PASSED	1.780 s
3	And user clicks on Login button	PASSED	0.048 s
4	And the user clicks on Patient button and ADVANCED text button	PASSED	4.497 s
5	And user enters specific field	PASSED	0.917 s

First Name	Hardstop
Last Name	
City	
State	
Zip Code	
Phone	

#	Step / Hook Details	Status	Duration
	Birth Date HPID		
6	And user clicks on Search button	PASSED	0.171 s
7	Then the result should get displayed	PASSED	1.113 s
8	And the "Hardstop" should get displayed	PASSED	0.068 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.164 s
	Verify_if_the_results_are_displayed_when_user_enters_specific_Field		

Verify if the results are displayed when user enters specific Field

PASSED	*DURATION - 15.048 s*		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0
/ 7:35:07.970 pm // 7:35:23.018 pm /			
Pharmacist Portal Advance Search Feature			
@testScenario1 @advanceSearch			

#	Step / Hook Details	Status	Duration
1	Given the user is on the login page "https://pharmacist-dev.arine.io/"	PASSED	6.471 s
2	When User login with "hardstop-pharmacist6@mailinator.com" and "Password1#"	PASSED	1.773 s
3	And user clicks on Login button	PASSED	0.048 s
4	And the user clicks on Patient button and ADVANCED text button	PASSED	3.447 s
5	And user enters specific field	PASSED	1.073 s

First Name	
Last Name	Select health test patient 1
City	
State	
Zip Code	
Phone	

#	Step / Hook Details	Status	Duration
	Birth Date HPID		
6	And user clicks on Search button	PASSED	0.138 s
7	Then the result should get displayed	PASSED	0.609 s
8	And the "Select health test patient 1" should get displayed	PASSED	0.028 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.130 s
	Verify_if_the_results_are_displayed_when_user_enters_specific_Field		

Verify if the results are displayed when user enters specific Field

PASSED	*DURATION - 15.896 s*
/ 7:35:23.033 pm // 7:35:38.929 pm /	
Pharmacist Portal Advance Search Feature	
@testScenario1 @advanceSearch	

Steps
Total - 8
Pass - 8
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given the user is on the login page "https://pharmacist-dev.arine.io/"	PASSED	5.990 s
2	When User login with "hardstop-pharmacist6@mailinator.com" and "Password1#"	PASSED	1.781 s
3	And user clicks on Login button	PASSED	0.034 s
4	And the user clicks on Patient button and ADVANCED text button	PASSED	4.575 s
5	And user enters specific field	PASSED	1.126 s
	First Name: Hardstop Last Name: City: Test City State: Zip Code: Phone:		

#	Step / Hook Details	Status	Duration
	Birth Date HPID		
6	And user clicks on Search button	PASSED	0.089 s
7	Then the result should get displayed	PASSED	1.118 s
8	And the "Test City" should get displayed	PASSED	0.028 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Verify_if_the_results_are_displayed_when_user_enters_specific_Field 	PASSED	0.165 s

Verify if the results are displayed when user enters specific Field

PASSED	*DURATION - 16.527 s*		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0
/ 7:35:38.929 pm // 7:35:55.456 pm /			
Pharmacist Portal Advance Search Feature			
@testScenario1 @advanceSearch			

#	Step / Hook Details	Status	Duration
1	Given the user is on the login page "https://pharmacist-dev.arine.io/"	PASSED	7.228 s
2	When User login with "hardstop-pharmacist6@mailinator.com" and "Password1#"	PASSED	1.832 s
3	And user clicks on Login button	PASSED	0.068 s
4	And the user clicks on Patient button and ADVANCED text button	PASSED	3.931 s
5	And user enters specific field First Name: Hardstop Last Name: City: State: California Zip Code: Phone:	PASSED	1.199 s

#	Step / Hook Details	Status	Duration
	Birth Date HPID		
6	And user clicks on Search button	PASSED	0.073 s
7	Then the result should get displayed	PASSED	1.051 s
8	And the "CA" should get displayed	PASSED	0.030 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.123 s
	Verify_if_the_results_are_displayed_when_user_enters_specific_Field		

Verify if the results are displayed when user enters specific Field

PASSED	*DURATION - 16.559 s*	Steps	
/ 7:35:55.456 pm // 7:36:12.015 pm /		Total - 8	
Pharmacist Portal Advance Search Feature		Pass - 8	
@testScenario1 @advanceSearch		Fail - 0	
		Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given the user is on the login page "https://pharmacist-dev.arine.io/"	PASSED	6.886 s
2	When User login with "hardstop-pharmacist6@mailinator.com" and "Password1#"	PASSED	1.768 s
3	And user clicks on Login button	PASSED	0.050 s
4	And the user clicks on Patient button and ADVANCED text button	PASSED	3.924 s
5	And user enters specific field	PASSED	0.989 s

First Name	Hardstop
Last Name	
City	
State	
Zip Code	99999
Phone	

#	Step / Hook Details	Status	Duration
	Birth Date HPID		
6	And user clicks on Search button	PASSED	0.188 s
7	Then the result should get displayed	PASSED	1.583 s
8	And the "99999" should get displayed	PASSED	0.032 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.128 s
	Verify_if_the_results_are_displayed_when_user_enters_specific_Field		

Verify if the results are displayed when user enters specific Field

PASSED	*DURATION - 15.732 s*		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0
/ 7:36:12.015 pm // 7:36:27.747 pm /			
Pharmacist Portal Advance Search Feature			
@testScenario1 @advanceSearch			

#	Step / Hook Details	Status	Duration
1	Given the user is on the login page "https://pharmacist-dev.arine.io/"	PASSED	6.629 s
2	When User login with "hardstop-pharmacist6@mailinator.com" and "Password1#"	PASSED	1.834 s
3	And user clicks on Login button	PASSED	0.043 s
4	And the user clicks on Patient button and ADVANCED text button	PASSED	3.923 s
5	And user enters specific field	PASSED	0.891 s
	First Name Last Name City State Zip Code Phone 111-111-1111		

#	Step / Hook Details	Status	Duration
	Birth Date HPID		
6	And user clicks on Search button	PASSED	0.139 s
7	Then the result should get displayed	PASSED	1.060 s
8	And the "111-111-1111" should get displayed	PASSED	0.027 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Verify_if_the_results_are_displayed_when_user_enters_specific_Field 	PASSED	0.130 s

Verify if the results are displayed when user enters specific Field

PASSED	*DURATION - 14.752 s*		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0
/ 7:36:27.747 pm // 7:36:42.499 pm /			
Pharmacist Portal Advance Search Feature			
@testScenario1 @advanceSearch			

#	Step / Hook Details	Status	Duration
1	Given the user is on the login page "https://pharmacist-dev.arine.io/"	PASSED	5.535 s
2	When User login with "hardstop-pharmacist6@mailinator.com" and "Password1#"	PASSED	1.777 s
3	And user clicks on Login button	PASSED	0.043 s
4	And the user clicks on Patient button and ADVANCED text button	PASSED	4.432 s
5	And user enters specific field First Name Last Name City State Zip Code Phone	PASSED	0.954 s

#	Step / Hook Details	Status	Duration
	Birth Date: 01/01/1965 HPID:		
6	And user clicks on Search button	PASSED	0.077 s
7	Then the result should get displayed	PASSED	0.723 s
8	And the "01/01/1965" should get displayed	PASSED	0.017 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.183 s
	Verify_if_the_results_are_displayed_when_user_enters_specific_Field		

Verify if the results are displayed when user enters specific Field

PASSED	*DURATION - 16.220 s*		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0
/ 7:36:42.499 pm // 7:36:58.719 pm /			
Pharmacist Portal Advance Search Feature			
@testScenario1 @advanceSearch			

#	Step / Hook Details	Status	Duration
1	Given the user is on the login page "https://pharmacist-dev.arine.io/"	PASSED	5.826 s
2	When User login with "hardstop-pharmacist6@mailinator.com" and "Password1#"	PASSED	1.937 s
3	And user clicks on Login button	PASSED	0.045 s
4	And the user clicks on Patient button and ADVANCED text button	PASSED	4.423 s
5	And user enters specific field	PASSED	1.051 s
	First Name: Last Name: City: State: Zip Code: Phone:		

#	Step / Hook Details	Status	Duration
	Birth Date HPID XD723643612345		
6	And user clicks on Search button	PASSED	0.130 s
7	Then the result should get displayed	PASSED	1.641 s
8	And the "XD723643612345" should get displayed	PASSED	0.015 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Verify_if_the_results_are_displayed_when_user_enters_specific_Field 	PASSED	0.155 s

Error Validation - Verify if the results are displayed when user enters specific fields

PASSED	*DURATION - 29.993 s*		Steps Total - 7 Pass - 7 Fail - 0 Skip - 0
/ 7:36:58.719 pm // 7:37:28.712 pm /			
Pharmacist Portal Advance Search Feature			
@testScenario2 @advanceSearch			

#	Step / Hook Details	Status	Duration
1	Given the user is on the login page "https://pharmacist-dev.arine.io/"	PASSED	22.585 s
2	When User login with "hardstop-pharmacist6@mailinator.com" and "Password1#"	PASSED	1.357 s
3	And user clicks on Login button	PASSED	0.074 s
4	And the user clicks on Patient button and ADVANCED text button	PASSED	3.943 s
5	And user enters specific field City Test City State	PASSED	0.641 s
6	And user clicks on Search button	PASSED	0.065 s
7	And the error pop up should appear "You must provide first or last name."	PASSED	0.031 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.270 s

#	Step / Hook Details	Status	Duration
	Error_Validation_-_Verify_if_the_results_are_displayed_when_user_enters_specific_fields		

Error Validation - Verify if the results are displayed when user enters specific fields

PASSED	DURATION - 14.822 s
/ 7:37:28.712 pm // 7:37:43.534 pm /	
Pharmacist Portal Advance Search Feature	
@testScenario2 @advanceSearch	

Steps
Total - 7
Pass - 7
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given the user is on the login page "https://pharmacist-dev.arine.io/"	PASSED	6.977 s
2	When User login with "hardstop-pharmacist6@mailinator.com" and "Password1#"	PASSED	1.798 s
3	And user clicks on Login button	PASSED	0.050 s
4	And the user clicks on Patient button and ADVANCED text button	PASSED	3.917 s
5	And user enters specific field	PASSED	0.737 s
	City | State | California		
6	And user clicks on Search button	PASSED	0.094 s
7	And the error pop up should appear "You must provide first or last name."	PASSED	0.030 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.205 s
	Error_Validation_-_Verify_if_the_results_are_displayed_when_user_enters_specific_fields		

Verify if the results are displayed when user enters specific Field

PASSED	DURATION - 34.743 s
/ 7:37:43.534 pm // 7:38:18.277 pm /	
Pharmacist Portal Advance Search Feature	
@testScenario3 @advanceSearch	

Steps
Total - 7
Pass - 7
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given the user is on the login page "https://pharmacist-dev.arine.io/"	PASSED	24.849 s
2	When User login with "hardstop-pharmacist6@mailinator.com" and "Password1#"	PASSED	1.806 s
3	And user clicks on Login button	PASSED	0.033 s
4	And the user clicks on Patient button and ADVANCED text button	PASSED	4.503 s
5	And user enters specific field Zip Code: 123 Phone: Birth Date:	PASSED	0.660 s
6	And user clicks on Search button	PASSED	0.047 s
7	Then Tooltip error message: "Please match the format requested." should display for "//input[@name='zip_code']"	PASSED	0.042 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Verify_if_the_results_are_displayed_when_user_enters_specific_Field 	PASSED	0.303 s

Verify if the results are displayed when user enters specific Field

PASSED	DURATION - 15.776 s
/ 7:38:18.277 pm // 7:38:34.053 pm /	
Pharmacist Portal Advance Search Feature	
@testScenario3 @advanceSearch	

Steps
Total - 7
Pass - 7
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given the user is on the login page "https://pharmacist-dev.arine.io/"	PASSED	7.433 s
2	When User login with "hardstop-pharmacist6@mailinator.com" and "Password1#"	PASSED	1.805 s
3	And user clicks on Login button	PASSED	0.051 s
4	And the user clicks on Patient button and ADVANCED text button	PASSED	4.496 s
5	And user enters specific field	PASSED	0.686 s
	Zip Code: Phone: 111-111-111 Birth Date:		
6	And user clicks on Search button	PASSED	0.049 s
7	Then Tooltip error message: "Please match the format requested." should display for "//input[@name='phone']"	PASSED	0.033 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.170 s
	Verify_if_the_results_are_displayed_when_user_enters_specific_Field		

Verify if the results are displayed when user enters specific Field

PASSED	DURATION - 15.011 s
/ 7:38:34.053 pm // 7:38:49.064 pm /	
Pharmacist Portal Advance Search Feature	
@testScenario3 @advanceSearch	

Steps
Total - 7
Pass - 7
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given the user is on the login page "https://pharmacist-dev.arine.io/"	PASSED	6.658 s
2	When User login with "hardstop-pharmacist6@mailinator.com" and "Password1#"	PASSED	1.747 s
3	And user clicks on Login button	PASSED	0.042 s
4	And the user clicks on Patient button and ADVANCED text button	PASSED	4.413 s
5	And user enters specific field Zip Code Phone Birth Date 32/01/19	PASSED	0.709 s
6	And user clicks on Search button	PASSED	0.064 s
7	Then Tooltip error message: "Please match the format requested." should display for "//input[@name='dob']"	PASSED	0.098 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Verify_if_the_results_are_displayed_when_user_enters_specific_Field 	PASSED	0.259 s