

Cucumber Report

27 Sept 2024, 14:45:02

Start : Sept 27, 2:40:21.490 pm

End : Sept 27, 2:45:02.283 pm

Duration : 4 m 40.793 s

Features







PASSED - 3
FAILED - 0
SKIPPED - 0

Scenarios

PASSED - 18
FAILED - 0
SKIPPED - 0


Steps

PASSED - 117
FAILED - 0
SKIPPED - 0




Feature				Scenario				Step			
Name		Duration		T	P	F	S	T	P	F	S
<u>Pharmacist Login</u>		38.206 s		3	3	0	0	15	15	0	0
<u>Patient Search Functionality</u>		26.189 s		1	1	0	0	6	6	0	0
<u>Pharmacist Portal Advance Search Feature</u>		3 m 36.379 s		14	14	0	0	96	96	0	0

TAG	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
@testNG		1	1	0	0	1	1	0	0
@aut_durvesh		1	1	0	0	1	1	0	0
@dev_windows		1	1	0	0	1	1	0	0
@login		1	1	0	0	1	1	0	0
@loginFeature		3	3	0	0	1	1	0	0
@patientSearch		1	1	0	0	1	1	0	0
@advanceSearch		14	14	0	0	1	1	0	0




#	Feature Name	T	P	F	S	Duration
1	<u>Pharmacist Login</u>	3	3	0	0	38.206 s
2	<u>Patient Search Functionality</u>	1	1	0	0	26.189 s
3	<u>Pharmacist Portal Advance Search Feature</u>	14	14	0	0	3 m 36.379 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Pharmacist Login</u>	<u>Successful login with valid credentials</u>	5	5	0	0	21.192 s
2		<u>Login with invalid password and verify error message</u>	5	5	0	0	8.534 s
3		<u>Login with invalid email and verify error message</u>	5	5	0	0	8.465 s
4	<u>Patient Search Functionality</u>	<u>Search for a patient by ID and set a review date</u>	6	6	0	0	26.189 s
5	<u>Pharmacist Portal Advance Search Feature</u>	<u>Verify that the Advanced Search popup opens successfully.</u>	4	4	0	0	12.729 s
6		<u>Verify if the results are displayed when user enters First Name</u>	7	7	0	0	14.438 s
7		<u>Verify if the results are displayed when user enters Last Name</u>	7	7	0	0	12.783 s
8		<u>Verify if the results are displayed when user enters FirstName and City</u>	9	9	0	0	13.362 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
9		<u>Error Validation - Verify if the results are displayed when user enters City</u>	6	6	0	0	12.657 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
10	<u>Pharmacist Portal Advance Search Feature</u>	<u>Verify if the results are displayed when user enters FirstName and Selects State</u>	9	9	0	0	12.716 s
11		<u>Error Validation - Verify if the results are displayed when user Selects State</u>	6	6	0	0	12.072 s
12		<u>Verify if the results are displayed when user enters Zip Code</u>	9	9	0	0	16.428 s
13		<u>Negative test scenario - Verify if the results are displayed when user enters Zip Code in invalid format</u>	6	6	0	0	12.363 s
14		<u>Verify if the results are displayed when user enters Phone Number</u>	7	7	0	0	13.095 s
15		<u>Negative test scenario - Verify if the results are displayed when user enters Phone Number in invalid format</u>	6	6	0	0	15.470 s
16		<u>Verify if the results are displayed when user enters Birth Date</u>	7	7	0	0	31.664 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
17		<u>Negative test scenario - Verify if the results are displayed when user enters Birth Date in invalid format</u>	6	6	0	0	14.788 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
18	<u>Pharmacist Portal Advance Search Feature</u>	<u>Enter HPID and verify results</u>	7	7	0	0	21.809 s

Pharmacist Login




Successful login with valid credentials




#	Step / Hook Details	Status	Duration
1	Given the user is on the login page	PASSED	5.472 s
2	When the user enters the valid email "hardstop-pharmacist6@mailinator.com"	PASSED	0.410 s
3	And valid password "Password1#"	PASSED	0.069 s
4	And user clicks on Login button	PASSED	0.048 s
5	Then the user should be logged in	PASSED	13.066 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Successful_login_with_valid_credentials 	PASSED	0.117 s

Login with invalid password and verify error message

PASSED	DURATION - 8.534 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 2:40:42.697 pm // 2:40:51.231 pm /				
Pharmacist Login				
@loginFeature				

#	Step / Hook Details	Status	Duration
1	Given the user is on the login page	PASSED	3.228 s
2	When the user enters the valid email "hardstop-pharmacist6@mailinator.com"	PASSED	1.745 s
3	And the user enters invalid password "InvalidPassword"	PASSED	0.117 s
4	And user clicks on Login button	PASSED	0.054 s
5	Then an error message should be displayed "Wrong username/password"	PASSED	2.027 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.280 s
	Login_with_invalid_password_and_verify_error_message		
			



Login with invalid email and verify error message

PASSED	DURATION - 8.465 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 2:40:51.231 pm // 2:40:59.696 pm /				
Pharmacist Login				
@loginFeature				


#	Step / Hook Details	Status	Duration
1	Given the user is on the login page	PASSED	3.593 s
2	When the user enters an invalid email "hardstop-pharmacist6@mailinator.co"	PASSED	1.688 s

#	Step / Hook Details	Status	Duration
3	And valid password "Password1#"	PASSED	0.066 s
4	And user clicks on Login button	PASSED	0.043 s
5	Then I should see an error message "User not found"	PASSED	1.874 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Login_with_invalid_email_and_verify_error_message	PASSED	0.249 s
			

Patient Search Functionality

PASSED	DURATION - 26.189 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 2:40:59.699 pm // 2:41:25.888 pm /					

Search for a patient by ID and set a review date

PASSED	DURATION - 26.189 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 2:40:59.699 pm // 2:41:25.888 pm /					
Patient Search Functionality					
@patientSearch					

#	Step / Hook Details	Status	Duration
1	Given User is logged in successfully for patient search	PASSED	9.606 s
2	When User clicks on the Patient button for patient search	PASSED	0.137 s
3	And User enters the patient ID "da7e9e65-a268-4ea2-adc6-a2d8cd1b64d9"	PASSED	0.865 s
4	And User clicks on the Reports button	PASSED	13.851 s

#	Step / Hook Details	Status	Duration
5	And User selects the date 10 days back	PASSED	0.298 s
6	Then User clicks on the Date Conversation button	PASSED	0.234 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Search_for_a_patient_by_ID_and_set_a_review_date	PASSED	0.115 s

Pharmacist Portal Advance Search Feature

PASSED	DURATION - 3 m 36.379 s	Scenarios Total - 14 Pass - 14 Fail - 0 Skip - 0	14	Steps Total - 96 Pass - 96 Fail - 0 Skip - 0	96
	/ 2:41:25.904 pm // 2:45:02.283 pm /				


Verify that the Advanced Search popup opens successfully.

PASSED	DURATION - 12.729 s	Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	4
	/ 2:41:25.904 pm // 2:41:38.633 pm /		
Pharmacist Portal Advance Search Feature			
@advanceSearch			


#	Step / Hook Details	Status	Duration
1	Given user has already logged in to application	PASSED	4.994 s
	username hardstop-pharmacist6@mailinator.com	password Password1#	
2	Given the user should be logged in	PASSED	5.830 s
3	When the user clicks on Patient button and ADVANCED text button	PASSED	0.218 s

#	Step / Hook Details	Status	Duration
4	Then the Advanced Patient Search popup should open AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Verify_that_the_Advanced_Search_popup_opens_successfully. 	PASSED	0.548 s
		PASSED	0.160 s


Verify if the results are displayed when user enters First Name

PASSED	DURATION - 14.438 s		Steps Total - 7 Pass - 7 Fail - 0 Skip - 0	
/ 2:41:38.633 pm // 2:41:53.071 pm /				
Pharmacist Portal Advance Search Feature				
@advanceSearch				

#	Step / Hook Details	Status	Duration				
1	Given user has already logged in to application <table border="1"> <tr> <td>username</td> <td>password</td> </tr> <tr> <td>hardstop-pharmacist6@mailinator.com</td> <td>Password1#</td> </tr> </table>	username	password	hardstop-pharmacist6@mailinator.com	Password1#	PASSED	5.948 s
username	password						
hardstop-pharmacist6@mailinator.com	Password1#						
2	Given the user should be logged in	PASSED	4.840 s				
3	When the user clicks on Patient button and ADVANCED text button	PASSED	0.272 s				
4	And user enters First Name "Hardstop"	PASSED	0.611 s				
5	And user clicks on Search button	PASSED	0.095 s				
6	Then the result should get displayed	PASSED	1.568 s				
7	And the First Name "Hardstop" should get displayed	PASSED	0.021 s				
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Verify_if_the_results_are_displayed_when_user_enters_First_Name	PASSED	0.122 s				


#	Step / Hook Details	Status	Duration
			


Verify if the results are displayed when user enters Last Name

PASSED	DURATION - 12.783 s		Steps Total - 7 Pass - 7 Fail - 0 Skip - 0	
/2:41:53.071 pm // 2:42:05.854 pm /				
Pharmacist Portal Advance Search Feature				
@advanceSearch				


#	Step / Hook Details	Status	Duration				
1	Given user has already logged in to application <table border="1"><tr><td>username</td><td>password</td></tr><tr><td>hardstop-pharmacist6@mailinator.com</td><td>Password1#</td></tr></table>	username	password	hardstop-pharmacist6@mailinator.com	Password1#	PASSED	4.757 s
username	password						
hardstop-pharmacist6@mailinator.com	Password1#						
2	Given the user should be logged in	PASSED	5.287 s				
3	When the user clicks on Patient button and ADVANCED text button	PASSED	0.183 s				
4	And user enters Last Name "Select health test patient 1"	PASSED	0.657 s				
5	And user clicks on Search button	PASSED	0.065 s				
6	Then the result should get displayed	PASSED	0.595 s				
7	And the Last Name "Select health test patient 1" should get displayed	PASSED	0.014 s				
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) <u>Verify_if_the_results_are_displayed_when_user_enters_Last_Name</u> 	PASSED	0.186 s				


Verify if the results are displayed when user enters FirstName and City




#	Step / Hook Details	Status	Duration
1	Given user has already logged in to application username password hardstop-pharmacist6@mailinator.com Password1#	PASSED	5.440 s
2	Given the user should be logged in	PASSED	5.102 s
3	When the user clicks on Patient button and ADVANCED text button	PASSED	0.222 s
4	And user enters First Name "Hardstop"	PASSED	0.616 s
5	And user enters City "Test City"	PASSED	0.085 s
6	And user clicks on Search button	PASSED	0.071 s
7	Then the result should get displayed	PASSED	0.606 s
8	And the First Name "Hardstop" should get displayed	PASSED	0.018 s
9	And the City Name "Test City" should get displayed	PASSED	0.015 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Verify_if_the_results_are_displayed_when_user_enters_FirstName_and_City 	PASSED	0.213 s


Error Validation - Verify if the results are displayed when user enters City




#	Step / Hook Details	Status	Duration				
1	Given user has already logged in to application <table border="1" data-bbox="179 539 752 595"> <tr> <td>username</td> <td>password</td> </tr> <tr> <td>hardstop-pharmacist6@mailinator.com</td> <td>Password1#</td> </tr> </table>	username	password	hardstop-pharmacist6@mailinator.com	Password1#	PASSED	4.999 s
username	password						
hardstop-pharmacist6@mailinator.com	Password1#						
2	Given the user should be logged in	PASSED	5.608 s				
3	When the user clicks on Patient button and ADVANCED text button	PASSED	0.202 s				
4	And user enters City "Test City"	PASSED	0.637 s				
5	And user clicks on Search button	PASSED	0.066 s				
6	Then the error pop up should appear "You must provide first or last name."	PASSED	0.014 s				
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Error_Validation_- Verify_if_the_results_are_displayed_when_user_enters_City 	PASSED	0.150 s				

Verify if the results are displayed when user enters FirstName and Selects State




#	Step / Hook Details	Status	Duration
1	Given user has already logged in to application username password hardstop-pharmacist6@mailinator.com Password1#	PASSED	5.102 s
2	Given the user should be logged in	PASSED	4.925 s
3	When the user clicks on Patient button and ADVANCED text button	PASSED	0.203 s
4	And user enters First Name "Hardstop"	PASSED	0.622 s
5	And user selects State "California"	PASSED	0.102 s
6	And user clicks on Search button	PASSED	0.072 s
7	Then the result should get displayed	PASSED	0.554 s
8	And the First Name "Hardstop" should get displayed	PASSED	0.034 s
9	And the State "California" should get displayed	PASSED	0.013 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Verify_if_the_results_are_displayed_when_user_enters_FirstName_and_Selects_State 	PASSED	0.150 s



Error Validation - Verify if the results are displayed when user Selects State




#	Step / Hook Details	Status	Duration
1	Given user has already logged in to application username password hardstop-pharmacist6@mailinator.com Password1#	PASSED	5.077 s
2	Given the user should be logged in	PASSED	4.926 s

#	Step / Hook Details	Status	Duration
3	When the user clicks on Patient button and ADVANCED text button	PASSED	0.262 s
4	And user selects State "California"	PASSED	0.597 s
5	And user clicks on Search button	PASSED	0.064 s
6	Then the error pop up should appear "You must provide first or last name."	PASSED	0.033 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Error_Validation_- Verify_if_the_results_are_displayed_when_user_Selects_State	PASSED	0.237 s
			


Verify if the results are displayed when user enters Zip Code


PASSED	DURATION - 16.428 s		Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 2:42:56.661 pm // 2:43:13.089 pm /				
Pharmacist Portal Advance Search Feature				
@advanceSearch				

#	Step / Hook Details	Status	Duration
1	Given user has already logged in to application username password hardstop-pharmacist6@mailinator.com Password1#	PASSED	7.737 s
2	Given the user should be logged in	PASSED	4.801 s
3	When the user clicks on Patient button and ADVANCED text button	PASSED	0.390 s
4	And user enters First Name "Hardstop"	PASSED	0.605 s
5	And User enters "99999" as Zip Code	PASSED	0.070 s
6	And user clicks on Search button	PASSED	0.083 s
7	Then the result should get displayed	PASSED	1.549 s
8	And the First Name "Hardstop" should get displayed	PASSED	0.035 s
9	And the ZipCode "99999" should get displayed	PASSED	0.000 s


#	Step / Hook Details	Status	Duration
	<p>AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</p> <p>Verify_if_the_results_are_displayed_when_user_enters_Zip_Code</p> 	PASSED	0.133 s


Negative test scenario - Verify if the results are displayed when user enters Zip Code in invalid format

PASSED	DURATION - 12.363 s		<p>Steps</p> <p>Total - 6</p> <p>Pass - 6</p> <p>Fail - 0</p> <p>Skip - 0</p> 
/ 2:43:13.094 pm // 2:43:25.457 pm /			
Pharmacist Portal Advance Search Feature			
@advanceSearch			


#	Step / Hook Details	Status	Duration				
1	<p>Given user has already logged in to application</p> <table border="1"> <tr> <td>username</td> <td>password</td> </tr> <tr> <td>hardstop-pharmacist6@mailinator.com</td> <td>Password1#</td> </tr> </table>	username	password	hardstop-pharmacist6@mailinator.com	Password1#	PASSED	4.987 s
username	password						
hardstop-pharmacist6@mailinator.com	Password1#						
2	Given the user should be logged in	PASSED	5.289 s				
3	When the user clicks on Patient button and ADVANCED text button	PASSED	0.238 s				
4	And User enters "123" as Zip Code	PASSED	0.602 s				
5	And user clicks on Search button	PASSED	0.064 s				
6	Then Tooltip error message: "Please match the format requested." should display for Zip Code	PASSED	0.031 s				
	<p>AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</p> <p>Negative_test_scenario_-_Verify_if_the_results_are_displayed_when_user_enters_Zip_Code_in_invalid_format</p> 	PASSED	0.171 s				


Verify if the results are displayed when user enters Phone Number




#	Step / Hook Details	Status	Duration				
1	Given user has already logged in to application <table border="1"> <tr> <td>username</td> <td>password</td> </tr> <tr> <td>hardstop-pharmacist6@mailinator.com</td> <td>Password1#</td> </tr> </table>	username	password	hardstop-pharmacist6@mailinator.com	Password1#	PASSED	5.046 s
username	password						
hardstop-pharmacist6@mailinator.com	Password1#						
2	Given the user should be logged in	PASSED	4.980 s				
3	When the user clicks on Patient button and ADVANCED text button	PASSED	0.236 s				
4	And User enters "111-111-1111" as Phone	PASSED	0.610 s				
5	And user clicks on Search button	PASSED	0.070 s				
6	Then the result should get displayed	PASSED	1.042 s				
7	And the Phone "111-111-1111" should get displayed	PASSED	0.031 s				
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) <u>Verify_if_the_results_are_displayed_when_user_enters_Phone_Number</u> 	PASSED	0.129 s				


Negative test scenario - Verify if the results are displayed when user enters Phone Number in invalid format





#	Step / Hook Details	Status	Duration				
1	Given user has already logged in to application <table border="1" data-bbox="179 539 752 595"> <tr> <td>username</td> <td>password</td> </tr> <tr> <td>hardstop-pharmacist6@mailinator.com</td> <td>Password1#</td> </tr> </table>	username	password	hardstop-pharmacist6@mailinator.com	Password1#	PASSED	8.000 s
username	password						
hardstop-pharmacist6@mailinator.com	Password1#						
2	Given the user should be logged in	PASSED	5.609 s				
3	When the user clicks on Patient button and ADVANCED text button	PASSED	0.211 s				
4	And User enters "111-111-111" as Phone	PASSED	0.596 s				
5	And user clicks on Search button	PASSED	0.049 s				
6	Then Tooltip error message: "Please match the format requested." should display for Phone Number	PASSED	0.028 s				
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Negative_test_scenario_- Verify_if_the_results_are_displayed_when_user_enters_Phone_Number_in_invalid_format 	PASSED	0.152 s				

Verify if the results are displayed when user enters Birth Date




#	Step / Hook Details	Status	Duration
1	Given user has already logged in to application username password hardstop-pharmacist6@mailinator.com Password1#	PASSED	19.867 s
2	Given the user should be logged in	PASSED	8.323 s
3	When the user clicks on Patient button and ADVANCED text button	PASSED	0.228 s
4	And User enters "01/01/1965" as Birth Date	PASSED	0.614 s
5	And user clicks on Search button	PASSED	0.100 s
6	Then the result should get displayed	PASSED	1.528 s
7	And the date "01/01/1965" should get displayed	PASSED	0.016 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Verify_if_the_results_are_displayed_when_user_enters_Birth_Date 	PASSED	0.113 s

Negative test scenario - Verify if the results are displayed when user enters Birth Date in invalid format


PASSED	DURATION - 14.788 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 2:44:25.686 pm // 2:44:40.474 pm /				
Pharmacist Portal Advance Search Feature				
@advanceSearch				

#	Step / Hook Details	Status	Duration
1	Given user has already logged in to application username password hardstop-pharmacist6@mailinator.com Password1#	PASSED	6.947 s
2	Given the user should be logged in	PASSED	5.812 s
3	When the user clicks on Patient button and ADVANCED text button	PASSED	0.221 s
4	And User enters "32/01/19" as Birth Date	PASSED	0.616 s


#	Step / Hook Details	Status	Duration
5	And user clicks on Search button	PASSED	0.064 s
6	Then Tooltip error message: "Please match the format requested." should display for Birth Date	PASSED	0.032 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Negative_test_scenario_-_Verify_if_the_results_are_displayed_when_user_enters_Birth_Date_in_invalid_format	PASSED	0.150 s



Enter HPID and verify results



#	Step / Hook Details	Status	Duration
1	Given user has already logged in to application username password hardstop-pharmacist6@mailinator.com Password1#	PASSED	12.778 s
2	Given the user should be logged in	PASSED	5.500 s
3	When the user clicks on Patient button and ADVANCED text button	PASSED	0.208 s
4	And User enters "XD723643612345" as HPID	PASSED	0.618 s
5	And user clicks on Search button	PASSED	0.090 s
6	Then the result should get displayed	PASSED	1.566 s
7	And the HPID "XD723643612345" should get displayed	PASSED	0.016 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.149 s
	Enter_HPID_and_verify_results		

#	Step / Hook Details	Status	Duration
	 A screenshot of a web-based "Advanced Police Search" interface. The page has a dark header with the title and a search bar. Below the header is a table with several columns, likely for filtering search results. The main area contains a large list of search results, each with multiple lines of text, possibly names and addresses. At the bottom of the list are several buttons, including "Print" and "Email".		