

Cucumber Report

8 Oct 2024, 16:05:01

Start : Oct 08, 3:57:20.605 pm

End : Oct 08, 4:05:00.237 pm

Duration : 7 m 39.632 s

Features







PASSED - 5
FAILED - 0
SKIPPED - 0

Scenarios

PASSED - 25
FAILED - 0
SKIPPED - 0


Steps

PASSED - 181
FAILED - 0
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Validate drag and drop functionality</u>	1 m 13.763 s	3	3	0	0	28	28	0	0
<u>Pharmacist Login</u>	56.321 s	3	3	0	0	12	12	0	0
<u>Validating Patients Data, using DataTables and examples</u>	1 m 2.901 s	3	3	0	0	21	21	0	0
<u>Patient Search Functionality</u>	38.369 s	2	2	0	0	16	16	0	0
<u>Pharmacist Portal Advance Search Feature</u>	3 m 48.262 s	14	14	0	0	104	104	0	0


TAG	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
@testScenario1		9	9	0	0	2	2	0	0
@DragAndDrop		3	3	0	0	1	1	0	0
@testScenario2		3	3	0	0	2	2	0	0
@testScenario3		4	4	0	0	2	2	0	0
@login		1	1	0	0	1	1	0	0
@loginFeature		3	3	0	0	1	1	0	0
@Setup		1	1	0	0	1	1	0	0
@PatientValScenario		3	3	0	0	1	1	0	0
@PatientValidationFeature		3	3	0	0	1	1	0	0
@patientSearch		2	2	0	0	1	1	0	0
@patientSearchDate		2	2	0	0	1	1	0	0
@testScenario4		1	1	0	0	1	1	0	0
@advanceSearch		14	14	0	0	1	1	0	0



#	Feature Name	T	P	F	S	Duration
1	<u>Validate drag and drop functionality</u>	3	3	0	0	1 m 13.763 s
2	<u>Pharmacist Login</u>	3	3	0	0	56.321 s
3	<u>Validating Patients Data, using DataTables and examples</u>	3	3	0	0	1 m 2.901 s
4	<u>Patient Search Functionality</u>	2	2	0	0	38.369 s
5	<u>Pharmacist Portal Advance Search Feature</u>	14	14	0	0	3 m 48.262 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Validate drag and drop functionality</u>	<u>Validate table column order after drag and drop</u>	9	9	0	0	20.185 s
2		<u>Validate List order after drag and drop</u>	9	9	0	0	28.686 s
3		<u>Validate reset functionality</u>	10	10	0	0	24.892 s
4	<u>Pharmacist Login</u>	<u>SETUP: Open Application And Login to the System</u>	4	4	0	0	13.842 s
5		<u>SETUP: Open Application And Login to the System</u>	4	4	0	0	11.035 s
6		<u>SETUP: Open Application And Login to the System</u>	4	4	0	0	31.444 s
7	<u>Validating Patients Data, using DataTables and examples</u>	<u>Search for a patient by ID and validate the information</u>	7	7	0	0	24.168 s
8		<u>Search for a patient by ID and validate the information</u>	7	7	0	0	19.547 s
9		<u>Search for a patient by ID and validate the information</u>	7	7	0	0	19.186 s
10	<u>Patient Search Functionality</u>	<u>Search for a patient by ID and set a review date</u>	8	8	0	0	19.050 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Patient Search Functionality</u>	<u>Search for a patient by ID and set a review date</u>	8	8	0	0	19.319 s
12	<u>Pharmacist Portal Advance Search Feature</u>	<u>Verify that the Advanced Search popup opens successfully.</u>	5	5	0	0	13.897 s
13		<u>Verify if the results are displayed when user enters specific Field</u>	8	8	0	0	14.785 s
14		<u>Verify if the results are displayed when user enters specific Field</u>	8	8	0	0	15.914 s
15		<u>Verify if the results are displayed when user enters specific Field</u>	8	8	0	0	14.364 s
16		<u>Verify if the results are displayed when user enters specific Field</u>	8	8	0	0	19.403 s
17		<u>Verify if the results are displayed when user enters specific Field</u>	8	8	0	0	14.603 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
18		<u>Verify if the results are displayed when user enters specific Field</u>	8	8	0	0	35.653 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
19	<u>Pharmacist Portal Advance Search Feature</u>	<u>Verify if the results are displayed when user enters specific Field</u>	8	8	0	0	14.041 s
20		<u>Verify if the results are displayed when user enters specific Field</u>	8	8	0	0	15.465 s
21		<u>Error Validation - Verify if the results are displayed when user enters specific fields</u>	7	7	0	0	13.367 s
22		<u>Error Validation - Verify if the results are displayed when user enters specific fields</u>	7	7	0	0	13.349 s
23		<u>Verify if the results are displayed when user enters specific Field</u>	7	7	0	0	16.801 s
24		<u>Verify if the results are displayed when user enters specific Field</u>	7	7	0	0	11.964 s
25		<u>Verify if the results are displayed when user enters specific Field</u>	7	7	0	0	14.656 s

Validate drag and drop functionality

PASSED	DURATION - 1 m 13.763 s	Scenarios Total - 3 Pass - 3 Fail - 0 Skip - 0		Steps Total - 28 Pass - 28 Fail - 0 Skip - 0	
/ 3:57:20.605 pm // 3:58:34.368 pm /					


Validate table column order after drag and drop

PASSED	DURATION - 20.185 s	Scenarios Total - 3 Pass - 3 Fail - 0 Skip - 0		Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 3:57:20.605 pm // 3:57:40.790 pm /					
Validate drag and drop functionality					
@testScenario1 @DragAndDrop					

#	Step / Hook Details	Status	Duration							
1	Given the user is on the login page "https://pharmacist-dev.arine.io/"	PASSED	5.448 s							
2	When User login with "hardstop-pharmacist6@mailinator.com" and "Password1#"	PASSED	1.750 s							
3	And user clicks on Login button	PASSED	0.050 s							
4	Then the user should be logged in	PASSED	5.332 s							
5	And User clicks on the Patient button for patient search	PASSED	0.178 s							
6	And User enters the patient ID "da7e9e65-a268-4ea2-adc6-a2d8cd1b64d9"	PASSED	0.687 s							
7	And User is on the table page	PASSED	4.435 s							
8	When User drags the "Due Date" and drops it on "Status"	PASSED	0.447 s							
9	Then The new column index sequence should be: <table border="1" data-bbox="179 1230 370 1460"><tr><td>Column</td></tr><tr><td>Priority</td></tr><tr><td>Status</td></tr><tr><td>Due Date</td></tr><tr><td>Task</td></tr><tr><td>Name</td></tr><tr><td>Phone</td></tr></table>	Column	Priority	Status	Due Date	Task	Name	Phone	PASSED	0.296 s
Column										
Priority										
Status										
Due Date										
Task										
Name										
Phone										

#	Step / Hook Details	Status	Duration
	<p>Note</p> <p>Assigned To</p> <p>Recipient Role</p> <p>Recipient Name</p> <p>Language</p> <p>GNR Date (Adh)</p>		
	<p>AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</p> <p>Validate_table_column_order_after_drag_and_drop</p> 	PASSED	0.122 s



Validate List order after drag and drop

PASSED	DURATION - 28.686 s		Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 3:57:40.790 pm // 3:58:09.476 pm /				
Validate drag and drop functionality				
@DragAndDrop @testScenario2				

#	Step / Hook Details	Status	Duration
1	Given the user is on the login page "https://pharmacist-dev.arine.io/"	PASSED	6.445 s
2	When User login with "hardstop-pharmacist6@mailinator.com" and "Password1#"	PASSED	1.731 s
3	And user clicks on Login button	PASSED	0.034 s
4	Then the user should be logged in	PASSED	5.748 s
5	And User clicks on the Patient button for patient search	PASSED	0.136 s
6	And User enters the patient ID "da7e9e65-a268-4ea2-adc6-a2d8cd1b64d9"	PASSED	0.649 s
7	And User is on the table page	PASSED	6.148 s
8	When User drags the "Due Date" and drops it on "Status" from show hide section	PASSED	1.615 s
9	Then The new column index sequence in a list should be:	PASSED	5.091 s
	Column		

#	Step / Hook Details	Status	Duration												
	<table border="1"> <tr><td>Priority</td></tr> <tr><td>Status</td></tr> <tr><td>Due Date</td></tr> <tr><td>Task</td></tr> <tr><td>Name</td></tr> <tr><td>Phone</td></tr> <tr><td>Note</td></tr> <tr><td>Assigned To</td></tr> <tr><td>Recipient Role</td></tr> <tr><td>Recipient Name</td></tr> <tr><td>Language</td></tr> <tr><td>GNR Date (Adh)</td></tr> </table>	Priority	Status	Due Date	Task	Name	Phone	Note	Assigned To	Recipient Role	Recipient Name	Language	GNR Date (Adh)		
Priority															
Status															
Due Date															
Task															
Name															
Phone															
Note															
Assigned To															
Recipient Role															
Recipient Name															
Language															
GNR Date (Adh)															
	<p>AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</p> <p>Validate_List_order_after_drag_and_drop</p> 	PASSED	0.092 s												

Validate reset functionality

PASSED	DURATION - 24.892 s		Steps Total - 10 Pass - 10 Fail - 0 Skip - 0	
/ 3:58:09.476 pm // 3:58:34.368 pm /				
Validate drag and drop functionality				
@testScenario3 @DragAndDrop				


#	Step / Hook Details	Status	Duration
1	Given the user is on the login page "https://pharmacist-dev.arine.io/"	PASSED	5.130 s
2	When User login with "hardstop-pharmacist6@mailinator.com" and "Password1#"	PASSED	1.731 s
3	And user clicks on Login button	PASSED	0.033 s
4	Then the user should be logged in	PASSED	5.407 s
5	And User clicks on the Patient button for patient search	PASSED	0.145 s

#	Step / Hook Details	Status	Duration													
6	And User enters the patient ID "da7e9e65-a268-4ea2-adc6-a2d8cd1b64d9"	PASSED	0.621 s													
7	And User is on the table page	PASSED	4.104 s													
8	When User drags the "Due Date" and drops it on "Status" from show hide section	PASSED	1.274 s													
9	And User clicks on Reset Button	PASSED	0.105 s													
10	Then The new column index sequence in a list should be: <table border="1"><tr><td>Column</td></tr><tr><td>Due Date</td></tr><tr><td>Priority</td></tr><tr><td>Status</td></tr><tr><td>Task</td></tr><tr><td>Name</td></tr><tr><td>Phone</td></tr><tr><td>Note</td></tr><tr><td>Assigned To</td></tr><tr><td>Recipient Role</td></tr><tr><td>Recipient Name</td></tr><tr><td>Language</td></tr><tr><td>GNR Date (Adh)</td></tr></table>	Column	Due Date	Priority	Status	Task	Name	Phone	Note	Assigned To	Recipient Role	Recipient Name	Language	GNR Date (Adh)	PASSED	5.082 s
Column																
Due Date																
Priority																
Status																
Task																
Name																
Phone																
Note																
Assigned To																
Recipient Role																
Recipient Name																
Language																
GNR Date (Adh)																
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Validate_reset_functionality 	PASSED	0.096 s													

Pharmacist Login


PASSED	DURATION - 56.321 s	Scenarios Total - 3 Pass - 3 Fail - 0 Skip - 0		Steps Total - 12 Pass - 12 Fail - 0 Skip - 0	
/ 3:58:34.368 pm // 3:59:30.689 pm /					

SETUP: Open Application And Login to the System



#	Step / Hook Details	Status	Duration
1	Given the user is on the login page "https://pharmacist-dev.arine.io/"	PASSED	5.592 s
2	When User login with "hardstop-pharmacist6@mailinator.com" and "Password1#"	PASSED	1.764 s
3	And user clicks on Login button	PASSED	0.085 s
4	Then the user should be logged in	PASSED	5.167 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.200 s
	SETUP: Open Application And Login to the System		


SETUP: Open Application And Login to the System



#	Step / Hook Details	Status	Duration
1	Given the user is on the login page "https://pharmacist-dev.arine.io/"	PASSED	6.299 s
2	When User login with "hardstop-pharmacist6@mailinator.com" and "InvalidPassword"	PASSED	1.782 s
3	And user clicks on Login button	PASSED	0.048 s

#	Step / Hook Details	Status	Duration
4	Then the user should see an error message "Wrong username/password"	PASSED	1.582 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) SETUP:_Open_Application_And_Login_to_the_System 	PASSED	0.339 s

SETUP: Open Application And Login to the System




#	Step / Hook Details	Status	Duration
1	Given the user is on the login page "https://pharmacist-dev.arine.io/"	PASSED	27.957 s
2	When User login with "hardstop-pharmacist6@mailinator.co" and "Password1#"	PASSED	1.249 s
3	And user clicks on Login button	PASSED	0.078 s
4	Then the user should see an error message "User not found"	PASSED	1.057 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) SETUP:_Open_Application_And_Login_to_the_System 	PASSED	0.128 s

Validating Patients Data, using DataTables and examples



Search for a patient by ID and validate the information



#	Step / Hook Details	Status	Duration																		
1	Given the user is on the login page "https://pharmacist-dev.arine.io/"	PASSED	5.259 s																		
2	When User login with "hardstop-pharmacist6@mailinator.com" and "Password1#"	PASSED	1.778 s																		
3	And user clicks on Login button	PASSED	0.051 s																		
4	And User clicks on the Patient button for patient search	PASSED	4.338 s																		
5	And user has entered credentials "da7e9e65-a268-4ea2-adc6-a2d8cd1b64d9"	PASSED	7.417 s																		
6	And User tries to validate the information	PASSED	3.947 s																		
7	Then User verifies the data <table border="1"> <tr><td>FirstName</td><td>Hardstop</td></tr> <tr><td>LastName</td><td>Select health test patient 1</td></tr> <tr><td>Hosp 30d</td><td>No</td></tr> <tr><td>DOB</td><td>01/01/1965</td></tr> <tr><td>Sex</td><td>female</td></tr> <tr><td>Age</td><td>59</td></tr> <tr><td>Pt. Lang.</td><td>English</td></tr> <tr><td>Insurance #</td><td>XD723643612345</td></tr> <tr><td>Insurance Co.</td><td>Hardstop SelectHealth</td></tr> </table>	FirstName	Hardstop	LastName	Select health test patient 1	Hosp 30d	No	DOB	01/01/1965	Sex	female	Age	59	Pt. Lang.	English	Insurance #	XD723643612345	Insurance Co.	Hardstop SelectHealth	PASSED	0.191 s
FirstName	Hardstop																				
LastName	Select health test patient 1																				
Hosp 30d	No																				
DOB	01/01/1965																				
Sex	female																				
Age	59																				
Pt. Lang.	English																				
Insurance #	XD723643612345																				
Insurance Co.	Hardstop SelectHealth																				
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Search_for_a_patient_by_ID_and_validate_the_information	PASSED	0.186 s																		

#	Step / Hook Details	Status	Duration

Search for a patient by ID and validate the information

PASSED	DURATION - 19.547 s		Steps Total - 7 Pass - 7 Fail - 0 Skip - 0	
/ 3:59:54.857 pm // 4:00:14.404 pm /				
Validating Patients Data, using DataTables and examples				
@PatientValScenario @PatientValidationFeature				


#	Step / Hook Details	Status	Duration																		
1	Given the user is on the login page "https://pharmacist-dev.arine.io/"	PASSED	5.279 s																		
2	When User login with "hardstop-pharmacist6@mailinator.com" and "Password1#"	PASSED	1.782 s																		
3	And user clicks on Login button	PASSED	0.033 s																		
4	And User clicks on the Patient button for patient search	PASSED	3.801 s																		
5	And user has entered credentials "6c3f2efb-c0fa-464d-a7fc-a0065407b9e5"	PASSED	5.164 s																		
6	And User tries to validate the information	PASSED	2.273 s																		
7	Then User verifies the data	PASSED	0.090 s																		
	<table border="1"> <tr><td>FirstName</td><td>Hardstop</td></tr> <tr><td>LastName</td><td>Select health test patient 4</td></tr> <tr><td>Hosp 30d</td><td>No</td></tr> <tr><td>DOB</td><td>01/01/1965</td></tr> <tr><td>Sex</td><td>female</td></tr> <tr><td>Age</td><td>59</td></tr> <tr><td>Pt. Lang.</td><td>English</td></tr> <tr><td>Insurance #</td><td>XD723643612345</td></tr> <tr><td>Insurance Co.</td><td>Hardstop SelectHealth</td></tr> </table>	FirstName	Hardstop	LastName	Select health test patient 4	Hosp 30d	No	DOB	01/01/1965	Sex	female	Age	59	Pt. Lang.	English	Insurance #	XD723643612345	Insurance Co.	Hardstop SelectHealth		
FirstName	Hardstop																				
LastName	Select health test patient 4																				
Hosp 30d	No																				
DOB	01/01/1965																				
Sex	female																				
Age	59																				
Pt. Lang.	English																				
Insurance #	XD723643612345																				
Insurance Co.	Hardstop SelectHealth																				
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.104 s																		
	Search_for_a_patient_by_ID_and_validate_the_information																				

#	Step / Hook Details	Status	Duration


Search for a patient by ID and validate the information

PASSED	DURATION - 19.186 s / 4:00:14.404 pm // 4:00:33.590 pm /	Steps Total - 7 Pass - 7 Fail - 0 Skip - 0	
	Validating Patients Data, using DataTables and examples @PatientValScenario @PatientValidationFeature		


#	Step / Hook Details	Status	Duration																		
1	Given the user is on the login page "https://pharmacist-dev.arine.io/"	PASSED	5.508 s																		
2	When User login with "hardstop-pharmacist6@mailinator.com" and "Password1#"	PASSED	1.767 s																		
3	And user clicks on Login button	PASSED	0.034 s																		
4	And User clicks on the Patient button for patient search	PASSED	4.288 s																		
5	And user has entered credentials "a89a0a0c-4202-4b64-949a-5e48c16d1aea"	PASSED	4.107 s																		
6	And User tries to validate the information	PASSED	2.258 s																		
7	Then User verifies the data <table border="1"><tr><td>FirstName</td><td>Select concierge test patient 8</td></tr><tr><td>LastName</td><td>Hardstop</td></tr><tr><td>Hosp 30d</td><td>No</td></tr><tr><td>DOB</td><td>01/01/1965</td></tr><tr><td>Sex</td><td>female</td></tr><tr><td>Age</td><td>59</td></tr><tr><td>Pt. Lang.</td><td>English</td></tr><tr><td>Insurance #</td><td>XD723643612345</td></tr><tr><td>Insurance Co.</td><td>Hardstop SelectHealth Concierge</td></tr></table>	FirstName	Select concierge test patient 8	LastName	Hardstop	Hosp 30d	No	DOB	01/01/1965	Sex	female	Age	59	Pt. Lang.	English	Insurance #	XD723643612345	Insurance Co.	Hardstop SelectHealth Concierge	PASSED	0.093 s
FirstName	Select concierge test patient 8																				
LastName	Hardstop																				
Hosp 30d	No																				
DOB	01/01/1965																				
Sex	female																				
Age	59																				
Pt. Lang.	English																				
Insurance #	XD723643612345																				
Insurance Co.	Hardstop SelectHealth Concierge																				
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Search_for_a_patient_by_ID_and_validate_the_information	PASSED	0.103 s																		

#	Step / Hook Details	Status	Duration
			


Patient Search Functionality

PASSED	DURATION - 38.369 s	Scenarios Total - 2 Pass - 2 Fail - 0 Skip - 0	Steps Total - 16 Pass - 16 Fail - 0 Skip - 0
/ 4:00:33.590 pm // 4:01:11.959 pm / Patient Search Functionality			



Search for a patient by ID and set a review date


PASSED	DURATION - 19.050 s	Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 4:00:33.590 pm // 4:00:52.640 pm / Patient Search Functionality @patientSearch @patientSearchDate			

#	Step / Hook Details	Status	Duration
1	Given the user is on the login page "https://pharmacist-dev.arine.io/"	PASSED	5.470 s
2	When User login with "hardstop-pharmacist6@mailinator.com" and "Password1#"	PASSED	1.728 s
3	And user clicks on Login button	PASSED	0.034 s
4	And User clicks on the Patient button for patient search	PASSED	4.323 s
5	And User enters the patient ID "537a6caf-8df4-4da5-8238-f74030728005"	PASSED	0.739 s
6	And User clicks Reports button, MTM Reports button and selects CMR review type	PASSED	5.354 s
7	And User selects the date 10 days back	PASSED	0.151 s
8	Then User clicks on the Date Conversation button	PASSED	0.091 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.141 s

#	Step / Hook Details	Status	Duration
	Search_for_a_patient_by_ID_and_set_a_review_date 		

Search for a patient by ID and set a review date


PASSED	DURATION - 19.319 s		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 4:00:52.640 pm // 4:01:11.959 pm /				
Patient Search Functionality				
@patientSearch @patientSearchDate				


#	Step / Hook Details	Status	Duration
1	Given the user is on the login page "https://pharmacist-dev.arine.io/"	PASSED	5.489 s
2	When User login with "hardstop-pharmacist6@mailinator.com" and "Password1#"	PASSED	1.734 s
3	And user clicks on Login button	PASSED	0.035 s
4	And User clicks on the Patient button for patient search	PASSED	3.801 s
5	And User enters the patient ID "da7e9e65-a268-4ea2-adc6-a2d8cd1b64d9"	PASSED	0.707 s
6	And User clicks Reports button, MTM Reports button and selects CMR review type	PASSED	6.274 s
7	And User selects the date 10 days back	PASSED	0.156 s
8	Then User clicks on the Date Conversation button	PASSED	0.088 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.109 s
	Search_for_a_patient_by_ID_and_set_a_review_date 		

Pharmacist Portal Advance Search Feature





Verify that the Advanced Search popup opens successfully.




#	Step / Hook Details	Status	Duration
1	Given the user is on the login page "https://pharmacist-dev.arine.io/"	PASSED	5.013 s
2	When User login with "hardstop-pharmacist6@mailinator.com" and "Password1#"	PASSED	1.763 s
3	And user clicks on Login button	PASSED	0.050 s
4	When the user clicks on Patient button and ADVANCED text button	PASSED	3.884 s
5	Then the Advanced Patient Search popup should open	PASSED	0.532 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Verify_that_the_Advanced_Search_popup_opens_successfully.	PASSED	0.153 s
			

Verify if the results are displayed when user enters specific Field




#	Step / Hook Details	Status	Duration																
1	Given the user is on the login page "https://pharmacist-dev.arine.io/"	PASSED	5.634 s																
2	When User login with "hardstop-pharmacist6@mailinator.com" and "Password1#"	PASSED	1.742 s																
3	And user clicks on Login button	PASSED	0.050 s																
4	And the user clicks on Patient button and ADVANCED text button	PASSED	3.864 s																
5	And user enters specific field <table border="1"><tr><td>First Name</td><td>Hardstop</td></tr><tr><td>Last Name</td><td></td></tr><tr><td>City</td><td></td></tr><tr><td>State</td><td></td></tr><tr><td>Zip Code</td><td></td></tr><tr><td>Phone</td><td></td></tr><tr><td>Birth Date</td><td></td></tr><tr><td>HPID</td><td></td></tr></table>	First Name	Hardstop	Last Name		City		State		Zip Code		Phone		Birth Date		HPID		PASSED	0.800 s
First Name	Hardstop																		
Last Name																			
City																			
State																			
Zip Code																			
Phone																			
Birth Date																			
HPID																			
6	And user clicks on Search button	PASSED	0.074 s																
7	Then the result should get displayed	PASSED	1.560 s																
8	And the "Hardstop" should get displayed	PASSED	0.016 s																
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Verify_if_the_results_are_displayed_when_user_enters_specific_Field 	PASSED	0.167 s																


Verify if the results are displayed when user enters specific Field




#	Step / Hook Details	Status	Duration																
1	Given the user is on the login page "https://pharmacist-dev.arine.io/"	PASSED	5.987 s																
2	When User login with "hardstop-pharmacist6@mailinator.com" and "Password1#"	PASSED	1.727 s																
3	And user clicks on Login button	PASSED	0.033 s																
4	And the user clicks on Patient button and ADVANCED text button	PASSED	3.869 s																
5	And user enters specific field <div style="border: 1px solid #ccc; padding: 5px; width: fit-content;"> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>First Name</td><td></td></tr> <tr><td>Last Name</td><td>Select health test patient 1</td></tr> <tr><td>City</td><td></td></tr> <tr><td>State</td><td></td></tr> <tr><td>Zip Code</td><td></td></tr> <tr><td>Phone</td><td></td></tr> <tr><td>Birth Date</td><td></td></tr> <tr><td>HPID</td><td></td></tr> </table> </div>	First Name		Last Name	Select health test patient 1	City		State		Zip Code		Phone		Birth Date		HPID		PASSED	0.920 s
First Name																			
Last Name	Select health test patient 1																		
City																			
State																			
Zip Code																			
Phone																			
Birth Date																			
HPID																			
6	And user clicks on Search button	PASSED	0.070 s																
7	Then the result should get displayed	PASSED	2.097 s																
8	And the "Select health test patient 1" should get displayed	PASSED	0.032 s																
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Verify_if_the_results_are_displayed_when_user_enters_specific_Field 	PASSED	0.111 s																


Verify if the results are displayed when user enters specific Field




#	Step / Hook Details	Status	Duration																
1	Given the user is on the login page "https://pharmacist-dev.arine.io/"	PASSED	5.945 s																
2	When User login with "hardstop-pharmacist6@mailinator.com" and "Password1#"	PASSED	1.229 s																
3	And user clicks on Login button	PASSED	0.068 s																
4	And the user clicks on Patient button and ADVANCED text button	PASSED	3.873 s																
5	And user enters specific field <table border="1" style="width: 100%;"><tr><td>First Name</td><td>Hardstop</td></tr><tr><td>Last Name</td><td></td></tr><tr><td>City</td><td>Test City</td></tr><tr><td>State</td><td></td></tr><tr><td>Zip Code</td><td></td></tr><tr><td>Phone</td><td></td></tr><tr><td>Birth Date</td><td></td></tr><tr><td>HPID</td><td></td></tr></table>	First Name	Hardstop	Last Name		City	Test City	State		Zip Code		Phone		Birth Date		HPID		PASSED	0.978 s
First Name	Hardstop																		
Last Name																			
City	Test City																		
State																			
Zip Code																			
Phone																			
Birth Date																			
HPID																			
6	And user clicks on Search button	PASSED	0.145 s																
7	Then the result should get displayed	PASSED	0.588 s																
8	And the "Test City" should get displayed	PASSED	0.033 s																
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Verify_if_the_results_are_displayed_when_user_enters_specific_Field 	PASSED	0.183 s																


Verify if the results are displayed when user enters specific Field




#	Step / Hook Details	Status	Duration																
1	Given the user is on the login page "https://pharmacist-dev.arine.io/"	PASSED	9.833 s																
2	When User login with "hardstop-pharmacist6@mailinator.com" and "Password1#"	PASSED	1.726 s																
3	And user clicks on Login button	PASSED	0.050 s																
4	And the user clicks on Patient button and ADVANCED text button	PASSED	3.920 s																
5	And user enters specific field <table border="1" data-bbox="168 690 437 944"> <tr><td>First Name</td><td>Hardstop</td></tr> <tr><td>Last Name</td><td></td></tr> <tr><td>City</td><td></td></tr> <tr><td>State</td><td>California</td></tr> <tr><td>Zip Code</td><td></td></tr> <tr><td>Phone</td><td></td></tr> <tr><td>Birth Date</td><td></td></tr> <tr><td>HPID</td><td></td></tr> </table>	First Name	Hardstop	Last Name		City		State	California	Zip Code		Phone		Birth Date		HPID		PASSED	0.980 s
First Name	Hardstop																		
Last Name																			
City																			
State	California																		
Zip Code																			
Phone																			
Birth Date																			
HPID																			
6	And user clicks on Search button	PASSED	0.195 s																
7	Then the result should get displayed	PASSED	1.573 s																
8	And the "CA" should get displayed	PASSED	0.032 s																
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Verify_if_the_results_are_displayed_when_user_enters_specific_Field 	PASSED	0.135 s																


Verify if the results are displayed when user enters specific Field




#	Step / Hook Details	Status	Duration																
1	Given the user is on the login page "https://pharmacist-dev.arine.io/"	PASSED	5.596 s																
2	When User login with "hardstop-pharmacist6@mailinator.com" and "Password1#"	PASSED	1.237 s																
3	And user clicks on Login button	PASSED	0.049 s																
4	And the user clicks on Patient button and ADVANCED text button	PASSED	4.400 s																
5	And user enters specific field <table border="1"> <tr><td>First Name</td><td>Hardstop</td></tr> <tr><td>Last Name</td><td></td></tr> <tr><td>City</td><td></td></tr> <tr><td>State</td><td></td></tr> <tr><td>Zip Code</td><td>99999</td></tr> <tr><td>Phone</td><td></td></tr> <tr><td>Birth Date</td><td></td></tr> <tr><td>HPID</td><td></td></tr> </table>	First Name	Hardstop	Last Name		City		State		Zip Code	99999	Phone		Birth Date		HPID		PASSED	0.963 s
First Name	Hardstop																		
Last Name																			
City																			
State																			
Zip Code	99999																		
Phone																			
Birth Date																			
HPID																			
6	And user clicks on Search button	PASSED	0.117 s																
7	Then the result should get displayed	PASSED	1.068 s																
8	And the "99999" should get displayed	PASSED	0.038 s																
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Verify_if_the_results_are_displayed_when_user_enters_specific_Field 	PASSED	0.130 s																

Verify if the results are displayed when user enters specific Field




#	Step / Hook Details	Status	Duration																
1	Given the user is on the login page "https://pharmacist-dev.arine.io/"	PASSED	26.848 s																
2	When User login with "hardstop-pharmacist6@mailinator.com" and "Password1#"	PASSED	1.229 s																
3	And user clicks on Login button	PASSED	0.051 s																
4	And the user clicks on Patient button and ADVANCED text button	PASSED	3.866 s																
5	And user enters specific field <table border="1"><tr><td>First Name</td><td></td></tr><tr><td>Last Name</td><td></td></tr><tr><td>City</td><td></td></tr><tr><td>State</td><td></td></tr><tr><td>Zip Code</td><td></td></tr><tr><td>Phone</td><td>111-111-1111</td></tr><tr><td>Birth Date</td><td></td></tr><tr><td>HPID</td><td></td></tr></table>	First Name		Last Name		City		State		Zip Code		Phone	111-111-1111	Birth Date		HPID		PASSED	0.853 s
First Name																			
Last Name																			
City																			
State																			
Zip Code																			
Phone	111-111-1111																		
Birth Date																			
HPID																			
6	And user clicks on Search button	PASSED	0.062 s																
7	Then the result should get displayed	PASSED	1.574 s																
8	And the "111-111-1111" should get displayed	PASSED	0.014 s																
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Verify_if_the_results_are_displayed_when_user_enters_specific_Field 	PASSED	0.133 s																


Verify if the results are displayed when user enters specific Field




#	Step / Hook Details	Status	Duration																
1	Given the user is on the login page "https://pharmacist-dev.arine.io/"	PASSED	5.774 s																
2	When User login with "hardstop-pharmacist6@mailinator.com" and "Password1#"	PASSED	1.734 s																
3	And user clicks on Login button	PASSED	0.036 s																
4	And the user clicks on Patient button and ADVANCED text button	PASSED	3.361 s																
5	And user enters specific field <table border="1"> <tr><td>First Name</td><td></td></tr> <tr><td>Last Name</td><td></td></tr> <tr><td>City</td><td></td></tr> <tr><td>State</td><td></td></tr> <tr><td>Zip Code</td><td></td></tr> <tr><td>Phone</td><td></td></tr> <tr><td>Birth Date</td><td>01/01/1965</td></tr> <tr><td>HPID</td><td></td></tr> </table>	First Name		Last Name		City		State		Zip Code		Phone		Birth Date	01/01/1965	HPID		PASSED	0.773 s
First Name																			
Last Name																			
City																			
State																			
Zip Code																			
Phone																			
Birth Date	01/01/1965																		
HPID																			
6	And user clicks on Search button	PASSED	0.120 s																
7	Then the result should get displayed	PASSED	1.126 s																
8	And the "01/01/1965" should get displayed	PASSED	0.016 s																
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Verify_if_the_results_are_displayed_when_user_enters_specific_Field 	PASSED	0.133 s																


Verify if the results are displayed when user enters specific Field




#	Step / Hook Details	Status	Duration																
1	Given the user is on the login page "https://pharmacist-dev.arine.io/"	PASSED	5.597 s																
2	When User login with "hardstop-pharmacist6@mailinator.com" and "Password1#"	PASSED	1.730 s																
3	And user clicks on Login button	PASSED	0.033 s																
4	And the user clicks on Patient button and ADVANCED text button	PASSED	3.854 s																
5	And user enters specific field <table border="1" data-bbox="179 690 527 944"> <tr><td>First Name</td><td></td></tr> <tr><td>Last Name</td><td></td></tr> <tr><td>City</td><td></td></tr> <tr><td>State</td><td></td></tr> <tr><td>Zip Code</td><td></td></tr> <tr><td>Phone</td><td></td></tr> <tr><td>Birth Date</td><td></td></tr> <tr><td>HPID</td><td>XD723643612345</td></tr> </table>	First Name		Last Name		City		State		Zip Code		Phone		Birth Date		HPID	XD723643612345	PASSED	0.915 s
First Name																			
Last Name																			
City																			
State																			
Zip Code																			
Phone																			
Birth Date																			
HPID	XD723643612345																		
6	And user clicks on Search button	PASSED	0.096 s																
7	Then the result should get displayed	PASSED	2.102 s																
8	And the "XD723643612345" should get displayed	PASSED	0.016 s																
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Verify_if_the_results_are_displayed_when_user_enters_specific_Field 	PASSED	0.134 s																

Error Validation - Verify if the results are displayed when user enters specific fields




#	Step / Hook Details	Status	Duration				
1	Given the user is on the login page "https://pharmacist-dev.arine.io/"	PASSED	5.776 s				
2	When User login with "hardstop-pharmacist6@mailinator.com" and "Password1#"	PASSED	1.748 s				
3	And user clicks on Login button	PASSED	0.033 s				
4	And the user clicks on Patient button and ADVANCED text button	PASSED	3.852 s				
5	And user enters specific field	PASSED	0.648 s				
	<table border="1" data-bbox="175 695 361 759"> <tr> <td>City</td> <td>Test City</td> </tr> <tr> <td>State</td> <td></td> </tr> </table>	City	Test City	State			
City	Test City						
State							
6	And user clicks on Search button	PASSED	0.073 s				
7	And the error pop up should appear "You must provide first or last name."	PASSED	0.013 s				
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Error_Validation_-_Verify_if_the_results_are_displayed_when_user_enters_specific_fields 	PASSED	0.165 s				


Error Validation - Verify if the results are displayed when user enters specific fields




#	Step / Hook Details	Status	Duration				
1	Given the user is on the login page "https://pharmacist-dev.arine.io/"	PASSED	5.733 s				
2	When User login with "hardstop-pharmacist6@mailinator.com" and "Password1#"	PASSED	1.728 s				
3	And user clicks on Login button	PASSED	0.034 s				
4	And the user clicks on Patient button and ADVANCED text button	PASSED	3.928 s				
5	And user enters specific field	PASSED	0.635 s				
	<table border="1"> <tr> <td>City</td> <td></td> </tr> <tr> <td>State</td> <td>California</td> </tr> </table>	City		State	California		
City							
State	California						
6	And user clicks on Search button	PASSED	0.059 s				
7	And the error pop up should appear "You must provide first or last name."	PASSED	0.014 s				
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Error_Validation_-_Verify_if_the_results_are_displayed_when_user_enters_specific_fields 	PASSED	0.190 s				


Verify if the results are displayed when user enters specific Field




#	Step / Hook Details	Status	Duration						
1	Given the user is on the login page "https://pharmacist-dev.arine.io/"	PASSED	9.592 s						
2	When User login with "hardstop-pharmacist6@mailinator.com" and "Password1#"	PASSED	1.736 s						
3	And user clicks on Login button	PASSED	0.048 s						
4	And the user clicks on Patient button and ADVANCED text button	PASSED	3.376 s						
5	And user enters specific field <table border="1"><tr><td>Zip Code</td><td>123</td></tr><tr><td>Phone</td><td></td></tr><tr><td>Birth Date</td><td></td></tr></table>	Zip Code	123	Phone		Birth Date		PASSED	0.670 s
Zip Code	123								
Phone									
Birth Date									
6	And user clicks on Search button	PASSED	0.118 s						
7	Then Tooltip error message: "Please match the format requested." should display for "//input[@name='zip_code']" AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Verify_if_the_results_are_displayed_when_user_enters_specific_Field 	PASSED	0.034 s						
		PASSED	0.178 s						

Verify if the results are displayed when user enters specific Field



#	Step / Hook Details	Status	Duration
1	Given the user is on the login page "https://pharmacist-dev.arine.io/"	PASSED	4.941 s
2	When User login with "hardstop-pharmacist6@mailinator.com" and "Password1#"	PASSED	1.720 s
3	And user clicks on Login button	PASSED	0.034 s
4	And the user clicks on Patient button and ADVANCED text button	PASSED	3.343 s
5	And user enters specific field <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">Zip Code</div> <input type="text"/> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">Phone</div> <input type="text" value="111-111-111"/> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">Birth Date</div> <input type="text"/>	PASSED	0.639 s
6	And user clicks on Search button	PASSED	0.064 s
7	Then Tooltip error message: "Please match the format requested." should display for "//input[@name='phone']" AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Verify_if_the_results_are_displayed_when_user_enters_specific_Field 	PASSED	0.015 s
		PASSED	0.206 s

Verify if the results are displayed when user enters specific Field



#	Step / Hook Details	Status	Duration						
1	Given the user is on the login page "https://pharmacist-dev.arine.io/"	PASSED	6.932 s						
2	When User login with "hardstop-pharmacist6@mailinator.com" and "Password1#"	PASSED	1.729 s						
3	And user clicks on Login button	PASSED	0.033 s						
4	And the user clicks on Patient button and ADVANCED text button	PASSED	3.937 s						
5	And user enters specific field <table border="1"> <tr><td>Zip Code</td><td></td></tr> <tr><td>Phone</td><td></td></tr> <tr><td>Birth Date</td><td>32/01/19</td></tr> </table>	Zip Code		Phone		Birth Date	32/01/19	PASSED	0.747 s
Zip Code									
Phone									
Birth Date	32/01/19								
6	And user clicks on Search button	PASSED	0.056 s						
7	Then Tooltip error message: "Please match the format requested." should display for "//input[@name='dob']" AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Verify_if_the_results_are_displayed_when_user_enters_specific_Field 	PASSED	0.074 s						
		PASSED	0.174 s						