

Cucumber Report

30 Sept 2024, 12:25:55

Start : Sept 30, 12:21:09.384 pm

End : Sept 30, 12:25:54.994 pm

Duration : 4 m 45.610 s

Features







PASSED - 3
FAILED - 0
SKIPPED - 0

Scenarios

PASSED - 18
FAILED - 0
SKIPPED - 0


Steps

PASSED - 117
FAILED - 0
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Pharmacist Login</u>	33.085 s	3	3	0	0	15	15	0	0
<u>Patient Search Functionality</u>	18.131 s	1	1	0	0	6	6	0	0
<u>Pharmacist Portal Advance Search Feature</u>	3 m 54.347 s	14	14	0	0	96	96	0	0

TAG	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
@testNG		1	1	0	0	1	1	0	0
@aut_durvesh		1	1	0	0	1	1	0	0
@dev_windows		1	1	0	0	1	1	0	0
@login		1	1	0	0	1	1	0	0
@loginFeature		3	3	0	0	1	1	0	0
@patientSearch		1	1	0	0	1	1	0	0
@patientSearchDate		1	1	0	0	1	1	0	0
@advanceSearch		14	14	0	0	1	1	0	0




#	Feature Name	T	P	F	S	Duration
1	<u>Pharmacist Login</u>	3	3	0	0	33.085 s
2	<u>Patient Search Functionality</u>	1	1	0	0	18.131 s
3	<u>Pharmacist Portal Advance Search Feature</u>	14	14	0	0	3 m 54.347 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Pharmacist Login</u>	<u>Successful login with valid credentials</u>	5	5	0	0	11.833 s
2		<u>Login with invalid password and verify error message</u>	5	5	0	0	11.055 s
3		<u>Login with invalid email and verify error message</u>	5	5	0	0	10.165 s
4	<u>Patient Search Functionality</u>	<u>Search for a patient by ID and set a review date</u>	6	6	0	0	18.131 s
5	<u>Pharmacist Portal Advance Search Feature</u>	<u>Verify that the Advanced Search popup opens successfully.</u>	4	4	0	0	13.852 s
6		<u>Verify if the results are displayed when user enters First Name</u>	7	7	0	0	13.415 s
7		<u>Verify if the results are displayed when user enters Last Name</u>	7	7	0	0	14.465 s
8		<u>Verify if the results are displayed when user enters FirstName and City</u>	9	9	0	0	15.282 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
9		<u>Error Validation - Verify if the results are displayed when user enters City</u>	6	6	0	0	14.003 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
10	<u>Pharmacist Portal Advance Search Feature</u>	<u>Verify if the results are displayed when user enters FirstName and Selects State</u>	9	9	0	0	16.445 s
11		<u>Error Validation - Verify if the results are displayed when user Selects State</u>	6	6	0	0	12.190 s
12		<u>Verify if the results are displayed when user enters Zip Code</u>	9	9	0	0	15.411 s
13		<u>Negative test scenario - Verify if the results are displayed when user enters Zip Code in invalid format</u>	6	6	0	0	24.520 s
14		<u>Verify if the results are displayed when user enters Phone Number</u>	7	7	0	0	26.348 s
15		<u>Negative test scenario - Verify if the results are displayed when user enters Phone Number in invalid format</u>	6	6	0	0	16.518 s
16		<u>Verify if the results are displayed when user enters Birth Date</u>	7	7	0	0	19.984 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
17		<u><i>Negative test scenario - Verify if the results are displayed when user enters Birth Date in invalid format</i></u>	6	6	0	0	14.482 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
18	<u>Pharmacist Portal Advance Search Feature</u>	<u>Enter HPID and verify results</u>	7	7	0	0	17.432 s

Pharmacist Login


PASSED	DURATION - 33.085 s	Scenarios Total - 3 Pass - 3 Fail - 0 Skip - 0		Steps Total - 15 Pass - 15 Fail - 0 Skip - 0	
/ 12:21:09.384 pm // 12:21:42.469 pm /					

Successful login with valid credentials

PASSED	DURATION - 11.833 s	Scenarios Total - 3 Pass - 3 Fail - 0 Skip - 0		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 12:21:09.400 pm // 12:21:21.233 pm /					
Pharmacist Login					
@testNG @aut_durvesh @dev_windows @login @loginFeature					



#	Step / Hook Details	Status	Duration
1	Given the user is on the login page	PASSED	3.390 s
2	When the user enters the valid email "hardstop-pharmacist6@mailinator.com"	PASSED	1.217 s
3	And valid password "Password1#"	PASSED	0.117 s
4	And user clicks on Login button	PASSED	0.050 s
5	Then the user should be logged in	PASSED	5.325 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Successful_login_with_valid_credentials	PASSED	0.133 s
			

Login with invalid password and verify error message

PASSED	DURATION - 11.055 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 12:21:21.249 pm // 12:21:32.304 pm /				
Pharmacist Login				
@loginFeature				

#	Step / Hook Details	Status	Duration
1	Given the user is on the login page	PASSED	6.028 s
2	When the user enters the valid email "hardstop-pharmacist6@mailinator.com"	PASSED	1.694 s
3	And the user enters invalid password "InvalidPassword"	PASSED	0.071 s
4	And user clicks on Login button	PASSED	0.057 s
5	Then an error message should be displayed "Wrong username/password"	PASSED	1.962 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Login_with_invalid_password_and_verify_error_message	PASSED	0.255 s
			

Login with invalid email and verify error message

PASSED	DURATION - 10.165 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 12:21:32.304 pm // 12:21:42.469 pm /				
Pharmacist Login				
@loginFeature				



#	Step / Hook Details	Status	Duration
1	Given the user is on the login page	PASSED	5.238 s
2	When the user enters an invalid email "hardstop-pharmacist6@mailinator.co"	PASSED	1.683 s

#	Step / Hook Details	Status	Duration
3	And valid password "Password1#"	PASSED	0.076 s
4	And user clicks on Login button	PASSED	0.047 s
5	Then I should see an error message "User not found"	PASSED	1.819 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Login_with_invalid_email_and_verify_error_message	PASSED	0.273 s
			

Patient Search Functionality

PASSED	DURATION - 18.131 s / 12:21:42.469 pm // 12:22:00.600 pm /	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
--------	---	--	---	--	---

Search for a patient by ID and set a review date

PASSED	DURATION - 18.131 s / 12:21:42.469 pm // 12:22:00.600 pm /		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
	Patient Search Functionality @patientSearch @patientSearchDate			

#	Step / Hook Details	Status	Duration
1	Given User is logged in successfully for patient search	PASSED	11.193 s
2	When User clicks on the Patient button for patient search	PASSED	0.129 s
3	And User enters the patient ID "da7e9e65-a268-4ea2-adc6-a2d8cd1b64d9"	PASSED	0.825 s
4	And User clicks on the Reports button	PASSED	4.309 s

#	Step / Hook Details	Status	Duration
5	And User selects the date 10 days back	PASSED	0.288 s
6	Then User clicks on the Date Conversation button	PASSED	0.221 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Search_for_a_patient_by_ID_and_set_a_review_date	PASSED	0.116 s

Pharmacist Portal Advance Search Feature

PASSED	DURATION - 3 m 54.347 s	Scenarios Total - 14 Pass - 14 Fail - 0 Skip - 0	14	Steps Total - 96 Pass - 96 Fail - 0 Skip - 0	96
	/ 12:22:00.647 pm // 12:25:54.994 pm /				


Verify that the Advanced Search popup opens successfully.

PASSED	DURATION - 13.852 s	Scenarios Total - 4 Pass - 4 Fail - 0 Skip - 0	4
	/ 12:22:00.647 pm // 12:22:14.499 pm /		
Pharmacist Portal Advance Search Feature			
@advanceSearch			


#	Step / Hook Details	Status	Duration
1	Given user has already logged in to application	PASSED	6.443 s
	username hardstop-pharmacist6@mailinator.com	password Password1#	
2	Given the user should be logged in	PASSED	5.385 s
3	When the user clicks on Patient button and ADVANCED text button	PASSED	0.235 s

#	Step / Hook Details	Status	Duration
4	Then the Advanced Patient Search popup should open AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Verify_that_the_Advanced_Search_popup_opens_successfully. 	PASSED	0.565 s
		PASSED	0.148 s


Verify if the results are displayed when user enters First Name


PASSED	DURATION - 13.415 s		Steps Total - 7 Pass - 7 Fail - 0 Skip - 0	
/ 12:22:14.499 pm // 12:22:27.914 pm /				
Pharmacist Portal Advance Search Feature				
@advanceSearch				

#	Step / Hook Details	Status	Duration				
1	Given user has already logged in to application <table border="1" data-bbox="175 949 759 1008"> <tr> <td>username</td> <td>password</td> </tr> <tr> <td>hardstop-pharmacist6@mailinator.com</td> <td>Password1#</td> </tr> </table>	username	password	hardstop-pharmacist6@mailinator.com	Password1#	PASSED	5.332 s
username	password						
hardstop-pharmacist6@mailinator.com	Password1#						
2	Given the user should be logged in	PASSED	5.390 s				
3	When the user clicks on Patient button and ADVANCED text button	PASSED	0.216 s				
4	And user enters First Name "Hardstop"	PASSED	0.618 s				
5	And user clicks on Search button	PASSED	0.080 s				
6	Then the result should get displayed	PASSED	0.554 s				
7	And the First Name "Hardstop" should get displayed	PASSED	0.033 s				
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Verify_if_the_results_are_displayed_when_user_enters_First_Name	PASSED	0.219 s				


#	Step / Hook Details	Status	Duration
			


Verify if the results are displayed when user enters Last Name

PASSED	DURATION - 14.465 s		Steps Total - 7 Pass - 7 Fail - 0 Skip - 0	
/ 12:22:27.914 pm // 12:22:42.379 pm /				
Pharmacist Portal Advance Search Feature				
@advanceSearch				


#	Step / Hook Details	Status	Duration				
1	Given user has already logged in to application <table border="1"> <tr> <td>username</td> <td>password</td> </tr> <tr> <td>hardstop-pharmacist6@mailinator.com</td> <td>Password1#</td> </tr> </table>	username	password	hardstop-pharmacist6@mailinator.com	Password1#	PASSED	5.080 s
username	password						
hardstop-pharmacist6@mailinator.com	Password1#						
2	Given the user should be logged in	PASSED	5.833 s				
3	When the user clicks on Patient button and ADVANCED text button	PASSED	0.235 s				
4	And user enters Last Name "Select health test patient 1"	PASSED	0.632 s				
5	And user clicks on Search button	PASSED	0.081 s				
6	Then the result should get displayed	PASSED	1.562 s				
7	And the Last Name "Select health test patient 1" should get displayed	PASSED	0.016 s				
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) <u>Verify_if_the_results_are_displayed_when_user_enters_Last_Name</u> 	PASSED	0.125 s				


Verify if the results are displayed when user enters FirstName and City




#	Step / Hook Details	Status	Duration
1	Given user has already logged in to application username password hardstop-pharmacist6@mailinator.com Password1#	PASSED	6.861 s
2	Given the user should be logged in	PASSED	5.650 s
3	When the user clicks on Patient button and ADVANCED text button	PASSED	0.208 s
4	And user enters First Name "Hardstop"	PASSED	0.607 s
5	And user enters City "Test City"	PASSED	0.104 s
6	And user clicks on Search button	PASSED	0.068 s
7	Then the result should get displayed	PASSED	0.617 s
8	And the First Name "Hardstop" should get displayed	PASSED	0.014 s
9	And the City Name "Test City" should get displayed	PASSED	0.034 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Verify_if_the_results_are_displayed_when_user_enters_FirstName_and_City 	PASSED	0.148 s


Error Validation - Verify if the results are displayed when user enters City




#	Step / Hook Details	Status	Duration				
1	Given user has already logged in to application <table border="1" data-bbox="179 539 741 595"> <tr> <td>username</td> <td>password</td> </tr> <tr> <td>hardstop-pharmacist6@mailinator.com</td> <td>Password1#</td> </tr> </table>	username	password	hardstop-pharmacist6@mailinator.com	Password1#	PASSED	6.573 s
username	password						
hardstop-pharmacist6@mailinator.com	Password1#						
2	Given the user should be logged in	PASSED	5.319 s				
3	When the user clicks on Patient button and ADVANCED text button	PASSED	0.223 s				
4	And user enters City "Test City"	PASSED	0.618 s				
5	And user clicks on Search button	PASSED	0.066 s				
6	Then the error pop up should appear "You must provide first or last name."	PASSED	0.025 s				
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Error_Validation_- Verify_if_the_results_are_displayed_when_user_enters_City 	PASSED	0.167 s				

Verify if the results are displayed when user enters FirstName and Selects State



#	Step / Hook Details	Status	Duration
1	Given user has already logged in to application username password hardstop-pharmacist6@mailinator.com Password1#	PASSED	7.296 s
2	Given the user should be logged in	PASSED	5.416 s
3	When the user clicks on Patient button and ADVANCED text button	PASSED	0.204 s
4	And user enters First Name "Hardstop"	PASSED	0.615 s
5	And user selects State "California"	PASSED	0.083 s
6	And user clicks on Search button	PASSED	0.081 s
7	Then the result should get displayed	PASSED	1.577 s
8	And the First Name "Hardstop" should get displayed	PASSED	0.015 s
9	And the State "California" should get displayed	PASSED	0.017 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Verify_if_the_results_are_displayed_when_user_enters_FirstName_and_Selects_State 	PASSED	0.155 s


Error Validation - Verify if the results are displayed when user Selects State




#	Step / Hook Details	Status	Duration
1	Given user has already logged in to application username password hardstop-pharmacist6@mailinator.com Password1#	PASSED	4.723 s
2	Given the user should be logged in	PASSED	5.351 s

#	Step / Hook Details	Status	Duration
3	When the user clicks on Patient button and ADVANCED text button	PASSED	0.233 s
4	And user selects State "California"	PASSED	0.610 s
5	And user clicks on Search button	PASSED	0.071 s
6	Then the error pop up should appear "You must provide first or last name."	PASSED	0.017 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Error_Validation_- Verify_if_the_results_are_displayed_when_user_Selects_State	PASSED	0.187 s



Verify if the results are displayed when user enters Zip Code



#	Step / Hook Details	Status	Duration
1	Given user has already logged in to application username password hardstop-pharmacist6@mailinator.com Password1#	PASSED	6.437 s
2	Given the user should be logged in	PASSED	5.369 s
3	When the user clicks on Patient button and ADVANCED text button	PASSED	0.206 s
4	And user enters First Name "Hardstop"	PASSED	0.616 s
5	And User enters "99999" as Zip Code	PASSED	0.063 s
6	And user clicks on Search button	PASSED	0.078 s
7	Then the result should get displayed	PASSED	1.565 s
8	And the First Name "Hardstop" should get displayed	PASSED	0.016 s
9	And the ZipCode "99999" should get displayed	PASSED	0.015 s


#	Step / Hook Details	Status	Duration
	<p>AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</p> <p>Verify_if_the_results_are_displayed_when_user_enters_Zip_Code</p> 	PASSED	0.107 s

Negative test scenario - Verify if the results are displayed when user enters Zip Code in invalid format

PASSED	DURATION - 24.520 s		<p>Steps</p> <p>Total - 6</p> <p>Pass - 6</p> <p>Fail - 0</p> <p>Skip - 0</p>	
/ 12:23:55.710 pm // 12:24:20.230 pm /				
Pharmacist Portal Advance Search Feature				
@advanceSearch				


#	Step / Hook Details	Status	Duration				
1	<p>Given user has already logged in to application</p> <table border="1"> <tr> <td>username</td> <td>password</td> </tr> <tr> <td>hardstop-pharmacist6@mailinator.com</td> <td>Password1#</td> </tr> </table>	username	password	hardstop-pharmacist6@mailinator.com	Password1#	PASSED	17.196 s
username	password						
hardstop-pharmacist6@mailinator.com	Password1#						
2	Given the user should be logged in	PASSED	5.292 s				
3	When the user clicks on Patient button and ADVANCED text button	PASSED	0.208 s				
4	And User enters "123" as Zip Code	PASSED	0.615 s				
5	And user clicks on Search button	PASSED	0.043 s				
6	Then Tooltip error message: "Please match the format requested." should display for Zip Code	PASSED	0.017 s				
	<p>AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</p> <p>Negative_test_scenario_-_Verify_if_the_results_are_displayed_when_user_enters_Zip_Code_in_invalid_format</p> 	PASSED	0.175 s				


Verify if the results are displayed when user enters Phone Number




#	Step / Hook Details	Status	Duration				
1	Given user has already logged in to application <table border="1"> <tr> <td>username</td> <td>password</td> </tr> <tr> <td>hardstop-pharmacist6@mailinator.com</td> <td>Password1#</td> </tr> </table>	username	password	hardstop-pharmacist6@mailinator.com	Password1#	PASSED	17.443 s
username	password						
hardstop-pharmacist6@mailinator.com	Password1#						
2	Given the user should be logged in	PASSED	5.331 s				
3	When the user clicks on Patient button and ADVANCED text button	PASSED	0.220 s				
4	And User enters "111-111-1111" as Phone	PASSED	0.624 s				
5	And user clicks on Search button	PASSED	0.069 s				
6	Then the result should get displayed	PASSED	1.577 s				
7	And the Phone "111-111-1111" should get displayed	PASSED	0.015 s				
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) <u>Verify_if_the_results_are_displayed_when_user_enters_Phone_Number</u> 	PASSED	0.114 s				


Negative test scenario - Verify if the results are displayed when user enters Phone Number in invalid format





#	Step / Hook Details	Status	Duration				
1	Given user has already logged in to application <table border="1" data-bbox="179 539 752 595"> <tr> <td>username</td> <td>password</td> </tr> <tr> <td>hardstop-pharmacist6@mailinator.com</td> <td>Password1#</td> </tr> </table>	username	password	hardstop-pharmacist6@mailinator.com	Password1#	PASSED	8.755 s
username	password						
hardstop-pharmacist6@mailinator.com	Password1#						
2	Given the user should be logged in	PASSED	5.520 s				
3	When the user clicks on Patient button and ADVANCED text button	PASSED	0.413 s				
4	And User enters "111-111-111" as Phone	PASSED	0.616 s				
5	And user clicks on Search button	PASSED	0.049 s				
6	Then Tooltip error message: "Please match the format requested." should display for Phone Number	PASSED	0.047 s				
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Negative_test_scenario_- Verify_if_the_results_are_displayed_when_user_enters_Phone_Number_in_invalid_format 	PASSED	0.176 s				

Verify if the results are displayed when user enters Birth Date




#	Step / Hook Details	Status	Duration
1	Given user has already logged in to application username password hardstop-pharmacist6@mailinator.com Password1#	PASSED	10.865 s
2	Given the user should be logged in	PASSED	5.523 s
3	When the user clicks on Patient button and ADVANCED text button	PASSED	0.208 s
4	And User enters "01/01/1965" as Birth Date	PASSED	0.592 s
5	And user clicks on Search button	PASSED	0.080 s
6	Then the result should get displayed	PASSED	1.563 s
7	And the date "01/01/1965" should get displayed	PASSED	0.016 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Verify_if_the_results_are_displayed_when_user_enters_Birth_Date 	PASSED	0.133 s

Negative test scenario - Verify if the results are displayed when user enters Birth Date in invalid format

PASSED	DURATION - 14.482 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 12:25:23.080 pm // 12:25:37.562 pm /				
Pharmacist Portal Advance Search Feature				
@advanceSearch				

#	Step / Hook Details	Status	Duration
1	Given user has already logged in to application username password hardstop-pharmacist6@mailinator.com Password1#	PASSED	6.858 s
2	Given the user should be logged in	PASSED	5.466 s
3	When the user clicks on Patient button and ADVANCED text button	PASSED	0.210 s
4	And User enters "32/01/19" as Birth Date	PASSED	0.629 s


#	Step / Hook Details	Status	Duration
5	And user clicks on Search button	PASSED	0.069 s
6	Then Tooltip error message: "Please match the format requested." should display for Birth Date	PASSED	0.029 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Negative_test_scenario_- Verify_if_the_results_are_displayed_when_user_enters_Birth_Date_in_invalid_format	PASSED	0.182 s



Enter HPID and verify results

PASSED	DURATION - 17.432 s		Steps Total - 7 Pass - 7 Fail - 0 Skip - 0	
/ 12:25:37.562 pm // 12:25:54.994 pm /				
Pharmacist Portal Advance Search Feature				
@advanceSearch				

#	Step / Hook Details	Status	Duration
1	Given user has already logged in to application username hardstop-pharmacist6@mailinator.com password hardstop-pharmacist6@mailinator.com Password1#	PASSED	8.924 s
2	Given the user should be logged in	PASSED	5.851 s
3	When the user clicks on Patient button and ADVANCED text button	PASSED	0.218 s
4	And User enters "XD723643612345" as HPID	PASSED	0.632 s
5	And user clicks on Search button	PASSED	0.074 s
6	Then the result should get displayed	PASSED	0.589 s
7	And the HPID "XD723643612345" should get displayed	PASSED	0.019 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.169 s
	Enter_HPID_and_verify_results		

#	Step / Hook Details	Status	Duration
	 A screenshot of a web-based "Advanced Police Search" interface. The page has a dark header with the title and a search bar. Below the header is a table with several columns, likely for filtering search results. The main area contains a large list of search results, each with multiple lines of text, possibly names and addresses. At the bottom of the list are several buttons, including "Print" and "Close".		