

```
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Try the new cross-platform PowerShell https://aka.ms/pscore6

PS C:\Users\Asus> aws ec2 terminate-instances `
>> --instance-ids i-0e8252961089cfd08 `
>> --query "TerminatingInstances[*].[InstanceId,CurrentState.Name,PreviousState.Name]" `
>> --output table
[
  [
    "i-0e8252961089cfd08",
    "shutting-down",
    "running"
  ]
]

PS C:\Users\Asus> aws ec2 terminate-instances `
>> --instance-ids i-0e8252961089cfd08 `
>> --query "TerminatingInstances[*].[InstanceId,CurrentState.Name,PreviousState.Name]" `
>> --output table

usage: aws [options] <command> [<subcommand> ...] [parameters]
To see help text, you can run:

aws help
aws <command> help
aws <command> <subcommand> help

aws: [ERROR]: Unknown options: --outout, table
PS C:\Users\Asus> aws ec2 terminate-instances `
>> --instance-ids i-0e8252961089cfd08 `
>> --query "TerminatingInstances[*].[InstanceId,CurrentState.Name,PreviousState.Name]" `
>> --output table `
>> --region eu-central-1
-----
|               TerminateInstances               |
|-----+-----+-----+-----+-----+-----+|
| i-0e8252961089cfd08 | shutting-down | running |
|-----+-----+-----+-----+-----+-----+|

PS C:\Users\Asus>
```

```
PS C:\Users\Asus> aws ec2 terminate-instances `
>> --instance-ids i-013e201c8073050ba `
>> --query "TerminatingInstances[*].[InstanceId,CurrentState.Name,PreviousState.Name]" `
>> --output table `
>> --region eu-central-1
-----
|               TerminateInstances               |
|-----+-----+-----+-----+-----+-----+|
| i-013e201c8073050ba | shutting-down | running |
|-----+-----+-----+-----+-----+-----+|
```

New personal access token (classic)

Personal access tokens (classic) function like ordinary OAuth access tokens. They can be used instead of a password for Git over HTTPS, or can be used to [authenticate to the API over Basic Authentication](#).

Note

alma2026volmutSpletna

What's this token for?

Expiration

📅 7 days (Apr 05, 2026) ▾

The token will expire on the selected date

Select scopes

Scopes define the access for personal tokens. [Read more about OAuth scopes](#).

☒ repo	Full control of private repositories
☒ repo:status	Access commit status
☒ repo_deployment	Access deployment status
☒ public_repo	Access public repositories
☒ repo:invite	Access repository invitations
☒ security_events	Read and write security events
☐ workflow	Update GitHub Action workflows
☐ write:packages	Upload packages to GitHub Package Registry
☐ read:packages	Download packages from GitHub Package Registry
☐ delete:packages	Delete packages from GitHub Package Registry
☐ admin:org	Full control of orgs and teams, read and write org projects
☐ write:org	Read and write org and team membership, read and write org projects
☐ read:org	Read org and team membership, read org projects
☐ manage_runners:org	Manage org runners and runner groups
☐ admin:public_key	Full control of user public keys
☐ write:public_key	Write user public keys
☐ read:public_key	Read user public keys
☐ admin:repo_hook	Full control of repository hooks



Authorize Git Credential Manager



Git Credential Manager by [Git Ecosystem](#)
wants to access your almaVolmut2026 account



Gists
Read and write access



Repositories
Public and private



Workflow
Update GitHub Action Workflow files.



Cancel

Authorize git-ecosystem

Authorizing will redirect to
<http://127.0.0.1:55621>



Owned & operated
by GitHub



Created 7 years ago



More than 1K
GitHub users

[Learn more about OAuth](#)

```
PS I:\> cd GIT
PS I:\GIT> mkdir alma2026spletnaStran
```

Directory: I:\GIT

Mode	LastWriteTime	Length	Name
d-----	29. 03. 2026 00:01		alma2026spletnaStran

```
PS I:\GIT> cd alma2026*
PS I:\GIT\alma2026spletnaStran> dir
PS I:\GIT\alma2026spletnaStran> git init
Initialized empty Git repository in I:/GIT/alma2026spletnaStran/.git/
PS I:\GIT\alma2026spletnaStran> dir
PS I:\GIT\alma2026spletnaStran> █
```

```

Asus@DESKTOP-MP4E9BJ MINGW64 /i/GIT/alma2026spletnaStran (master)
$ di
bash: di: command not found

Asus@DESKTOP-MP4E9BJ MINGW64 /i/GIT/alma2026spletnaStran (master)
$ dir

Asus@DESKTOP-MP4E9BJ MINGW64 /i/GIT/alma2026spletnaStran (master)
$ touch index.html

Asus@DESKTOP-MP4E9BJ MINGW64 /i/GIT/alma2026spletnaStran (master)
$ mkdir slike

Asus@DESKTOP-MP4E9BJ MINGW64 /i/GIT/alma2026spletnaStran (master)
$ git add .

Asus@DESKTOP-MP4E9BJ MINGW64 /i/GIT/alma2026spletnaStran (master)
$ git commit -m "Dodajanje začetnih datotek in map"
Author identity unknown

*** Please tell me who you are.

Run

    git config --global user.email "you@example.com"
    git config --global user.name "Your Name"

to set your account's default identity.
Omit --global to set the identity only in this repository.

fatal: unable to auto-detect email address (got 'Asus@DESKTOP-MP4E9BJ.(none)')

Asus@DESKTOP-MP4E9BJ MINGW64 /i/GIT/alma2026spletnaStran (master)
$ git add .

Asus@DESKTOP-MP4E9BJ MINGW64 /i/GIT/alma2026spletnaStran (master)
$ ^C

Asus@DESKTOP-MP4E9BJ MINGW64 /i/GIT/alma2026spletnaStran (master)
$ git commit -m "Dodajanje začetnih datotek in map"
Author identity unknown

*** Please tell me who you are.

Run

    git config --global user.email "you@example.com"
    git config --global user.name "Your Name"

to set your account's default identity.
Omit --global to set the identity only in this repository.

fatal: unable to auto-detect email address (got 'Asus@DESKTOP-MP4E9BJ.(none)')

Asus@DESKTOP-MP4E9BJ MINGW64 /i/GIT/alma2026spletnaStran (master)
$ ^C

Asus@DESKTOP-MP4E9BJ MINGW64 /i/GIT/alma2026spletnaStran (master)
$ git config --global user.email "enej.volmut@almamater.si"

Asus@DESKTOP-MP4E9BJ MINGW64 /i/GIT/alma2026spletnaStran (master)
$ git config --global user.name "almaVolmut2026"

Asus@DESKTOP-MP4E9BJ MINGW64 /i/GIT/alma2026spletnaStran (master)
$ git add .

Asus@DESKTOP-MP4E9BJ MINGW64 /i/GIT/alma2026spletnaStran (master)
$ git commit -m "Dodajanje začetnih datotek in map"
[master (root-commit) 67fa47f] Dodajanje začetnih datotek in map
2 files changed, 18 insertions(+)
create mode 100644 index.html

```



```

Asus@DESKTOP-MP4E9BJ MINGW64 /i/GIT/alma2026spletnaStran (master)
$ git status
On branch master
nothing to commit, working tree clean

Asus@DESKTOP-MP4E9BJ MINGW64 /i/GIT/alma2026spletnaStran (master)
$ git config --global user.name "Enej Volmut"

Asus@DESKTOP-MP4E9BJ MINGW64 /i/GIT/alma2026spletnaStran (master)
$ touch stili.css

Asus@DESKTOP-MP4E9BJ MINGW64 /i/GIT/alma2026spletnaStran (master)
$ git status
On branch master
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   index.html

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        stili.css

no changes added to commit (use "git add" and/or "git commit -a")

Asus@DESKTOP-MP4E9BJ MINGW64 /i/GIT/alma2026spletnaStran (master)
$ git add index.html

Asus@DESKTOP-MP4E9BJ MINGW64 /i/GIT/alma2026spletnaStran (master)
$ git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   index.html

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        stili.css

Asus@DESKTOP-MP4E9BJ MINGW64 /i/GIT/alma2026spletnaStran (master)
$ git commit -m "dodan footer v datoteki index.html"
[master 38bd339] dodan footer v datoteki index.html
1 file changed, 1 insertion(+)

Asus@DESKTOP-MP4E9BJ MINGW64 /i/GIT/alma2026spletnaStran (master)
$ git status
On branch master
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   index.html

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        stili.css

no changes added to commit (use "git add" and/or "git commit -a")

Asus@DESKTOP-MP4E9BJ MINGW64 /i/GIT/alma2026spletnaStran (master)
$ git add index.html

Asus@DESKTOP-MP4E9BJ MINGW64 /i/GIT/alma2026spletnaStran (master)
$ ^[[200~git remote add origin https://github.com/almaVolmut2026/alma2026volmutStran.git~
bash: $'\E[200~git': command not found

Asus@DESKTOP-MP4E9BJ MINGW64 /i/GIT/alma2026spletnaStran (master)
$ git remote add origin https://github.com/almaVolmut2026/alma2026volmutStran.git

```

```
Asus@DESKTOP-MP4E9BJ MINGW64 /i/GIT/alma2026spletnaStran (master)
$ ^[[200~git remote add origin https://github.com/almaVolmut2026/alma2026volmutStran.git~
bash: $'\E[200~git': command not found
```

```
Asus@DESKTOP-MP4E9BJ MINGW64 /i/GIT/alma2026spletnaStran (master)
$ git remote add origin https://github.com/almaVolmut2026/alma2026volmutStran.git
```

```
Asus@DESKTOP-MP4E9BJ MINGW64 /i/GIT/alma2026spletnaStran (master)
$ git branch -M main
```

```
Asus@DESKTOP-MP4E9BJ MINGW64 /i/GIT/alma2026spletnaStran (main)
$ git push -u origin main
info: please complete authentication in your browser...
Enumerating objects: 8, done.
Counting objects: 100% (8/8), done.
Delta compression using up to 12 threads
Compressing objects: 100% (7/7), done.
Writing objects: 100% (8/8), 13.72 KiB | 6.86 MiB/s, done.
Total 8 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), done.
To https://github.com/almaVolmut2026/alma2026volmutStran.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.
```

```
Asus@DESKTOP-MP4E9BJ MINGW64 /i/GIT/alma2026spletnaStran (main)
$
```

File Explorer window showing the contents of the `alma2026spletnaStran` directory on the `Nov nosilec (I:)` drive.

Path: `Ta računalnik > Nov nosilec (I:) > GIT > alma2026spletnaStran`

Ime	Datum spremembe	Vrsta	Velikost
.git	29. 03. 2026 00:40	Mapa z datotekami	
slide	29. 03. 2026 00:17	Mapa z datotekami	
index.html	29. 03. 2026 00:27	Chrome HTML Do...	1 KB
stili.css	29. 03. 2026 00:25	Datoteka s slogi za...	0 KB

The left sidebar shows the navigation pane with the following items:

- Hitri dostop
 - Namizje
 - Prenosi
 - Dokumenti
 - Sluke
 - N:\
 - alma2026spletnaStran
 - KRIPTOGRAFIJA IN VARNOST
 - Predavanje1
 - Sluke2
- OneDrive - Personal
- Ta računalnik
 - 3D-predmeti
 - Dokumenti
 - Glasba
 - Namizje
 - Prenosi
 - Sluke
 - Videoposnetki
 - Lokalni disk (C:)
 - System Reserved (D:)
 - Lokalni disk (E:)
 - Lokalni disk (G:)
 - Pogon CD (H:)
 - Nov nosilec (I:)
 - Omrežje

alma2026volmutStran Public

Pin

Watch 0

main

1 Branch

0 Tags

Go to file

Add file

Code

almaVolmut2026	dodan footer v datoteki index.html	38bd339 · 16 minutes ago	2 Commits
slike	Dodajanje začetnih datotek in map	22 minutes ago	
index.html	dodan footer v datoteki index.html	16 minutes ago	