

Oracle VirtualBox Upravljalnik

Datoteka Računalnik Pomoč

Nov ... Open Nastavitve ... Zavrz Zaženi

AlmaMater - debian - VM1
Izklopljen

AlmaMater - debian - VM2
Izklopljen

Details

Splošno
Ime: almaMater - debian - VM2
Operacijski sistem: Debian (64-bit)

Sistem
Osnovni pomnilnik: 512 MB
Vrstni red zagona: Disketa, Optični, Trdi disk
Pospeševanje: Ugnedeno odstranjevanje, Paranavideznost KVM

Zaslon
Grafični pomnilnik: 16 MB
Graphics Controller: VMSVGA
Strežnik oddaljenega namizja: Onemogočeno
Recording: Onemogočeno

Pomnilniške naprave
Krmilnik: IDE
Primaren glavni IDE: [optični pogon] Prazno
Krmilnik: SATA
Vrata SATA 0: almaMater - debian - VM2.vdi (Običajen, 20,00 GB)

Zvok
Gonilnik gostitelja: Privzeto
Krmilnik: ICH AC97

Omrežje
Vmesnik 1: Intel PRO/1000 MT Desktop (Povezan vmesnik, Realtek PCIe GBE Family Controller)

USB
Krmilnik USB: OHCI, EHCI
Filtri naprav: 0 (0 dejavnih)

Deljene mape

Predogled
almaMater - debian - VM2

AlmaMater - debian - VM2 [V izvajanju] - Oracle VirtualBox

Datoteka Računalnik Pogled Vnos Naprave Pomoč

```
Selecting previously unselected package apache2-data.  
Preparing to unpack .../32-apache2-data_2.4.66-1~deb13u2_all.deb ...  
Unpacking apache2-data (2.4.66-1~deb13u2) ...  
Selecting previously unselected package apache2-utils.  
Preparing to unpack .../33-apache2-utils_2.4.66-1~deb13u2_amd64.deb ...  
Unpacking apache2-utils (2.4.66-1~deb13u2) ...  
Selecting previously unselected package media-types.  
Preparing to unpack .../34-media-types_13.0.0_all.deb ...  
Unpacking media-types (13.0.0) ...  
Selecting previously unselected package apache2.  
Preparing to unpack .../35-apache2_2.4.66-1~deb13u2_amd64.deb ...  
Unpacking apache2 (2.4.66-1~deb13u2) ...  
Selecting previously unselected package libcbor0.10:amd64.  
Preparing to unpack .../36-libcbor0.10_0.10.2-2_amd64.deb ...  
Unpacking libcbor0.10:amd64 (0.10.2-2) ...  
Selecting previously unselected package libfido2-1:amd64.  
Preparing to unpack .../37-libfido2-1_1.15.0-1+b1_amd64.deb ...  
Unpacking libfido2-1:amd64 (1.15.0-1+b1) ...  
Selecting previously unselected package openssh-client.  
Preparing to unpack .../38-openssh-client_1:3a10.0p1-7+deb13u1_amd64.deb ...  
Unpacking openssh-client (1:10.0p1-7+deb13u1) ...  
Selecting previously unselected package openssh-sftp-server.  
Preparing to unpack .../39-openssh-sftp-server_1:3a10.0p1-7+deb13u1_amd64.deb ...  
Unpacking openssh-sftp-server (1:10.0p1-7+deb13u1) ...  
Selecting previously unselected package runit-helper.  
Preparing to unpack .../40-runit-helper_2.16.4_all.deb ...  
Unpacking runit-helper (2.16.4) ...  
Selecting previously unselected package liburp0:amd64.  
Preparing to unpack .../41-liburp0_7.6.q-36_amd64.deb ...  
Unpacking liburp0:amd64 (7.6.q-36) ...  
Selecting previously unselected package libutmpdb0:amd64.  
Preparing to unpack .../42-libutmpdb0_0.73.0-3+deb13u1_amd64.deb ...  
Unpacking libutmpdb0:amd64 (0.73.0-3+deb13u1) ...  
Selecting previously unselected package openssh-server.  
Preparing to unpack .../43-openssh-server_1:3a10.0p1-7+deb13u1_amd64.deb ...  
Unpacking openssh-server (1:10.0p1-7+deb13u1) ...  
Selecting previously unselected package openssl.  
Preparing to unpack .../44-openssl_3.5.5-1~deb13u1_amd64.deb ...  
Unpacking openssl (3.5.5-1~deb13u1) ...  
Selecting previously unselected package ca-certificates.  
Preparing to unpack .../45-ca-certificates_20250419_all.deb ...  
Unpacking ca-certificates (20250419) ...  
Selecting previously unselected package libpam-systemd:amd64.  
Preparing to unpack .../46-libpam-systemd_257.9-1~deb13u1_amd64.deb ...  
Unpacking libpam-systemd:amd64 (257.9-1~deb13u1) ...  
Selecting previously unselected package ncurses-term.  
Preparing to unpack .../47-ncurses-term_6.5+20250216-2_all.deb ...  
Unpacking ncurses-term (6.5+20250216-2) ...  
Progress: [ 38% ] [#####]
```

Mouse integration ...
Don't show again

Auto capture keyboard ...
Don't show again

Right Control

```
almaMater - debian - VM2 [V izvajanju] - Oracle VirtualBox
Datoteka Računalnik Pogled Vnos Naprave Pomoč

Creating user 'sshd' (sshd user) with UID 990 and GID 65534.
Created symlink '/etc/systemd/system/ssh.service' -> '/usr/lib/systemd/system/ssh.service'.
Created symlink '/etc/systemd/system/multi-user.target.wants/ssh.service' -> '/usr/lib/systemd/system/ssh.service'.
ssh.socket is a disabled or a static unit, not starting it.
Created symlink '/etc/systemd/system/ssh.service.wants/ssh-keygen.service' -> '/usr/lib/systemd/system/ssh-keygen.service'.
Created symlink '/etc/systemd/system/ssh.service.wants/ssh-keygen.service' -> '/usr/lib/systemd/system/ssh-keygen.service'.
Created symlink '/etc/systemd/system/ssh.socket.wants/ssh-keygen.service' -> '/usr/lib/systemd/system/ssh-keygen.service'.
Setting up dbus-user-session (1.10-2-2) ...
Setting up librtmp1:amd64 (2.4+20151223.gitf8646d.1-2+b5) ...
Setting up ssh (1:10.0p1-7+deb13u1) ...
Setting up libcurl14t64:amd64 (8.14.1-2+deb13u2) ...
Setting up apache2-bin (2.4.66-1~deb13u2) ...
Setting up apache2 (2.4.66-1~deb13u2) ...
Enabling module mpm_event.
Enabling module authz_core.
Enabling module authz_host.
Enabling module authn_core.
Enabling module auth_basic.
Enabling module access_compat.
Enabling module authn_file.
Enabling module authz_user.
Enabling module alias.
Enabling module dir.
Enabling module autoindex.
Enabling module env.
Enabling module mime.
Enabling module negotiation.
Enabling module setenvif.
Enabling module filter.
Enabling module deflate.
Enabling module status.
Enabling module reqtimeout.
Enabling conf charset.
Enabling conf localized-error-pages.
Enabling conf other-vhosts-access-log.
Enabling conf security.
Enabling conf serve-cgi-bin.
Enabling site 000-default.
Created symlink '/etc/systemd/system/multi-user.target.wants/apache2.service' -> '/usr/lib/systemd/system/apache2.service'.
Created symlink '/etc/systemd/system/multi-user.target.wants/apache-htcacheclean.service' -> '/usr/lib/systemd/system/apache-htcacheclean.service'.
Processing triggers for libc-bin (2.41-12+deb13u2) ...
Processing triggers for ca-certificates (20250419) ...
Updating certificates in /etc/ssl/certs...
0 added, 0 removed; done.
Running hooks in /etc/ca-certificates/update.d...
done.
root@enejvolmut:/home/enej#
```

```
almaMater - debian - VM2 [V izvajanju] - Oracle VirtualBox
Datoteka Računalnik Pogled Vnos Naprave Pomoč

Setting up apache2-bin (2.4.66-1~deb13u2) ...
Setting up apache2 (2.4.66-1~deb13u2) ...
Enabling module mpm_event.
Enabling module authz_core.
Enabling module authz_host.
Enabling module authn_core.
Enabling module auth_basic.
Enabling module access_compat.
Enabling module authn_file.
Enabling module authz_user.
Enabling module alias.
Enabling module dir.
Enabling module autoindex.
Enabling module env.
Enabling module mime.
Enabling module negotiation.
Enabling module setenvif.
Enabling module filter.
Enabling module deflate.
Enabling module status.
Enabling module reqtimeout.
Enabling conf charset.
Enabling conf localized-error-pages.
Enabling conf other-vhosts-access-log.
Enabling conf security.
Enabling conf serve-cgi-bin.
Enabling site 000-default.
Created symlink '/etc/systemd/system/multi-user.target.wants/apache2.service' -> '/usr/lib/systemd/system/apache2.service'.
Created symlink '/etc/systemd/system/multi-user.target.wants/apache-htcacheclean.service' -> '/usr/lib/systemd/system/apache-htcacheclean.service'.
Processing triggers for libc-bin (2.41-12+deb13u2) ...
Processing triggers for ca-certificates (20250419) ...
Updating certificates in /etc/ssl/certs...
0 added, 0 removed; done.
Running hooks in /etc/ca-certificates/update.d...
done.
root@enejvolmut:/home/enej# ip a
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
        valid_lft forever preferred_lft forever
    inet6 ::1/128 scope host noprefixroute
        valid_lft forever preferred_lft forever
2: enp0s3: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000
    link/ether 08:00:27:55:93:ed brd ff:ff:ff:ff:ff:ff
    altname enx0800275593ed
    inet 192.168.0.38/24 brd 192.168.0.255 scope global dynamic noprefixroute enp0s3
        valid_lft 3119sec preferred_lft 2669sec
    inet6 fe80::d0c3:ca5b:339a:5671/64 scope link
        valid_lft forever preferred_lft forever
root@enejvolmut:/home/enej#
```

```
almaMater - debian - VM2 [V izvajanju] - Oracle VirtualBox
Datoteka Računalnik Pogled Vnos Naprave Pomoč

root@enejvolmut:/home/enej# ip a
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
        valid_lft forever preferred_lft forever
    inet6 ::1/128 scope host noprefixroute
        valid_lft forever preferred_lft forever
2: enp0s3: <BRADACAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000
    link/ether 00:00:27:55:93:ed brd ff:ff:ff:ff:ff:ff
    altname enx0000275593ed
    inet 192.168.0.38/24 brd 192.168.0.255 scope global dynamic noprefixroute enp0s3
        valid_lft 3119sec preferred_lft 2669sec
    inet6 fe80::2755:93:ed:5477/64 scope link
        valid_lft forever preferred_lft forever
root@enejvolmut:/home/enej# systemctl status ssh
* ssh.service - OpenBSD Secure Shell server
   Loaded: loaded (/usr/lib/systemd/system/ssh.service; enabled; preset: enabled)
   Active: active (running) since Tue 2026-03-24 19:42:17 CET; 3min 10s ago
   Invocation: a62e913a617e4f919e3770f7a3a06f22
     Docs: man:sshd(8)
           man:sshd_config(5)
   Main PID: 3644 (sshd)
     Tasks: 1 (limit: 506)
    Memory: 1.9M (peak: 1.0M)
       CPU: 31ms
    CGroup: /system.slice/ssh.service
            -3644 "sshd: /usr/sbin/sshd -D [listener] 0 of 10-100 startups"

Mar 24 19:42:17 eneivolmut systemd[1]: Starting ssh.service - OpenBSD Secure Shell server...
Mar 24 19:42:17 eneivolmut sshd[3644]: Server listening on 0.0.0.0 port 22.
Mar 24 19:42:17 eneivolmut sshd[3644]: Server listening on :: port 22.
Mar 24 19:42:17 eneivolmut systemd[1]: Started ssh.service - OpenBSD Secure Shell server.
root@enejvolmut:/home/enej# systemctl status apache2
* apache2.service - The Apache HTTP Server
   Loaded: loaded (/usr/lib/systemd/system/apache2.service; enabled; preset: enabled)
   Active: active (running) since Tue 2026-03-24 19:42:21 CET; 3min 30s ago
   Invocation: a374cd7be21b4c96a7d2fb52e93d1554
     Docs: https://httpd.apache.org/docs/2.4/
   Main PID: 3987 (apache2)
     Tasks: 55 (limit: 506)
    Memory: 4.9M (peak: 5.1M)
       CPU: 51ms
    CGroup: /system.slice/apache2.service
            -3987 /usr/sbin/apache2 -k start
            -3988 /usr/sbin/apache2 -k start
            -3992 /usr/sbin/apache2 -k start

Mar 24 19:42:21 eneivolmut systemd[1]: Starting apache2.service - The Apache HTTP Server...
Mar 24 19:42:21 eneivolmut systemd[1]: Started apache2.service - The Apache HTTP Server.
root@enejvolmut:/home/enej#
```



Apache2 Debian Default Page

It works!

This is the default welcome page used to test the correct operation of the Apache2 server after installation on Debian systems. If you can read this page, it means that the Apache HTTP server installed at this site is working properly. You should **replace this file** (located at `/var/www/html/index.html`) before continuing to operate your HTTP server.

If you are a normal user of this web site and don't know what this page is about, this probably means that the site is currently unavailable due to maintenance. If the problem persists, please contact the site's administrator.

Configuration Overview

Debian's Apache2 default configuration is different from the upstream default configuration, and split into several files optimized for interaction with Debian tools. The configuration system is **fully documented in `/usr/share/doc/apache2/README.Debian.gz`**. Refer to this for the full documentation. Documentation for the web server itself can be found by accessing the **manual** if the `apache2-doc` package was installed on this server.

The configuration layout for an Apache2 web server installation on Debian systems is as follows:

```
/etc/apache2/
|-- apache2.conf
|   |-- ports.conf
|-- mods-enabled
|   |-- *.load
|   |-- *.conf
|-- conf-enabled
|   |-- *.conf
|-- sites-enabled
|   |-- *.conf
```

- `apache2.conf` is the main configuration file. It puts the pieces together by including all remaining configuration files when starting up the web server.
- `ports.conf` is always included from the main configuration file. It is used to determine the listening ports for incoming connections, and this file can be customized anytime.
- Configuration files in the `mods-enabled/`, `conf-enabled/` and `sites-enabled/` directories contain particular configuration snippets which manage modules, global configuration fragments, or virtual host configurations, respectively.
- They are activated by symlinking available configuration files from their respective `*-available/` counterparts. These should be managed by using our helpers `a2enmod`, `a2ensite`, `a2envars`, and `a2enconf`. See their respective man pages for detailed information.
- The binary is called `apache2`. Due to the use of environment variables, in the default configuration, `apache2` needs to be started/stopped with `/etc/init.d/apache2` or `apache2ctl`.

```
enej@enejvolmut: ~  
Windows PowerShell  
Copyright (C) Microsoft Corporation. All rights reserved.  
Try the new cross-platform PowerShell https://aka.ms/pscore6  
PS C:\Users\Asus> ssh enej@192.168.0.38  
enej@192.168.0.38's password:  
Linux enejvolmut 6.12.74+deb13+1-amd64 #1 SMP PREEMPT_DYNAMIC Debian 6.12.74-2 (2026-03-08) x86_64  
  
The programs included with the Debian GNU/Linux system are free software;  
the exact distribution terms for each program are described in the  
individual files in /usr/share/doc/*/copyright.  
  
Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent  
permitted by applicable law.  
enej@enejvolmut: $
```

```
AlmaMater - debian - VM1 [V izvajanju] - Oracle VirtualBox
Datoteka Računalnik Pogled Vnos Naprave Pomoč

Debian GNU/Linux 13 enejvolmut tty1


enejvolmut login: enej
Password:
Linux enejvolmut 6.12.74+deb13+1-amd64 #1 SMP PREEMPT_DYNAMIC Debian 6.12.74-2 (2026-03-08) x86_64

The programs included with the Debian GNU/Linux system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent
permitted by applicable law.
enej@enejvolmut:~$ su -
Password:
root@enejvolmut:~# scp -r /var/www/html/* enej@192.168.0.38:/home/enej
The authenticity of host '192.168.0.38 (192.168.0.38)' can't be established.
ED25519 key fingerprint is SHA256:XpuHvbldTpL8+8PzwzUGpzGvPWvbXruS8Gve7yM3Uvw.
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '192.168.0.38' (ED25519) to the list of known hosts.
Connection closed by 192.168.0.38 port 22
scp: Connection closed
root@enejvolmut:~#
```

```
AlmaMater - debian - VM1 [V izvajanju] - Oracle VirtualBox
Datoteka Računalnik Pogled Vnos Naprave Pomoč
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '192.168.0.38' (ED25519) to the list of known hosts.
Connection closed by 192.168.0.38 port 22
scp: Connection closed
root@enejvolmut:~# pwd
/root
root@enejvolmut:~# ls -R /home/enej
/home/enej:
splet

/home/enej/splet:
DSC00574.JPG index.html
root@enejvolmut:~# mv /home/enej/* /var/www/html/
root@enejvolmut:~# ls /var/www/html
enej index.html slika.jpg splet
root@enejvolmut:~#
root@enejvolmut:~# mv /var/www/html/* /home/enej/
root@enejvolmut:~# chown -R enej:enej /home/enej/
root@enejvolmut:~# scp -r /var/www/html/* enej@192.168.0.38:/home/enej/
scp: stat local "/var/www/html/*": No such file or directory
root@enejvolmut:~# pwd
/root
root@enejvolmut:~# ls /var/www/html
root@enejvolmut:~# ls /var/www/html/
root@enejvolmut:~# ls /home/enej/
enej index.html slika.jpg splet
root@enejvolmut:~# scp -r /home/enej/* enej@192.168.0.38:/home/enej/
enej@192.168.0.38's password:
.bashrc
.profile
.bash_history
index.html
DSC00574.JPG
.bash_logout
index.html
slika.jpg
index.html
DSC00574.JPG
root@enejvolmut:~#
```



```
almaMater - debian - VM2 [V izvajanju] - Oracle VirtualBox
Datoteka Računalnik Pogled Vnos Naprave Pomoč

Debian GNU/Linux 13 enejvolmut tty1

enejvolmut login: enej
Password:
Linux enejvolmut 6.12.74+deb13+1-amd64 #1 SMP PREEMPT_DYNAMIC Debian 6.12

The programs included with the Debian GNU/Linux system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent
permitted by applicable law.
enej@enejvolmut:~$ su -
Password:
root@enejvolmut:~# mv /home/enej/* /var/www/html
mv: cannot stat '/home/enej/*': No such file or directory
root@enejvolmut:~# ls /home/enej/
root@enejvolmut:~# pwd
/root
root@enejvolmut:~# ls /home/enej/
enej index.html slika.jpg splet
root@enejvolmut:~# _
```



```
almaMater - debian - VM2 [V izvajanju] - Oracle VirtualBox
Datoteka Računalnik Pogled Vnos Naprave Pomoč

Debian GNU/Linux 13 enejvolmut tty1
enejvolmut login: enej
Password:
Linux enejvolmut 6.12.74+deb13+1-amd64 #1 SMP PREEMPT_DYNAMIC Debian 6.12

The programs included with the Debian GNU/Linux system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent
permitted by applicable law.
enej@enejvolmut:~$ su -
Password:
root@enejvolmut:~# mv /home/enej/* /var/www/html
mv: cannot stat '/home/enej/*': No such file or directory
root@enejvolmut:~# ls /home/enej/
root@enejvolmut:~# pwd
/root
root@enejvolmut:~# ls /home/enej/
enej index.html slika.jpg splet
root@enejvolmut:~# mv /home/enej/index.html /var/www/html
root@enejvolmut:~# mv /home/enej/slike /var/www/html
mv: cannot stat '/home/enej/slike': No such file or directory
root@enejvolmut:~# mv /home/enej/slika.jpg /var/www/html
root@enejvolmut:~# chown -R www-data:www-data /var/www/html
root@enejvolmut:~# chown -R 755 /var/www/html/
root@enejvolmut:~#
```

